

SAFETY SHOWER DATASHEET

Document No: 24004REN-PRC-DAT-0005_0

	İGSAS
Owner Job No. / İşveren İş No.	-
Project / Proje	İGSAS KUTAHYA NİTRİK ASİT TANK ÇİFTLİĞİ PROJESİ
Location / Konum	Kütahya / Türkiye

Approval / Onaylayan	Koray Demirel	Sign. / İmza	
Verification / Doğrulayan	Erhan Yıldız	Sign. / İmza	
Prepared / Revised by / Hazırlayan	Cemal Dur	Sign. / İmza	

	Document Number / Doküman Numarası	Page / Sayfa	
-	SAFETY SHOWER DATASHEET		
	Vendor / Client Number	Rev. No	0
	SAFETY SHOWER DATASHEET	DATE / TARİH :	07/08/24

REVISION HISTORY / REVİZYON GEÇMİŞİ

Rev. / Yayın	Date / Tarih	Prepared / Revised by / Hazırlayan	Status and Description / Durum ve Açıklama
0	7/8/2024	Cemal Dur	Issue for Comment

GENERAL INFORMATION			
Equipment Name:	Emergency Safety Shower		Vendor:
Number Required	Seven (7)		Vendor Quotation Number:
Continuous/Intermittent	Intermittent		Manufacturer:
Specification Number:			Model Number:
Package Number:	AE02		Tag Number:
Instructions to Vendors: Vendors must complete Vendor Data column for each item, otherwise bid may not be considered			
PROCESS CONDITIONS			
Location			Outdoor
Heated / Unheated			Unheated
Design Life	years		25.0
Hazardous Area			Yes, Nitric Acid
Description	Unit	Design Requirement	Vendor Data
DESIGN DETAIL			
Code/Standard		ANSI Z358.1	
Fluid		Potable Water	vendor to confirm / propose
Operating Press. (Max / Nor / Min)	barg	2.8 / 2 / 1.4	
Operating Temperature	°C	1~25	
Design Pressure	barg	4.0	
Design Temperature	°C	60.0	
Minimum Capacity	liters / min	11.4 for Eyewash / 75.7 for Shower	
Atmosphere Condition	°C	-20 ÷ 40	
CONSTRUCTION			
Line Class		150#	
Test & Inspection			
Hydraulic Test	barg	7.0	
Scald protection bleed valve	YES / NO	By Vendor	
Flow Switch	YES / NO	By Vendor	
Alarm Bell	YES / NO	NO	
Alarm Light	YES / NO	NO	
Space Heater	YES / NO	NO	
CONNECTION DETAILS			
Connection			
Inlet Size		1"	
Outlet Size		1 1/4"	
Type		THDD	
Material			
*Body		Grade 304 or 316	
*Valve		By Vendor	
Accessory		By Vendor	
Accessories			
Anchor Bolts		By Vendor	
SURFACE TREATMENT			
Type of Coating	-		
Coating Dry Film Thickness	micron		
No. of coats	-		
SHIPPING DATA			
Total Shipping Weight	kg		
Total Shipping Volume	m ³		
Heaviest Component for Maintenance	Item, kg		
Heaviest Component for Shipping	Item, kg		
Largest Shipping Piece, Item (lwxh)	mm		
Number of Pieces to Ship			
FOB Point(s)			
PURCHASER NOTES			
1)			
2)			
3)			
4)			
5)			