

EMPLOYER



WEST AFRICAN ENERGY SA



SENEGAL NATIONAL ELECTRICITY AGENCY

EPC CONTRACTOR



ÇALIK ENERJİ SAN. VE TİC. A.Ş

CAP DES BICHES COMBINED CYCLE POWER STATION PROJECT (300 MW)

REVISION HISTORY

A	12.11.2020	FOR APPROVAL	AAC	İÖ	AB
REV.	DATE	DESCRIPTION	PREPARED	CHECKED	APPROVED

DOCUMENT TITLE/SUBJECT:

DOCUMENT NUMBERING AND CODING PROCEDURE

PROJECT DOCUMENT NO:

<i>Project</i>	<i>Unit</i>	<i>System</i>	<i>Disc</i>	<i>Doc.</i>	<i>Type</i>	<i>Orig.</i>	<i>Serial No</i>	Detailed Information	Rev.	A
SNC	36	Y	KM		CEI	001			Size	A-4
VENDOR DOCUMENT NO: ** if applicable									Lang.	Eng.
									Total Sheet	12

INDEX:

1. PURPOSE	3
2. SCOPE.....	3
3. RESPONSIBILITY.....	3
4. RULES AND EXPLANATIONS	3
4.1. CODIFICATION OF TECHNICAL DOCUMENTS	3
4.2. ELECTRONIC FILE NUMBERING REQUIREMENTS.....	5
4.3. CODIFICATION OF CORRESPONDENCE.....	6
5. LIST OF ABBREVIATIONS:.....	6
6. REFERENCES:.....	6
ANNEX_1_DISCIPLINE KEYS DESCRIPTION	8
ANNEX_2_DOCUMENT TYPE KEY DESCRIPTION	8
ANNEX_3_KKS – GUIDELINES AND KEYS.....	10

	Document Numbering and Coding Procedure	Doc. No. : SNC-36-Y-KM-CEI-001 Page : 3 OF 12 Date : 12.11.2020 Revision : A
--	--	---

1. PURPOSE

The purpose of this document is to establish a standard document numbering system for CAP DES BICHES COMBINED CYCLE POWER STATION PROJECT

2. SCOPE

This document explains the philosophy of the document numbering and coding system. This procedure provides information about the extent of the system and provides all the codes for CAP DES BICHES COMBINED CYCLE POWER STATION PROJECT documentation.

3. RESPONSIBILITY

Project Manager, Engineering Manager, Projects Controls Manager, DCC are responsible for the execution of the procedure.

4. RULES AND EXPLANATIONS

The coding system to apply is established below according to the characteristics of each document

4.1. CODIFICATION OF TECHNICAL DOCUMENTS

The structure of the code will be given;

XXX-YY-AAA-T₁T₂T₃-EEE-NNN. AN_R

XXX - Project Code:

Project code indicates the project as three or four alpha-numerical digits, “SNC” will be the project code and remain same during all execution stage CAP DES BICHES COMBINED CYCLE POWER STATION PROJECT. This code identified as 100 if/any internal CALIK EPC Group standard and/or typical documents.

YY - Group Code:

Identifies the group and area of the plant for which the document is applicable. The code will be the project sequence number, if distinction of area or plant is not clear or non-exist. The group code defined as “36” for CAP DES BICHES COMBINED CYCLE POWER STATION PROJECT and will remain same for all related project document.

AAA - System Code:

	Document Numbering and Coding Procedure	Doc. No. : SNC-36-Y-KM-CEI-001 Page : 4 OF 12 Date : 12.11.2020 Revision : A
--	--	---

It corresponds to the KKS system code, and is the key assigned according to the Engineering Document Master List [SNC-36-VD-IL-CEI-001]. “List of KKS System coding/ KKS – GUIDELINES AND KEYS” Annex 3, wherein it is observed that it is not always necessary to use the 3 letters. Whenever possible, indicate as AAA key the corresponding to the system or subsystem treated in the document.

T₁ - Discipline Code:

Discipline Code identify the discipline of documents; Annex_1 for the list of discipline code.

T₂ – Document Type:

Identify the type of documents in general manner. Annex_2

T₃ – Sub-Document Type:

Sub-Document type particularizes the document type. Sub-document type is not a mandatory for all type of documents. Annex_2

EEE – Originator Code:

Identify the originator of document, abbreviations of originator for the parties will be defined during project execution stage.

NNN – Serial No of Document:

It is the consecutive serial number, considering as series the combination AAA- T₁T₂T₃-EEE of the project. In general every document related to a unique supply keep this number in common. (Specifications, Data Sheets, Proposal Evaluation...)

AN –Appendix:

In case a document has appendixes, the serial number will be followed by .AN, the first letter being the appendix indicator (A), and the second the figure that indicates the appendix number (N).

Samples;

- SNC-36-UMB-MDF-CEI-001_GT BUILDING - ARCHITECTURAL DRAWING
- SNC-36-UMB-CDF-CEI-001_ GT BUILDING - FOUNDATION LAYOUT

	Document Numbering and Coding Procedure	Doc. No. : SNC-36-Y-KM-CEI-001 Page : 5 OF 12 Date : 12.11.2020 Revision : A
--	--	---

R – Revisions:

The revision element is a character alfa-numeric string used to distinguish the multiple issues of a document.

- Up to drawing for construction (up to approved by Owner/Contractor): A, B, C ...
- After Construction drawing (after approved by Owner/Contractor): 0, 1, 2...
- Revision for the red marks/redlines should be indicated lowercase letter; Aa, 1a...

Revision issue status should be identified by following codes for documents.

<u>Issue Code</u>	<u>Description</u>	<u>Issue Code</u>	<u>Description</u>
IP	In Preparation	AFC	Approved for Construction
PR	Preliminary	AFD	Approved For Design
FI	For Information	FB	For Bid
FR	For Review	FP	For Purchase
FA	For Approval	X	As Built

4.2. ELECTRONIC FILE NUMBERING REQUIREMENTS

- Name of electronic file: SNC-36-UMB-CDA-CEI-001_0
- File name shall always be written in Latin by upper case without space between characters.
- The underscore (_) is used to separate the document number from the revision.
- File name shall not include Document Title.
- If document consists of several files, i.e. appendices, etc. all the attachments and the main document shall be combined in one PDF file in case of providing pdf formats or one "zip" file in case of providing native formats.
- If documents are provided in multi languages, the following file identification, the second underscore (_) will be applied;
SNC-36-UMB-CDA-CEI-001_0_En. English translation of the document

	Document Numbering and Coding Procedure	Doc. No. : SNC-36-Y-KM-CEI-001 Page : 6 OF 12 Date : 12.11.2020 Revision : A
--	---	--

4.3.CODIFICATION OF CORRESPONDENCE

Codification of correspondence structure and related rules described in this section. Each communication will have a single subject. It will not be possible to use the same communication to deal with different matters.

XXX-YY-Z-SSS-RRR-NNN

XXX - Project Code: Ditto (SNC)

YY - Group Code: Ditto (36)

Z – Type of Communication: A code indicating the type of communication,

E: E-mail

L: Letter

T: Transmittal

SSS: Sender and/or originator code.

RRR: Recipient code.

NNN: Serial number of correspondence. The serial number of correspondence are correlative and independent from each other.

In general, all owner/supplier/contractor and /or any other third party will have their own identification code for each contract.

All correspondence should be addressed regarding settled communication rules between owner/supplier/contractor and / or any other third party.

5. LIST OF ABBREVIATIONS:

WAE : WEST AFRICAN ENERGY SA.

CEI : ÇALIK ENERJİ A.Ş. EPC GROUP/İSTANBUL

CES : ÇALIK ENERJİ A.Ş. SITE OFFICE

***Above codes are representative, other codes for the parties will be defined during the project execution stage.

6. REFERENCES:

- ISO 9001:2000

	Document Numbering and Coding Procedure	Doc. No. : SNC-36-Y-KM-CEI-001 Page : 7 OF 12 Date : 12.11.2020 Revision : A
--	---	--

- PK-01-GEN-PRO-001_Document Management Procedure
- PK-01-GEN-PRO-002_Project Document Control and Communication Procedure

	Document Numbering and Coding Procedure	Doc. No. : SNC-36-Y-KM-CEI-001 Page : 8 OF 12 Date : 12.11.2020 Revision : A
--	---	--

ANNEX_1_DISCIPLINE KEYS DESCRIPTION

A	PROCUREMENT (purchasing, inspection, transportation)
B	PROCESS
C	CIVIL WORKS
D	PROJECT MANAGEMENT
E	ELECTRICAL
I	PROJECT ENGINEER
F	SUPPORTS
H	HSE (Health And Safety &Environment)
K	PROJECT CONTROL
M	MECHANICAL EQUIPMENT
O	SITE (Building, Assembly, Site Management / Supervision...)
S	STEEL STRUCTURE
Q	QUALITY CONTROL
R	COMISSIONING/START-UP
T	PIPING
Y	INSTRUMENTATION & CONTROL

ANNEX_2_DOCUMENT TYPE KEY DESCRIPTION

A OFFICIAL PROJECTS, LICENCES, PERMITS

C CALCULATIONS

D DRAWINGS

DA Architecture Drawings, forms, etc.

DB Layout drawings (pipes, cables, trays, etc.).

DC Control, wiring and connection schematics.

DD Process Diagrams, Pipes & Instrumentation Diagrams (P&ID)

DF Installation, layout drawings (general, equipment: mechanical, electrical, instruments, etc.), topography, hazard areas, etc.

DG Buried network plans (pipes, earths, etc.).

DH Operating screen plans

DL Block diagrams (logic and analogue).

DM Assembly and construction drawings

DO Lighting drawings

DR Framework drawings

DS Drawings of metallic structures, supports, etc.

DT Pipe isometrics.

DU Single-line schematics.

DY Telephony and public address diagrams

DZ Finishes

E STUDIES

F REPORTS

H DATA SHEETS

I SPECIFICATIONS

J GENERAL CONDITIONS

L LISTS

LA Alarms

LD Signals (electric and instrumentation).

LE Equipment

LI Instruments. Inputs/Outputs (I/O)

LJ Adjusting points

LK Cables and layouts (wiring, connections).

LM Materials

LP Components

LQ Electric loads

LR Auxiliary consumptions

LS Supports.

LT Pipes.

LV Valves.

LW Pipe specialties.

LX Spare parts

LY Special tools

LZ Oil and consumables

M MANUAL, PROCEDURE, INSTRUCTION BOOK

MH Start-up procedure

	Document Numbering and Coding Procedure	Doc. No. : SNC-36-Y-KM-CEI-001 Page : 10 OF 12 Date : 12.11.2020 Revision : A
--	---	---

MI	Technical Instruction Handbook
MD	Final Dossier Supply / Construction
ML	Learned lessons
O	REQUEST OF OFFER
P	PROGRAMS AND DRAWINGS
PI	Inspections and Test Plan
R	DESIGN CRITERIA AND DESCRIPTIONS
V	PROPOSAL EVALUATION
VC	Proposal Commercial Evaluation
Z	CONTRACTS AND ORDERS
ZF	Invoices

ANNEX_3_KKS – GUIDELINES AND KEYS

Please refer attachment “SNC-36-Y-KM-CEI-001.A3-KKS – GUIDELINES AND KEYS”

In addition to the SNC-36-Y-KM-CEI-001.A3, KKS keys; the keys for the general and administrative documents are indicated below for easy reference.

U	STRUCTURES AND BUILDINGS
UMM	Turbine Pedestal
UZZ	Power Island Excavation Plan
V	GENERAL TECHNICAL MATTERS (not included in specific systems)
VA	Mechanical (equipment)
VAA	Valves and associated equipment
VAC	Heat changers
VAE	Elevation and manipulation equipment
VAP	Pumps
VB	Mechanical (equipment and components)
VBB	Containers, tanks
VBP	Orifice plates
VBQ	Supports, racks and penetration of pipelines
VBR	Piping, ducts and associated equipment
VBS	Silencer
VBU	Insulate
VD	General
VDA	General material/energy balances
VDB	Process flow diagrams (PFDs) general
VDD	General Layout & Plot Plan
VDG	Corrosion
VDJ	Painting
VDL	Tracing (steam, hot water)
VE	Recirculating water system study
VG	Electricity (equipment and electrical material)
VGA	Cables power
VGD	Trays and supports
VGf	Variable Frequency Drive
VGH	Cubicles, pictures and panels
VGM	Motor
VGP	Protection ground equipment
VGT	Heat tracing
VGv	Lighting
VGy	Dangerous areas classification
VC	I&C GENERAL
VCA	Cables I&C
VCB	Cables communication
VO	Civil works
VOA	Location
VOD	Temporary facilities of work
VOG	Details, Typical
VQ	Quality control of supplies
VS	Safety, risk analysis

VW	Assembly / Construction
VX	Pre-commissioning
VY	Start-up
Y	GENERAL PROJECT DOCUMENTS (Administration)
YC	Quality Assurance
YD	Planning
YE	Organization, Staff
YF	Project Reports
YG	Permits, Licenses, Authorizations
YH	Official projects
YK	Economic matters