

ENSF 380

TOPIC 06: PROGRAMMING STYLE

Avoid Lines Longer than 80 Characters

Acceptable Style

```
System.out.print("Print some text. ");  
System.out.print("Print more text. " +  
    "Print even more text. ");  
System.out.println("The End.");
```

Unacceptable Style

```
+ System.out.println("Print some text. Print  
+ more text. " + "Print even more text. The  
End.");
```

Keep Methods Short

Acceptable Style

```
static String namedDate(int day, int month) {  
    String myDay = numberToOrdinal(day);  
    String myMonth =  
        monthNumberToName(month);  
    String myDate = myDay;  
    myDate = myDate.concat(" of ");  
    myDate = myDate.concat(myMonth);  
    return myDate;  
}
```

Unacceptable Style

```
static String namedDate(int day, int month) {  
    String myMonth = "January";  
    if (month == 2) {  
        myMonth = "February";  
    }  
  
    String myDay = "1st";  
    if (day == 2) {  
        myDay = "2nd";  
    }  
}
```

Use Descriptive Names

Acceptable Style

```
String absolutePath = filesystemPath;  
absolutePath.concat(fileName);  
absoluetePath.contat(fileExtension);
```

Unacceptable Style

```
String final = tmp;  
final.concat(name);  
final.concat(add);
```

Use Braces for Clarity

Acceptable Style

```
if (a == b) {  
    performAction();  
}
```

Unacceptable Style

```
if (a == b)  
    performAction();
```

Shortcut for Declaring Variables

Acceptable Style

```
String myMonth = "January";
```

Acceptable Style

```
var myMonth = "January";
```

Tip: As of JDK 10, you can use `var` to declare variables when it is clear from context what class a variable belongs to.

Summary: Knowledge

Stylistic conventions

- Line length
- Method length
- Naming
- Braces

var as a shortcut for declaring variables

Additional Information

Reminder

- You are expected to adhere to stylistic conventions in all submitted work