

BUILD YOUR OWN – LAB ORDER FORM

PLASTICS

BASE MATERIAL (select only one) See Materials Response Guide for characteristics and properties

☐ **Polypropylene** ☐ **High Density Polyethylene (HDPE)** ☐ **Copolymer**

Patient sex and shoe size is required to assist our designers to fabricate the correct dimensions

☐ 2 ☐ 3 ☐ 4 ☐ 5 (mm) or ☐ 1/8 ☐ 5/32 ☐ 3/16 ☐ 1/4 (inches)

Exos Carbon Composite (additional charges apply) ☐ Flexible ☐ Semi-Flexible ☐ Semi-Rigid ☐ Rigid

FOAMS

Ethylene Vinyl Acetate (EVA) ☐ 45 Durometer ☐ 55 Durometer ☐ Semi-Rigid ☐ Rigid **Cork** ☐ EVA-Cork

CORRECTIONS & MODIFICATIONS ☐ As needed / per lab discretion

Rearfoot ☐ Balance to Vertical

☐ L ____° ☐ R ____° Inverted

☐ L ____° ☐ R ____° Everted

☐ Intrinsic ☐ Extrinsic

Forefoot ☐ Balance to Cast

☐ L ____° ☐ R ____° Inverted

☐ L ____° ☐ R ____° Everted

☐ Intrinsic ☐ Extrinsic

Arch Height ☐ Increase ☐ Standard ☐ Decrease ☐ To Cast

Cast Modifications (mm)

L ____mm R ____mm Plantar Fascial Accommodation

L ____mm R ____mm Lateral Heel Expansion

L ____mm R ____mm Medial Heel Skive

DEVICE SPECIFICATIONS ☐ All Standard

Heel Cup Height

☐ L ☐ R Shallow (12mm)

☐ L ☐ R Standard (14mm)

☐ L ☐ R Increased (16mm)

☐ L ☐ R Deep (20mm)

Forefoot

☐ L ☐ R Narrow Width

☐ L ☐ R Standard Width

☐ L ☐ R Wide Width

☐ L ☐ R First Ray Cut Out

☐ Clip (Heel only)

☐ Clip+Flange (Extend distal)

Medial ☐ L ☐ R

Lateral ☐ L ☐ R

OPTIONS (extrinsic)

Rearfoot Post

☐ No Post ☐ Medial Only

☐ Crepe ☐ Dual Density

☐ Shell Material (mill)

Rearfoot Motion

☐ L ☐ R Standard 4°

☐ L ☐ R No Motion 0°

Other ☐ L ____° ☐ R ____°

Posting Elevator

☐ L ☐ R 4mm

☐ L ☐ R 8mm

Specify ☐ L ____ ☐ R ____

Heel Lift

☐ L ____ ☐ R ____mm

☐ L ____ ☐ R ____inches

☐ Heel only ☐ Full Length

Forefoot Post

☐ No Post ☐ Full Width

☐ Crepe ☐ Valgus Onlay

☐ Shell Material (mill)

Rearfoot Post Options

☐ L ☐ R Medial Flair ☐ L ☐ R Lateral Flair

☐ L ☐ R Medial Longer ☐ L ☐ R Lateral Longer

☐ L ☐ R Long Post ☐ L ☐ R Short Post

Additions/Accommodations

☐ Morton's Extension ☐ Reverse Morton's

☐ Metatarsal Pad ☐ Heel Pad ☐ Horseshoe Pad

☐ Neuroma Pad ☐ Cuboid Pad ☐ PoroCell Arch Fill

TOP COVER ☐ None

Top Cover Material ☐ Vinyl/Porocell ☐ Suede/Porocell ☐ Leather/Porocell ☐ Neoprene ☐ Bi-Lam (PlastaCell/PoroCell)

Top Cover Length ☐ Orthosis Shell Only ☐ Sulcus Length ☐ Full Length

Comments:

Forefoot Extensions

☐ PoroCell

☐ EVA

☐ Cork

☐ Sulcus

☐ Full Length