


CC BY NC SA

Design Principles


Human Computer Interaction

Catia Prandi
catia.prandi@unibo.it

Hall of Fame or Shame?



The Four Pillars of Design



Ben Shneiderman & Catherine Plaisant, Designing the User Interface: Strategies for Effective Human-Computer Interaction

Goals

Generating design solutions


- Guidelines
- Principles
- Theories

Evaluating generated designs

- Expert reviews and heuristics
- Usability testing
- Controlled experiments

Generating Design Solutions

- **Guidelines:** Low-level focused advice about good practices and cautions against dangers (e.g., web accessibility alternative text)
- **Principles:** Mid-level strategies or rules to analyze and compare design alternatives
- **Theories:** High-level widely applicable frameworks to draw on during design and evaluation, as well as to support communication and teaching



© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved.



Design Theories

Theoretical frameworks enabling foundational research

The “Why”

Design Theories

Types of theories


- Descriptive
  - UI elements, terminology, semantics
- Explanatory
  - Sequences of events with causal relationships
- Prescriptive
  - Guidelines for designers to make decisions
- Predictive
  - Comparison of design alternatives based on performance figures

Human capacity

- Motor task
  - Skill in pointing, clicking, … movements
- Perceptual
  - Sensory inputs
- Cognitive
  - Problem-solving, short-/long-term memory

© 2017 Pearson Education, Inc., Hoboken, NJ. All rights reserved.

Norman's Action Models (Explanatory)



1. **Goal** (form the goal)
2. **Plan** (the action)
3. **Specify** (an action sequence)
4. **Perform** (the action sequence)
5. **Perceive** (the state of the world)
6. **Interpret** (the perception)
7. **Compare** (the outcome with the goal)


Consistency Theories (Prescriptive)

- **Consistency** of nouns (objects) and verbs (actions)
  - Reduces learning time and errors
- Consistency of
  - Color
  - Layout
  - Icons
  - Fonts and Font sizes
  - Button sizes
  - …
- Inconsistencies might be used (sparingly!) for drawing attention

Consistent
delete/insert character
delete/insert word
delete/insert line
delete/insert paragraph

Human Processor Model (theory)

- Cognitive modelling method used to **calculate** how long it takes to perform a given task
  - prediction the system's performance (time to complete a task)
  - analogy between processing and storage areas of a computer with the perceptual, motor, cognitive and memory areas (working and long-term) of a person
- The calculations can be also used to determine the probability of a user remembering an item encountered during the task
- Underlies other usability techniques (GOMS, KLM, …)



Card, Stuart K.; Moran, Thomas P; and Newell, Allen. Human-computer interaction – Psychological aspects, Erlbaum Associates, 1983, ISBN: 9780898592436

Memory

- Working memory (short-term)
  - small capacity (7 ± 2 “chunks”)
    - +393475812632 vs. (+39) 347 581 2632
    - FGIHHJLMQ vs. FGI HHJ LMQ
  - rapid access (~70ms) and decay (~200ms)
    - pass to long-term memory after a few seconds of continued storage
- Long-term memory
  - huge (unlimited, almost)
  - slower access time (~100ms) with litte decay

Fitts's Law

- Demonstration: https://fww.few.vu.nl/hci/interactive/fitts/
- "The amount of time required for a person to move a *pointer* to a target area is a function of the distance to the target divided by the size of the target"
  - the longer the distance and the smaller the target's size, the longer it takes
  - created by psychologist Paul Fitts in 1954 examining the human motor system
- Widely used in HCI:
  - influenced the convention of making interactive buttons large (especially on finger-operated mobile devices)
  - the distance between a user's task/attention area and the task-related button should be kept as short as possible



Design Principles

The important aspects that we need to consider when creating a design.

The “What”



Design Principles


- More practical than Theories
- More fundamental, widely applicable, and enduring than Guidelines
- Fundamental principles (→ from Needfinding)
  - Determine user's skill levels
  - Identify the tasks
- 5 primary interaction styles
- 8 golden rules of interface design
- Prevent errors
- Automation and human control

Interaction Styles

- Direct manipulation (e.g., Drag & Drop)
- Menu selection
- Form fill-in
- Command language
- Natural language

Advantages	Disadvantages
Direct manipulation	
Visually presents task concepts	May be hard to program
Allows easy learning	May require graphics display and pointing devices
Allows easy retention	
Allows errors to be avoided	
Encourages exploration	
Affords high subjective satisfaction	
Menu selection	
Shortens learning	Presents danger of many menus
Reduces keystrokes	May slow frequent users
Structures decision making	Consumes screen space
Permits use of dialog-management tools	Requires rapid display rate
Allows easy support of error handling	
Form fill-in	
Simplifies data entry	Consumes screen space
Requires modest training	
Gives convenient assistance	
Permits use of form-management tools	
Command language	
Flexible	Poor error handling
Appeals to "power" users	Requires substantial training and memorization
Supports user initiative	
Allows convenient creation of user-defined macros	
Natural language	
Relieves burden of learning syntax	Requires clarification dialog
	May not show context
	May require more keystrokes
	Unpredictable

Norman's Principles from Action Models



Principles of good design

- State and the action alternatives should be visible
- Should be a good conceptual model with a consistent system image
- Interface should include good mappings that reveal the relationships between stages
- User should receive continuous feedback

User failures can occur

- Users can form an inadequate goal
- Might not find the correct interface object because of an incomprehensible label or icon
- May not know how to specify or execute a desired action
- May receive inappropriate or misleading feedback



The 8 Golden Rules of Interface Design

- Strive for consistency
- Cater to universal usability
- Offer informative feedback
- Design dialogs to yield closure
- Prevent errors
- Permit easy reversal of actions
- Keep users in control
- Reduce short-term memory load

The 8 Golden Rules of Interface Design

- **Strive for consistency**
- Cater to universal usability
- Offer informative feedback
- Design dialogs to yield closure
- Prevent errors
- Permit easy reversal of actions
- Keep users in control
- Reduce short-term memory load

- Similar situations should lead to similar sequences of actions
- Same terminology in prompts, menus, help
- Color, layout, capitalization, fonts, …
- Exceptions should be comprehensive and limited
  - E.g., delete, password echo

Internal Consistency



Consistency with mental models








https://twitter.com/grmcall/status/1182586857814659073?s=20


Consistency of Interpretation



- Which one is the selected one?
  - Color codes are ambiguous
  - No further internal clues
  - No external clues
- Does it represent the current status?
- Does it represent the status that we want to achieve?

Inconsistency for Drawing Attention

The border color and button text color in the “danger zone” are deliberately different than the rest of the page



The 8 Golden Rules of Interface Design

- Strive for consistency
- **Cater to universal usability**
- Offer informative feedback
- Design dialogs to yield closure
- Prevent errors
- Permit easy reversal of actions
- Keep users in control
- Reduce short-term memory load

- Users with different needs: let the interface *adapt*, let content be *transformed*
- Novices vs. experts. Young vs elderly. Web vs. mobile. Users with disabilities (→Accessibility)
- **Responsive** design
- International (and cultural) variations

The 8 Golden Rules of Interface Design


- Strive for consistency
- Cater to universal usability
- **Offer informative feedback**
- Design dialogs to yield closure
- Prevent errors
- Permit easy reversal of actions
- Keep users in control
- Reduce short-term memory load

- For ***every*** human action, there should be an interface feedback
- Frequent and minor actions: light feedback
- Infrequent and major actions: stronger feedback
- Visual presentation of objects helps showing the changes (e.g., dim, highlight, grey out, …)

Example



Example




Try to install VS Code for all users on a computer (install to Program Files rather than user's folders)

The 8 Golden Rules of Interface Design

- Strive for consistency
- Cater to universal usability
- Offer informative feedback
- **Design dialogs to yield closure**
- Prevent errors
- Permit easy reversal of actions
- Keep users in control
- Reduce short-term memory load

- Every sequence of actions should have
  - Beginning
  - Development
  - End
- Provide clear feedback at end
  - Satisfy users
  - ‘Delete’ current task from their working memory, prepare for the next

Clear Dialog Sequence




- OK
- Submit
- Confirm
- Next
- …?

The 8 Golden Rules of Interface Design

- Strive for consistency
- Cater to universal usability
- Offer informative feedback
- Design dialogs to yield closure
- **Prevent errors**
- Permit easy reversal of actions
- Keep users in control
- Reduce short-term memory load

- Avoid the possibility of making errors
- Disable menu items, buttons, links, … that are not applicable
- Prevent entering illegal characters
- Offer simple, constructive and specific instructions for recovery
  - Repair only the faulty part
- Errors should not alter application state (or make it easy to restore)

Error Prevention



The 8 Golden Rules of Interface Design

- Strive for consistency
- Cater to universal usability
- Offer informative feedback
- Design dialogs to yield closure
- Prevent errors
- **Permit easy reversal of actions**
- Keep users in control
- Reduce short-term memory load

- Actions should be reversible (at the cost of extra development effort)
  - Relieves anxiety
  - Encourages exploration
- Different levels of reversibility
  - A single action
  - A data-entry task
  - A complete group of actions

The 8 Golden Rules of Interface Design

- Strive for consistency
- Cater to universal usability
- Offer informative feedback
- Design dialogs to yield closure
- Prevent errors
- Permit easy reversal of actions
- **Keep users in control**
- Reduce short-term memory load

- The interface should *always* respond to user actions
- Minimize the tedious and lengthy tasks
- Avoid surprises or changes in familiar behavior
- Provide undo/redo, cancel/confirm

Example

*Come docente, quali problemi hai avuto nello svolgimento degli esami?

Scegliere una o più delle seguenti opzioni


- [x] Non ho avuto problemi
- [x] Organizzazione dell'esame (poca chiarezza nella spiegazione delle modalità, sovrapposizione di date, procedure troppo confuse, deposito e consultazione documentazione complesso, ecc.)
- [ ] Dispongo di hardware/software inadeguato
- [ ] La connessione che uso è lenta/non continua
- [ ] Problemi ambientali (troppo rumore, confusione, scarsa possibilità di concentrazione)

The 8 Golden Rules of Interface Design


- Strive for consistency
- Cater to universal usability
- Offer informative feedback
- Design dialogs to yield closure
- Prevent errors
- Permit easy reversal of actions
- Keep users in control
- **Reduce short-term memory load**

- Rule of thumb:
  - People can remember 7±2 chunks
  - of information
- Information on a screen should not be needed (remembered) in the next screen
- No entry of phone numbers (collect from addressbook), show website location, fit long forms in a single page…

Discussion – An Exception?



Exceptions…
sometimes entering is better than selecting




Design Principles by Benyon(I) (adapted from Norman, Nielsen and others)

- **Learnability** – helping people access, learn and remember the system
  - *Visibility* – ensure that things are visible, so users can see what functions are available and what the system is currently doing
  - *Consistency* (→above)
  - *Familiarity* – use language and symbols that the intended audience will be familiar with
  - *Affordance* – design things so it is clear what they are for (e.g., buttons should be pushed). Maps the (perceived) properties of the objects with how they can be used

Design Principles by Benyon(II) (adapted from Norman, Nielsen and others)

- **Effectiveness** – giving users the sense of being in control, knowing what to do and how to do it
  - *Navigation* – support people in moving around the different sections: maps, directional signs, information signs
  - *Control* – who is in control for the next interaction? Clear and logical mapping between controls and their effect. Relationships with the "side effects" in the real world
  - *Feedback* (→feedback above)

Example: Navigation and Control?



Design Principles by Benyon(III) (adapted from Norman, Nielsen and others)

- **Safety and Security**
  - *Recovery* (→error recovery)
  - *Constraints* (→prevent errors)
- **Accommodation** – offer an interaction way that suits the users
  - *Flexibility* (→universal usability)
  - *Style* – stylish, attractive, nice-looking
  - *Conviviality* – polite, friendly, pleasant. No abrupt interruptions

Norman's Seven Principles for Transforming Difficult Tasks into Simple Ones


- Use both knowledge in the world and knowledge in the head
- Simplify the structure of tasks
- Make things visible
- Get the mappings right
- Exploit the power of constraints, both natural and artificial
- Design for error
- When all else fails, standardize

D. Norman, The Design of Everyday Things

First Principles of Interaction Design

(Bruce Tognazzini, 2014)

https://asktog.com/atc/principles-of-interaction-design/



[Aesthetics](#)
[Anticipation](#)
[Autonomy](#)
[Color](#)
[Consistency](#)
[Defaults](#)
[Discoverability](#)
[Efficiency of the User](#)
[Explorable Interfaces](#)
[Fitts's Law](#)
[Human-Interface Objects](#)
[Latency Reduction](#)
[Learnability](#)
[Metaphors](#)
[Protect Users' Work](#)
[Readability](#)
[Simplicity](#)
[State: Track it](#)
[Visible Interfaces](#)

References and Acknowledgments

CC BY NC SA

- Ben Shneiderman, Catherine Plaisant, Maxine S. Cohen, Steven M. Jacobs, and Niklas Elmqvist, Designing the User Interface: Strategies for Effective Human-Computer Interaction
  - Chapter 3: Guidelines, Principles, and Theories
- David Benyon: Designing Interactive Systems, Pearson, 2014
  - Section 4.5: Design Principles
- COGS120/CSE170: Human-Computer Interaction Design, videos by Scott Klemmer,
- https://www.youtube.com/playlist?list=PLLssT5z_DsK_nusHL_Mjt87THSTlgrsyJ
- Fitts' Law: https://www.interaction-design.org/literature/topics/fitts-law

- These slides are a modified version of the ones of prof. Luigi De Russis, PoliTo. A big thanks to Luigi De Russis (PoliTo) for his work!