

Authorize

# Authentication



POST   **/api/auth/register**   Register



Parameters

Cancel

Reset

No parameters

Request body required

application/json

```
{
  "name": "Tim joe",
  "email": "tim@joe.com",
  "password": "password"
}
```

**Execute****Clear**

## Responses

### Curl

```
curl -X 'POST' \
  'https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/auth/register' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "name": "Tim joe",
    "email": "tim@joe.com",
    "password": "password"
  }'
```

### Request URL

https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/auth/register

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{  "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJ0aW1Aam9lLmNvbSIsImV4cCI6MTc0NTg1MDcwM30.z0ZzwW3Xi2qUpBUHztjac1I6jR7i-gQ3gmDNLW09pq0",  "token_type": "bearer"}</pre></div><div>Download</div></div> <div><div>Response headers</div><div><pre>access-control-allow-credentials: true cache-control: no-cache,no-store content-length: 173 content-type: application/json date: Mon,28 Apr 2025 14:01:43 GMT expires: Thu,01 Jan 1970 00:00:00 GMT pragma: no-cache ratelimit-limit: HttpRequestRatePerPort:1500/m ratelimit-remaining: HttpRequestRatePerPort:1499 ratelimit-reset: HttpRequestRatePerPort:4s referrer-policy: same-origin strict-transport-security: max-age=31536000; includeSubDomains vssaas-request-id: 08c4edc4-db13-4c14-91c7-5a43e97f8f93 x-content-type-options: nosniff x-ms-ratelimit-limit: 1500 x-ms-ratelimit-remaining: 1497 x-ms-ratelimit-reset: 0 x-ms-ratelimit-used: 3 x-report-abuse: https://msrc.microsoft.com/report/abuse x-robots-tag: noindex,nofollow x-served-by: tunnels-prod-rel-inc1-v3-cluster</pre></div></div>

Responses

Code	Description	Links
200	Successful Response	No links
	Media type	

Code	Description	Links
	<div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{  "access_token": "string",  "token_type": "string"}</pre></div>	
422	<div>Validation Error</div> <div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><pre>{  "detail": [    {      "loc": [        "string",        0      ],      "msg": "string",      "type": "string"    }  ]}</pre></div>	No links

POST /api/auth/login Login

Parameters

Cancel

Reset

No parameters

Request body required

application/x-www-form-urlencoded

grant\_type

string | (string | null)  
pattern: ^password\$

☐ Send empty value

username \* required

string

password \* required

string

scope

string

☒ Send empty value

client\_id

string | (string | null)

☐ Send empty value

client\_secret

string | (string | null)

☐ Send empty value

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/auth/login' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'grant_type=password&username=Jonh%40doe.com&password=password&scope=&client_id=string&client_secret=string'
```

Request URL

https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/auth/login

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{   "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJKb25oQGRvZS5jb20iLCJleHAiOjE3NDU4NTA3MjN9.7aU9Pg11CMJo91KSCjsLl2aK8l0200xKCVuu1c8ZDeo",   "token_type": "bearer" }</pre></div><div>Download</div></div> <div><div>Response headers</div><div><pre>access-control-allow-credentials: true content-length: 174 content-type: application/json date: Mon,28 Apr 2025 14:02:03 GMT ratelimit-limit: HttpRequestRatePerPort:1500/m ratelimit-remaining: HttpRequestRatePerPort:1499 ratelimit-reset: HttpRequestRatePerPort:25s referrer-policy: same-origin strict-transport-security: max-age=31536000; includeSubDomains vssaas-request-id: 1ecdded2-68a3-4f08-a709-b1ab0c49909b x-content-type-options: nosniff x-ms-ratelimit-limit: x-ms-ratelimit-remaining: x-ms-ratelimit-reset: x-ms-ratelimit-used: 1 x-report-abuse: https://msrc.microsoft.com/report/abuse x-robots-tag: noindex,nofollow</pre></div></div>

Code	Details	
	x-served-by: tunnels-prod-rel-inc1-v3-cluster	
Responses		
Code	Description	Links
200	<div>Successful Response</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>"string"</div>	No links
422	<div>Validation Error</div> <div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div>{   "detail": [     {       "loc": [         "string",         0       ],       "msg": "string",       "type": "string"     }   ] }</div>	No links

$\wedge$ 

**Cancel**

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ

**Clear**

## Curl

```
-H 'accept: application/json'
```

<https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/auth/verify-token/eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJKb250QGRvZS5jb20iLCJleHAiOjE3NDU4NTA3MjN9.7aU9Pg1lCMJo9lKSCjsLl2aK8l0200xKCvUu1c8ZDeo>

**Code**      **Details**

## Response body



Code	Details
	<div><pre>{   "message": "Token is valid" }</pre></div> <div>Download</div>
	<div>Response headers</div> <div><pre>cache-control: no-cache,no-store content-length: 28 content-type: application/json date: Mon,28 Apr 2025 14:02:23 GMT expires: Thu,01 Jan 1970 00:00:00 GMT pragma: no-cache ratelimit-limit: HttpRequestRatePerPort:1500/m ratelimit-remaining: HttpRequestRatePerPort:1499 ratelimit-reset: HttpRequestRatePerPort:30s referrer-policy: same-origin strict-transport-security: max-age=31536000; includeSubDomains vssaas-request-id: e80954f7-5eed-4ac8-a431-4d88c67e7509 x-content-type-options: nosniff x-ms-ratelimit-limit: 1500 x-ms-ratelimit-remaining: 1496 x-ms-ratelimit-reset: 0 x-ms-ratelimit-used: 4 x-report-abuse: https://msrc.microsoft.com/report/abuse x-robots-tag: noindex,nofollow x-served-by: tunnels-prod-rel-inc1-v3-cluster</pre></div>

Responses

Code	Description	Links
200	<div>Successful Response</div> <div>Media type</div> <div><div>application/json</div></div> <div>Controls Accept header.</div> <div>Example Value   Schema</div> <div>"string"</div>	No links

Code	Description	Links
422	<div>Validation Error</div> <div>Media type</div> <div>application/json</div> <div>Example Value   Schema</div> <div><pre>{  "detail": [    {      "loc": [        "string",        0      ],      "msg": "string",      "type": "string"    }  ]}</pre></div>	No links

Chat



GET /api/ai\_chat/home Get Chat Sessions



Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/ai_chat/home' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJzaWRkQHNpZC5jb20iLCJleHAiOjE3NDU4NTA4NjN9.gfxE5QaXf  b'
```

Request URL

https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/ai\_chat/home

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{   "data": {     "message": "Welcome to your Custom AI Application PolyGenix - Sid M",     "submsg": "Select the model to get started"   } }</pre></div><div><a href="#">Download</a></div></div> <div><div>Response headers</div><div><pre>content-length: 121 content-type: application/json date: Mon,28 Apr 2025 14:04:41 GMT ratelimit-limit: HttpRequestRatePerPort:1500/m,ClientConnectionsPerPort ratelimit-remaining: HttpRequestRatePerPort:1499 ratelimit-reset: HttpRequestRatePerPort:48s referrer-policy: same-origin strict-transport-security: max-age=31536000; includeSubDomains vssaas-request-id: eaea2f6d-abbe-4bb0-a9dc-c4934ea7df6b x-content-type-options: nosniff x-ms-ratelimit-limit: x-ms-ratelimit-remaining: x-ms-ratelimit-reset: x-ms-ratelimit-used: 1 x-report-abuse: https://msrc.microsoft.com/report/abuse x-robots-tag: noindex,nofollow</pre></div></div>

Code	Details	
	x-served-by: tunnels-prod-rel-inc1-v3-cluster	
Responses		
Code	Description	Links
200	Successful Response	No links
	Media type	
	<div>application/json</div>	
	Controls Accept header.	
	Example Value	Schema
	"string"	

GET /api/ai\_chat/history Get Chat Sessions



Get user's chat session history, including all messages

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/ai_chat/history' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJzaWRkQHNpZC5jb20iLCJleHAiOjE3NDU4NTA4NjN9.gfxE5QaXf    bI
```

Request URL

https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/ai\_chat/history

Server response

Code	Details
200	Response body

Download

Code

Container `maxWidth="md">\n` `<Typography variant="h4" component="h1" align="center" mt={3} mb={2}>\n`

Response headers

```
content-length: 93385
content-type: application/json
date: Mon,28 Apr 2025 14:04:48 GMT
ratelimit-limit: HttpRequestRatePerPort:1500/m,ClientConnectionsPerPort
ratelimit-remaining: HttpRequestRatePerPort:1498
ratelimit-reset: HttpRequestRatePerPort:12s
referrer-policy: same-origin
strict-transport-security: max-age=31536000; includeSubDomains
vssaas-request-id: f59e6eb4-ed9c-432a-8761-3307fdc27bf7
x-content-type-options: nosniff
x-ms-ratelimit-limit: 1500
x-ms-ratelimit-remaining: 1497
x-ms-ratelimit-reset: 0
x-ms-ratelimit-used: 3
x-report-abuse: https://msrc.microsoft.com/report/abuse
x-robots-tag: noindex,nofollow
x-served-by: tunnels-prod-rel-inc1-v3-cluster
```

Responses

Code	Description	Links
200	<div>Successful Response</div> <div>Media type</div> <div><div>application/json</div></div> <div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div></div> <div><pre>[   {     "chat_id": 0,     "title": "string",     "created_at": "2025-04-28T14:06:38.702Z",     "messages": [       {         "content": "string",         "is_bot": true,         "session_id": 0, </pre></div>	No links

Code

Description



Links

```
    "timestamp": "2025-04-28T14:06:38.702Z"
  }
]
]
```

POST

/api/ai\_chat/request

Send Message



Parameters

Cancel


Reset

No parameters

Request body required

application/json

```
{
  "content": "whats the time now! ",
  "model": "groq",
  "session_id": 123456
}
```



Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/ai_chat/request' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJzaWRkQHNpZC5jb20iLCJleHAiOjE3NDU4NTA4NjN9.gfxE5QaXfVSob' \
  -H 'Content-Type: application/json' \
  -d '{
    "content": "whats the time now! ",
    "model": "groq",
    "session_id": 123456
  }'
```

Request URL

https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/ai\_chat/request

Server response

Code	Details
200	<div>Response body</div> <pre>{   "content": "I'm a large language model, I don't have real-time access to the current time. However, I can suggest some ways for you to find out the current time:\n\n1. Check your device: Look at the clock on your phone, computer, or watch to see the current time.\n2. Search online: Type \"current time\" or \"what time is it now\" in a search engine like Google to find out the current time.\n3. Use a voice assistant: If you have a voice assistant like Alexa, Google Assistant, or Siri, you can ask them \"what time is it?\"\n4. Check a website: Visit a website that displays the current time, such as WorldTimeBuddy or TimeAndDate.\n\nLet me know if you need help with anything else!",   "is_bot": true,   "session_id": 123456,</pre>



Code	Details	Download
	<pre>"timestamp": "2025-04-28T14:05:25.598894" }</pre> <p><b>Response headers</b></p> <pre>access-control-allow-credentials: true cache-control: no-cache,no-store content-length: 763 content-type: application/json date: Mon,28 Apr 2025 14:05:25 GMT expires: Thu,01 Jan 1970 00:00:00 GMT pragma: no-cache ratelimit-limit: HttpRequestRatePerPort:1500/m,ClientConnectionsPerPort: max 1000 ratelimit-remaining: HttpRequestRatePerPort:1499,ClientConnectionsPerPort:1000 ratelimit-reset: HttpRequestRatePerPort:28s referrer-policy: same-origin strict-transport-security: max-age=31536000; includeSubDomains vssaas-request-id: c57258ca-ae48-4364-9943-18a3ca8deee3 x-content-type-options: nosniff x-ms-ratelimit-limit: 1500 x-ms-ratelimit-remaining: 1496 x-ms-ratelimit-reset: 0 x-ms-ratelimit-used: 4 x-report-abuse: https://msrc.microsoft.com/report/abuse x-robots-tag: noindex,nofollow x-served-by: tunnels-prod-rel-inc1-v3-cluster</pre>	

Responses

Code	Description	Links
200	<p>Successful Response</p> <p>Media type</p> <div>application/json</div> <p>Controls Accept header.</p> <p><b>Example Value</b>   Schema</p> <pre>{   "content": "string",   "is_bot": true,   "session_id": 0,</pre>	No links

Code	Description	Links
	<pre>"timestamp": "2025-04-28T14:06:38.704Z" }</pre>	
422	Validation Error	No links
	Media type	
	<div>application/json</div>	
	Example Value Schema	
	<pre>{   "detail": [     {       "loc": [         "string",         0       ],       "msg": "string",       "type": "string"     }   ] }</pre>	

DELETE /api/ai\_chat/{chat\_id} Delete Chat Session



Delete a specific chat session and all its messages

Parameters

Cancel

Name	Description
<b>chat_id</b> * required integer (path)	<input type="text" value="12356"/>

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
'https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/ai_chat/12356' \
-H 'accept: application/json' \
-H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJzaWRkQHNpZC5jb20iLCJleHAiOjE3NDU4NTA4NjN9.gfxE5QaXf  b'
```

Request URL

https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/ai\_chat/12356

Server response

Code	Details
200	<div><p>Response body</p><pre>{   "message": "Chat session deleted successfully" }</pre><p>Download</p></div> <div><p>Response headers</p><pre>access-control-allow-credentials: true</pre></div>

Code	Details
	<div>cache-control: no-cache,no-store</div> <div>content-length: 47</div> <div>content-type: application/json</div> <div>date: Mon,28 Apr 2025 14:06:20 GMT</div> <div>expires: Thu,01 Jan 1970 00:00:00 GMT</div> <div>pragma: no-cache</div> <div>ratelimit-limit: HttpRequestRatePerPort:1500/m,ClientConnectionsPerPort: max 1000</div> <div>ratelimit-remaining: HttpRequestRatePerPort:1499,ClientConnectionsPerPort:1000</div> <div>ratelimit-reset: HttpRequestRatePerPort:9s</div> <div>referrer-policy: same-origin</div> <div>strict-transport-security: max-age=31536000; includeSubDomains</div> <div>vssaas-request-id: 474b3cef-4c71-428f-8feb-e38c58fd7c46</div> <div>x-content-type-options: nosniff</div> <div>x-ms-ratelimit-limit: 1500</div> <div>x-ms-ratelimit-remaining: 1497</div> <div>x-ms-ratelimit-reset: 0</div> <div>x-ms-ratelimit-used: 3</div> <div>x-report-abuse: https://msrc.microsoft.com/report/abuse</div> <div>x-robots-tag: noindex,nofollow</div> <div>x-served-by: tunnels-prod-rel-inc1-v3-cluster</div>

Responses

Code	Description	Links
200	<div>Successful Response</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>"string"</div>	No links
422	<div>Validation Error</div> <div>Media type</div> <div>application/json</div>	No links

Code	Description	Links
	<div>Example Value</div> <div>Schema</div> <div><pre>{  "detail": [    {      "loc": [        "string",        0      ],      "msg": "string",      "type": "string"    }  ]}</pre></div>	

Users



GET

/api/user/

Get User

POST

/api/user/create

Create User

Parameters

Cancel

Reset

No parameters

Request body required

application/json

```
{  
  "name": "mary Joe",  
  "email": "mary@joe.com",  
  "password": "password"  
}
```

**Execute****Clear**

## Responses

### Curl

```
curl -X 'POST' \  
  'https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/user/create' \  
  -H 'accept: application/json' \  
  -H 'Content-Type: application/json' \  
  -d '{  
    "name": "mary Joe",  
    "email": "mary@joe.com",  
    "password": "password"  
  }'
```

### Request URL

https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/user/create

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{   "id": 5,   "name": "mary Joe",   "email": "mary@joe.com" }</pre></div><div>Download</div></div> <div><div>Response headers</div><div><pre>access-control-allow-credentials: true cache-control: no-cache,no-store content-length: 49 content-type: application/json date: Mon,28 Apr 2025 14:03:32 GMT expires: Thu,01 Jan 1970 00:00:00 GMT pragma: no-cache ratelimit-limit: HttpRequestRatePerPort:1500/m,ClientConnectionsPerPort: max 1000 ratelimit-remaining: HttpRequestRatePerPort:1499,ClientConnectionsPerPort:1000 ratelimit-reset: HttpRequestRatePerPort:20s referrer-policy: same-origin strict-transport-security: max-age=31536000; includeSubDomains vssaas-request-id: df6ee020-9f90-434b-8281-8715cd77a9bf x-content-type-options: nosniff x-ms-ratelimit-limit: 1500 x-ms-ratelimit-remaining: 1496 x-ms-ratelimit-reset: 0 x-ms-ratelimit-used: 4 x-report-abuse: https://msrc.microsoft.com/report/abuse x-robots-tag: noindex,nofollow x-served-by: tunnels-prod-rel-inc1-v3-cluster</pre></div></div>

Responses

Code	Description	Links
200	Successful Response	No links
	Media type	

Code	Description	Links
	<div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{   "id": 0,   "name": "string",   "email": "user@example.com" }</pre></div>	
422	<div>Validation Error</div> <div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><pre>{   "detail": [     {       "loc": [         "string",         0       ],       "msg": "string",       "type": "string"     }   ] }</pre></div>	No links

GET /api/user/all Get User



Parameters

Cancel



No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/user/all' \  
  -H 'accept: application/json'
```

Request URL

https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/user/all

Server response

Code	Details
200	<div>Response body</div> <pre>[   {     "id": 1,     "name": "Siddharamayya M",     "email": "sid@sid.com"   },   {     "id": 2,     "name": "Sid M",     "email": "sidd@sid.com"   },   {     "id": 3,     "name": "John Doe",</pre>

Code

Details

```
"email": "Jonh@doe.com"
},
{
  "id": 4,
  "name": "Tim joe",
  "email": "tim@joe.com"
},
{
  "id": 5,
  "name": "mary Joe",
```

Download

Response headers

```
content-length: 252
content-type: application/json
date: Mon,28 Apr 2025 14:03:37 GMT
ratelimit-limit: HttpRequestRatePerPort:1500/m
ratelimit-remaining: HttpRequestRatePerPort:1499
ratelimit-reset: HttpRequestRatePerPort:51s
referrer-policy: same-origin
strict-transport-security: max-age=31536000; includeSubDomains
vssaas-request-id: 9cee9aed-7a18-44a8-b581-634e614afaca
x-content-type-options: nosniff
x-ms-ratelimit-limit:
x-ms-ratelimit-remaining:
x-ms-ratelimit-reset:
x-ms-ratelimit-used: 1
x-report-abuse: https://msrc.microsoft.com/report/abuse
x-robots-tag: noindex,nofollow
x-served-by: tunnels-prod-rel-inc1-v3-cluster
```

Responses

Code	Description	Links
200	Successful Response	No links
<div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value   Schema</div>		

Code	Description	Links
	<pre>[   {     "id": 0,     "name": "string",     "email": "user@example.com"   } ]</pre>	

GET /api/user/{id} Get User



Parameters

Cancel

Name	Description
------	-------------

id \* required  
integer  
(path)

3

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/user/3' \
  -H 'accept: application/json'
```

Request URL

https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/user/3

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{   "id": 3,   "name": "John Doe",   "email": "Jonh@doe.com" }</pre></div><div>Download</div></div> <div><div>Response headers</div><div><pre>content-length: 49 content-type: application/json date: Mon,28 Apr 2025 14:02:52 GMT ratelimit-limit: HttpRequestRatePerPort:1500/m ratelimit-remaining: HttpRequestRatePerPort:1499 ratelimit-reset: HttpRequestRatePerPort:9s referrer-policy: same-origin strict-transport-security: max-age=31536000; includeSubDomains vssaas-request-id: ffd2aa6a-3486-4034-992c-d8d182e3ecac x-content-type-options: nosniff x-ms-ratelimit-limit: x-ms-ratelimit-remaining: x-ms-ratelimit-reset: x-ms-ratelimit-used: 1 x-report-abuse: https://msrc.microsoft.com/report/abuse x-robots-tag: noindex,nofollow x-served-by: tunnels-prod-rel-inc1-v3-cluster</pre></div></div>

Responses

Code	Description	Links
200	<div>Successful Response</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div>	No links

Code	Description	Links
	<div>Example Value Schema</div> <div><pre>{   "id": 0,   "name": "string",   "email": "user@example.com" }</pre></div>	
422	<div>Validation Error</div> <div>Media type</div> <div><div>application/json</div></div> <div>Example Value Schema</div> <div><pre>{   "detail": [     {       "loc": [         "string",         0       ],       "msg": "string",       "type": "string"     }   ] }</pre></div>	No links

GET /api/user/email/{email} Get User



Parameters

Cancel

Name	Description
<b>email</b> * required string (path)	<div>Jonh@doe.com</div>

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/user/email/Jonh%40doe.com' \  
  -H 'accept: application/json'
```

Request URL

https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/user/email/Jonh%40doe.com

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{   "id": 3,   "name": "John Doe",   "email": "Jonh@doe.com" }</pre></div><div><div>Download</div></div><div>Response headers</div></div>

Code

Details

content-length: 49  
content-type: application/json  
date: Mon,28 Apr 2025 14:00:39 GMT  
ratelimit-limit: HttpRequestRatePerPort:1500/m  
ratelimit-remaining: HttpRequestRatePerPort:1499  
ratelimit-reset: HttpRequestRatePerPort:48s  
referrer-policy: same-origin  
strict-transport-security: max-age=31536000; includeSubDomains  
vssaas-request-id: d24b898f-aa48-4f02-87fb-eb19ea7b2bb5  
x-content-type-options: nosniff  
x-ms-ratelimit-limit:  
x-ms-ratelimit-remaining:  
x-ms-ratelimit-reset:  
x-ms-ratelimit-used: 1  
x-report-abuse: https://msrc.microsoft.com/report/abuse  
x-robots-tag: noindex,nofollow  
x-served-by: tunnels-prod-rel-inc1-v3-cluster

Responses

Code

Description

Links

200	Successful Response	No links
-----	---------------------	----------

Media type

application/json

Controls Accept header.

Example Value   Schema

```
{  
  "id": 0,  
  "name": "string",  
  "email": "user@example.com"  
}
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json

Code	Description	Links
	<div>Example Value</div> <div>Schema</div>	
<pre>{   "detail": [     {       "loc": [         "string",         0       ],       "msg": "string",       "type": "string"     }   ] }</pre>		

PUT /api/user/update/{id} Update User



Parameters

Cancel

Reset

Name	Description
------	-------------

<b>id</b> <span>★ required</span> integer (path)	
--	--

3

Request body required

application/json



```
{  
  "name": "John Doe",  
  "password": "password"  
}
```

**Execute****Clear**

## Responses

### Curl

```
curl -X 'PUT' \  
  'https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/user/update/3' \  
  -H 'accept: application/json' \  
  -H 'Content-Type: application/json' \  
  -d '{  
    "name": "John Doe",  
    "password": "password"  
  }'
```

### Request URL

<https://improved-spork-pjwxw7vj9545f6p4p-8000.app.github.dev/api/user/update/3>

Server response

Code      Details

200

Response body

```
{
  "id": 3,
  "name": "John Doe",
  "email": "Jonh@doe.com"
}
```

Download

Response headers

```
access-control-allow-credentials: true
cache-control: no-cache,no-store
content-length: 49
content-type: application/json
date: Mon,28 Apr 2025 14:01:13 GMT
expires: Thu,01 Jan 1970 00:00:00 GMT
pragma: no-cache
ratelimit-limit: HttpRequestRatePerPort:1500/m
ratelimit-remaining: HttpRequestRatePerPort:1499
ratelimit-reset: HttpRequestRatePerPort:38s
referrer-policy: same-origin
strict-transport-security: max-age=31536000; includeSubDomains
vssaas-request-id: 341a5a23-e7cb-4b16-86fb-ba9e7c5cd16f
x-content-type-options: nosniff
x-ms-ratelimit-limit: 1500
x-ms-ratelimit-remaining: 1497
x-ms-ratelimit-reset: 0
x-ms-ratelimit-used: 3
x-report-abuse: https://msrc.microsoft.com/report/abuse
x-robots-tag: noindex,nofollow
x-served-by: tunnels-prod-rel-inc1-v3-cluster
```

Responses

Code      Description      Links

200

Successful Response

No links

Media type

application/json

Controls Accept header.

Code	Description	Links
	<div>Example ValueSchema</div> <div><pre>{   "id": 0,   "name": "string",   "email": "user@example.com" }</pre></div>	
422	<div>Validation Error</div> <div>Media type</div> <div>application/json</div> <div>Example ValueSchema</div> <div><pre>{   "detail": [     {       "loc": [         "string",         0       ],       "msg": "string",       "type": "string"     }   ] }</pre></div>	No links

Schemas



Body\_login\_api\_auth\_login\_post ^ Collapse all object

grant\_type > Expand all (string | null)

username\* string

```
password* string
scope > Expand all string
client_id > Expand all (string | null)
client_secret > Expand all (string | null)
```

### ChatSessionResponse ^ Collapse all object

```
chat_id* integer
title* string
created_at* string date-time
messages* > Expand all array<object>
```

### HTTPValidationError ^ Collapse all object

```
detail > Expand all array<object>
```

### MessageCreate ^ Collapse all object

```
content* string
model* string
session_id > Expand all (integer | null)
```

### MessageResponse ^ Collapse all object

```
content* string
is_bot* boolean
session_id* integer
timestamp* string date-time
```

**ShowUser** ^ Collapse all **object**

```
id* integer
name* string
email* string email
```

**ShowallUser** ^ Collapse all **object**

```
id* integer
name* string
email* string email
```

**Token** ^ Collapse all **object**

```
access_token* string
token_type* string
```

**User** ^ Collapse all **object**

```
name* string
email* string email
password* string
```

**UserUpdate** ^ Collapse all **object**

```
name > Expand all (string | null)
password > Expand all (string | null)
```

**ValidationError** ^ Collapse all **object**

```
loc* > Expand all array<(string | integer)>  
msg* string  
type* string
```