

Dirty Clouds Done Dirt Cheap

Matthew Treinish
mtreinish@kortar.org
mtreinish on Freenode

May 11, 2017

<https://github.com/mtreinish/dirty-clouds-done-dirt-cheap>

Building a Cloud

Scope of the Project

- ▶ Pretend to be a sysadmin with no prior OpenStack knowledge
- ▶ Try to rely only on install docs and google searches
- ▶ \$1500 USD Budget
- ▶ Build a basic compute cloud:
 - ▶ Keystone
 - ▶ Glance
 - ▶ Nova
 - ▶ Neutron
- ▶ Install from Ocata from tarballs
- ▶ No automation or pre-existing install scripts

Buying Hardware

- ▶ Maximize core count per USD
- ▶ Second priority is amount RAM
- ▶ Machines don't need to be fast (that costs money)

ebaytm

The Servers

Model	PowerEdge R610
Processor	2x Intel Xeon E5540
Memory Installed	32GB Total Memory; 8 x 4 GB DDR3
Hard Drives	2x 146GB 10K SAS Hard Drive
RAID Controller	Dell PowerEdge R610 Perc 6i
Ethernet	2x Dual Port Embedded Broadcom NetXtreme II 5709c
Return Policy/Warranty	60 days Money Back Or Exchange

\$215 Each



Quirks with the servers

- ▶ Super stripped down:
 - ▶ No management interface
 - ▶ No redundant power supply
- ▶ Memory installed in wrong slots
- ▶ Came pre-installed with Windows Server 2012 (and default password Apple123)
- ▶ At full fan speed **>70 dB**

Assembling the Cloud

- ▶ Need something to hold the servers
- ▶ Traditional racks are too much money (even used)

LackRack





Installing the Operating System


- ▶ Installed Ubuntu 16.04 LTS server
- ▶ Nothing special, stick with base packages

Installing OpenStack

1. Download service tarball
- 2.

Setting Up Keystone

- ▶ 2 config options
- ▶ Needed a service user



KEYSTONE

an OpenStack Community Project

```

2017-03-29 15:27:01.478 26833 ERROR keystone Traceback (most recent call last):
2017-03-29 15:27:01.478 26833 ERROR keystone   File "/usr/local/bin/keystone-wsgi-admin", line
      51, in <module>
2017-03-29 15:27:01.478 26833 ERROR keystone       application = initialize_admin_application()
2017-03-29 15:27:01.478 26833 ERROR keystone   File "/usr/local/lib/python2.7/dist-packages/
      keystone/server/wsgi.py", line 132, in initialize_admin_application
2017-03-29 15:27:01.478 26833 ERROR keystone       config_files=_get_config_files())
...
2017-03-29 15:27:01.478 26833 ERROR keystone   File "/usr/local/lib/python2.7/dist-packages/
      paste/deploy/loadwsgi.py", line 640, in find_egg_entry_point
2017-03-29 15:27:01.478 26833 ERROR keystone       pkg_resources.require(self.spec)
2017-03-29 15:27:01.478 26833 ERROR keystone   File "/usr/lib/python2.7/dist-packages/
      pkg_resources/__init__.py", line 943, in require
2017-03-29 15:27:01.478 26833 ERROR keystone       needed = self.resolve(parse_requirements(
      requirements))
2017-03-29 15:27:01.478 26833 ERROR keystone   File "/usr/lib/python2.7/dist-packages/
      pkg_resources/__init__.py", line 834, in resolve
2017-03-29 15:27:01.478 26833 ERROR keystone       raise VersionConflict(dist, req).with_context
      (dependent_req)
2017-03-29 15:27:01.478 26833 ERROR keystone ContextualVersionConflict: (requests 2.13.0 (/usr
      /local/lib/python2.7/dist-packages), Requirement.parse('requests
      !=2.12.2,!=2.13.0,>=2.10.0'), set(['oslo.policy']))

```

Setting up Glance

- ▶ Needed a service user



GLANCE

an OpenStack Community Project

Don't forget to create glance store directory

```
glance-api[29623]: 2017-03-29 16:21:52.038 29647 ERROR glance.api.v2.image_data [req-8ff7f7d2-a4a5-4558-b5a9-9ecca139675f 20f283024ffd4bf4841a8d33bdb4f385 6 c3fc6392e0c487e85d57afe5a5ab2b7 - default default] Error in store configuration. Adding images to store is disabled.
glance-api[29623]: 2017-03-29 16:21:52.038 29647 ERROR glance.api.v2.image_data Traceback (most recent call last):
glance-api[29623]: 2017-03-29 16:21:52.038 29647 ERROR glance.api.v2.image_data File "/usr/local/lib/python2.7/dist-packages/glance/api/v2/image_data.py", line 116, in upload
glance-api[29623]: 2017-03-29 16:21:52.038 29647 ERROR glance.api.v2.image_data image.
glance-api[29623]: 2017-03-29 16:21:52.038 29647 ERROR glance.api.v2.image_data set_data(data, size)
...
glance-api[29623]: 2017-03-29 16:21:52.038 29647 ERROR glance.api.v2.image_data File "/usr/local/lib/python2.7/dist-packages/glance_store/backend.py", line 426, in
glance-api[29623]: 2017-03-29 16:21:52.038 29647 ERROR glance.api.v2.image_data store_add_to_backend
glance-api[29623]: 2017-03-29 16:21:52.038 29647 ERROR glance.api.v2.image_data verifier=
glance-api[29623]: 2017-03-29 16:21:52.038 29647 ERROR glance.api.v2.image_data File "/usr/local/lib/python2.7/dist-packages/glance_store/capabilities.py", line 223, in op_checker
glance-api[29623]: 2017-03-29 16:21:52.038 29647 ERROR glance.api.v2.image_data raise
glance-api[29623]: 2017-03-29 16:21:52.038 29647 ERROR glance.api.v2.image_data op_exec_map[op](**kwargs)
glance-api[29623]: 2017-03-29 16:21:52.038 29647 ERROR glance.api.v2.image_data StoreAddDisabled: Configuration for store failed. Adding images to this store is disabled
.
```

Setting up Nova

- Needed




NOVA

an OpenStack Community Project

Setting Up Neutron

- ▶ Needed



NEUTRON

an OpenStack Community Project

Installation Pain Points

- ▶ Python Packaging:
 - ▶ Binary Dependencies
 - ▶ etc files (and any data files)
 - ▶ No dependency solver, use upper constraints
- ▶ Debugging OpenStack requires a high level of competence

What to do with your budget cloud?



OpenStack Development

- ▶ Lots of capacity for running devstack
- ▶ A really good platform to develop and test OpenStack applications

- ▶ <https://github.com/mtreinish/handbrakecloud>

- ▶ 5x 1U Servers in your bedroom closet is not pleasant
- ▶ The power bill
- ▶

Where to get more information

- ▶ openstack-dev ML openstack-dev@lists.openstack.org

Questions?