# External Plugin Interfaces for OpenStack QA Projects

Matthew Treinish mtreinish@kortar.org mtreinish on Freenode Andrea Frittoli andrea frittoli@hp.com andreaf on Freenode

Oct 27, 2015

https://github.com/mtreinish/external\_plugins

## What is OpenStack QA?

► Official Mission Statement:

Develop, maintain, and initiate tools and plans to ensure the upstream stability and quality of OpenStack, and its release readiness at any point during the release cycle.


# Current QA Projects

- ► bashate
- ▶ devstack
- ► devstack-plugin-cookiecutter
- ► devstack-vagrant
- ► grenade
- ► tempest
- ▶ temest-lib
- ► tempest-plugin-cookiecutter
- ▶ stackviz
- ► hacking
- ► eslint-config-openstack
- ▶ os-testr
- openstack-health dashboard


# Scaling Limitations

- ▶ Previously QA projects supported all incubated and integrated OpenStack projects
- ► This works with 5 projects
- ► At 10 things are stretched very thinly

## OpenStack Project Growth



# Tempest Tests per Project



# The Big Tent...



## QA in the Big Tent

- ► QA projects now directly support base
- ▶ Provide stable plugin interfaces to expand functionality
- ▶ Better fits with the growth in projects


# Current Projects QA directly supports in-tree

- Keystone
- ► Nova
- ► Glance
- ► Cinder
- ► Neutron
- ► Swift

#### Devstack Plugins

- ▶ Bits of bash code that live outside of devstack tree
- ► Called via a strong contract
- Maintained by the project owners
- Tested via OpenStack CI
- Project plugins
  - ► Installs new OpenStack service as part of devstack
- Driver / configuration plugins
  - ► Configures existing OpenStack service to use a different driver / backend
- Registry of plugins maintained by the community: http://docs.openstack.org/developer/devstack/plugin-registry.html

#### Projects using Devstack Plugins



 $Source: \ git \ log \ -diff-filter = A \ -format = \%cd \ -date = short \ -1 \ - \ devstack/plugin.sh$ 


#### Howto write a Devstack Plugin

- Devstack plugin cookie-cutter: git://git.openstack.org/openstack-dev/devstack-plugin-cookiecutter
- ▶ Implement functions relevant to the plugin

## Tempest Plugins

- ▶ Integrates any external tests into a tempest run
- ► Unifies configuration between plugin(s) and in-tree
- Based on stevedore plugin model
- ► Automatically discovered when installed
- ► Test code built on top of tempest-lib

## Projects using tempest plugins




 $Source: \ git \ blame \ -L \ '/^tempest/, +1' \ setup.cfg \ | \ awk \ '\{print \ \$1\}' \ | \ xargs \ git \ log \ -1 \ -format=\%cd \ -date=short$ 

## Howto Write a Tempest Plugin

- Code can be hosted in existing or dedicated git project
- Extend plugins. TempestPlugin from tempest (or tempest-lib)
- ► Implement all abstract methods
  - Test discovery:
  - Configuration options:
- Check if everything you need is tempest lib
- ▶ Setup CI to run test using your plugin, and to keep it tested

# Grenade Plugins

# Projects using Grenade Plugins



 $Source: \ git \ log \ -diff-filter = A \ -format = \%cd \ -date = short \ -1 \ - \ devstack/upgrade/upgrade.sh$ 

Howto Write a Grenade Plugin

## Where to get more information

- ► Tempest Plugin Docs: http://docs.openstack.org/developer/tempest/plugin.html
- ► Devstack Plugin Docs: http://docs.openstack.org/developer/devstack/plugins.html
- ► Grenade Plugin Docs: http://docs.openstack.org/developer/grenade/plugins.html
- openstack-dev ML: openstack-dev@lists.openstack.org
- ► #openstack-qa on Freenode

Questions?