External Plugin Interfaces for OpenStack QA Projects

Matthew Treinish mtreinish@kortar.org mtreinish on Freenode Andrea Frittoli andrea frittoli@hp.com andreaf on Freenode

Oct 27, 2015

https://github.com/mtreinish/external_plugins

What is OpenStack QA?

Official Mission Statement:

Develop, maintain, and initiate tools and plans to ensure the upstream stability and quality of OpenStack, and its release readiness at any point during the release cycle.


Current QA Projects

- bashate
- devstack
- ► devstack-plugin-cookiecutter
- ► devstack-vagrant
- grenade
- ► tempest
- ▶ temest-lib
- tempest-plugin-cookiecutter
- stackviz
- hacking
- eslint-config-openstack
- ► os-testr
- openstack-health dashboard


Scaling Limitations

- ▶ Previously QA projects supported all incubated and integrated OpenStack projects
- ► This works with 5 projects
- ▶ At 10 things are stretched very thinly

OpenStack Project Growth



Tempest Tests per Project



The Big Tent...



QA in the Big Tent

- QA projects now directly support base
- ▶ Provide stable plugin interfaces to expand functionality
- ▶ Better fits with the growth in projects


Current Projects QA directly supports in-tree

- Keystone
- ► Nova
- Glance
- ► Cinder
- ► Neutron
- ► Swift

Devstack Plugins

- ▶ Bits of bash code that live outside of devstack tree
- Called via a strong contract
- Maintained by the project owners
- Tested via OpenStack CI
- Project plugins
 - ► Installs new OpenStack service as part of devstack
- Driver / configuration plugins
 - Configures existing OpenStack service to use a different driver / backend
- Registry of plugins maintained by the community: http://docs.openstack.org/developer/devstack/plugin-registry.html

Projects using Devstack Plugins



 $Source: \ git \ log \ -diff-filter = A \ -format = \%cd \ -date = short \ -1 \ - \ devstack/plugin.sh$

Howto write a Devstack Plugin


Tempest Plugins

- ▶ Integrates any external tests into a tempest run
- ▶ Unifies configuration between plugin(s) and in-tree

 \blacktriangleright

- ► Based on stevedore plugin model
- Automatically discovered when installed
- ► Test code built on top of tempest-lib

Projects using tempest plugins




Source: git blame setup.cfg — egrep ') tempest'

Howto Write a Tempest Plugin

- Code can be hosted in existing or dedicated git project
- Extend plugins. Tempest Plugin from tempest (or tempest-lib)
- ► Implement all abstract methods
 - ► Test discovery:
 - Configuration options:
- ► Check if everything you need is tempest lib
- ▶ Setup CI to test with your plugin, and keep it tested

Grenade Plugins

Projects using Grenade Plugins



 $Source: \ git \ log \ -diff-filter = A \ -format = \%cd \ -date = short \ -1 \ - \ devstack/upgrade/upgrade.sh$

Howto Write a Grenade Plugin

Where to get more information

- ► Tempest Plugin Docs: http://docs.openstack.org/developer/tempest/plugin.html
- Devstack Plugin Docs: http://docs.openstack.org/developer/devstack/plugins.html
- ► Grenade Plugin Docs: http://docs.openstack.org/developer/grenade/plugins.html
- openstack-dev ML: openstack-dev@lists.openstack.org
- #openstack-qa on Freenode

Questions?