
# OpenStack-Health dashboard and Dealing with Data from the Gate

Matthew Treinish mtreinish@kortar.org mtreinish on Freenode


April 25, 2016


https://github.com/mtreinish/openstack-health-presentation

### The OpenStack Gate



## What Happens when you push a change?





#### The Size of the Gate


#### One Proposed Change Generates:

- ▶ 5–25 Devstacks
- ► ~10,000 integration tests (roughly 1.5k per devstack)
- ► ~150 2nd level guests created in devstack cloud
- ► ~1 GB of logs uncompressed for each run

#### In aggregate:

- ► ~12,500 jobs run in check and gate daily
- ► ~0.01% individual tempest test failure rate
- ► ~.77% tempest run failure rate

## Number of Tempest Tests per Day in the Gate Queue:




### Existing Data Sources

- ► Log Server: http://logs.openstack.org/
- ▶ elasticsearch, logstash, and kibana
- ► graphite and grafana
- ► elastic-recheck
- ► subunit2sql

## What is OpenStack-Health



## OpenStack-Health Architecture




#### **API** Server

- ► Wraps subunit2sql DB API using flask
- Runs at http://health.openstack.org
- ► Continously Deployed on every commit
- ► API not intended for external consumption
- ▶ Built with the intent to incorporate additional data sources

#### subunit2sql

- ▶ A utility for storing and interacting with test results in a SQL DB
- Setups a DB schema and provides a sqlalchemy based DB API for storing test results
- ► CLI utilities for storing and retrieving results in the DB as subunit v2
- ► A public database of everything with subunit output from gate and periodic run in OpenStack-Infra


## subunit2sql Data Collection



#### Frontend

- ► Built using AngularJS and NVD3
- ► Calls API server for data and renders in browser
- ► Located at: http://status.openstack.org/openstack-health
- ► Continously Deployed on Every Commit

## Using OpenStack Health



#### **Current Limitations**

- ► Only data from gate and periodic queues
- ▶ Only catches failures without subunit data (or that occur before or after subunit generation)
- ▶ Failures outside of what's covered by subunit aren't counted
- ▶ Jobs that don't have subunit output aren't included

#### Next Steps

- ► Include other data sources:
  - Use zuul as source for run/job level data
  - ► Integrate elastic-recheck data for run\_failures
- ▶ Include data from check and experimental queues
- ▶ UI improvements

### Where to get more information

- openstack-dev ML openstack-dev@lists.openstack.org
- #openstack-qa on Freenode
- http://git.openstack.org/cgit/openstack/openstack-health/
- http://git.openstack.org/cgit/openstack-infra/subunit2sql
- https://bugs.launchpad.net/openstack-health

Questions?