


# Project Atlas

A person-controlled Internet Presence

---

Identity, routing and trusted Internet delivery designed as one system




# The internet recognizes connections, not people

Identity, network path and trust are managed by separate products

- |    |                                            |                                                                                                                    |
|----|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| 01 | <b>Identity stops at sign-in</b>           | A service can know who authenticated without knowing whether the network path still reflects that person's intent. |
| 02 | <b>A public IP is borrowed context</b>     | Travel, carrier changes and cloud egress alter how services see a person.                                          |
| 03 | <b>Routing remains infrastructure work</b> | Users choose locations and tunnels, then troubleshoot failures with little explanation.                            |
| 04 | <b>Non-agent devices fall outside</b>      | Travel devices, appliances and legacy hardware often cannot run a modern client.                                   |

# The product unit is a persistent Presence


A Presence carries identity, authorized devices, intended routes and recovery across networks



One durable model across devices and networks

# Atlas evolved through real network failures

Each phase narrowed the product from tunnel control toward person-controlled trust



**The architecture changed when evidence contradicted assumptions**

# Evidence exists at the protocol and system level

Technical traction is real; commercial traction has not started

**23 / 23**

**backend and contract test  
files passed**

Closure candidate, Aug 31

**2 keys**

**verified across live key  
rotation**

Independent relying party

**16 / 16**

**operational checks passed  
after DNS correction**

Aug 13 baseline

**4 regions**

**public IPv6 configured and  
outbound verified**

NY, Toronto, London, control

---

## Measured gaps

**iOS state update missed the 5-second  
target**

**Mac stability test ended after a false  
recovery trigger**

**Several scorecard measures remain  
unmeasured**

**Pre-revenue • no claimed customers • no claimed partnerships**

# Current state: a live trust core, with the client gate open

The September rebuild preserved proven infrastructure and retired the old Presence API

## LIVE + VERIFIED

- IPv6-only personal mesh
- Device-bound identity sessions
- Pairwise relying-party identifiers
- Toronto egress without retained identity linkage
- Bank demo verifies published keys

## HISTORICAL / RETIRED

- Former `/api/presence/*` backend
- Old enrollment and recovery flows
- Legacy Paths signing service
- Builds 723–725 as active clients


## OPEN GATE

- New macOS client end to end
- Real-device recovery continuity
- Physical-device matrix
- Edge routed session proof

**Investor reading: the core thesis has working evidence, while the product remains before launch**

# Current architecture separates identity from traffic delivery

The egress can authorize a device without holding the subscriber's identity label



# The ISP layer turns Presence intent into Internet delivery

Atlas treats addresses, routes and egress reputation as product inputs

- |   |                            |                                                                                                             |
|---|----------------------------|-------------------------------------------------------------------------------------------------------------|
| 1 | <b>TRUSTED IP DELIVERY</b> | Authorize a device, assign a route, verify the observed egress and explain mismatches.                      |
| 2 | <b>IPv6 FOUNDATION</b>     | Use IPv6-first coordination and dual-stack egress while treating IPv4 as scarce infrastructure.             |
| 3 | <b>EGRESS CONTROL</b>      | Regional, private and future residential-grade origins can carry different trust and reputation properties. |
| 4 | <b>POLICY + LENS</b>       | Map destination policy to intended egress, compare actual state and surface a human-readable answer.        |
| 5 | <b>OPERATIONS</b>          | Health checks, safe failover, credential revocation and bounded observability protect service continuity.   |

**ARIN status: no owned allocation is claimed. IPv4 acquisition remains a future operational path.**

# Lens explains the gap between intention and reality

Policy becomes useful when the person can see what happened and why

## INTENDED

Everyday

Toronto

Work

New York

Banking

Home origin

## OBSERVED

Current egress

Toronto

Matched rule

Everyday


Status

Intended = actual

AI assistance remains bounded: detect drift, explain evidence, propose an action, require authorization

# The client and agent make trust portable

One device contract hides platform-specific network machinery



## Supported design targets

macOS first on the new stack


iPhone and Android follow the same contract

Windows remains planned

Current launch gate: the new macOS client has not completed end-to-end proof

# Atlas Edge extends Presence to devices without an agent

A small connector can carry policy and egress for downstream hardware



## Hardware evidence

Display and crash fixes verified

## Open proof

Complete handshake and routed session

## Next association model

Four words + device public key

# Observability must diagnose without building a surveillance trail

Atlas is redesigning what each system can know, retain and join

## KEEP

Health verdicts

Config versions

Credential status

## MINIMIZE

Current endpoints

Short operational logs

Failure evidence

## EXCLUDE

Browsing history

Identity at egress

Central raw capture

Known debt

Legacy logs and backup copies exposed more linkage than the target architecture allows

Roadmap principle: prove service health while making identity-to-traffic linkage unavailable by design


# Atlas joins layers that the market sells separately

The differentiator is the continuity of person, policy and network presentation

| CATEGORY                | PRIMARY JOB                         | GAP ATLAS TARGETS                                                    |
|-------------------------|-------------------------------------|----------------------------------------------------------------------|
| Consumer VPN            | Encrypted egress and location       | No durable identity or intended-vs-actual Presence model             |
| Mesh networking         | Private device connectivity         | Network identity usually stops inside the mesh                       |
| Zero Trust / SWG        | Enterprise access and inspection    | Administrator-controlled posture, not person-controlled presentation |
| Identity / device trust | Authenticate user and device        | Does not normally control public egress or destination routing       |
| Atlas / Layer9i         | Person-controlled Internet Presence | Identity, egress, policy, recovery and explanation in one contract   |

# The moat is a trust architecture plus operational learning

Value compounds as each layer becomes independently verifiable and harder to correlate



**Failure capture | architecture correction | verified proof**

No patent, partnership or exclusive network asset is claimed

# Business model: recurring trust and delivery services

A staged hypothesis, not current revenue

## INDIVIDUAL

### Subscription

Presence, clients, core egress  
and Lens

First monetization hypothesis

## PREMIUM ORIGIN

### Add-on

Dedicated or higher-trust  
egress, advanced routing

Requires supply and reputation proof

## TEAMS / DEVELOPERS

### Per seat + usage

Relying-party verification,  
policy and reporting

Later expansion after consumer proof

**Pricing, unit economics and willingness to pay remain unvalidated**

Status: pre-revenue • no customer or revenue metrics claimed

# Go-to-market starts with people who feel network identity break


The initial wedge rewards technical proof and high-intent feedback

- 1 TRAVEL + REMOTE** Need a stable, explainable Internet origin across networks
- 2 PRIVACY-CONSCIOUS BUILDERS** Want control without a provider joining identity to destinations
- 3 SMALL TEAMS** Need trusted devices and predictable egress without a full enterprise stack

Founder-led private beta → instrument reliability → validate willingness to pay

# Roadmap converts technical proof into a fundable product

The sequence protects the privacy architecture while closing the client and delivery gaps



Launch criteria stay evidence-based: real devices, observed routing, measured recovery and explicit privacy boundaries

# Use of funds closes the product and trust proof

Illustrative allocation for a seed round; exact round size remains to be set

45%

## CLIENT + PRODUCT

macOS completion, mobile parity, Lens and recovery

25%

## NETWORK DELIVERY

Egress reliability, IP strategy, observability and abuse controls

20%

## SECURITY + TRUST

Independent review, key lifecycle, privacy verification

10%

## MARKET VALIDATION

Design partners, pricing tests and founder-led launch

**Capital plan is illustrative until the round size, hiring plan and infrastructure assumptions are agreed**

# The ask: fund the transition from verified prototype to paid proof

Layer9i is seeking investors who understand identity, networking and infrastructure trust

## CAPITAL

**Complete the new client, harden delivery and reach a paid pilot**

## EXPERTISE

**ISP operations, IP reputation, identity architecture and go-to-market**

## MILESTONE FOR THE ROUND

**A real person carries one recoverable Presence across devices, routes through trusted delivery, and proves the same pairwise identity to a relying party**

Round size and terms: open for investor discussion