Thermal Measurements of Icy Lunar Regolith Simulant

George Johnson
Research Engineer – Planetary Surface Technology Development Lab

June 8, 2023

This work is supported by a Lunar Surface Technology Research (LuSTR) grant from NASA's Space Technology Research Grants Program: 80NSSC21K0769

HUSKYWORKS
PLANETARY SURFACE TECHNOLOGY DEVELOPMENT LAB

Michigan Technological University
1885

SPACE RESOURCES ROUNDTABLE

PHCP Project Introduction

Percussive Hot Cone Penetrometer and Ground Penetrating Radar

- GPR
  - Location of larger ice deposits
- Geotechnical Data
  - Cone surface pressure & load
  - Impact loads
  - Measurement of depth displacement
- Thermal Data
  - Vertical and lateral quantification of volatiles
  - Properties of desiccated regolith



PHCP Thermal Measurement Objectives

Space Resources Roundtable

Atmospheric Testing

- Determine size of heat affected zone
- Thermal properties of various wt.% mixed water and ice samples
- Experimental data for thermal model
- Develop a method of correlating data with wt.% of ice



Atmospheric Testing

Vacuum Testing

- Test thermal cone designs at medium vacuum
- Analyze thermal property differences between atmospheric and vacuum
- Refine method of correlating data with wt.% of ice

Thermal Cone Vacuum Testing

Cryogenic Vacuum Volatiles Testing

Cryogenic Vacuum Volatiles Testing

- Thermal properties for various wt.% of LCROSS volatiles
- Experimental data correlating power and temperature measurements with wt.%

Michigan Technological University 1885

HUSKYWORKS
PLANETARY SURFACE TECHNOLOGY DEVELOPMENT LAB

Atmospheric Test Setup

Space Resources Roundtable

Number of experimental tests conducted at three constant power levels for sample mixtures with specific weight percentages of water or ice

Sample Material and Volatile Composition	Constant Power Supplied		
	30 Watts	50 Watts	100 Watts
Dry, F-80	3	3	2
Wet 5 wt.%, F-80	1	1	1
Wet 10 wt.%, F-80	-	1	1
Frozen 5 wt.%, F-80	-	1	1
Frozen 10 wt.%, F-80	-	1	1
Dry, MTU-LHT-1A	1	1	1
Wet 1.5 wt.%, MTU-LHT-1A	1	1	1
Frozen 1.5 wt.%, MTU-LHT-1A	1	1	1
Wet 5 wt.%, MTU-LHT-1A	1	1	1
Frozen 5 wt.%, MTU-LHT-1A	1	1	1
Wet 7 wt.%, MTU-LHT-1A	1	1	1
Frozen 7 wt.%, MTU-LHT-1A	1	1	1
Wet 10 wt.%, MTU-LHT-1A	-	1	1
Frozen 10 wt.%, MTU-LHT-1A	-	1	1



Atmospheric Test Setup

Used to determine the size of the heat affected zone and correlate weight percentage of water and ice under atmospheric conditions

Michigan Technological University 1885

HUSKYWORKS PLANETARY SURFACE TECHNOLOGY DEVELOPMENT LAB

Atmospheric Test Setup Procedure



Modified 5-gallon bucket

Spray specific wt.% of water in cement mixer with lunar simulant

Vibratory compaction or Consistent compressive compaction



Heater and relative thermocouple spacing

Michigan Technological University

HUSKYWORKS
PLANETARY SURFACE TECHNOLOGY DEVELOPMENT LAB

Atmospheric Test Results

10wt% Frozen Water &
MTU-LHT-1A @
Constant 100 Watts



Michigan Technological University

HUSKYWORKS
PLANETARY SURFACE TECHNOLOGY DEVELOPMENT LAB

Atmospheric Test Results



Atmospheric Test Results



Atmospheric Test Results



Atmospheric Test Results



Atmospheric Data Analysis and wt.% Correlation



Atmospheric Data Analysis and wt.% Correlation



Avg 2 mm volume	Avg 5 mm volume	Avg 10 mm volume
1.456 E-4 m^3	4.104 E-4 m^3	7.853 m^3

Atmospheric Testing Conclusions

Thermal Cone Designs



Thermal Cone
Vacuum Testing

Thermal Cone
Vacuum Test Setup

Aluminum Thermal
Cone mk1

Steel Thermal Cone
mk2

Michigan Technological University

HUSKYWORKS
PLANETARY SURFACE TECHNOLOGY DEVELOPMENT LAB

Thermal Cone Vacuum Test Results



Thermal Cone Vacuum Test Results



Cryogenic Vacuum Volatiles Thermal Measurement Test Setup

Volatiles being considered for testing. Extracted from LCROSS data (Colaprete et al. 2010)

Volatile Species	Target Temperature (Tripple Point)
H_2O - Water	< 0 °C
CO_2 - Carbon Dioxide	< -56 °C
CH_4 - Methane	< -182 °C
C_2H_4 - Ethylene	< -169 °C
CH_3OH - Methanol	< -98 °C
SO_2 - Sulfur Dioxide	< -75 °C





Volatile vacuum vessel test setup

Cryogenic Vacuum Volatiles Thermal Measurement Test Setup

Space Resources Roundtable



Chilled volatile mixing

Insulated LN_2 bath box in fume hood

Volatile plunger and LN_2 box

Frozen volatile LN_2 cooled tube testing

LN_2 bath box

Plunger with nozzles for volatile deposition and compression rings for volatile snow collection



Frozen CO_2 snow collection

Michigan Technological University 1885

HUSKYWORKS PLANETARY SURFACE TECHNOLOGY DEVELOPMENT LAB

Cryogenic Vacuum Volatiles Test Results



Cryogenic Vacuum Volatiles Test Results

Acknowledgements

PSTDL LuSTR Thermal Team

Dr. Paul van Susante
Faculty Advisor

Dr. Jeff Allen
Faculty Advisor

Dr. Tim Eisele
Faculty Advisor

Travis Wavrunek
PhD

Dr. Anurag Rajan
Postdoc

Ben Wiegand
Research Engineer

This work is supported by a Lunar Surface Technology Research (LuSTR) grant from NASA's Space Technology Research Grants Program: 80NSSC21K0769