

1. Installing Apache

- If not installed, install VC redistributable and restart your computer
- Download httpd: <https://www.apachelounge.com/download/VS17/binaries/httpd-2.4.65-250724-Win64-VS17.zip> and extract the .zip file
- Copy the Apache24 folder and paste it into your local disk C:\
- Run your command prompt as administrator
- Exit the system32 directory by entering the command

```
cd /
```


- Enter another command

```
cd Apache 24\bin
```

- Finally run the command

```
httpd.exe -k install -n "Apache24"
```

- Open the services application on Windows



Note: If you have two Apache services make sure to set the start-up type of Apache2.4 to **manual** by right clicking on it, going to properties and selecting manual on start-up type.

- Click on `Apache24` and start the service
- Enter `localhost` in the URL of your preferred browser

It works!

2. Installing PHP

- Download the x64 thread safe version
- Once downloaded extract the files into a folder called `php`
- Copy that folder and paste it into your local disc `C:\`
- Open the folder
- Copy and paste `php.ini-development` file in the same folder and rename it to `php.ini`
- Open system properties on Windows
- Go to advanced and select Environment Variables...


-
- The screenshot shows two overlapping Windows dialog boxes. The background box is 'System Properties' with the 'Advanced' tab selected, showing 'Computer Name' as 'mtume' and 'System Protection' status. The foreground box is 'Environment Variables' with the 'User variables for mtume' section active. It lists several user variables, with 'Path' highlighted. The 'System variables' section is also visible below.
- | Variable | Value |
|--------------------------------|--|
| ANDROID_HOME | C:\Users\mtume\AppData\Local\Android\Sdk |
| ChocolateyLastPathUpdate | 133691399373103064 |
| ChocolateyToolsLocation | C:\tools |
| IntelliJ IDEA Community Edi... | C:\Program Files\JetBrains\IntelliJ IDEA Community Edition 2024... |
| OneDrive | C:\Users\mtume\OneDrive |
| Path | C:\Users\mtume\AppData\Local\Programs\oh-my-posh\bin\;C:\... |
| POSH_INSTALLER | winget |
| POSH_THEMES_PATH | C:\Users\mtume\AppData\Local\Programs\oh-my-posh\themes\ |
-
- | Variable | Value |
|----------------------|---|
| DriverData | C:\Windows\System32\Drivers\DriverData |
| JAVA_HOME | C:\Program Files\Microsoft\jdk-17.0.13.11-hotspot\ |
| NUMBER_OF_PROCESSORS | 12 |
| OnlineServices | Online Services |
| OS | Windows_NT |
| Path | C:\Program Files\Microsoft\jdk-17.0.13.11-hotspot\bin\;C:\Progra... |
| PATHEXT | .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC |
| platformcode | AN |

- ```
AddHandler application/x-httpd-php .php
AddType application/x-httpd-php .php .html
LoadModule php_module "C:/php/php8apache2_4.dll"
PHPIniDir "C:\php"
DirectoryIndex index.php
```

- ### 3. Installing Mariadb

- Open the mariadb.msi file
- Click next until the install begins


- Confirm that MariaDB has been installed and is running by searching for it on services



## Installing Visual Studio

## Installing Git

- Download the standalone installer for Windows/x64 or another depending on your processor architecture



- Click Install
- Confirm that git is installed by running the command below in command prompt

`git -v`

```
Microsoft Windows [Version 10.0.26100.4946]
(c) Microsoft Corporation. All rights reserved.

C:\Users\mtume>git -v
git version 2.45.1.windows.1

C:\Users\mtume>
```

---

# Installing composer

- Click the download button
- Open the composer-setup.exe file
- Click on install for all users
- Confirm that composer is installed by running the command below in command prompt

## composer

```
Microsoft Windows [Version 10.0.26100.4946]
(c) Microsoft Corporation. All rights reserved.

C:\Users\mtume>composer

 / _ _/ _ _ \ _ _ \ _ _ \ _ _ \ _ _ \ _ _ \
/_/ \/_/ \/_/ \/_/ \/_/ \/_/ \/_/ \/_/ \/_/ \
Composer version 2.8.11 2025-08-21 11:29:39

Usage:
 command [options] [arguments]

Options:
 -h, --help Display help for the given command. When no command is given display help for the list command
 -q, --quiet Do not output any message
 -V, --version Display this application version
 --ansi|--no-ansi Force (or disable --no-ansi) ANSI output
 -n, --no-interaction Do not ask any interactive question
 --profile Display timing and memory usage information
 --no-plugins Whether to disable plugins.
 --no-scripts Skips the execution of all scripts defined in composer.json file.
 -d, --working-dir=WORKING-DIR If specified, use the given directory as working directory.
 --no-cache Prevent use of the cache
 -v|vv|vvv, --verbose Increase the verbosity of messages: 1 for normal output, 2 for more verbose output and 3 for debug
```

---