# Операционные системы

Продвинутое использование git

Мухамметназар Турсунов

14 февраля 2025

Российский университет дружбы народов, Москва, Россия

Цели и задачи работы \_\_\_\_\_\_\_\_\_\_



Получение навыков правильной работы с репозиториями git.

## Задачи лабораторной работы

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

# Процесс выполнения лабораторной работы

## Node.js

```
mtursunov@mtursunov:~$ pnpm setup
Appended new lines to /home/mtursunov/.bashrc
Next configuration changes were made:
export PNPM_HOME="/home/mtursunov/.local/share/pnpm"
  *":$PNPM_HOME:"*) ;;
  *) export PATH="$PNPM_HOME:$PATH" ;;
To start using pnpm, run:
source /home/mtursunov/.bashrc
mtursunov@mtursunov:~$ source ~/.bashrc
```

Рис. 1: Node.js

```
mtursunov@mtursunov:~$
mtursunov@mtursunov:~$ pnpm add -g commitizen
                    Update available! 9.13.0 \rightarrow 10.4.0.
                    Run "pnpm self-update" to update.
             Follow @pnpmjs for updates: https://x.com/pnpmjs
 WARN
Progress: resolved 151, reused 0, downloaded 151, added 151, done
Done in 3.4s
mtursunov@mtursunov:~$
```

Рис. 2: установка commitizen

## standard-changelog

```
mtursunov@mtursunov:~$
mtursunov@mtursunov:~$ pnpm add -g standard-changelog
 WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +39
Progress: resolved 190, reused 151, downloaded 39, added 39, done
/home/mtursunov/.local/share/pnpm/global/5:
  standard-changelog 6.0.0
Done in 2.7s
mtursunov@mtursunov:~$
```

Рис. 3: установка standard-changelog

```
package.json
                  \oplus
  Открыть
                                                    ~/git-extended
1
      "name": "git-extended",
 2
      "version": "1.0.0",
      "description": "Git repo for educational purposes",
      "main": "index.is".
      "repository": "git@github.com:mtursunov/git-extended.git",
      "author": "mtursunov",
 8
      "license": "CC-BY-4.0",
      "config": {
10
           "commitizen": {
11
12
13
               "path": "cz-conventional-changelog"
14
```

Рис. 4: package.json

#### Использование commitizen

```
ntursunov@mtursunov:~/git-extended$
 Select the type of change that you're committing: chore: Other changes that don't modify src or test
  What is the scope of this change (e.g. component or file name): (press enter to skip)
 Write a short, imperative tense description of the change (max 93 chars):
 Provide a longer description of the change: (press enter to skip)
 Are there any breaking changes? No
 Does this change affect any open issues? No
 master b62c924l chore: test
 create mode 100644 package.json
Перечисление объектов: 4, готово.
Подсчет объектов: 100% (4/4), готово.
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 1.12 КиБ | 1.12 МиБ/с, готово.
  49e4e49..b62c924 master -> master
mtursunov@mtursunov:~/git-extended$
```

Рис. 5: Отправка

```
mtursunov@mtursunov:~/git-extended$ git flow init
Which branch should be used for bringing forth production releases?
Branch name for production releases: [master]
Branch name for "next release" development: [develop]
How to name your supporting branch prefixes?
Release branches? [release/]
Version tag prefix? []
Hooks and filters directory? [/home/mtursunov/git-extended/.git/hooks]
mtursunov@mtursunov:~/git-extended$ git branch
mtursunov@mtursunov:~/git-extended$ git push --all
remote: Create a pull request for 'develop' on GitHub by visiting:
            https://github.com/mtursunov/git-extended/pull/new/develop
To github.com:mtursunov/git-extended.git
mtursunov@mtursunov:~/git-extended$
```

Рис. 6: Инициализация и загрузка изменений

#### git-flow

```
mtursunov@mtursunov:~/git-extended$ git flow release start 1.0.0
Переключились на новую ветку «release/1.0.0»
Summary of actions:
- A new branch 'release/1.0.0' was created, based on 'develon'
  You are now on branch 'release/1.0.0'
Follow-up actions:
 Rump the version number now!
  Start committing last-minute fixes in preparing your release
     git flow release finish '1.0.0'
mtursunov@mtursunov:~/git-extended$ standard-changelog --first-release
created CHANGELOG.md
voutput changes to CHANGELOG.md
mtursunov@mtursunov:~/git-extended$ git add CHANGELOG.md
mtursunov@mtursunov:~/git-extended$ git commit -am 'chore(site): add changelog'
[release/1.0.0 d8402b6] chore(site): add changelog
create mode 100644 CHANGELOG.md
mtursunov@mtursunov:~/git-extended$ git flow release finish 1.0.0
Переключились на ветку «master»
Merge made by the 'ort' strategy,
 CHANGELOG.md | 4 ++++
create mode 100644 CHANGELOG.md
Ваша ветка опережает «origin/master» на 2 коммита.
  (используйте «git push», чтобы опубликовать ваши локальные коммиты)
Переключились на ветку «develor
```

Рис. 7: Завершение релиза

## Отправим данные на github

```
mtursunov@mtursunov:~/git-extendedS git push --all
Перечисление объектов: 6, готово.
Подсчет объектов: 100% (6/6), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (4/4), готово.
Запись объектов: 100% (5/5), 2.68 КиБ | 2.68 МиБ/с, готово.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:mtursunov/git-extended.git
   b62c924..162aac0 develop -> develop
   b62c924..9e07742 master -> master
mtursunov@mtursunov:~/git-extended$ git push --tags
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 159 байтов | 159.00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:mtursunov/git-extended.git
 * [new tag]
mtursunov@mtursunov:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md
mtursunov@mtursunov:~/git-extended$
```

Рис. 8: Отправка

#### Объединение веток

```
mtursunov@mtursunov:~/git-extended$ git flow feature start feature branch
Переключились на новую ветку «feature/feature_branch»
Summary of actions:
- A new branch 'feature/feature branch' was created, based on 'develop'
 You are now on branch 'feature/feature branch'
Now, start committing on your feature. When done, use:
     git flow feature finish feature_branch
mtursunov@mtursunov:~/git-extended$ touch test2
mtursunov@mtursunov:~/git-extended$ git flow feature finish feature branch
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Уже актуально.
Ветка feature/feature_branch удалена (была 162aac0).
Summary of actions:
 The feature branch 'feature/feature branch' was merged into 'develop'
 Feature branch 'feature/feature branch' has been locally deleted
 You are now on branch 'develop'
mtursunov@mtursunov:~/git-extended$
```

Рис. 9: Объединение веток

## git-flow




Рис. 10: Завершение релиза

## Подготовка рабочего репозитория

```
mtursunov@mtursunov:~/work/study/2024-2025/Операционные системы/os-intro$ gedit package.ison
mtursunov@mtursunov:~/work/study/2024-2025/Операционные системы/os-intro$ git add .
mtursunov@mtursunov:~/work/study/2024-2025/Операционные системы/os-intro$ git cz
 Select the type of change that you're committing: chore: Other changes that don't modify
  What is the scope of this change (e.g. component or file name): (press enter to skip)
  Write a short, imperative tense description of the change (max 93 chars):
 Provide a longer description of the change: (press enter to skip)
 Are there any breaking changes? No
  Does this change affect any open issues? No
[master 493c8c0] chore: test
 3 files changed, 88 insertions(+), 205 deletions(-)
 create mode 100644 package.ison
mtursunov@mtursunov:~/work/studv/2024-2025/Операционные системы/os-intro$ git push
Перечисление объектов: 16. готово.
Подсчет объектов: 100% (16/16), готово.
```

Рис. 11: package.json и коммит

#### Подготовка рабочего репозитория

```
Merge made by the 'ort' strategy.
 CHANGELOG.md | 112 ++
 1 file changed, 2 insertions(+), 110 deletions(-)
Ветка release/1.0.0 удалена (была Odc15bc).
Summary of actions:
 Release branch 'release/1.0.0' has been merged into 'master'
 The release was tagged '1.0.0'
  Release tag '1.0.0' has been back-merged into 'develon'
  Release branch 'release/1.0.0' has been locally deleted
mtursunov@mtursunov:~/work/study/2024-2025/Операционные системы/os-intro$ git push --all
Перечисление объектов: 7. готово.
Подсчет объектов: 100% (7/7), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (5/5), готово.
Запись объектов: 100% (5/5), 2.75 КиБ | 2.75 МиБ/с, готово,
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
  493c8c0..8dcd8ec master -> master
mtursunov@mtursunov:~/work/study/2024-2025/Операционные системы/os-intro$ git push --tags
Перечисление объектов: 1. готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 160 байтов | 160,00 КиБ/с, готово.
 * [new tag]
mtursunov@mtursunov:~/work/study/2024-2025/Qgepauмонные_системы/os-intro$
```

Рис. 12: Завершение релиза

Выводы по проделанной работе



Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.