Todak Digitech Assestment

Abdul Muaz Bin Othman

Setup

- 1- Clone repository https://github.com/muaz62/todakFood.git
- 2- Run command: composer install
- 3- Copy and paste .env.example and change name to .env
- 4- Config database and stripe_key / stripe_secret in '.env' file
- 5- Run command: php artisan key:generate
- 6- Run commad: php artisan migrate
- 7- Run commad: php artisan db:seed
- 8- System Ready to use

User

Customer:

Username: customer@Example.com

Password: customer

Admin:

Username: admin@Example.com

Password: admin

Vendor:

Username: western1@Example.com

Password: western1

Username: asian1@Example.com

Password: asian1

Username: dessert1@Example.com

Password: dessert1


Contents

Customer	. 4
Vendor	. 7
Admin	8


Customer

Make Order


1- Choose category of restaurant




- Only restaurant with status available will appear.
- 2- Click on restaurant and choose the menu




3- Choose pickup or delivery then choose the checkout for payment



4- Make a payment




5- Order created with status 'ordered'



Vendor


1- Handle the order status.



- 1.1 overall sales
- 1.2 Today sales (after status complete)
- 1.3 Change status per order

Admin

1- Admin capable to change restaurant 'status'



1.1- Button to change status of restaurant.

