## Test: Section 3 Quiz 2 - L3-L5

Review your answers, feedback, and question scores below. An asterisk (\*) indicates a correct answer.

Section 3 - Quiz 2 L3-L5 (Answer all questions in this section)		
1. A short data type can be promoted to which of the following types?		Mark for Review (1) Points
(Choose all correct answers)		
long (*)		
<b>▽</b> byte		
int (*)		
✓ double (*)		
boolean		
X Incorrect. Refer to Section 3 Lesson 4.		
2. What is the correct way to cast a long to an int?		Mark for Review (1) Points
int longToInt = (int)20L; (*)		
int longToInt = int 20L;		
int longToInt = 20L(int);		
int longToInt = 20L;		
✓ Correct		
<b>3.</b> A double with the value of 20.5 is cast to an int. What is the value of the int?		Mark for Review (1) Points
20 (*)		
C 20.5		
O 25		
O 21		
<b>⊘</b> Correct		
<b>4.</b> The Java compiler automatically promotes byte, short, and chars data type values to int data type.		Mark for Review (1) Points
True (*)		
False		
X Incorrect. Refer to Section 3 Lesson 4.		
<b>5.</b> When the result of an expression is assigned to a temporary memory location, who is the size of memory allocated?	nt 🗀	Mark for Review (1) Points
The size of the largest data type used in the expression. (*)		
The size of the any data type used in the expression.		

0	A default size is allocated.
0	The size of the smallest data type used in the expression.
X	Incorrect. Refer to Section 3 Lesson 4.

Page 1 of 3 Next Summary

Test: Section 3 Quiz 2 - L3-L5				
Review your answers, feedback, and question scores below. An asterisk (*) indicates a correct answer.				
Section 3 - Quiz 2 L3-L5 (Answer all questions in this section)				
<b>6.</b> Which exception occurs because a String cannot be parsed as an int?		Mark for Review (1) Points		
NumberFormatException (*)				
<ul> <li>ArithmeticException</li> </ul>				
NullPointerException				
ValueNotFoundException				
X Incorrect. Refer to Section 3 Lesson 4.				
7. Char data types cannot handle multiple characters.		Mark for Review (1) Points		
C False				
✓ Correct				
8. In Java, char is a primitive data type, while String is an object data type.		Mark for Review (1) Points		
False				
✓ Correct				
9. char is the primitive textual data type in Java.		Mark for Review (1) Points		
True (*)				
C False				
✓ Correct				
<b>10.</b> An Object cannot have String objects as properties.		Mark for Review (1) Points		
True				

False (\*)

Correct

## Previous Page 2 of 3 Next Summary

## Test: Section 3 Quiz 2 - L3-L5 Review your answers, feedback, and question scores below. An asterisk (\*) indicates a correct answer. Section 3 - Quiz 2 L3-L5 (Answer all questions in this section) **11.** The print() method prints to the console and automatically creates a line. Mark for Review (1) Points True False (\*) Correct 12. Which is the correct declaration for a char data type? Mark for Review (1) Points char size = "M"; char size = 'Medium'; char size = "Medium"; char size = 'M'; (\*) Correct 13. The Scanner class accepts input in which form? Mark for Review (1) Points Tokens (\*) Callables Integer Future Correct **14.** The Scanner class considers space as the default delimiter while reading the input. $\Box$ Mark for Review (1) Points True (\*) False X Incorrect. Refer to Section 3 Lesson 5. 15. It's best-practice to close the Scanner stream when finished Mark for Review

(1) Points

- True (\*)
- False
  - X Incorrect. Refer to Section 3 Lesson 5.

Previous Page 3 of 3 Summary