SAMPLE DIAGNOSTICS LABORATORY

Fictional demonstration lab | No real address, licence or accreditation
demo@example.invalid | Lab ID: DEMO-0000

FULL BODY HEALTH CHECKUP
Sample Report - Not for clinical use

Patient Name	**Mubarak Ansari**	**Report No.**	DEMO-FBC-2026-0001
Age / Sex	**25 Years / Male**	**Sample Type**	Blood (EDTA, Serum, Fluoride), Urine
Patient ID	**DEMO-PT-00025**	**Collected**	13-Oct-2026, 08:10 AM (fictional)
Referred By	**Self (Sample)**	**Reported**	13-Oct-2026, 05:30 PM (fictional)
Package	**Full Body Health Checkup**	**Fasting**	12 hours (as declared)

NOTICE: This is a **fictional demonstration report** generated for layout/design purposes. The laboratory, report numbers, doctor names and every test value are invented. It is **not** a genuine clinical report and must not be used for medical, legal, insurance or employment purposes.

1. Complete Blood Count (CBC)

EDTA Whole Blood | Automated Hematology Analyzer

Test	Result	Flag	Unit	Biological Reference Range
Hemoglobin	**14.8**		g/dL	13.0 - 17.0
Total RBC Count	**5.02**		mill/µL	4.50 - 5.50
Hematocrit (PCV)	**44.1**		%	40.0 - 50.0
MCV	**87.8**		fL	83.0 - 101.0
MCH	**29.5**		pg	27.0 - 32.0
MCHC	**33.6**		g/dL	31.5 - 34.5
RDW-CV	**12.9**		%	11.6 - 14.0
Total WBC Count	**7,200**		/µL	4,000 - 10,000
Neutrophils	**58**		%	40 - 80
Lymphocytes	**32**		%	20 - 40
Monocytes	**6**		%	2 - 10
Eosinophils	**3**		%	1 - 6
Basophils	**1**		%	0 - 2
Platelet Count	**2.48**		lakh/µL	1.50 - 4.10
ESR (Westergren)	**8**		mm/hr	0 - 15

2. Diabetes Screening

Fluoride Plasma / EDTA | Hexokinase, HPLC

Test	Result	Flag	Unit	Biological Reference Range
Fasting Blood Glucose	**92**		mg/dL	70 - 99
HbA1c (Glycated Hemoglobin)	**5.4**		%	< 5.7
Estimated Average Glucose	**108**		mg/dL	—

3. Lipid Profile

Serum | Enzymatic Colorimetric

Test	Result	Flag	Unit	Biological Reference Range
Total Cholesterol	**196**		mg/dL	< 200
Triglycerides	**162**	HIGH	mg/dL	< 150
HDL Cholesterol	**41**		mg/dL	> 40
LDL Cholesterol (calc.)	**122.6**	HIGH	mg/dL	< 100
VLDL Cholesterol	**32.4**	HIGH	mg/dL	< 30
Total Chol / HDL Ratio	**4.78**		ratio	< 5.0
LDL / HDL Ratio	**2.99**		ratio	< 3.5

4. Liver Function Test (LFT)

Serum | Photometry

Test	Result	Flag	Unit	Biological Reference Range
Total Bilirubin	**0.82**		mg/dL	0.30 - 1.20
Direct Bilirubin	**0.18**		mg/dL	0.00 - 0.30
Indirect Bilirubin	**0.64**		mg/dL	0.20 - 0.90
SGOT (AST)	**26**		U/L	< 40
SGPT (ALT)	**34**		U/L	< 41
Alkaline Phosphatase	**88**		U/L	40 - 129
GGT	**24**		U/L	< 60
Total Protein	**7.3**		g/dL	6.4 - 8.3
Albumin	**4.6**		g/dL	3.5 - 5.2
Globulin	**2.7**		g/dL	2.0 - 3.5
A/G Ratio	**1.70**		ratio	0.9 - 2.0

5. Kidney Function Test (KFT)

Serum | Enzymatic / Jaffe

Test	Result	Flag	Unit	Biological Reference Range
Blood Urea	**24**		mg/dL	17 - 43
Blood Urea Nitrogen (BUN)	**11.2**		mg/dL	8 - 20
Serum Creatinine	**0.94**		mg/dL	0.70 - 1.30
eGFR (CKD-EPI 2021)	**114**		mL/min/1.73m²	> 90
BUN / Creatinine Ratio	**11.9**		ratio	10 - 20
Uric Acid	**6.1**		mg/dL	3.5 - 7.2

FICTIONAL SAMPLE — NOT A REAL MEDICAL REPORT

6. Electrolytes

Serum | Ion Selective Electrode

Test	Result	Flag	Unit	Biological Reference Range
Sodium (Na+)	**140**		mmol/L	136 - 145
Potassium (K+)	**4.3**		mmol/L	3.5 - 5.1
Chloride (Cl-)	**102**		mmol/L	98 - 107
Calcium (Total)	**9.5**		mg/dL	8.6 - 10.2
Phosphorus	**3.6**		mg/dL	2.5 - 4.5

7. Thyroid Profile

Serum | CLIA

Test	Result	Flag	Unit	Biological Reference Range
Total T3	**1.12**		ng/mL	0.80 - 2.00
Total T4	**7.9**		µg/dL	5.1 - 14.1
TSH (Ultrasensitive)	**2.41**		µIU/mL	0.27 - 4.20

8. Vitamin Profile

Serum | CLIA

Test	Result	Flag	Unit	Biological Reference Range
Vitamin D (25-OH)	**18.4**	**LOW**	ng/mL	30 - 100
Vitamin B12	**286**		pg/mL	197 - 771
Folic Acid	**8.9**		ng/mL	> 4.6

9. Iron Studies

Serum | Colorimetric / CLIA

Test	Result	Flag	Unit	Biological Reference Range
Serum Iron	**96**		µg/dL	65 - 175
TIBC	**318**		µg/dL	250 - 425
Transferrin Saturation	**30.2**		%	20 - 50
Serum Ferritin	**112**		ng/mL	30 - 400

10. Cardiac & Inflammation Markers

Serum | Immunoturbidimetry

Test	Result	Flag	Unit	Biological Reference Range
hs-CRP	**0.9**		mg/L	< 1.0 (low risk)
Homocysteine	**13.8**		µmol/L	5 - 15
Apolipoprotein A1	**128**		mg/dL	104 - 202
Apolipoprotein B	**96**		mg/dL	66 - 133

DEMONSTRATION DATA ONLY - All names, values and branding are fictional. Do not use for diagnosis, treatment, insurance or any official purpose.

11. Urine Routine & Microscopy

Random Urine | Dipstick + Microscopy

Test	Result	Flag	Unit	Biological Reference Range
Colour	**Pale Yellow**		—	Pale Yellow
Appearance	**Clear**		—	Clear
pH	**6.0**		—	4.6 - 8.0
Specific Gravity	**1.018**		—	1.005 - 1.030
Protein	**Negative**		—	Negative
Glucose	**Negative**		—	Negative
Ketones	**Negative**		—	Negative
Blood	**Negative**		—	Negative
Pus Cells	**1 - 2**		/hpf	0 - 5
Epithelial Cells	**1 - 2**		/hpf	0 - 5
RBCs	**Nil**		/hpf	Nil
Casts / Crystals	**Nil**		—	Nil

FICTIONAL SAMPLE
NOT A REAL MEDICAL REPORT

Report Summary (Fictional)

73	69	4	11
Parameters	Within range	Outside range	Sections

Values outside reference range (demo data)

Section	Test	Result	Reference	Flag
Lipid Profile	Triglycerides	162 mg/dL	< 150	HIGH
Lipid Profile	LDL Cholesterol (calc.)	122.6 mg/dL	< 100	HIGH
Lipid Profile	VLDL Cholesterol	32.4 mg/dL	< 30	HIGH
Vitamin Profile	Vitamin D (25-OH)	18.4 ng/mL	30 - 100	LOW

Interpretive note (placeholder)

This section is placeholder text showing where a pathologist's comments would appear in a real report. The flagged values above were inserted only to demonstrate the HIGH/LOW styling. They carry no medical meaning and describe no real person's health.

General notes

- Reference ranges shown are typical adult-male ranges used for illustration; real laboratories publish their own.
- Results in a real report must be read by a qualified doctor together with clinical history.
- Methods and instruments named are generic and not tied to any real laboratory.
- This document is fictional end to end and has no legal or clinical validity.

Dr. A. Sample, MD (Path.)
Consultant Pathologist (Fictional)
Reg. No.: DEMO-REG-0000

B. Placeholder, M.Sc.
Senior Lab Technologist (Fictional)
Emp. No.: DEMO-EMP-0000

--- End of Report (Fictional Sample) ---

FICTIONAL SAMPLE
NOT A REAL MEDICAL REPORT