

```
import pandas as pd
import numpy as np

import matplotlib.pyplot as plt
import seaborn as sns
```

```
from google.colab import files
uploaded = files.upload()
```

Choose Files 0f484464-3...d4b1d (1).csv
0f484464-3cc8-4bfc-968b-b1a9fc4d4b1d (1).csv(text/csv) - 125038 bytes, last modified:
 6/26/2026 - 100% done
 Saving 0f484464-3cc8-4bfc-968b-b1a9fc4d4b1d (1).csv to 0f484464-3cc8-4bfc

```
df = pd.read_csv("0f484464-3cc8-4bfc-968b-b1a9fc4d4b1d (1).csv")
df.head()
```

	Unnamed: 0	name	gp	min	pts	fgm	fga	fg	3p_made	3pa	...	fta	
0	0	Brandon Ingram	36	27.4	7.4	2.6	7.6	34.7	0.5	2.1	...	2.3	6
1	1	Andrew Harrison	35	26.9	7.2	2.0	6.7	29.6	0.7	2.8	...	3.4	7
2	2	JaKarr Sampson	74	15.3	5.2	2.0	4.7	42.2	0.4	1.7	...	1.3	6
3	3	Malik Sealy	58	11.6	5.7	2.3	5.5	42.6	0.1	0.5	...	1.3	6
4	4	Matt Geiger	48	11.5	4.5	1.6	3.0	52.4	0.0	0.1	...	1.9	6

5 rows × 22 columns

```
print(df.shape)
df.info()
```

```
(1340, 22)
<class 'pandas.core.frame.DataFrame'>
```

RangeIndex: 1340 entries, 0 to 1339

Data columns (total 22 columns):

#	Column	Non-Null Count	Dtype
0	Unnamed: 0	1340 non-null	int64
1	name	1340 non-null	object
2	gp	1340 non-null	int64
3	min	1340 non-null	float64
4	pts	1340 non-null	float64
5	fgm	1340 non-null	float64
6	fga	1340 non-null	float64
7	fg	1340 non-null	float64
8	3p_made	1340 non-null	float64
9	3pa	1340 non-null	float64
10	3p	1340 non-null	float64
11	ftm	1340 non-null	float64
12	fta	1340 non-null	float64
13	ft	1340 non-null	float64
14	oreb	1340 non-null	float64
15	dreb	1340 non-null	float64
16	reb	1340 non-null	float64
17	ast	1340 non-null	float64
18	stl	1340 non-null	float64
19	blk	1340 non-null	float64
20	tov	1340 non-null	float64
21	target_5yrs	1340 non-null	int64

dtypes: float64(18), int64(3), object(1)

memory usage: 230.4+ KB

df.isnull().sum()

	0
Unnamed: 0	0
name	0
gp	0
min	0
pts	0
fgm	0
fga	0
fg	0
3p_made	0
3pa	0
3p	0
ftm	0
fta	0
ft	0
oreb	0
dreb	0
reb	0
ast	0
stl	0
blk	0
tov	0
target_5yrs	0

dtype: int64

```
target = "target_5yrs"
print(df[target].value_counts())
```


```
target_5yrs
1      831
0      509
Name: count, dtype: int64
```

```
df = df.drop(columns=["Unnamed: 0", "name"])
df.head()
```

	gp	min	pts	fgm	fga	fg	3p_made	3pa	3p	ftm	fta	ft	oreb	dreb
0	36	27.4	7.4	2.6	7.6	34.7	0.5	2.1	25.0	1.6	2.3	69.9	0.7	3.4
1	35	26.9	7.2	2.0	6.7	29.6	0.7	2.8	23.5	2.6	3.4	76.5	0.5	2.0
2	74	15.3	5.2	2.0	4.7	42.2	0.4	1.7	24.4	0.9	1.3	67.0	0.5	1.7
3	58	11.6	5.7	2.3	5.5	42.6	0.1	0.5	22.6	0.9	1.3	68.9	1.0	0.9
4	48	11.5	4.5	1.6	3.0	52.4	0.0	0.1	0.0	1.3	1.9	67.4	1.0	1.5

Next steps: [Generate code with df](#) [New interactive sheet](#)

```
plt.figure(figsize=(14,10))
sns.heatmap(df.corr(), cmap="coolwarm")
plt.title("Correlation Matrix")
plt.show()
```



```
corr_matrix = df.corr().abs()

upper = corr_matrix.where(
    np.triu(np.ones(corr_matrix.shape), k=1).astype(bool)
)

high_corr = [
    column
    for column in upper.columns
    if any(upper[column] > 0.90)
]

print(high_corr)
```

```
['pts', 'fgm', 'fga', '3pa', 'fta', 'reb']
```

```
df = df.drop(columns=high_corr)
print(df.shape)
```

```
(1340, 14)
```

```
print(df.columns.tolist())
```

```
['', 'ftm', 'ft', 'oreb', 'dreb', 'ast', 'stl', 'blk', 'tov', 'target_5yrs']
```

```
df["rebounds"] = df["oreb"] + df["dreb"]
df.head()
```

	gp	min	fg	3p_made	3p	ftm	ft	oreb	dreb	ast	stl	blk	tov	tar
0	36	27.4	34.7	0.5	25.0	1.6	69.9	0.7	3.4	1.9	0.4	0.4	1.3	
1	35	26.9	29.6	0.7	23.5	2.6	76.5	0.5	2.0	3.7	1.1	0.5	1.6	
2	74	15.3	42.2	0.4	24.4	0.9	67.0	0.5	1.7	1.0	0.5	0.3	1.0	
3	58	11.6	42.6	0.1	22.6	0.9	68.9	1.0	0.9	0.8	0.6	0.1	1.0	
4	48	11.5	52.4	0.0	0.0	1.3	67.4	1.0	1.5	0.3	0.3	0.4	0.8	

Next steps:

[Generate code with df](#)[New interactive sheet](#)

```
df["steal_block"] = df["stl"] + df["blk"]
df.head()
```

	gp	min	fg	3p_made	3p	ftm	ft	oreb	dreb	ast	stl	blk	tov	tar
0	36	27.4	34.7	0.5	25.0	1.6	69.9	0.7	3.4	1.9	0.4	0.4	1.3	
1	35	26.9	29.6	0.7	23.5	2.6	76.5	0.5	2.0	3.7	1.1	0.5	1.6	
2	74	15.3	42.2	0.4	24.4	0.9	67.0	0.5	1.7	1.0	0.5	0.3	1.0	
3	58	11.6	42.6	0.1	22.6	0.9	68.9	1.0	0.9	0.8	0.6	0.1	1.0	
4	48	11.5	52.4	0.0	0.0	1.3	67.4	1.0	1.5	0.3	0.3	0.4	0.8	

Next steps:

[Generate code with df](#)[New interactive sheet](#)

```
df = df.fillna(df.median(numeric_only=True))
```

```
df.isnull().sum()
```

	0
gp	0
min	0
fg	0
3p_made	0
3p	0
ftm	0
ft	0
oreb	0
dreb	0
ast	0
stl	0
blk	0
tov	0
target_5yrs	0
rebounds	0
steal_block	0

dtype: int64

```
df.head()
```

