



Clinic lab Evidence

Evidence: README, network proof, snapshot logs



docs/isolation.png

A terminal window titled 'vboxuser@ubuntu: ~' with standard window controls. The terminal shows a series of commands and their outputs. First, a ping to 8.8.8.8 fails with 'Network is unreachable'. Then, a ping to 192.168.50.10 succeeds, showing two successful packets with response times of 0.040ms and 0.402ms. Finally, a ping statistics command shows 2 packets transmitted and received with 0% loss and an average time of 0.221ms.

```
vboxuser@ubuntu:~$ ping -c 2 8.8.8.8
ping: connect: Network is unreachable
vboxuser@ubuntu:~$ ping -c 2 192.168.50.10
PING 192.168.50.10 (192.168.50.10) 56(84) bytes of data.
64 bytes from 192.168.50.10: icmp_seq=1 ttl=64 time=0.040 ms
64 bytes from 192.168.50.10: icmp_seq=2 ttl=64 time=0.402 ms

--- 192.168.50.10 ping statistics ---
2 packets transmitted, 2 received, 0% packet loss, time 1002ms
rtt min/avg/max/mdev = 0.040/0.221/0.402/0.181 ms
vboxuser@ubuntu:~$
```

docs/lab-network.png

```
vboxuser@ubuntu: ~/clinic-lab
altname enx080027811e50
inet 192.168.50.10/24 brd 192.168.50.255 scope global noprefixroute enp0s3
    valid_lft forever preferred_lft forever
vboxuser@ubuntu:~/clinic-lab$ sudo cat /etc/netplan/*.yaml
[sudo: authenticate] Password:
network:
  version: 2
  renderer: NetworkManager
network:
  version: 2
  ethernet:
    NM-7c706165-a013-498b-8eea-07b81fa4d088:
      renderer: NetworkManager
      match:
        name: "enp0s3"
      addresses:
        - "192.168.50.10/24"
      wakeonlan: true
      networkmanager:
        uuid: "7c706165-a013-498b-8eea-07b81fa4d088"
        name: "CLINIC-LAB"
      passthrough:
        ethernet._: ""
        ipv4.never-default: "true"
        ipv6.addr-gen-mode: "default"
        ipv6.method: "disabled"
        ipv6.ip6-privacy: "-1"
        proxy._: ""
vboxuser@ubuntu:~/clinic-lab$ ping -c 2 197.168.50.10
ping: connect: Network is unreachable
vboxuser@ubuntu:~/clinic-lab$
```

The screenshot displays a software interface with a dark theme. At the top, there is a header bar with several icons and a tab labeled "Snapshots". Below the header, a list of snapshots is shown, with "clean-lab-baseline-Task1" selected and highlighted in a teal color. To the left of the task name is a small icon of a computer monitor. Below the task name, a power button icon is followed by the text "Current State". The main area of the interface is a large, empty dark gray rectangle. At the bottom, there is a panel with two tabs: "Attributes" and "Information". The "Attributes" tab is active, showing two fields: "Name:" with the value "clean-lab-baseline-Task1" and "Description:" with the value "Clean lab before Task 2, IP 192.168.50.10, app working, isolated network".

Attributes Information

Name: clean-lab-baseline-Task1

Description: Clean lab before Task 2, IP 192.168.50.10, app working, isolated network