INTERNAL · PRODUCT BUILD SPECIFICATION · V1.0

HACA Marketing OS

What to build, in what order, on what data — scoped to the Team Workspace release. Leaderboard, content repurposing and campaign templates are explicitly out of scope for this version.

Prepared for: HACA Group engineering / build team

Prepared by: Abu Nabhan, Marketing Head

Scope: V1 — Team Workspace (14 screens), single system with profile-based filtering

Reference prototype: High-fidelity click-through built and approved for terminology, screen structure and data relationships — use it as the UI reference; this document is the functional and data source of truth.

Status: Ready for build, pending decisions flagged in §16

§ Contents

01 Scope & non-goals

02 System architecture decision

03 Access model & permissions

04 Core entities & data model

05 Business-goal traceability chain

06 Auto-assignment engine

07 Feedback, revision & escalation logic

08 Blocker system

09 LSQ integration

10 Automation rules

11 Reporting

12 Screens required — V1 build checklist

13 Global filters

14 Org reference data

15 Performance measurement dimensions

16 Open decisions needed before build starts

This document intentionally excludes generic product-management material — timelines, team ceremonies, testing strategy, tech-stack opinions. It contains only what a build team needs that is specific to HACA: the data, the rules, the logic, and the exact screens.

01 Scope & non-goals

V1 builds the Team Workspace only. Every screen, rule and integration in this document supports one goal: give the Marketing Head, Team Leads and team members one place to plan, assign, produce, approve and report on marketing work — and to automate the coordination and reporting around it so the team spends more time creating than updating trackers.

IN SCOPE — V1	OUT OF SCOPE — LATER PHASE
Team Dashboard, My Work, Calendar, Projects/Campaigns, Work Detail, Feedback & Revision History, Team Workload, Todo, Issues & Blockers, Lead Funnel, Data Center/LSQ, Reports & Automation, Login/Profile Switcher — all connected, not built as isolated screens	Leaderboard (best-performer recognition, ranked individual leaderboard, department pulse) — build as a separate module once V1 is in daily use
Auto-assignment recommendation (with TL override)	Content repurposing workflow (one asset → Reel/Short/LinkedIn/Blog/Email variants)
LSQ read sync + inbound-lead-to-task creation	Campaign templates that auto-generate strategy/content/creative/ads/landing-page/reporting structure
Revision-pattern flagging + TL root-cause classification	Dependency mapping / downstream-impact visualization (Writer → Designer → Editor → TL → Publisher)
Automated weekly/monthly reports (email)	"Weekly Marketing Meeting Mode" auto-generated briefing screen

Everything in the right column is real and worth building — it is deferred, not rejected, so V1 doesn't grow past a shippable size.

02 System architecture decision

> **DECISION**
>
> One centralized system + profile filtering + permission-based access. Not seven isolated applications for seven profiles.

Every screen in this spec is profile-aware, not profile-specific. A `profile` is a filter dimension on shared data (work items, campaigns, leads), not a separate database or tenant. This is what makes the global filter bar in §13 work, and what makes a person with access to two profiles see one dashboard instead of switching apps.

Why this matters for the build

- Every core table (work items, campaigns, leads, feedback) carries a `profile` foreign key — never a profile-specific schema or a separate database per school.
- Permission checks happen at the query layer (row-level filtering by the requesting user's `profileAccess[]`), not at the application layer by routing users to different apps.
- A person's profile access is a list, not a single value — a performance marketer managing "All Profiles" and a designer scoped to "HACA Design School + HACA Design School EN" both live in the same schema.

03 Access model & permissions

Three roles. Role determines *breadth* (org-wide vs. team vs. self); profile access determines *which brands* that breadth applies to. The two combine — e.g. a Team Lead scoped to "HACA Design School" sees team-lead breadth, but only for that profile.

CAPABILITY	MARKETING HEAD	TEAM LEAD	TEAM MEMBER
Profiles visible	All, by default	Assigned profile(s)	Assigned profile(s)
People visible	Everyone	Own team (direct reports + dept)	Self only
Dashboard scope	Org-wide KPIs, all campaigns	Team KPIs, team's campaigns	Personal priorities only
Create / assign work	Yes, any profile in scope	Yes, own team	No — can request via TL
Override auto-assignment	Yes	Yes	No
Approve / give feedback	Yes	Yes, own team's work	No — can respond to feedback
Classify revision root cause	Yes	Yes	No
View team performance analytics	Full	Own team only	Own stats only
Lead Funnel / LSQ / Data Center	Full	View only, own profile(s)	Hidden
Reports & Automation config	Full	View own team's scheduled reports	Hidden
OKR & Targets entry	Yes	View only	Hidden

NAVIGATION REQUIREMENT

The Marketing Head must be able to move Business → Profile → Department → Team Member → Project → Individual Work → Feedback → Result without losing context — i.e. every one of those objects must be clickable into the next from wherever it's shown (KPI card → filtered list → record → its feedback thread). This is a navigation requirement on every screen, not a single "drill-down" screen.

04 Core entities & data model

Nine entities. Everything else in this document is behavior on top of these.

Profile

`id`, `name` — one of the 7 fixed values in §14. A filter dimension, not a tenant (see §02).

Person

FIELD	NOTES
`role`	job title (e.g. "UI Designer", "Video Editor") — see §14 for the fixed role list
`department`	FK → Department (§14)
`isTL`	boolean — grants Team Lead breadth for their department
`profileAccess[]`	array of Profile — drives everything in §03
`weeklyCapacityHours`	used to compute workload %
`workloadPct`	*derived*: sum(estimatedEffort of open work items owned) / weeklyCapacityHours
`avgRevisions`	*derived*, rolling 90 days — feeds §07

Campaign / Project

FIELD	NOTES
`name, profile, ownerId`	owner is usually a TL (Creative Manager / Design Lead / Performance Marketer)
`goalType, goalValue`	e.g. Leads / Reactivations / Enrollments — used to compute progress %
`budget, spend`	currency — see §11 for report rollups
`relatedOKR, relatedTarget`	free-text link back to the monthly business plan — required field, not optional (§05)
`status`	enum: In Progress / At Risk / Completed
`progressPct`	*derived* from linked work items' completion, or manually set if the goal isn't work-item-countable

Work Item

The atomic unit of the whole system. Every screen in §12 is a view or filter over this table plus its child Feedback Thread.

FIELD	NOTES
`title, type`	type enum: Reel, Ad Creative, Landing Page, Carousel, Post, Blog, Email, WhatsApp Blast, Ad Set, YouTube Short/Video, SEO Audit, Copy, Video Ad, Internal Report
`profile, campaignId, ownerId, department`	department is derived from owner, kept denormalized for fast filtering
`priority`	High / Medium / Low
`status`	Not Started / In Progress / Feedback / Pending / Blocked / Approved / Published / Overdue (Overdue is computed: deadline passed AND status not in Approved/Published)

`channel, expectedOutcome`	expectedOutcome enum: Lead Generation, Brand Awareness, Engagement, SEO Ranking, Nurture, Conversion, Reactivation, Ops
`estimatedEffortHrs, actualEffortHrs`	feeds workload % and the auto-assignment engine (§06)
`deadline`	date
`brief`	object: objective, audience, message, cta, platform, deliverable, successMetric, reference — see §12, Work Detail → Brief tab
`relatedOKR, relatedTarget, relatedCampaignId`	traceability chain, §05 — required, not optional
`revisions`	*derived*: count of Feedback Thread entries with round-level status "Revision Required"
`blockedReason, blockedOnPersonId, blockedSince`	populated only when status = Blocked, see §08
`createdAt, assignedAt, startedAt, submittedAt, approvedAt/publishedAt`	the full timeline — required for the Performance tab (turnaround-time reporting) and revision-time math
`leadsGenerated, qualifiedLeads`	populated post-publish via LSQ attribution (§09) where the work item is a lead-generating asset

Feedback Thread Entry

`workItemId`, `round` (int), `fromPersonId`, `text`, `isResponse` (bool — distinguishes a TL's feedback from the assignee's reply in the same round), `roundStatus` (Revision Required / Approved, set only on the reviewer's entry), `at` (timestamp). Full history is kept — never overwritten, never summarized away.

Blocker

`workItemId`, `reason` (fixed 9-value enum, §08), `waitingOnPersonId`, `raisedAt`, `resolvedAt`, `notifiedAt`.

Lead (synced from LSQ)

See §09 for the full field list and sync behavior — this is the one entity that is *read-authoritative from LSQ*, never hand-edited in Marketing OS.

Automation Rule

`name`, `triggerType`, `triggerCondition`, `action`, `active` (bool), `lastRunAt`. Full list in §10.

Report Definition

`name`, `cadence`, `scope` (profile / department / team member / campaign / org-wide), `recipients[]`, `lastGeneratedAt`. Full list in §11.

05 Business-goal traceability chain

This is the feature that makes Marketing OS more than a task tracker, and it is a data requirement, not a UI nicety.

> Business Goal → Marketing Target → Strategy → Campaign → Work Item → Execution → Feedback/Approval → Publishing → Lead/Performance Data → Analysis → Decision

Build requirement: `relatedOKR` and `relatedTarget` are required fields on Campaign, and every Work Item inherits them from its `campaignId` (not re-entered per work item). This is what lets the Marketing Head click "18 overdue tasks" on the dashboard and land on the actual list, click a task and see the campaign it serves, and click the campaign to see the business target it exists to hit — the chain described in the original spec (§34, "Metric → Reason → Work → Person → Action") only works if this parent link is enforced at creation time, not filled in later.

Practically: a Campaign cannot be created without selecting a Monthly Marketing Target (§11 OKR & Targets) to attach to. A Work Item cannot be created without a Campaign. No orphaned work.

06 Auto-assignment engine

Triggered when a Work Item is created without a manually chosen owner.

Candidate filter

1. Same department as the work type requires (e.g. Reel → Video Production)
2. Below overload threshold: `workloadPct` < 85%
3. No deadline conflict: enough unallocated capacity before the work item's deadline given its `estimatedEffortHrs`

Ranking, among candidates that pass the filter

1. Lowest current `workloadPct` (primary)
2. Lowest `avgRevisions` as tiebreaker (rewards quality/efficiency, not just availability)
3. Earliest availability if still tied

> **UI REQUIREMENT**
>
> Never assign silently. Show: *"Recommended Owner: [Name] — Reason: lowest current workload ([X]%) + suitable skill + available bandwidth."* The TL/Marketing Head can override before the task is created; overrides are logged (who, from whom, to whom) so the recommendation logic can be tuned later against real override patterns.

This is deliberately a simple, explainable scoring rule — not a black-box ML model. The spec's own emphasis (§30, "creative time protection") is served better by a transparent, fast recommendation the TL trusts and rarely needs to override than by a system that's "smarter" but opaque.

07 Feedback, revision & escalation logic

Thread structure

Every review round is two entries minimum: the reviewer's feedback (`roundStatus` = Revision Required or Approved) and, if revision was required, the assignee's response (`isResponse` = true) before the next round opens. `revisions` on the Work Item = count of rounds marked Revision Required.

Revision-pattern flag

> **DEFAULT RULE — NEEDS NABHAN'S SIGN-OFF (§16)**
>
> Flag a task when its revision count exceeds the owner's own rolling `avgRevisions` by more than 1 round, *or* reaches a hard cap of 4 revisions — whichever triggers first. This compares each person against their own baseline, not a single team-wide number, so a naturally more meticulous creative isn't flagged for their normal pattern.

When flagged, the TL is prompted to classify the root cause from a fixed list — the point is diagnosing the process, not the person:

- Brief unclear · Creative direction unclear · Skill gap · Feedback inconsistency · Excessive scope change · TL approval delay · Client/business requirement changed

Escalation to Marketing Head

Auto-escalate (notification, not just a flag) when either:

- a task is flagged and left unclassified for more than 48 hours, or
- the same person is flagged 2+ times within a rolling 30-day window

"Best performer" recognition is explicitly out of scope for V1 (it lives in the deferred Leaderboard) — but note for later: it must never be incentive-linked, per standing instruction.

08 Blocker system

Any Work Item can be marked Blocked by its owner. Reason is a fixed enum — free text is captured only under "Other":

Waiting for feedback	Waiting for content	Waiting for data
Technical issue	Dependency	Client/business approval
Resource issue	Unclear requirement	Other

AUTOMATION

Marking a task Blocked with reason = Waiting for content/feedback/data must prompt for the dependency owner, and immediately notify that person (not the requester) — e.g. *"Video Editor A is blocked for 4h because final copy is pending from Writer B."* This is Automation Rule 3 in §10 and it is the one blocker automation that must ship in V1; the rest of the blocker UI can be simple.

09 LSQ integration

LSQ is the source of truth for lead data. Marketing OS visualizes and analyzes it — it does not let anyone hand-edit a lead's status.

Sync direction 1 — LSQ → Marketing OS (required for V1)

Pull per lead: source, campaign, profile, program, lead status, qualified status, contact status, payment status, re-engagement flag, conversion flag, timestamps. Map to the fixed 12-stage funnel already in use in HACA's weekly sync tracker, so terminology matches what the team already reads in that meeting:

Total Leads	Not Contacted	Not Answered	Interested
Qualified Leads	Call Back	Payment Received	Not Interested
Not a Potential	Not Answered (Multiple)	Reconnected	Not Eligible

Derived per campaign/profile: `CPL` = spend / ad leads achieved, `CPQL` = spend / qualified leads, `Qualified Lead %` = qualified / total. Same formulas already used in the Outbound/Paid Ads weekly-sync block — reuse them so the numbers reconcile with what Business Heads already see in that meeting.

Sync direction 2 — LSQ → auto-created Work Item (required for V1, higher priority than it looks)

> **STANDING INSTRUCTION**
> LSQ integration must be more than read-only. An inbound lead on a channel with a clear owner should auto-create a Work Item for that owner — e.g. a WhatsApp Inbound lead auto-creates a follow-up task for the WhatsApp Marketer, without anyone manually logging it.

Needs from Nabhan before build: which lead sources map to which department/role for auto-task-creation (WhatsApp Inbound → WhatsApp Marketer is confirmed; the rest are listed as open in §16), and confirmation that LSQ exposes a webhook or near-real-time API rather than only batch export.

Data hygiene (Data Center screen, §12)

Automatic checks, not manual reconciliation: missing campaign tag, missing source, duplicate leads (same phone), unmapped profile, incorrect/stale status (e.g. "Not Contacted" > 5 days), missing owner, sync failures. Surface as a single health score (e.g. "98.2% healthy") plus a resolvable issue list.

10 Automation rules

Ranked by what was named a priority vs. what rounds out the system. All are simple trigger→action rules — no rule here needs anything more sophisticated than a scheduler and an event bus.

RULE	TRIGGER → ACTION	PRIORITY
Month-end performance report	Last day of month, 11:59pm → compile and email the performance report to Marketing Head, Business Head, CEO	PRIORITY
Overdue task escalation	Task passes deadline → notify owner immediately, notify TL after a defined threshold (suggest 4h, confirm in §16)	PRIORITY
Todo escalation notice	Work item sits with no status change for N days → notify owner, then TL	PRIORITY
Blocker dependency alert	Task marked Blocked → notify the dependency owner (§08)	V1
Revision pattern flag	Revision count exceeds owner's baseline (§07) → flag for TL classification	V1
LSQ live sync	New/updated lead in LSQ → update funnel + dashboard (§09)	V1
Weekly report builder	Every Monday 8:00am → compile and send the weekly marketing report	V1
Campaign task auto-structure	New campaign created → generate a starter task structure by campaign type	V1.1 — needs campaign-type templates defined first

11 Reporting

Every report below is a saved `Report Definition` (§04) — not a one-off export. Reports render from the same live tables the dashboard reads; nothing is recompiled by hand.

REPORT	CADENCE	RECIPIENTS	SCOPE
Weekly Marketing Report	Mon 8:00am	Marketing Head, Business Head	Org-wide, by profile
Monthly Performance Scorecard	Last day of month	CEO, Marketing Head, Business Head	Org-wide
Creative Production Report	Fri 6:00pm	Marketing Head, Creative Manager	By department
Lead Funnel & CPL Report	Mon 9:00am	Marketing Head, Performance Marketer	By profile/campaign
Team Performance Digest	1st of month	Marketing Head	Org-wide, by person
Campaign Deep-Dive	On demand	Marketing Head, campaign owner	Single campaign

"On the system should compile these automatically" is the whole point of §10's report-builder automations — a human should never assemble one of these from scratch again.

12 Screens required — V1 build checklist

Terminology, layout and interaction pattern are already settled in the approved prototype. What follows is the functional contract each screen must satisfy — the data it reads, the actions it must support.

1 · LOGIN / PROFILE SELECTION

Auth + role resolution + default profile set from `profileAccess[]`. Must support a person with multiple profiles landing on "All" or their last-used profile.

2 · TEAM DASHBOARD

The one screen that must satisfy §03's navigation requirement end-to-end. Sections, top to bottom: Monthly Marketing Target (revenue/leads/qualified/budget vs. actual, from Campaign OKR rollup) → KPI strip (planned/completed/in-progress/at-risk/blocked/pending-feedback/overdue — every card clickable into its filtered list) → Today's Priorities table → Creative Production stats + output trend → Campaign Progress list → Team Workload → Lead Funnel Snapshot → Issues & Blockers → Recent Activity. All sections respect the active Profile filter (§13).

3 · MY WORK

Personal daily workspace. Today / Overdue / Upcoming grouping. Quick actions (Start, Submit, Request Help, Mark Blocked) must mutate Work Item status in one click — no navigation required for the common case.

4 · MONTHLY MARKETING CALENDAR

Month/Week/Campaign/Owner views over Work Item deadlines. Each cell item is a real Work Item, clickable into its detail page — not a static calendar.

5 · PROJECTS / CAMPAIGNS

Campaign list with goal, budget/spend, progress, status. Filterable by Profile and status.

6 · PROJECT DETAIL

Tabs: Overview (traceability chain from §05, budget pace), Tasks (all Work Items on this campaign), Creatives (subset filtered to creative-type Work Items), Leads (funnel scoped to this campaign's profile, §09).

7 · SINGLE WORK DETAIL

Tabs: Overview, Brief, Files, Feedback, Activity, Performance, Related Leads. Overview must surface the revision-pattern flag (§07) and blocker state (§08) inline — not buried in a tab — when applicable.

8 · FEEDBACK & REVISION HISTORY

Cross-work-item view: every open feedback thread plus every currently-flagged revision pattern, so a TL can triage without opening each Work Item individually.

9 · TEAM WORKLOAD

Grouped by department. Per person: workload % (with Healthy/High/Overloaded thresholds — §03/§06 use the same <65 / 65–85 / >85 bands), open task count, rolling avgRevisions. Must identify overload *before* deadlines slip — i.e. this is a leading indicator screen, not a historical report.

10 · TODO & PRIORITIES

Overdue / Today / Upcoming, scoped to the viewer's role (self for Team Member, team for TL, org for Marketing Head). Empty state must read as clarity, not surveillance: *"You have no active priorities. Check the team plan or ask your TL for upcoming work."*

11 · ISSUES & BLOCKERS

Open blockers (§08) and revision-pattern flags (§07) in one place, each actionable (Notify / Classify Reason) inline.

12 · LEAD FUNNEL

The 12-stage funnel (§09) scoped by the active Profile filter, plus target-vs-actual on Qualified Leads and paid-ads CPL/CPQL. Source-mix breakdown across the 19 fixed lead sources (§14).

13 · DATA CENTER / LSQ

Health score + resolvable issue list (§09). Marketing Head and TLs only.

14 · REPORTS & AUTOMATION

Scheduled report list (§11) with a manual "Generate Now," and the automation rule list (§10) with active/paused state. Marketing Head only.

13 Global filters

One filter bar behavior, applied everywhere it's relevant — not a per-screen reimplementation:

FILTER	VALUES
Profile	the 7 fixed profiles + "All Profiles" (§14)
Department	the 7 fixed departments (§14)
Owner	any Person the viewer has visibility into (§03)
Campaign	any Campaign in the active Profile scope
Date	range or month
Status	the Work Item status enum (§04)

Rule: changing Profile on the Dashboard must cascade to every section on that screen (tasks, creatives, campaigns, leads, performance, reports) in one state change — never a per-widget filter that can drift out of sync with the page-level one.

14 Org reference data

Profiles (7)

HACA · HACA Mideast · HACA Marketing School · HACA Marketing School EN · HACA Design School · HACA Design School EN · HACA Tech School

Departments (7)

Design · Video Production · Social Media · SEO & Content · WhatsApp · Performance Marketing · Tech

Roles

SEO Specialist · Social Specialist · UI Designer · Writer · Developer · Social Media Manager · Designer · Video Editor · Creative Manager (TL) · Design Lead (TL) · YouTube Strategist · WhatsApp Marketer · Performance Marketer

Design School programs (for the Program filter dimension)

AI Integrated Graphic Design · UI/UX Design + AI · Creative Design & Communication · AI Integrated Video Editing Mastery · Branding & Identity Online Program

Lead sources (19, from LSQ)

SMM YouTube · SMM Instagram · Online Campaigns (SMM) · Facebook Lead Ads · Social Media Re-engaged Leads · Meta Re-Engaged Leads · Google Ads · Inbound Phone Calls · WhatsApp Reactivation · WhatsApp Inbound · Student Referral · Staff Referral · SEO · PR · Website Leads · Offline Campaigns · Walk-in · Outbound Phone Calls · Workshops/Webinars

15 Performance measurement dimensions

Explicitly not "tasks completed." Five dimensions, each with the specific metrics to compute — this feeds Team Workload (§12) now and the deferred Leaderboard later:

DIMENSION	METRICS
Output	work completed, creative output volume, campaigns executed
Efficiency	avg. completion time (createdAt → publishedAt), deadline adherence %, revision rate
Quality	approval rate, rejection rate, re-edit rate
Collaboration	feedback response time, blocker resolution time, dependency delay incidents caused
Business impact	leads / qualified leads / engagement attributable to their published work (§04, leadsGenerated/qualifiedLeads)

16 Open decisions needed before build starts

Everything else in this document is settled enough to build against. These are not — flagged here instead of quietly assumed:

LSQ ACCESS

Does LSQ expose a webhook or real-time API for inbound leads, or only batch/scheduled export? This determines whether "inbound lead auto-creates a task" (§09) can be near-instant or is necessarily on a polling delay.

SOURCE → ROLE MAPPING

WhatsApp Inbound → WhatsApp Marketer is confirmed. The mapping for the other 18 lead sources to an auto-assigned owner/department is not yet defined.

REVISION THRESHOLD NUMBERS

§07 proposes "baseline + 1 round or hard cap of 4" and a 48-hour unclassified-flag escalation window. These are reasonable defaults, not confirmed numbers.

OVERDUE ESCALATION TIMING

§10 proposes a 4-hour owner→TL escalation threshold as a placeholder pending confirmation.

WEEKLY CAPACITY HOURS PER ROLE

needed to compute workload % accurately per person rather than off a flat assumption (§04, weeklyCapacityHours).

CAMPAIGN-TYPE TASK TEMPLATES

needed before Automation Rule "campaign task auto-structure" (§10) can ship — what task structure does each campaign type actually require?