HACA Marketing OS: Project Report

Complete redesign of HACA FORGE into HACA Marketing OS (V1 Team Workspace) Prepared 17 October 2026. Source of truth: HACA Marketing OS Build Specification V1.0, from the Marketing Head.

Scope rule: only what the specification defines is part of the product. Anything it does not mention is either removed from the product, or listed as a small enabler or an open decision (sections 15 and 17).

1. Executive summary

HACA Marketing OS is one system where the marketing team plans, assigns, produces, approves and reports on all marketing work, with LeadSquared (LSQ) lead data shown next to that work. The Marketing Head, Team Leads and Team Members all use the same data, seen through their role and filtered by brand Profile.

HACA FORGE today is a request-and-pipeline portal: other departments raise requests, a Lead triages them, and four production teams deliver content in fixed stages. This redesign replaces that product model with the Marketing OS model. The technical foundation (monorepo, authentication, API layer, background jobs, notifications, UI system) is reused. The product model, data model, roles and screens are replaced.

Aspect	HACA FORGE (current)	HACA Marketing OS (target)
Purpose	Intake and production pipeline for requests from other departments	Team workspace to plan, assign, produce, approve and report marketing work, plus lead analytics
Core unit	ContentItem with a multi-stage pipeline of tasks	Work Item (one owner), always inside a Campaign
Organizing dimension	Requesting department and 4 production teams	7 brand Profiles as a filter on shared data, 7 departments
Roles	8	3 (Marketing Head, Team Lead, Team Member)
Link to business goals	None	Business target, then Campaign, then Work Item (enforced)

Aspect	HACA FORGE (current)	HACA Marketing OS (target)
Lead data	None	LSQ funnel, CPL, CPQL, data health
Automation	Fixed jobs	Configurable Automation Rules
Dashboard	Role count widgets	Team Dashboard with a clickable drill-down chain

2. Problem and goal

Problems the system removes:

- Work is tracked by hand in sheets and chats, so time goes to updating trackers instead of creating.
- The Head sees a number (for example 18 overdue tasks) but cannot click through to the task, the person and the reason.
- Marketing work is not tied to the business target it serves.
- Work goes to whoever is asked, so some people are overloaded while others are free.
- Blockers are invisible: nobody knows who is waiting on whom.
- Heavy revision cycles are never diagnosed, so process problems repeat.
- Lead data in LSQ is separate from the campaigns and work that produced it.
- Weekly and monthly reports are assembled by hand.
- Seven brands would otherwise need seven tools.

Goal: one place for the Marketing Head, Team Leads and Team Members to plan, assign, produce, approve and report, with the coordination and reporting around it automated.

3. Scope

3.1 In scope (V1)

- 14 screens: Login and Profile selection, Team Dashboard, My Work, Monthly Marketing Calendar, Projects/Campaigns, Project Detail, Single Work Detail, Feedback & Revision History, Team Workload, Todo & Priorities, Issues & Blockers, Lead Funnel, Data Center/LSQ, Reports & Automation
- Auto-assignment recommendation with Team Lead override

- LSQ read sync and inbound-lead-to-task creation
- Revision-pattern flagging, root-cause classification and escalation
- Blocker system with dependency-owner notification
- Automation rules and automated weekly and monthly reports
- Business-goal traceability chain, global filter bar, drill-down navigation

3.2 Out of scope (deferred, not rejected)

Leaderboard, content repurposing, campaign templates (auto task structure), dependency mapping, Weekly Marketing Meeting Mode.

4. Design principles

1. One centralized system. Profile is a filter dimension, never a separate database or tenant.
2. Permissions are enforced at the query layer using the user's profile access, not by sending people to different apps.
3. No orphaned work: a Campaign needs a Monthly Target, a Work Item needs a Campaign.
4. Never assign silently: show the recommendation and the reason, and log overrides.
5. Simple, explainable rules, not black-box scoring.
6. Every number is clickable down to the record: Business, Profile, Department, Member, Project, Work, Feedback, Result.
7. Protect creative time: automate coordination and reporting.
8. Empty states read as clarity, not surveillance. Performance is never linked to incentives.

5. Users, roles and access

5.1 Roles

Role key	Spec name	Typical people	Breadth
`marketing_head`	Marketing Head	Head of Marketing	Org-wide, all profiles by default

Role key	Spec name	Typical people	Breadth
`team_lead`	Team Lead	Creative Manager, Design Lead and other leads	Own team (direct reports and department), within assigned profiles
`team_member`	Team Member	Designers, writers, editors, specialists	Self only, within assigned profiles

Role sets breadth. Profile access sets which brands that breadth applies to. Example: a Team Lead scoped to HACA Design School has Team Lead breadth for that profile only.

5.2 Capability matrix (from the specification)

Capability	Marketing Head	Team Lead	Team Member
Profiles visible	All by default	Assigned profiles	Assigned profiles
People visible	Everyone	Own team (direct reports and department)	Self only
Dashboard scope	Org-wide KPIs, all campaigns	Team KPIs, team's campaigns	Personal priorities only
Create and assign work	Yes, any profile in scope	Yes, own team	No, can request via Team Lead
Override auto-assignment	Yes	Yes	No
Approve and give feedback	Yes	Yes, own team's work	No, can respond to feedback
Classify revision root cause	Yes	Yes	No
Team performance analytics	Full	Own team only	Own stats only
Lead Funnel, LSQ, Data Center	Full	View only, own profiles	Hidden
Reports and Automation config	Full	View own team's scheduled reports	Hidden

Capability	Marketing Head	Team Lead	Team Member
OKR and Targets entry	Yes	View only	Hidden

5.3 Profile access

- `profileAccess[]` is a list on each Person. The Marketing Head defaults to all profiles.
- A person with several profiles lands on All or on their last-used profile.
- Changing the Profile filter changes every section of the screen at once.

5.4 Team membership

A Team Lead sees direct reports plus their department, within profile access. Carried over from the earlier role plan: a Team Member can report to more than one Team Lead (`reportsToIds[]`), set by the Marketing Head. Any of a member's leads can assign work to, review and see that member.

5.5 Enablers (needed to run the system, not product features)

- **People setup:** the Marketing Head creates people and sets department, job role, access role, profile access, weekly capacity and reporting leads. Login reuses the existing invite and set-password flow.
- **No separate Admin role** in V1. The Marketing Head holds setup powers. Decision pending (section 17).
- **CEO and Business Head** are report recipients by email, not users, unless the Head decides otherwise.

6. Architecture

6.1 Stack (reused from FORGE)

Layer	Technology
Backend	Node 22 LTS, Express 5, MongoDB with Mongoose, Zod validation, CASL permissions, JWT in httpOnly cookies

Layer	Technology
Jobs and events	BullMQ with Redis, internal event bus, Socket.io for live notifications
Email	Existing mailer adapter (smtp, resend, console)
Frontend	React 18, Vite, TypeScript, Tailwind, TanStack Query and Table, React Hook Form with Zod, Recharts, existing glass UI
Shared	`@mmp/shared`: role keys, permission keys, enums, Zod schemas
Files	Cloudinary, for the Work Detail Files tab
Integration	LSQ API (webhook if available, otherwise polling)
Logging	Pino

6.2 Layout

```
apps/api/src/modules/  auth, people, referenceData, targets, campaigns,
workItems,
                       assignment, feedback, blockers, leads, automation,
reports,
                       dashboard, notifications, activity
apps/web/src/pages/    the 14 screens, plus people setup
packages/shared/       roles, permissions, enums, schemas
```

6.3 Row-level scoping

One helper, `resolveScope(user, filters)`, returns the allowed profile ids and the person scope (all, team or self). Every list, aggregate and report takes its scope from this helper. No route builds its own filter.

6.4 Global filter

One filter state (Profile, Department, Owner, Campaign, Date or month, Status), synced to the URL and passed to every query. Changing Profile updates every widget on the screen in one state change.

6.5 Events and jobs

Events: `workItem.created`, `assigned`, `submitted`, `approved`, `published`, `overdue`, `blocked`, `unblocked`, `feedback.given`, `revision.flagged`, `revision.escalated`, `lead.inbound`, `lead.synced`, `report.generated`. Jobs run as BullMQ repeatable schedules and read `AutomationRule.active` before acting.

7. Data model

Nine entities come from the specification (Profile, Person, Campaign, Work Item, Feedback Entry, Blocker, Lead, Automation Rule, Report Definition). Records marked (S) are supporting records that the specification's own rules require.

Profile (7 fixed values): `id`, `name`. A filter dimension, not a tenant.

Department (7 fixed values): `id`, `name`.

Person

Field	Notes
name, email, status	status: invited, active, suspended
jobRole	One of 13 fixed job titles (section 14)
departmentId	FK to Department
role	marketing_head, team_lead, team_member. Team Lead breadth is granted by `isTL` (role is team_lead)
profileAccess[]	List of Profile ids. Drives all scoping
reportsToIds[] (S)	Team Leads this person reports to
weeklyCapacityHours	Used for workload %
lastProfileId (S)	Last-used profile filter
workloadPct	Derived: sum of estimatedEffortHrs of open owned work items divided by weeklyCapacityHours
avgRevisions	Derived, rolling 90 days. Feeds the revision flag and auto-assignment

MonthlyTarget (S): `month`, `profileId` (empty means org-wide), `revenueTarget`, `leadsTarget`, `qualifiedLeadsTarget`, `budget`, `enteredById`. Actuals are computed from campaigns (spend) and leads (LSQ). Entry: Marketing Head. View: Team Lead.

Campaign / Project

Field	Notes
name, profileId, ownerId	Owner is usually a Team Lead
goalType, goalValue	For example Leads, Reactivations, Enrollments
budget, spend	Currency
relatedOKR	Text, required
targetId	FK to MonthlyTarget, required
status	In Progress, At Risk, Completed
progressPct	Derived from linked work item completion, or set manually when the goal is not work-item-countable
startDate, endDate (S)	Needed for budget pace and the Campaign calendar view

Work Item (the atomic unit; every screen is a view over this table and its feedback)

Field	Notes
title, type	14 types (section 14)
profileId, campaignId, ownerId	Campaign is required
departmentId	Derived from owner, stored for fast filtering
priority	High, Medium, Low
status	Not Started, In Progress, Feedback, Pending, Blocked, Approved, Published. Overdue is computed
channel, expectedOutcome	expectedOutcome: Lead Generation, Brand Awareness, Engagement, SEO Ranking, Nurture, Conversion, Reactivation, Ops

Field	Notes
estimatedEffortHrs, actualEffortHrs	Feed workload and auto-assignment
deadline	Date
brief	objective, audience, message, cta, platform, deliverable, successMetric, reference
relatedOKR, relatedTarget	Inherited from the campaign, read-only
files[] (S)	Uploaded files or links, for the Files tab
createdAt, assignedAt, startedAt, submittedAt, approvedAt, publishedAt	Full timeline, feeds turnaround reporting
leadsGenerated, qualifiedLeads	Filled after publishing via LSQ attribution
revisions	Derived: number of rounds marked Revision Required

Feedback Entry: `workItemId`, `round`, `fromPersonId`, `text`, `isResponse` (true for the assignee's reply), `roundStatus` (Revision Required or Approved, reviewer entry only), `at`. History is never overwritten.

RevisionFlag (S): `workItemId`, `ownerId`, `raisedAt`, `trigger` (baseline exceeded or hard cap), `revisionCountAtFlag`, `ownerBaselineAtFlag`, `rootCause` (empty until classified), `classifiedById`, `classifiedAt`, `escalatedAt`.

Blocker: `workItemId`, `reason` (9 fixed values), `waitingOnPersonId`, `raisedAt`, `resolvedAt`, `notifiedAt`, `note` (used for Other).

AssignmentOverride (S): `workItemId`, `recommendedPersonId`, `chosenPersonId`, `overriddenById`, `at`.

Lead (read-authoritative from LSQ, never hand-edited): `lsqLeadId`, `phone`, `source` (19 values), `campaignId`, `profileId`, `program`, `leadStatus` (12 funnel stages), `qualifiedStatus`, `contactStatus`, `paymentStatus`, `reEngagementFlag`, `conversionFlag`, `ownerRef`, LSQ timestamps, `lastSyncedAt`, `workItemId` (empty unless attributed).

Automation Rule: `name`, `triggerType`, `triggerCondition`, `action`, `active`, `lastRunAt`.

Report Definition: `name`, `cadence`, `scope` (profile, department, team member, campaign or org-wide), `recipients[]`, `lastGeneratedAt`.

ActivityEvent (S): `entityType`, `entityId`, `actorId`, `action`, `at`, `meta`. Feeds the Activity tab and Recent Activity.

Notification (S): `userId`, `type`, `entityRef`, `message`, `readAt`, `createdAt`.

8. Business rules

8.1 Traceability chain

Business Goal, Marketing Target, Strategy, Campaign, Work Item, Execution, Feedback and Approval, Publishing, Lead and Performance data, Analysis, Decision.

Enforced when records are created, not filled in later:

- A Campaign cannot be created without a Monthly Target (`targetId`) and `relatedOKR`.
- A Work Item cannot be created without a Campaign.
- `relatedOKR` and `relatedTarget` are copied from the Campaign onto the Work Item and are read-only there.
- Drill-down path: dashboard KPI card, filtered list, work item, its campaign, the business target.

8.2 Work Item statuses and transitions

Statuses: Not Started, In Progress, Feedback, Pending, Blocked, Approved, Published. **Overdue is computed** (deadline passed and status not Approved or Published). It is never stored and never a transition target.

From	To	Who	Rule
Not Started	In Progress	Owner	Start. Sets startedAt
In Progress	Feedback	Owner	Submit. Sets submittedAt
Feedback	Approved	Reviewer (Head, or Team Lead of the owner)	Feedback entry with roundStatus Approved. Sets approvedAt

From	To	Who	Rule
Feedback	In Progress	Reviewer	roundStatus Revision Required. Owner must respond before the next round
Approved	Published	Owner or reviewer (assumed)	Sets publishedAt
Any open status	Blocked	Owner	Reason required (8.6)
Blocked	Previous status	Owner or Team Lead	Resolves the blocker
In Progress	Pending	Owner	Assumed meaning: waiting, but not a blocker

8.3 Auto-assignment

Triggered when a Work Item is created without an owner.

1. **Filter candidates:** right department for the work type, `workloadPct` below 85%, and enough unallocated capacity before the deadline for `estimatedEffortHrs`.
2. **Rank:** lowest `workloadPct` first, then lowest `avgRevisions`, then earliest availability.
3. **Show, never assign silently:** 'Recommended Owner: [Name]. Reason: lowest current workload ([X]%) + suitable skill + available bandwidth.'
4. The Head or Team Lead may override before the work item is created. Every override is logged in AssignmentOverride (who, from whom, to whom) so the rule can be tuned.

Proposed work type to department mapping (the specification only confirms Reel to Video Production, so this table needs sign-off):

Department	Work types
Video Production	Reel, Video Ad, YouTube Short/Video
Design	Ad Creative, Carousel, Landing Page
Social Media	Post
SEO & Content	Blog, Email, Copy, SEO Audit

Department	Work types
WhatsApp	WhatsApp Blast
Performance Marketing	Ad Set, Internal Report

8.4 Workload

`workloadPct` = sum of `estimatedEffortHrs` of open work items owned, divided by `weeklyCapacityHours`.

Band	Range
Healthy	below 65%
High	65% to 85%
Overloaded	above 85%

The Team Workload screen is a leading indicator: it must show overload before deadlines slip.

8.5 Feedback, revision flag and escalation

- Every review round has the reviewer's entry (roundStatus) and, if revision was required, the assignee's response (`isResponse` true) before the next round opens.
- `revisions` on a Work Item is the number of rounds marked Revision Required.
- **Flag** a work item when revisions exceed the owner's own rolling `avgRevisions` by more than 1, or reach a hard cap of 4, whichever comes first (defaults, pending sign-off).
- The Team Lead classifies the root cause from a fixed list: Brief unclear, Creative direction unclear, Skill gap, Feedback inconsistency, Excessive scope change, TL approval delay, Client/business requirement changed.
- **Escalate to the Marketing Head** (notification) when a flag stays unclassified for more than 48 hours, or the same person is flagged 2 or more times in a rolling 30 days.
- The purpose is to diagnose the process, not the person. Performance data is never incentive-linked.

8.6 Blockers

Any Work Item can be marked Blocked by its owner. Reason is one of 9 fixed values: Waiting for feedback, Waiting for content, Waiting for data, Technical issue, Dependency, Client/business approval, Resource issue, Unclear requirement, Other (free text only here).

For Waiting for content, feedback or data, the owner must choose the dependency owner, and **that person is notified immediately** (not the requester). Example: 'Video Editor A is blocked for 4h because final copy is pending from Writer B.' `blockedSince` and `resolvedAt` give blocker resolution time.

8.7 Performance dimensions

Performance is not 'tasks completed'. Five dimensions feed Team Workload now and the deferred Leaderboard later.

Dimension	Metrics
Output	Work completed, creative output volume, campaigns executed
Efficiency	Average completion time (createdAt to publishedAt), deadline adherence %, revision rate
Quality	Approval rate, rejection rate, re-edit rate
Collaboration	Feedback response time, blocker resolution time, dependency delay incidents caused
Business impact	Leads, qualified leads and engagement attributable to published work

9. Automation rules

All rules are simple trigger and action pairs, run by a scheduler and the event bus. Each is an `AutomationRule` record with an active or paused switch and `lastRunAt`. Jobs load their rule, skip if paused, run, then update `lastRunAt`. Idempotency keys (work item, rule, date) prevent duplicate alerts after a restart. Notifications go in-app and by email through the existing mailer.

Rule	Trigger and action	Priority	Defaults and open points
Month-end performance report	Last day of month, 11:59pm: compile and email to Marketing Head, Business Head, CEO	Priority	Timezone to confirm
Overdue task escalation	Task passes deadline: notify owner at once, notify Team Lead after a threshold	Priority	4 hours (placeholder, to confirm)
Todo escalation notice	Work item has no status change for N days: notify owner, then Team Lead	Priority	N not given, suggest 3 days
Blocker dependency alert	Task marked Blocked: notify the dependency owner	V1	Must ship in V1
Revision pattern flag	Revisions exceed owner baseline: flag for Team Lead classification	V1	+1 or 4 (to confirm)
LSQ live sync	New or updated lead in LSQ: update funnel and dashboard	V1	Webhook or polling (section 10)
Weekly report builder	Every Monday 8:00am: compile and send the weekly marketing report	V1	
Campaign task auto-structure	New campaign: generate starter tasks by campaign type	V1.1	Not built until campaign type templates exist

10. LSQ integration

LSQ is the source of truth for lead data. Marketing OS visualizes and analyzes it and never lets anyone hand-edit a lead.

10.1 Sync direction 1: LSQ to Marketing OS

Pull per lead: source, campaign, profile, program, lead status, qualified status, contact status, payment status, re-engagement flag, conversion flag, timestamps. Map to the fixed 12-stage funnel already used in the weekly sync tracker:

Total Leads	Not Contacted	Not Answered	Interested
Qualified Leads	Call Back	Payment Received	Not Interested
Not a Potential	Not Answered (Multiple)	Reconnected	Not Eligible

Derived per campaign or profile (same formulas as the Outbound and Paid Ads weekly-sync block):

- **CPL** = spend / ad leads achieved
- **CPQL** = spend / qualified leads
- **Qualified Lead %** = qualified / total

10.2 Sync direction 2: LSQ to auto-created Work Item

An inbound lead on a channel with a clear owner creates a follow-up Work Item for that owner. Confirmed: WhatsApp Inbound creates a task for the WhatsApp Marketer. The other 18 sources are not mapped yet.

10.3 Sync mechanics

Webhook if LSQ provides one, otherwise a BullMQ polling job at a fixed interval. Leads are upserted on `lsqLeadId` so repeats are harmless. Each run records `lastSyncedAt`, and failures are logged and shown in the Data Center.

10.4 Data hygiene (Data Center)

Automatic checks: missing campaign tag, missing source, duplicate leads (same phone), unmapped profile, stale status (for example Not Contacted for more than 5 days), missing owner, sync failures. Shown as one health score (for example 98.2% healthy) plus a resolvable issue list.

10.5 Access

Marketing Head: full. Team Lead: view only, own profiles. Team Member: hidden.

11. Reporting

Every report is a saved Report Definition rendered from the same live tables the dashboard reads. Nothing is compiled by hand.

Report	Cadence	Recipients	Scope
Weekly Marketing Report	Monday 8:00am	Marketing Head, Business Head	Org-wide, by profile
Monthly Performance Scorecard	Last day of month	CEO, Marketing Head, Business Head	Org-wide
Creative Production Report	Friday 6:00pm	Marketing Head, Creative Manager	By department
Lead Funnel and CPL Report	Monday 9:00am	Marketing Head, Performance Marketer	By profile and campaign
Team Performance Digest	1st of month	Marketing Head	Org-wide, by person
Campaign Deep-Dive	On demand	Marketing Head, campaign owner	Single campaign

The Reports and Automation screen lists these with a manual Generate Now.

12. Screens

12.1 The 14 screens

#	Screen	Route	Who	What it does
1	Login and Profile selection	`/login`	All	Sign in, resolve role, set default profile from profileAccess (All or last used)
2	Team Dashboard	`/dashboard`	Head, Team Lead	Sections in 12.2. Every card is clickable

#	Screen	Route	Who	What it does
3	My Work	`/my-work`	All	Today, Overdue, Upcoming. One-click Start, Submit, Request Help, Mark Blocked
4	Monthly Marketing Calendar	`/calendar`	All	Month, Week, Campaign and Owner views over work item deadlines. Each item opens its detail
5	Projects / Campaigns	`/campaigns`	Head, Team Lead	Campaign list: goal, budget and spend, progress, status. Filter by profile and status
6	Project Detail	`/campaigns/:id`	Head, Team Lead	Tabs: Overview (traceability chain, budget pace), Tasks, Creatives, Leads
7	Single Work Detail	`/work/:id`	All (scoped)	Tabs in 12.3. Revision flag and blocker state shown inline
8	Feedback and Revision History	`/feedback`	Head, Team Lead	Every open feedback thread and every flagged revision pattern, to triage in one place
9	Team Workload	`/workload`	Head, Team Lead	Grouped by department: workload %, band, open tasks, avgRevisions
10	Todo and Priorities	`/todo`	All	Overdue, Today, Upcoming by role scope. Empty state reads as clarity

#	Screen	Route	Who	What it does
11	Issues and Blockers	`/issues`	Head, Team Lead	Open blockers and revision flags, with Notify and Classify Reason inline
12	Lead Funnel	`/leads`	Head, Team Lead (view)	12-stage funnel, target vs actual qualified leads, CPL and CPQL, source mix over 19 sources
13	Data Center / LSQ	`/data-center`	Head, Team Lead (view)	Health score and issue list
14	Reports and Automation	`/reports`	Head (Team Lead views own team's scheduled reports)	Scheduled reports with Generate Now, automation rules with active or paused switch

After login: Head and Team Lead land on `/dashboard`, Team Member on `/my-work`.

12.2 Team Dashboard sections (top to bottom)

1. Monthly Marketing Target: revenue, leads, qualified, budget vs actual (Head edits the target here)
2. KPI strip: planned, completed, in progress, at risk, blocked, pending feedback, overdue, each opening its filtered list
3. Today's Priorities table
4. Creative Production stats and output trend
5. Campaign Progress list
6. Team Workload
7. Lead Funnel snapshot
8. Issues and Blockers
9. Recent Activity

12.3 Work Detail tabs

Overview, Brief, Files, Feedback, Activity, Performance, Related Leads.

12.4 Global filter and navigation chain

One filter bar: Profile (7 plus All), Department (7), Owner (anyone visible to the viewer), Campaign (within profile scope), Date or month, Status. Navigation runs Business, Profile, Department, Team Member, Project, Individual Work, Feedback, Result, clickable at every step.

13. Permissions and API

13.1 Permission keys

Key	Head	Team Lead	Member
`work.create` (any profile in scope / own team)	Yes	Yes	No
`work.request` (ask a Team Lead for work)	Yes	Yes	Yes
`work.update.own`	Yes	Yes	Yes
`assignment.override`	Yes	Yes	No
`feedback.give` (approve, request revision)	Yes	Own team	No
`feedback.respond`	Yes	Yes	Yes
`revision.classify`	Yes	Yes	No
`campaign.manage`	Yes	Own team	No
`target.manage`	Yes	No	No
`target.view`	Yes	Yes	No
`lead.view`	Full	Own profiles	No
`datacenter.view`	Yes	Yes (view)	No
`analytics.team`	Full	Own team	Own stats
`report.view`	Yes	Own team	No
`report.configure`, `automation.manage`	Yes	No	No

Key	Head	Team Lead	Member
`people.manage`, `reference.manage` (enablers)	Yes	No	No

13.2 API catalog (all routes scoped by `resolveScope`)

Module	Routes
auth	login, logout, refresh, me, set-password, switch profile
people	list, create (invite), update, suspend
referenceData	profiles, departments, job roles, enums
targets	list by month, create or update
campaigns	list, detail, create, update, tasks, creatives, leads
workItems	list, detail, create, update, recommend-owner, assign, transition, block, unblock, submit, files, calendar
feedback	thread by work item, add entry, cross-item history
revisionFlags	list, classify
blockers	list, create, resolve, notify
leads	list, funnel, source mix, metrics, data-center health and issues, resolve issue
automation	list rules, toggle, run log
reports	list definitions, create, generate now, view
dashboard	summary, KPI lists
notifications	list, mark read
activity	by entity, recent

14. Reference data

Profiles (7): HACA, HACA Mideast, HACA Marketing School, HACA Marketing School EN, HACA Design School, HACA Design School EN, HACA Tech School.

Departments (7): Design, Video Production, Social Media, SEO & Content, WhatsApp, Performance Marketing, Tech.

Job roles (13): SEO Specialist, Social Specialist, UI Designer, Writer, Developer, Social Media Manager, Designer, Video Editor, Creative Manager (TL), Design Lead (TL), YouTube Strategist, WhatsApp Marketer, Performance Marketer.

Design School programs: AI Integrated Graphic Design, UI/UX Design + AI, Creative Design & Communication, AI Integrated Video Editing Mastery, Branding & Identity Online Program.

Work types (14): Reel, Ad Creative, Landing Page, Carousel, Post, Blog, Email, WhatsApp Blast, Ad Set, YouTube Short/Video, SEO Audit, Copy, Video Ad, Internal Report.

Statuses: Not Started, In Progress, Feedback, Pending, Blocked, Approved, Published (Overdue computed).

Priorities: High, Medium, Low. **Campaign status:** In Progress, At Risk, Completed.

Expected outcomes: Lead Generation, Brand Awareness, Engagement, SEO Ranking, Nurture, Conversion, Reactivation, Ops.

Blocker reasons (9): Waiting for feedback, Waiting for content, Waiting for data, Technical issue, Dependency, Client/business approval, Resource issue, Unclear requirement, Other.

Revision root causes (7): Brief unclear, Creative direction unclear, Skill gap, Feedback inconsistency, Excessive scope change, TL approval delay, Client/business requirement changed.

Lead sources (19): SMM YouTube, SMM Instagram, Online Campaigns (SMM), Facebook Lead Ads, Social Media Re-engaged Leads, Meta Re-Engaged Leads, Google Ads, Inbound Phone Calls, WhatsApp Reactivation, WhatsApp Inbound, Student Referral, Staff Referral, SEO, PR, Website Leads, Offline Campaigns, Walk-in, Outbound Phone Calls, Workshops/Webinars.

Funnel stages (12): listed in section 10.1.

15. Conversion from HACA FORGE

Before anything changes, tag the current build (`forge-v1-final`) so nothing is lost and any retired module can be recovered later.

15.1 Reuse as is (infrastructure)

Monorepo and tooling, Node 22, Express 5, MongoDB and Mongoose, Zod, CASL, JWT cookie auth with the invite and set-password flow, BullMQ and Redis, event bus, Socket.io, mailer adapter, Pino, Cloudinary signed upload (for the Files tab), glass UI components, Vitest setup, CI.

15.2 Change

FORGE	Becomes
User and 8 role keys	Person with 3 roles, job role, department, profileAccess[], reportsToIds[], capacity
CASL abilities and permission keys	New permission keys (13.1) plus profile scoping through `resolveScope`
Campaign (optional, basic)	Campaign with goal, budget, spend, target link, status, progress
Task and ContentItem	Work Item (one owner, campaign required, 14 types, brief, effort, timeline)
Hold reasons (7, editable)	Blocker with 9 fixed reasons and dependency owner
Review decisions and revisionCount	Feedback Entry rounds, revision flag, root cause, escalation
Least-loaded auto-assign (silent)	Recommendation with reason, override log, 85% filter, deadline fit, avgRevisions tiebreak
Workload (over 100% overload)	Bands under 65, 65 to 85, over 85
Scheduled jobs (reminders, digest, capacity gap)	Automation Rule registry with the rules in section 9
6 reports and scheduled reports	6 Report Definitions in section 11

FORGE	Becomes
4 production teams, 5 requester department types	7 departments and 13 job roles
Role dashboards	Team Dashboard, My Work, Todo
Notification module	Same module, rebuilt around the events in 6.5

15.3 Retire from the product (not in the specification)

Request intake, triage and dynamic request forms. Requester roles (`dept_lead`, `dept_staff`), `sm_manager`, `viewer`, `admin`. Public Request Access flow. Calendar bulk import and clash detection. Content publishing queue. Pipeline templates and automatic stage handoffs. Shoot planner. Time tracking, timesheets and leave. File library (DAM) and Performance Ads dashboard. Video review studio and version compare. Master data editor and audit log screens (reference data is fixed and seeded).

Code stays in the tagged branch, not in the new build.

15.4 Data

Data	Plan
Users	Map to Person: admin and lead to marketing_head, team_lead to team_lead, worker and sm_manager to team_member. Requester and viewer accounts are not migrated unless the Head decides otherwise
Teams and departments	Map graphics to Design, cinematography and editor to Video Production, content to SEO & Content. Add Social Media, WhatsApp, Performance Marketing, Tech
Requests, ContentItems, Tasks, Deliverables	Recommended: do not migrate. Export to an archive and start with a clean operational database, because the old model has no profile, campaign or target

Data	Plan
Existing profile data	Everything in the new system is created with a Profile, so a starting profile is needed for any carried-over record (decision in section 17)

16. Build plan

Each phase ends with passing tests and a demo of its screens before the next begins. Phases build on each other, so the order matters.

Phase	Scope	Screens delivered	Done when
0	Tag and archive FORGE, remove retired modules from routes and navigation, keep infrastructure	None	App builds and logs in with retired modules gone
1	Reference data, Profiles, Departments, Person with profileAccess and reportsToIds, `resolveScope`, profile switcher, people setup	1 and people setup	A user only ever receives data for profiles they hold, proven by tests
2	Monthly Target, Campaign upgrade, traceability enforcement	5, 6	A campaign cannot save without a target, and a work item cannot save without a campaign
3	Work Item core, statuses, brief, files, activity	3, 4, 7 (Overview, Brief, Files, Activity), 10	One-click status actions work, and Overdue is computed
4	Auto-assignment recommendation, override log, workload and bands, avgRevisions	9	Recommendation shows its reason, and overrides are logged

Phase	Scope	Screens delivered	Done when
5	Feedback rounds, revision flag, root cause, escalation, blockers with notification	7 (Feedback), 8, 11	A flagged item reaches the Head after 48 hours unclassified, and a blocker notifies the dependency owner
6	Global filter bar, Team Dashboard, KPI drill-down	2	Changing Profile updates every section at once, and each KPI opens its list
7	Automation rule registry, notifications, 6 report definitions, Reports and Automation screen	14	Rules can be paused, reports generate on schedule and on demand
8	LSQ: Lead model, sync, funnel and metrics, Data Center, inbound-to-task, attribution	12, 13, 7 (Performance, Related Leads)	Funnel numbers reconcile with the weekly sync tracker
9	Five performance dimensions, hardening, QA	None new	All role and profile access tests pass and numbers match fixtures

Phase 8 depends on LSQ access, so start that conversation in parallel with Phase 1.

17. Assumptions, open decisions and specification gaps

17.1 Decisions the specification already lists (section 16 of the spec)

Item	Working default
LSQ webhook or batch only	Polling job until a webhook is confirmed
Lead source to role mapping	WhatsApp Inbound to WhatsApp Marketer only. The other 18 sources create no tasks until mapped
Revision threshold	+1 over personal baseline or 4, 48-hour unclassified escalation

Item	Working default
Overdue escalation	Owner at once, Team Lead after 4 hours
Weekly capacity hours per role	Flat 40 hours until given
Campaign type templates	Rule 8 is not built (V1.1)

17.2 Gaps found in the specification

Gap	Proposed handling
No screen for entering Monthly Targets, but a campaign cannot exist without one	Edit target inside the Team Dashboard target section (Head only), no new screen
Team Lead report access: access table says view own team's scheduled reports, screen list says Marketing Head only	Follow the access table: Team Lead views own team's reports, read-only
Data Center: Team Lead is view only, but the issue list is described as resolvable	Head resolves, Team Lead sees
Where spend comes from (needed for CPL and CPQL)	Manual entry on the Campaign by Head or owner
Revenue actual for the Monthly Target	Source undefined, needs a decision
'Pending' status has no definition	Treated as waiting, not blocked
Who publishes, and who marks Published	Owner or reviewer after Approved
How an LSQ lead is attributed to a specific work item	Key undefined (for example a campaign tag or UTM). Needed before leadsGenerated can be filled
Inbound lead task has no work type, and a work item needs a campaign	Needs a follow-up work type and a rule for the campaign (lead's own campaign, or a standing inbound campaign)
Who may log in: CEO and Business Head	Email recipients only
Is there an Admin role	No. Marketing Head holds people and reference setup

Gap	Proposed handling
Team Member 'request work via TL'	Small request record sent to the Team Lead, no workflow beyond it
Report format and delivery	HTML email with an in-app view, format to confirm
Timezone for scheduled rules	To confirm
Work type to department mapping	Proposed in 8.3, needs sign-off

17.3 Questions for the Marketing Head

1. Is the request intake from other departments removed completely in V1?
2. Do the CEO and Business Head log in, or only receive emails?
3. Which profile do any carried-over records belong to?
4. Does LSQ offer a webhook, and who provides API access?
5. Where do budget, spend and revenue actuals come from?
6. Weekly capacity hours per job role.
7. Confirm the revision, escalation and overdue numbers.
8. Lead source to department mapping for the other 18 sources.
9. How leads are attributed to a work item.

18. Out of scope for this version

Leaderboard and best-performer recognition, content repurposing, campaign templates and auto task structure, dependency mapping and downstream-impact view, Weekly Marketing Meeting Mode, and every FORGE module listed in 15.3.