

PACKET CAPTURE AND CREDENTIAL INTERCEPTION USING WIRESHARK


METHODOLOGY

STEP 1 : Open terminal and switch to root user. Type wireshark to start the Wireshark tool.

A screenshot of a terminal window on a Kali Linux system. The terminal shows the user 'mubassherazaidy' at the prompt. They enter 'sudo su', and the system prompts for a password. After the password is entered, the prompt changes to root. Finally, the user enters 'wireshark' at the root prompt.

```
(mubassherazaidy@kali)-[~]  
$ sudo su  
[sudo] password for mubassherazaidy:  
(root@kali)-[/home/mubassherazaidy]  
# wireshark
```

STEP 2 : Once the tool is started click on the blue icon to start packet capturing.



STEP 3 : Now in your browser visit a http website which is not secured.
Type random credentials and click on login.

TEST and Demonstration site for [Acunetix Web Vulnerability Scanner](#)

[home](#) | [categories](#) | [artists](#) | [disclaimer](#) | [your cart](#) | [guestbook](#) | [AJAX Demo](#)

search art

[Browse categories](#)
[Browse artists](#)
[Your cart](#)
[Signup](#)
[Your profile](#)
[Our guestbook](#)
[AJAX Demo](#)

Links
[Security art](#)
[PHP scanner](#)
[PHP vuln help](#)
[Fractal Explorer](#)

If you are already registered please enter your login information below:


Username :
Password :

You can also [signup here](#).
Signup disabled. Please use the username **test** and the password **test**.

[About Us](#) | [Privacy Policy](#) | [Contact Us](#) | ©2019 Acunetix Ltd

www.acunetix.com/vulnerability-scanner/

STEP 4 : Now come back to the Wireshark tool and stop packet capturing by clicking on red icon.



STEP 5 : Now in filter enter http to get the packets from http.

Wireshark packet capture showing an HTTP POST request to /userinfo.php. The packet list on the left shows several packets, with packet 192 selected. The packet details pane on the right shows the structure of the POST request, including headers like Host, User-Agent, Accept, and Content-Type, and the body data which is HTML Form URL Encoded. The packet bytes pane at the bottom shows the raw hex and ASCII data of the selected packet.

STEP 6 : Under POST you will be able to see the username and password.

Close-up of the packet details pane for packet 192, showing the 'HTML Form URL Encoded' section. The data is highlighted in a red box, showing the username 'u=0' and password 'p=assword123'.