




Hospitality Rider

- Backstage: a safe and quiet room with WiFi has to be provided before and after the show
- Catering: We request drinks and snacks upon arrival.
We would like to have some local beers, water, a case of Pepsi cans, coffee, some fresh fruits and non-rotten vegetables
A warm and nourishing meal for 3 people will be necessary
- Allergies: Please make sure that none of the food contains any cumin or mushrooms
- Accommodation: 3 beds, shower and 3 clean towels

Technical Rider

- Please note that Gallowhead is a LOUD band
- We need a FoH engineer since we do not bring our own
- Monitoring in venues without separate monitoring engineer: we have the possibility to create our own in-ear mixes for David (Drums) and Sandro (stage left)
- Monitoring in venues with separate monitoring engineer:
if possible please provide a (stereo) monitor mix to David (Drums) via XLR cable, and provide a wireless transmitter for Sandro (stage left).
- Flo (stage right) needs one wedge with a mono mix in any case
- Samples: David (Drums) will play deep bass sounds and sound samples from his sample pad
- Sandro (stage left) uses two guitar amps
No channel stereo link!
Treat both amps as two separate guitar signals and pan them hard left and right
- Flo (stage right) uses one guitar amp and one bass amp. Please **use both DI and microphone for the bass signal** – cut off everything over 80-100 Hz on DI signal
Use microphone for additional dirt in the bass signal at
~ 800-1000 Hz
- NO strobe lights, NO fog or smoke machines



INPUT LIST

1	Kick IN	9	OH Right	17	Sampler Pedal	25	
2	Kick OUT	10	Guitar SL 1	18		26	
3	Snare TOP	11	Guitar SL 2	19		27	
4	Snare BOT	12	Guitar SR	20		28	
5	Tom 1	13	Bass DI	21		29	
6	Floor Tom 1	14	Bass Mic	22		30	
7	Floor Tom 2	15	Vocals	23		31	
8	OH Left	16	Sample Pad	24		32	