Web Application Programming and Hacking – Lab 1 Report

Instructor: Dr. Phu Phung

Student Name: MUDDAM NAVATEJ REDDY **Email**: muddamn1@udayton.edu **Short-bio**: Motivated and Proactive CSE student with a strong foundation in electronics and communication, now focused on software development and data

analysis. LinkedIn: [https://www.linkedin.com/in/navatejreddy/?utm_source=share&utm_campaign=share_



Figure 1: Headshot

Repository URL: [https://github.com/muddamn1]

1. Overview

This project involved creating a comprehensive, professional portfolio website from the ground up and deploying it to the cloud using GitHub Pages. The core of the assignment was to build a dynamic and interactive front-end experience by leveraging modern web technologies. This included structuring the site with HTML5, styling it with a responsive CSS framework (Bootstrap), and bringing it to life with advanced JavaScript functionalities.

Key learning outcomes: - **Front-End Frameworks:** Practical experience using Bootstrap to create a professional, mobile-first, and responsive layout

without writing extensive CSS from scratch. - Advanced JavaScript: Implemented several dynamic features, including real-time clocks and interactive UI elements, reinforcing skills in DOM manipulation. - Asynchronous Operations: Mastered async/await with the fetch API to integrate third-party web services, handling asynchronous data fetching, parsing JSON, and updating webpage content. - Client-Side State Management: Used JavaScript cookies to store data on the client-side, allowing the website to "remember" users and personalize their experience across sessions. - Cloud Deployment: Hands-on experience with the development-to-deployment workflow using Git and GitHub Pages, making a web application publicly accessible.

- Live Deployed Website: https://github.com/muddamn1
- Project GitHub Repository: https://github.com/muddamn1/waphmuddamn1
- WAPH Project Repo: https://github.com/muddamn1/waph-muddamn1

2. Project Tasks and Implementation

Task 1: Professional Website and Non-Technical Requirements

1.1 Use of an Open-Source CSS Framework Bootstrap 5 was used to ensure the website is fully responsive and visually appealing. The theme is based on the "Simply Me" template from BootstrapMade, integrated via CDN links in the HTML <head>.

```
<link href="https://cdnjs.cloudflare.com/ajax/libs/bootstrap/5.3.3/css/bootstrap.min.css" re
<link href="https://cdnjs.cloudflare.com/ajax/libs/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.3/font/bootstrap-icons/1.11.
```

1.2 Page Tracker A Flag Counter is embedded in the footer to track the number and origin of visitors.

Task 2: WAPH Course Page

A separate course.html page introduces the "Web Application Programming and Hacking" course, with instructor, institution, and a link to the project repository.

Task 3: Technical Requirements - JavaScript Functionality

- 3.1 Use of JavaScript Libraries
 - **jQuery:** For simplified DOM manipulation and event handling.
 - **Typed.js:** For animated typing effect in the hero section.
- **3.2 Live Digital and Analog Clocks** The initializeClocks function in assets/js/main.js creates and updates two clocks in real-time. The digital clock updates every second, and the analog clock is drawn on a <canvas> and redrawn every second.

```
// assets/js/main.js - Analog Clock Drawing Logic
function drawClock() {
    // ... clear canvas ...
    const now = new Date();
    const hour = now.getHours();
    const minute = now.getMinutes();
    const second = now.getSeconds();
    // Calculate angle for each hand
    let hourAngle = (hour * Math.PI / 6) + (minute * Math.PI / (6 * 60)) + (second * Math.PI drawHand(hourAngle, radius * 0.5, radius * 0.07, '#333');
    // ... draw minute and second hands ...
}
setInterval(drawClock, 1000);
```

3.3 Show/Hide Email Address An interactive feature in the "About" section allows toggling the visibility of the email address using a jQuery script in index.html.

Task 4: Technical Requirements - Web API Integration

4.1 JokeAPI Integration Fetches a new programming or pun joke every 60 seconds from the JokeAPI.

```
// assets/js/main.js
async function fetchJoke() {
  const jokeContainer = $('#joke-text');
  try {
    const response = await fetch('https://v2.jokeapi.dev/joke/Programming,Pun?type=single')
    const data = await response.json();
    jokeContainer.text(data.joke || 'No joke found...');
} catch (error) {
    console.error("Failed to fetch joke:", error);
    jokeContainer.text('Could not load joke.');
}
```

```
}
fetchJoke();
setInterval(fetchJoke, 60000); // Fetch a new joke every minute
4.2 XKCD API Integration Displays a random XKCD comic using a public
CORS proxy (api.allorigins.win) to handle cross-origin issues.
// assets/js/main.js
async function fetchComic() {
    const comicContainer = $('#comic-container');
    const randomComicId = Math.floor(Math.random() * 2500) + 1;
    const apiUrl = `https://xkcd.com/${randomComicId}/info.0.json`;
    const proxyUrl = `https://api.allorigins.win/get?url=${encodeURIComponent(apiUrl)}`;
   try {
        const response = await fetch(proxyUrl);
        const data = await response.json();
        const comicData = JSON.parse(data.contents);
        comicContainer.html()
            <strong class="d-block mb-2">${comicData.title}</strong>
            <img src="${comicData.img}" alt="${comicData.alt}" class="img-fluid rounded">
        `);
    } catch (error) {
        // ... error handling with a fallback comic ...
}
```

Task 5: Technical Requirements - JavaScript Cookies

5.1 Remembering the Client JavaScript cookies are used to track user visits. The friendlyGreeting function checks for a lastVisit cookie and displays a personalized welcome message.

```
// assets/js/main.js
function friendlyGreeting() {
   const welcomeBanner = $('#welcome-banner');
   const lastVisitCookie = document.cookie.split('; ').find(row => row.startsWith('lastVisitlet message = 'Welcome to my portfolio!';

if (lastVisitCookie) {
   const lastVisitDate = new Date(decodeURIComponent(lastVisitCookie.split('=')[1]));
   message = `Welcome back! Last visit: ${lastVisitDate.toLocaleString()}`;
}

welcomeBanner.text(message);
```

```
document.cookie = `lastVisit=${encodeURIComponent(new Date().toISOString())};path=/;max-
}
```

Features Implemented

- Responsive Design: Bootstrap 5 for mobile-first, professional layout.
- Professional Sections: About Me, Skills, Portfolio, Contact, and WAPH Course.
- Animated Hero Text: Typed.js for dynamic typing effect.
- Live Clocks: Real-time digital and analog clocks.
- Show/Hide Email: Toggle button for email privacy.
- Cookie-Based Greeting: Personalized welcome message for returning visitors.
- Page Tracker: Flag Counter for visitor analytics.
- Joke of the Minute: Fetches a new joke every minute from JokeAPI.
- Random XKCD Comic: Displays a random XKCD comic using a CORS proxy.

Technologies Used

- HTML5
- CSS3
- JavaScript (ES6+)
- Bootstrap 5
- jQuery
- Typed.js
- JokeAPI
- XKCD API

Setup and Usage

No local setup is required.

Live Site: https://muddamn1.github.io/

Credits

The visual theme of this website is based on a template by BootstrapMade.