

Bus

ine

ss

Tea

m

Go!

den

**Rec
ord**

Matchi
ng &
Dedup

lication

n

Rules

PE
Advisory
& Wire-
House

Data Providers

Overview

This
document

defines
the six-
phase
pipeline
used to

deduplicate
business
teams and
their
members

received
daily from
multiple
data
providers

(Broadrid
ge,
Discovery
Data,
Bloomberg

g, and
others),
and to
construct
a single

authoritative Golden
Record
per team.
Rules are

applied in
order:
normalizat
ion →
determinis

tic linking



probabilist
ic scoring



threshold
decisions



member-
level

matching



negative
blocking.

Phase

1

Normal ization

All fields
are
standardiz
ed before
any

comparison.
n.

Normalization is
idempotent

t and
reversible
— raw
source
values are

always
preserved
separately.

F i e l d	Tra nsfo rma tion	Ex am ple
	Lo	

F
i
e
l
d

Tra
nsfo
rma
tion

Ex
am
ple

Stri

F
i
e
l
d

Tra
nsfo
rma
tion

Ex
am
ple

"J

F
i
e
l
d

Tra
nsfo
rma
tion

Ex
am
ple

Kee

Final	Transformation	Example
C	Stri	"0

F i e l d	Tra nsfo rma tion	Ex am ple
	Con	

F
i
e
l
d

Tra
nsfo
rma
tion

Ex
am
ple

Re

Phase

2

Determ

inistic

Rules

Any

single rule

match

auto-links

the two

records

immediate

ly.

Probabilistic scoring
is skipped.

RF Co C

ie
u
ld
l
(s
e)
ndi
tio
n
o
n
f
i
d

			e n c e
DC	Ex	1	

	R	act	
	D	mat	0
-	n	ch	0
1	u	(no	%
	m	rm	

	ber	alized) AND D fir	
--	-----	----------------------------	--

		m	
--	--	---	--

		tok	
--	--	-----	--

		en	
--	--	----	--

		mat	
--	--	-----	--

		che	
--	--	-----	--

		S	
L D - 2 d	L e a d	Ex act mat ch	1 0 0 %

	e m ai l	(lo wer - cas ed)	
--	-------------------	-------------------------------	--

L	Ex	
De	act	9
-a	mat	9
3d	ch	%
p	(di	

	h o n e	gits onl y) AN D	
--	------------------	------------------------------	--

		ZIP	
--	--	-----	--

		pre	
--	--	-----	--

		fix	
--	--	-----	--

		mat	
--	--	-----	--

		che	
--	--	-----	--

		S	
D e - n 4 d	V	Blo	1
	e	om	0
	n	ber	0
	d	g	%

	o	TI	
	r-	D,	
	a	Bro	
	ss	adr	
	ig	idg	

	n	e	
	e	Tea	
	d	m	
	te	ID,	
	a	or	

		Dis	
	m	cov	
	I	ery	
	D	ID	
		exa	

		ct	
--	--	----	--

		mat	
--	--	-----	--

		ch	
--	--	----	--

Phase

3

**Probab
ilistic**

**Scorin
g**

Applied to
candidate

pairs
surfaced
by the
blocking
step. Each

field

produces a

similarity

score (0–

1) that is

multiplied
by its
weight
and
summed

into a
composite
score.

IF A W
ui lg eot

l
e
l
e
d
h
m

o
ri
t
h
m

i
g
h
t

es

	T	J		Af
Re	ar	0		ter
-a	o	.		su
1m-		2		ffi
n	W	5		x

				no
	a	in		r
	m	k		m
	e	er		ali
				za

				tion. Pr efi X-
--	--	--	--	--------------------------

				w ei gh te d
--	--	--	--	--------------------------

				 ca tc he s
--	--	--	--	------------------------------

				'T he S mi th
--	--	--	--	---------------------------

				Gr ou p' vs 'S
--	--	--	--	----------------------------

				mi th Gr ou p'.
--	--	--	--	-----------------------------

	L	L		So
	Re	e	0	un
	-a	v	•	de
	2d	e	2	x
	l	n	0	fal

	a	s		lb
	s	ht		ac
	t	ei		k
	n	n		fo
	a	≤		r

	m			O
	e	2		C
				R-
				CO
				rr

				up te d na m
--	--	--	--	--------------------------

				es
				.
PL	A	OB	i	
-e	li	.	ll	
3a	a	1	=	

	d	s		W
	fi	lo		ill
	r	o	O	ia
	s	k		m,
	t	u		B

	n	p		ob
	a	→		=
	m	e		R
	e	x		ob
		a		ert

		ct		,
				M
				ik
				e=
				M

				ic ha el, et c.
--	--	--	--	-----------------------------

	F	T		C
	P	r	o	o
	-	m	k	.
	4	n	e	2
	a	n		o
				pa
				re

		s		s
		et		ca
	m	ra		no
	e	ti		ni
		o		ca

				1 fir m to ke
--	--	--	--	---------------------------

				ns aft er ge ne
--	--	--	--	-----------------------------

				ric - w or d
--	--	--	--	--------------------------

				re m ov al.
PZ	E		OP	a

	I	x		rti
	P	a	.	al
-	c	ct	1	ZI
5	o	(	0	P
	d	5		(fi

	e	- di gi t)		rst 3 di git s
--	---	---------------------	--	----------------------------

				only) = 0.
--	--	--	--	----------------------

				5 SC or e.
PA				$0 \leq 1$

		Δ		0
		A	.	%
-U		-	1	di
GM		Δ	off	
		B	=	

				1.
		/		0
		Δ		•
		A		≤ 2
				5

				% = 0. 5 .
--	--	--	--	------------------------

				> 2
				5
				%
				=
				0.

	M		Ti
			0
Re	a		eb
-mc			re
7b	c		0
			5
e	ar		er

	r	d		on
	o	si		ly.
	v	m		G
	e	il		ho
	rl	ar		st/

	a p	it y		ph an to m m
--	--------	---------	--	--------------------------

				e m be rs ex
--	--	--	--	--------------------------

				cluded. Se
--	--	--	--	---------------

				e Ph as e 5.
--	--	--	--	--------------------------

*Weights
sum to
1.00. If a
field is
null in*

*either
record, its
weight is
redistribut
ed*

*proportionally
among
non-null
fields so*

the

composite

score

remains

*on a 0–1
scale.*

Phase

4

**Decisi
on**

Thresholds

The
composite

probabilist
ic score
determine
s the
outcome

for each
candidate
pair.

S	D	Act
c	ec	ion

o		
r	i	
e	s	
r	i	
a	n	

n g e		
≥ 0	A ut	Re cor

• 9 0	o- li n k	ds are me rge d
----------------------	------------------------------	--

		int
--	--	-----

		o
--	--	---

		the
--	--	-----

		Gol
--	--	-----

		den
--	--	-----

		Re cor d im me
--	--	----------------------------

		diat
--	--	------

		ely.
--	--	------

		No
--	--	----

		hu
--	--	----

		ma
--	--	----

		n
--	--	---

		rev
--	--	-----

		iew
--	--	-----

		req
--	--	-----

		uir
--	--	-----

		ed.
0	H	Pai
.	u	r is
7	m	add
0	a	ed

—	n	to
0	re	the
.	vi	rev
8	e	iew
9	w	que

		ue
--	--	----

		wit
--	--	-----

		h
--	--	---

		the
--	--	-----

		top
--	--	-----

		- SCO rin g fiel
--	--	---

		d
--	--	---

		bre
--	--	-----

		akd
--	--	-----

		ow
--	--	----

		n
--	--	---

		dis pla yed . A rev
--	--	---------------------------------

		iew
--	--	-----

		er
--	--	----

		con
--	--	-----

		fir
--	--	-----

		ms
--	--	----

		or reje cts.
< 0	R ej	Re cor

	ec	ds
.	t /	are
7	n	trea
0	e	ted
	w	as

		dist
--	--	------

		inct
--	--	------

		enti
--	--	------

		ties
--	--	------

		. A
--	--	-----

		ne
--	--	----

		w
--	--	---

		Gol
--	--	-----

		den
--	--	-----

		Re
--	--	----

		cord is created if
--	--	---------------------------

		the rec ord has no
--	--	---

		exi stin g mat ch.
--	--	--------------------------------

Phase

5

**Member
r-Level**

**Matchi
ng**

Member
matching

runs in
two passes
to avoid
the
chicken-

and-egg
problem
(you need
team links
to match

members,
but
member
overlap
helps

match

teams).

Pass 1 —

Pre-

cluster

members

cross-

source

(before

team

matching

)

Match

individual

advisors

across all
sources
independe
ntly of
their team

assignment,
using
the
hierarchy
below.

Stop at the
first hit.

IF	M	O
ue	et	ut
ll	ho	co

d e(s)	d	m e
NH	E	A
-m	x	ut

		ct	
		m	o-
1	a	at	lin
	il	ch	k
		(n	

		or m ali ze d)	
--	--	----------------------------	--

	P	E	A
M	h	x	ut
-	o	ct	o-
2	n	di	lin
	e	gi	k

		ts m at ch	
NH	Al	A	

	ir	ia	
	st	s	ut
-			0-
3	+	ex	lin
	l	pa	k
	a	nd	

	st	→	
	n	Ja	
	a	ro	
	m-		
	e	W	

		in	
		kl	
		er	
		IV	
		0.	

		88	
	L M a - st 4 n	E xa ct +	R ev ie w

	a	tit	
	m	le	qu
	e	m	eu
	o	at	e
	n	ch	

	ly	with in same	
--	----	--------------------	--

		e fir m	
M	G	F	
-o	ho	ag	

	o	st	as
	v	ca	un
5	e	nd	m
	rl	id	at
	a	at	ch

	p	e	ed
	o	—	(d
	n	no	o
	a	co	no
	n	un	t

	y	te	
	fi	rp	lin
	e	ar	k)
	l	t	
	d	fo	

		un d	
--	--	---------	--

**Pass 2 —
Compute
Jaccard**

**overlap
per
candidat
e team
pair**

After
member
pre-
clustering,
compute

team-level
member
set
overlap
using the

corrected

Jaccard

formula

that

excludes

ghost

members:

Jaccar

d =

|

matc

d

member

s /

(| A

real |

+ | B

real |

- |

matche

**d
member
s |)**

A ghost
member is

any source
member
record
with no
pre-

clustered
counterpar
t in any
other
source.

Including
ghosts in
the union
inflates
the

denominat
or and
artificially
lowers
scores.

M	J	In
atc	a	te
he	c	rp
d /	c	re
To	a	tat

tal

r

un

d

iq

s

io

ue

c

n

me

o

members		
3	1	Pe
of	.	rfe
3	0	ct

	0	ov erl ap — ve
--	---	----------------------------

		ry str on g CO
--	--	----------------------------

		rr ob or ati ng
--	--	-----------------------------

		Si gn al
3 of	0 .	St ro

4	7 5	ng — on e so
---	--------	--------------------------

		ur ce - on ly
--	--	---------------------------

		m e m be r
--	--	------------------------

		(li ke ly co ve
--	--	-----------------------------

		ra ge ga p)
3	0	M

of 5	• 6 0	od er at e —
---------	-------------	--------------------------

		w ort h ch ec
--	--	---------------------------

		ki
--	--	----

		ng
--	--	----

		wi
--	--	----

		th
--	--	----

		ot
--	--	----

		her r si gn als
--	--	-----------------------------

2	0	w
of	.	ea
5	4	k
	0	tie
		br

		ea ke r — rel
--	--	---------------------------------------

		y pri m ari ly
--	--	----------------------------

		on na m e/f ir
--	--	----------------------------

		m sc ori ng
0	0	N

of	.	o
an	0	ov
y	0	erl
		ap
		—

		ne ga tiv e si
--	--	----------------------------

		gn al; re du ce
--	--	-----------------------------

		co m po sit e
--	--	---------------------------

		SC or e
--	--	---------------

*Member
overlap is*

a

tiebreaker

(weight

0.05), not

a primary

*signal. Its
strongest
role is as
a blocking
key: any*

*two team
records
that share
at least
one pre-*

*clustered
member
are forced
into the
same*

*candidate
pair for
scoring,
regardless*

*of name
similarity.*

Phase

6

**Negati
ve /**

Blocking Rules

These
rules
prevent
incorrect
links

before
scoring
runs. A
single hit
is a hard

block —

no

composite

score is

computed.

R
uCondit
lion
e

~~N~~CRD

R

uCondit

lion

e

-numbe

R
uCondit
lion
e

1rs are

R
uCondit
lion
e

both

R
uCondit
lion
e

present

R
uCondit
lion
e

but

R
uCondit
lion
e

differ

R uCondit lion e



R
uCondit
lion
e

hard

R
uCondit
lion
e

block

R
uCondit
lion
e

regardl

R
uCondit
lion
e

ess of

R
uCondit
lion
e

name

R
uCondit
lion
e

similar

R
uCondit
lion
e

ity.

R
uCondit
lion
e

NFirm

R
uCondit
lion
e

-names

R
uCondit
lion
e

2resolve

R
uCondit
lion
e

to

R
uCondit
lion
e

differe

R
uCondit
lion
e

nt firm

R
uCondit
lion
e

familie

R
uCondit
lion
e

s (e.g.

R
uCondit
lion
e

Merrill

R
uCondit
lion
e

Lynch

**R
uCondit
lion
e**

VS.

R
uCondit
lion
e

Morga

R
uCondit
lion
e

n

R
uCondit
lion
e

Stanle

R
uCondit
lion
e

$y) \rightarrow$

R
uCondit
lion
e

hard

R
uCondit
lion
e

block.

R
uCondit
lion
e

NZIP

R
uCondit
lion
e

-codes

R
uCondit
lion
e

3differ

R uCondit lion e

by

R
uCondit
lion
e

more

R
uCondit
lion
e

than

R
uCondit
lion
e

one

R
uCondit
lion
e

USPS

R
uCondit
lion
e

region

R
uCondit
lion
e

AND

R
uCondit
lion
e

AUM

R

uCondit

lion

e

bracket

R

uCondit

lion

e

s differ

R uCondit lion e

by

R
uCondit
lion
e

more

R
uCondit
lion
e

than

R
uCondit
lion
e

25%

R
uCondit
lion
e

→ skip

R
uCondit
lion
e

pair.

R
uCondit
lion
e

NA

R
uCondit
lion
e

-source

R
uCondit
lion
e

4record

R
uCondit
lion
e

ID is

R

uCondit

lion

e

already

R
uCondit
lion
e

linked

R
uCondit
lion
e

to a

R

uCondit

lion

e

differe

R
uCondit
lion
e

nt

R
uCondit
lion
e

Golden

R
uCondit
lion
e

Record

R uCondit lion e



R
uCondit
lion
e

block

R

uCondit

lion

e

duplica

R
uCondit
lion
e

te link.

Survivorship Rules

Once
records
are linked
into a
cluster, a

single
Golden
Record is
constructed
field by

field using
the
following
survivorsh
ip rules.

F
ie
l
d

R
ul
e

So
urc
e
pri
orit

y /
rati
ona
le

CD Re

R	et	gul
D	er	ato
/	m	ry
F	in	ID;
I	is	hig

N	ti	hes
R	c	t
A	—	trus
n	e	t.
u	x	Co

m	ac	nfli
b	t	cts
e	m	fla
r	at	gge
	c	d

	h w in s	for rev iew .
T	M	Bro

e	os	adr
a	t	idg
m	c	e
n	o	firs
a	m	t,

m e	pl et e v al	Blo om ber g fall
--------	--------------------------	-------------------------------

	u	bac
	e;	k.
	so	Lo
	ur	nge
	ce	st

	priority	non-abbreviate
--	----------	----------------

		d for m pre ferr
--	--	------------------------------

		ed.
F ir m n	S o mur ce	Bro adr idg e >

a m e	pr io rit y	Dis cov ery > Blo
-------------	----------------------	-------------------------------

		om ber g.
A	M	Pre
U	os	fer

	t	file
	re	wit
Mce	h	
	nt	late
	n	st

	o	as-
	n-	of
	n	dat
	ul	e.
	1	± 1

	v al u e	0% var ian ce trea
--	-------------------	--------------------------------

		ted as sa me.
L	M	Co

e	os	nfli
a	t	cts
d	re	fla
e	ce	gge
m	nt	d

a	n	for
il	o	hu
/	n-	ma
p	n	n
h	ul	rev

	l;	
o	m	.
n	aj	iew
e	or	.
	it	

	y	
	v	
	ot	
	e	
	o	

	n	
--	---	--

	c	
--	---	--

	o	
--	---	--

	nf	
--	----	--

	li	
--	----	--

	ct	
A	U	No
d	S	rm
d	P	aliz
r	S-	e

	v	for
e	al	mat
s	id	firs
s	at	t
	e	(St

	d, e	
	m vs	
	os Sui	
	t te).	
	re Th	

	cent	en pre fer fres hes
--	------	---------------------------------

		t file dat e.
T	U	An

e	ni	y
a	o	sou
m	n	rce
m	a	that
e	ro	see

m	s	s	s	a
b	a	l	r	e
e	l	m	e	
r	s	o	m	b
s	u	r	e	r

	ce	incl
	s	ude
	(g	s
	h	the
	os	m

	ts	in
	e	the
	x	Gol
	cl	den
	u	Re

	d e d)	cor d.
MS e	o	Bro adr

m	u	i
r	r	d
		g
b	c	e
	e	
e	p	r
	r	e
r	i	f
	o	e
t	r	r
i	i	e
	t	d
		;

tl e	y o n n o	Blo om ber g fall
---------	-----------------------	-------------------------------

	n-	
	n	bac
	ul	k.
	1	

Evaluation

**Metric
s**

Use the
ground
truth link
tables
generated

from the
test
dataset to
measure
pipeline

performan
ce.

M	F	or	T
e	m	u	a
t	a		r

r i c		g et
P r	Cor rect	$\geq$ 9

e c i s i	ly link ed pair s /	5 %
-----------------------	---------------------------------	--------

on	all link ed pair s	
----	--------------------------------	--

R	Cor	≥
e	rect	9
c	ly	0
a	link	%
ll	ed	

	pair	
	s /	
	all	
	true	
	pair	

	s in	
--	------	--

	gro	
--	-----	--

	und	
--	-----	--

	trut	
--	------	--

	h	
--	---	--

F	2 ×	≥
1	Pre	9
s	cisi	2
c	on	%
o	×	

r e	Rec all / (Pr ecis	
--------	--------------------------------	--

	ion + Rec all)	
GGh		$\leq$

h	ost	
o	me	
s	mb	
t	ers	
F	inc	

2
%

P	orre	
r	ctly	
a	link	
t	ed	
e	/	

	tota	
--	------	--

	l	
--	---	--

	gho	
--	-----	--

	st	
--	----	--

	me	
--	----	--

	mb ers	
--	-----------	--

*The test
dataset
contains*

*5,000
golden
teams
across 3
sources*

*with 1,750
triple-
source
overlaps,
2,452*

*dual-
source
overlaps,
748
single-*

*source
records,
and 507
injected
ghost*

members.

*Triple-
source
pairs are
the*

*strongest
positive
test cases;
ghost
members*

*test false-
positive
suppression.
on.*

*Apollo
Advisors ·
Golden
Record
Pipeline ·
Generated*

*August 12,
2026*