

A Comprehensive Measure of Well-Being: Human Development Index (HDI) Prediction

Project Description:

"A Comprehensive Measure of Well-Being" harnesses Machine Learning to analyze global socio-economic data, offering users an intelligent way to evaluate human development. The platform includes an HDI Prediction module, which classifies countries into development tiers (Very High, High, Medium, Low) based on critical indicators like GNI per capita, life expectancy, and education metrics. By focusing on these dimensions rather than economic growth alone, the platform provides a holistic view of national progress, empowering researchers and policymakers to identify areas requiring strategic intervention.

Technical Architecture:

"A Comprehensive Measure of Well-Being" utilizes a modular architecture to deliver accurate, data-driven insights. The frontend provides a responsive user interface built with HTML and CSS, while the Flask-based backend orchestrates data processing and model inference. It interfaces with a pre-trained Scikit-learn model to analyze user-provided development indicators and return classification results, with secure deployment managed locally via Flask.

Scenarios

Scenario 1:

Predicting Very High Human Development: A user inputs data for a country with high life expectancy, strong educational attainment, and a high GNI per capita. The system processes these indicators to predict a 'Very High' HDI score, classifying the country among the most developed nations.


Scenario 2:

Identifying Development Gaps: A policymaker inputs moderate values for a developing nation. The model returns a 'Medium' HDI score, helping to highlight specific areas—such as healthcare or education—where policy improvements could enhance the country's well-being.

Scenario 3:

Assessing Countries Requiring Intervention: A researcher evaluates a country with low indicators. The model predicts a 'Low' HDI score, enabling development organizations to prioritize investments and strategic interventions for that region.

Technical Architecture:



Description:

User Layer (Frontend): The interaction begins with the user interface (HTML/CSS), where the user inputs key socio-economic indicators such as GNI per capita, life expectancy, and education metrics.

Application Layer (Backend): The Flask-based server acts as the central engine, receiving the POST requests, validating the data, and orchestrating the process between the user and the model.

Prediction Layer (ML Model): The pre-trained Scikit-learn model receives the processed input, analyzes it against the historical HDI dataset, and determines the country's development tier (Very High, High, Medium, or Low).

Result Layer: The final prediction is returned to the Flask backend, which then dynamically renders the output on the web interface, providing the user with an immediate and data-driven classification."

Pre-requisites:

- **Flask Framework:** Used for backend development and routing. [Flask Documentation](#)
- **Python Programming:** Proficiency in Python for data analysis and backend logic. [Python Documentation](#)
- **Machine Learning (Scikit-learn):** Essential for model training and HDI prediction logic. [Scikit-learn Documentation](#)
- **HTML, CSS, and JavaScript:** Skills used for designing the responsive user interface. [W3Schools Tutorials](#)
- **Version Control:** Used Git for managing code versions and repository maintenance. [Git Documentation](#)
- **Development Environment Setup:** Guidelines followed for installing Flask and managing project dependencies. [Flask Installation Guide](#)
- **Public Deployment (Ngrok):** Utilized for exposing the local Flask server to a secure public URL. [Ngrok Documentation](#)

Project Workflow:

Milestone 1: Model Selection and Architecture

- **Activity 1.1:** Dataset Acquisition: Collected and cleaned the Human Development Index (HDI) dataset.
- **Activity 1.2:** Model Selection: Researched and selected an appropriate machine learning model (e.g., Random Forest/Linear Regression) to predict HDI categories.
- **Activity 1.3:** Architecture Design: Defined the application architecture, detailing interactions between the frontend (HTML/CSS), backend (Flask), and the machine learning model
- **Activity 1.4:** Environment Setup: Configured the development environment, including installing necessary libraries and dependencies (Python, Flask, Scikit-learn).

Milestone 2: Core Functionalities Development

- **Activity 2.1:** Model Training: Trained the machine learning model using the HDI dataset to accurately predict development tiers.
- **Activity 2.2:** Validation: Evaluated the model's accuracy and performance to ensure reliable predictions.

Milestone 3: App.py Development

- **Activity 3.1:**
Logic Implementation: Developed the main application logic in app.py, establishing routes for user input and integrating the pre-trained model for real-time predictions.

Milestone 4: Frontend Development

- **Activity 4.1:** UI Design: Designed and developed a responsive, user-friendly interface using HTML, CSS, and JavaScript.
- **Activity 4.2:** Dynamic Rendering: Implemented Flask's (render_template) to display prediction results dynamically based on user interaction.

Milestone 5: Deployment

- **Activity 5.1:** Local Deployment: Configured the server environment and verified all dependencies were correctly installed for a stable local run.
- **Activity 5.2:** Public Deployment: Used Ngrok to expose the local Flask server to a secure public URL, making the application accessible.

Milestone 6: Conclusion


Documentation & Review: Summarized project findings and identified future scope, such as adding advanced data visualization and user authentication features.

Milestone 1: Project Planning & Architecture

In this milestone, we define the technical foundation for our HDI prediction application, ensuring the selected machine learning approach and architecture effectively map development indicators to HDI tiers.

Activity 1.1:

Problem Definition: Research on HDI indicators (GNI per capita, Life Expectancy, Schooling) and their impact on a country's development tier.



Activity1.2: Model Selection:


Evaluating regression algorithms; selected Linear Regression for its ability to model the relationship between economic indicators and the continuous HDI score.

Activity1.3:Architecture Design:

Designing the flow: User Input (HTML) → Flask Backend → Data Preprocessing → Model Inference (HDI.pkl) → Result Prediction

ARCHITECTURE & DATA FLOW: HUMAN DEVELOPMENT INDEX (HDI) PREDICTION SYSTEM

Activity 1.3: Architecture Design: Designing the flow: User Input (HTML) → Flask Backend → Data Preprocessing → Model Inference (HDI.pkl) → Result Prediction.



Activity 1.4: Environment Setup:

- **Install Python and Pip:** Ensure Python 3.8+ is installed on your machine along with pip for dependency management.
- **Create a Virtual Environment:** Set up a virtual environment using venv to isolate project dependencies:

```
D:\projects>python -m venv myenv  
D:\projects>"d:\projects\venv\Scripts\activate"  
(myenv) D:\projects>pip install -r requirements.txt
```

- **Install Flask:** Use pip to install Flask:

```
(myenv) D:\projects>pip install Flask==3.0.3
```


- **Install Groq SDK:** Install the Groq Python library to interact with the Groq API:

```
(myenv) D:\projects>pip install groq==0.11.0
```

- **Install python-dotenv:** Install dotenv support for secure API key management:

```
(myenv) D:\projects>pip install python-dotenv==1.0.1
```

- **Configure the API Key:** Create a .env file in the project root and add your Groq API key:
GROQ_API_KEY=your_groq_api_key_here
- **Set Up Application Structure:** Create the project directory structure including folders for templates, static files (CSS, JS), and main application files (app.py, requirements.txt, run_public.py).



Milestone 2: Core Functionalities Development

Activity 2.1: Data Analysis & Model Training

Develop the machine learning pipeline to analyze socio-economic factors and predict the Human Development Index (HDI).

- **Data Analysis:** Perform Exploratory Data Analysis (EDA) on the dataset to identify strong correlations between features like GNI per Capita, Life Expectancy, and Mean Years of Schooling with the target HDI score
- **Model Development:**
Utilize scikit-learn to implement a regression model (e.g., Linear Regression or Random Forest). Train the model on historical HDI data to ensure it accurately learns the relationship between input features and the HDI tier.
- **Model Persistence:**
Save the trained model using the pickle library as HDI.pkl to allow the Flask backend to load and use it for real-time predictions.

Activity 2.2: Implement the Flask Backend

Define Routes in Flask:

- Set up the home route (/) in app.py to render the prediction interface.
- Define a dedicated prediction endpoint (/predict) to handle incoming form submissions via POST requests.

Process User Input:

- Create a clean, responsive form in index.html allowing users to input their country's socio-economic metrics.
- Use flask.request.form to retrieve data submitted from the frontend.
- Implement input validation to ensure all fields are numeric, non-empty, and within realistic ranges before passing them to the model.

Integrate API Calls:

- Within the /predict route handler, load the HDI.pkl model using the pickle library.
- Perform feature scaling/preprocessing on the user input to match the training data format.
- Pass the processed data into the model (model.predict()) and capture the predicted HDI score and corresponding development category (Low, Medium, High, Very High).
- Return the results to the frontend dynamically using render_template.

Milestone 3: App.py Development

Milestone 3 focuses on creating and refining the core logic of the app.py file, which serves as the backbone of the CaptionAI application. In this milestone, you'll set up each feature's functionality through Flask routes, establish reliable prompt construction and API interaction, and conduct unit testing to ensure each feature performs as expected.

Activity 3.1: Writing the Main Application Logic in app.py

1. Define the Core Routes:

- Home Page (/): This route renders the main index.html interface where users enter their country's socio-economic data.

```
@app.route("/")
def index():
    return render_template("index.html")
```

- Prediction Endpoint (/predict): This POST endpoint accepts form data, processes it, invokes the machine learning model, and returns the prediction results.

```
@app.route("/predict", methods=["POST"])
def predict():
    # Retrieve user input from the form
    gni = float(request.form.get("gni"))
    life_expectancy = float(request.form.get("life_expectancy"))
    schooling = float(request.form.get("schooling"))

    # Input validation
    if not gni or not life_expectancy or not schooling:
        return jsonify({"error": "All fields are required"}), 400

    # Model inference
    # Load the model and predict
    prediction = model.predict([[gni, life_expectancy, schooling]])

    return jsonify({"predicted_hdi": prediction[0]})
```


2. Setup Processing Logic:

- **Input Validation:** Ensure all incoming form data (GNI, Life Expectancy, Schooling) are provided and are valid numeric values.
- **Feature Scaling/Preprocessing:** Before sending data to the model, ensure it is scaled or encoded exactly as the data was during your model training phase.

3. Integrate Model Inference:

- **Model Loading:** Use the pickle library to load your HDI.pkl file when the application starts.
- **Prediction:** Pass the preprocessed user input into the loaded model (`model.predict()`) to generate the HDI score.

4. Error Handling:

- **Implement try-except blocks** to catch potential errors (e.g., model file not found, invalid input types) and return clear, user-friendly JSON error responses.

Milestone 4: Frontend Development

This milestone focuses on creating a user-friendly, responsive, and visually appealing interface for the HDI Prediction application.

Activity 4.1: Designing and Developing the User Interface

Base HTML Structure: Developed a clean, single-page interface (index.html) featuring:

- A branding header with the project title.
- An input section with fields for GNI per Capita, Life Expectancy at Birth, and Mean Years of Schooling.
- A dedicated results section to display the prediction output.

Responsive CSS Design:

- Create a CSS stylesheet (static/css/style.css) implementing a dark glassmorphism aesthetic
- Utilized Flexbox and Grid layouts to ensure the interface is fully responsive, adapting seamlessly across desktop, tablet, and mobile devices.

UI Components:

- Designed a "Prediction Card" container that provides visual focus for the final HDI score and its corresponding development category (e.g., Very High, High, Medium, Low).

Activity 4.2: Creating Dynamic Content Rendering with JavaScript

Asynchronous Form Submission:

- Attached an event listener to the prediction form to prevent default page reloads.
- Used the Fetch API to send user input to the /predict backend endpoint as a JSON request.

Loading State:

- Implemented a "Loading" animation state. When the user clicks "Predict," the submit button is disabled, and a spinner appears to provide immediate visual feedback.

Dynamic Result Rendering:

- Created a `renderResults(data)` function in `main.js` that dynamically injects the model's predicted HDI score and category into the DOM.
- Added a smooth-scroll behavior to automatically bring the results section into view once the prediction is generated.

State Restoration:

- Ensured the UI resets to its original state (re-enabling the button) after the request completes, regardless of whether the prediction was successful or returned an error.


Milestone 5: Deployment(HDI Prediction System)

This milestone focuses on verifying the application locally and then deploying it publicly via a secure tunnel to share it with others.


Activity 5.1: Preparing the Application for Local Deployment

Set Up a Virtual Environment:

- Open a New Terminal



- Then open “Command Prompt”



- Create and activate a virtual environment, then install all required dependencies from requirements.

```
D:\projects>python -m venv myenv  
D:\projects>"d:\projects\venv\Scripts\activate"  
(myenv) D:\projects>pip install -r requirements.txt
```

Configure Environment Variables:

- Create a .env file in the project root and add your Groq API key. The app loads this automatically using python-dotenv at startup:
GROQ_API_KEY=your_groq_api_key_here

Activity 5.2: Local Testing and Verification

Start the Flask Development Server:

- Run the application locally using:

```
(myenv) D:\projects>python app.py
```

- Once running, open a browser and navigate to "http://127.0.0.1:5050" to access the app.

```
(venv) D:\projectsSB\AI in healthcare\startup-validator>python app.py  
* Serving Flask app 'app'  
* Debug mode: on  
WARNING: This is a development server. Do not use it in a production deployment.  
d. Follow link \(ctrl + click\)  
* Running on http://127.0.0.1:5050  
Press CTRL+C to quit  
* Restarting with stat  
* Debugger is active!  
* Debugger PIN: 442-110-195
```

- Interact with the caption generator test all three tones (Professional, Casual, Promotional) and both platforms (Instagram, LinkedIn) to verify the AI responses are correctly generated, parsed, and rendered.

Activity 5.3: Public Deployment via Ngrok


Ngrok creates a secure tunnel from a public URL to your local Flask server, making the app accessible from anywhere without a cloud hosting provider.

Install Ngrok and pyngrok:

- Install the pyngrok Python wrapper, which manages Ngrok programmatically within your Python project:

```
D:\projects>pip install pyngrok
```

- Download and install the Ngrok client from <https://ngrok.com/download>.
- Click on “Microsoft Store Installer”.



Configure Your Ngrok Authtoken:

- Sign up at ngrok.com and copy your authtoken from the Ngrok dashboard.
- The run_public.py script sets the authtoken automatically using:

```
D:\projects>ngrok.set_auth_token("YOUR_NGROK_AUTHTOKEN")
```

- Replace the TOKEN value in run_public.py with your own Ngrok authtoken before running.

Run the Public Deployment Script:

- Instead of running app.py directly, launch run_public.py to start both the Ngrok tunnel and the Flask server:

```
D:\projects>python run_public.py
```

- The script opens an HTTP tunnel on port 5000 and prints the live public URL in the terminal:

```
=====
YOUR PUBLIC WEBSITE URL IS LIVE!
URL: https://headroom-clarify-angelfish.ngrok-free.dev
=====
```


- Share this URL with anyone who can access your CaptionAI app directly from their browser without any installation.

Important Notes:

- **debug=False** is required in run_public.py to prevent Flask from spawning a reloader process, which would interfere with Ngrok's tunnel management.
- The public URL changes each time you restart run_public.py (on the free Ngrok plan). For a persistent URL, upgrade to a paid Ngrok plan and configure a reserved domain.
- Ngrok free tier sessions expire after a few hours of inactivity. Restart run_public.py to get a new URL when this happens.

Exploring the Website's Web Pages:


Home / Generator Page:



Description:

"Understand the world's progress with our AI-powered HDI Predictor! Whether you're a student, researcher, or policymaker, our interface allows you to analyze how health, education, and income shape a nation's future. Enter your data, click 'Predict,' and discover where a country stands on the development ladder."


Input Section:




The screenshot shows a web browser window with the URL `127.0.0.1:5000/Prediction`. The page features a dark blue background with a central white card titled "HDI Predictor". Below the title, it says "A Comprehensive Measure of Well-Being" and provides instructions: "Enter the socio-economic metrics below to estimate the HDI score. Our AI model analyzes life expectancy, schooling, income, and internet access to evaluate development." There are five input fields: "HDI Score", "Life expectancy", "Mean years of schooling", "GDP per capita", and "Internet access". A green "Predict HDI" button is at the bottom of the card, with a "Go to Home" link below it.

Description: "To estimate the Human Development Index (HDI), please enter the socio-economic metrics for the country below. Our AI model analyzes factors like life expectancy, education, and income to provide an accurate development classification."

Results Section:



This screenshot shows the same "HDI Predictor" form with the following values entered in the input fields: "10" for HDI Score, "1" for Life expectancy, "50000" for Mean years of schooling, "250" for GDP per capita, and "120" for Internet access. The "Predict HDI" button and "Go to Home" link are still visible at the bottom.



This screenshot shows the "HDI Predictor" form after the prediction. The "Predicted HDI is [17.587]" is displayed in green text below the "Predict HDI" button. The "Go to Home" link remains at the bottom.

Description:

"The predicted HDI score reflects the country's development status based on the provided socio-economic indicators. A higher score typically indicates better progress in health, education, and economic well-being."

Conclusion:

The Human Development Index (HDI) Predictor serves as a powerful demonstration of how machine learning can transform complex socio-economic data into actionable insights. By leveraging key indicators such as Life Expectancy, Mean Years of Schooling, GNI per Capita, and Internet Access, this application provides an accurate estimation of a nation's development status.

Key takeaways from this project include:

- Data-Driven Decision Making: The model effectively highlights the strong correlation between education, healthcare, and economic prosperity in defining the well-being of a population.
- Modern Web Integration: By combining a robust Python-based backend (Flask) with a sleek "Dark Glassmorphism" UI, the project achieves a balance between technical performance and professional aesthetics.

Scalability: This framework can be further expanded by incorporating more granular global datasets or real-time API integrations, making it a versatile tool for students, researchers, and policy analysts.

This project successfully bridges the gap between raw data analysis and user-friendly digital tools, offering a clear, accessible view into the factors that shape human development globally.