
replace.l
input.txt
token.l
File
Edit
View
%%
"int"|"float"|"char"|"if"|"else"|"while"|"for"|"return" {
printf("Keyword: %s\n", yytext);
}
[a-zA-Z_][a-zA-Z0-9_]* {
printf("Identifier: %s\n", yytext);
}
[0-9]+ {
printf("Number: %s\n", yytext);
}
[+\-*/=<>] {
printf("Operator: %s\n", yytext);
}
[;(),{}] {
printf("Special Symbol: %s\n", yytext);
}
[\t\n]+ ;
. {
printf("Unknown Token: %s\n", yytext);
}
%%
int main()
{
printf("Enter a C program (Ctrl+Z and Ente
yylex();
return 0;
}
int yywrap()
{
return 1;
}
Command Prompt - token
Microsoft Windows [Version 10.0.26200.9711]
(c) Microsoft Corporation. All rights reserved.
C:\Users\mudir>d:
D:\>set path=D:\GnuWin32\bin
D:\>flex token.l
D:\>set path=D:\MinGW\bin
D:\>gcc lex.yy.c -o token.exe
D:\>token
Enter a C program (Ctrl+Z and Enter to finish):
int a = 10;
Keyword: int
Identifier: a
Operator: =
Number: 10
Special Symbol: ;
float b = 20;
Keyword: float
Identifier: b
Operator: =
Number: 20
Special Symbol: ;
a = a + b;
Ln 43, Col 2
558 characters
Plain text
100%
Windows (CRLF)
UTF-8
Search
ENG
IN
16:57
06-11-2026