QUESTIONS

Q1 ✓
The program replaces the sum instead of accumulating it.
5 marks

Q2 ✓
Check the output when b is greater than both a and c.
5 marks

Q3 ✓
Fix the accumulation logic so that every extracted digit contributes to the total.
5 marks

Q4 ✓
Fix the digit-construction expression to append the extracted digit instead of the original number.
5 marks

4/4 answered

Q1 **The program replaces the sum instead of accumulating it.** 5 marks

Find the sum of numbers divisible by 3 from 1 to n.

```
#include <iostream>
using namespace std;

int main() {
int n, sum = 0;
cin >> n;

for (int i = 1; i <= n; i++) {
if (i % 3 == 0)
sum = i;
}

cout << sum;
return 0;
} INPUT:12 OUTPUT:30
```

Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1  #include <iostream>
2  using namespace std;
3
4  int main() {
5      int n, sum = 0;
6      cin >> n;
7
8      for (int i = 1; i <= n; i++) {
9          if (i % 3 == 0)
10             sum = sum + i;
11     }
12
13     cout << sum;
14     return 0;
15 }
```

Test Input

```
12
```

Output

```
30
```

Test Cases

Test Case 1 ✓

5.00 / 5 marks

SIMATS ENGINEERING

SIMATS Online Programming Lab

C++ PROGRAMMING

MUDIREDDY CHARITHA 192221018C

Assessment_02_CO1

View Only

← Back

QUESTIONS

Q1 ✓
Q2 ✓
Q3 ✓
Q4 ✓

4/4 attempted

Check the output when b is greater than both a and c. 5 marks

Find the Largest of Three Numbers

```
#include <iostream>
using namespace std;

int main() {
int a, b, c
cin >> a >> b >> c;

if (a > b)
if (a > c)
cout << a
else
cout << c
else if (b > c)
cout << c
else
cout << b;

return 0;
} INPUT:15 28 20 OUTPUT:28
```

Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
#include <iostream>
using namespace std;

int main() {
    int a, b, c;
    cin >> a >> b >> c;

    if (a > b)
        if (a > c)
            cout << a;
        else
            cout << c;
    else if (b > c)
        cout << b;
    else
        cout << c;

    return 0;
}
```

Submitted

Test Input

```
15 28 20
```

Output

Test Cases

Test Case 1 ✓

5.00 / 5 marks

QUESTIONS

Q1
The program replaces the sum instead of accumulating it.
5 marks

Q2
Check the output when n is greater than both a and c.
5 marks

Q3
Fix the accumulation logic so that every extracted digit contributes to the total.
5 marks

Q4
Fix the digit-construction expression to append the extracted digit instead of the original number.
5 marks

4/4 answered

Q3 Fix the accumulation logic so that every extracted digit contributes to the total. 5 marks

Calculate the sum of all digits of a positive integer.
#include <iostream>
using namespace std;

int main() {
int n, sum = 0;
cin >> n;

while (n > 0) {
sum = n % 10;
n /= 10;
}

cout << sum;
return 0;
} INPUT:5832 OUTPUT:18

Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```cpp
#include <iostream>
using namespace std;

int main() {
    int n, sum = 0;
    cin >> n;

    while (n > 0) {
        sum += n % 10;
        n /= 10;
    }

    cout << sum;
    return 0;
}
```

Test Input

5832

Output

18

Test Cases

Test Case 1

5.00 / 5 marks

SIMATS ENGINEERING

SIMATS Online Programming Lab

C++ PROGRAMMING

MUDIREDDY CHARITHA
192424118C

Assessment_02_CO1

View Only

← Back

QUESTIONS

Q1 ✓
The program replaces the sum instead of accumulating it.
5 marks

Q2 ✓
Check the output when b is greater than both a and c.
5 marks

Q3 ✓
Fix the accumulation logic so that every extracted digit contributes to the total.
5 marks

Q4 ✓
Fix the digit-construction expression to append the extracted digit instead of the original number.
5 marks

4/4 answered

Q4 Fix the digit-construction expression to append the extracted digit instead of the original number. — 5 marks

Reverse the digits of a positive integer.

```
#include <iostream>
using namespace std;

int main() {
int n, reverse = 0;
cin >> n;

while (n > 0) {
int digit = n % 10;
reverse = reverse * 10 + n;
n /= 10;
}

cout << reverse;
return 0;
} INPUT:426 OUTPUT:624
```

Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```cpp
#include <iostream>
using namespace std;

int main() {
    int n, reverse = 0;
    cin >> n;

    while (n > 0) {
        int digit = n % 10;
        reverse = reverse * 10 + digit;
        n /= 10;
    }

    cout << reverse;
    return 0;
}
```

Test Input

```
426
```

Output

```
624
```

Test Cases

Test Case 1 ✓

5.00 / 5 marks

Submitted