

Power Web TO BE 0.7.6.6.0.2

Review design for a planned Radar search pipeline change

Status: Implemented.

Implemented result: new definitions contain product and semantic-role snapshots only; AccessPlaybook is frozen compatibility data. Docker validation measured 99.8% detail/workspace width, a 2 px inline-editor width delta, four basic role fields and no overflow in RU/EN at 1280x720 and 1366x768.

AS IS: ../RADAR_POWER_WEB_DISCOVERY_AS_IS.md

Baseline diagnostic: ../validation/0.7.6.6.0.2/BASELINE_DIAGNOSTIC.md

Acceptance manifest: RADAR_POWER_WEB_DISCOVERY_TO_BE_0.7.6.6.0.2.acceptance.json

Problem and decision

Slice 0.7.6.6.0.1 established versioned product, semantic-role and access configuration, but made the downstream access strategy part of the mandatory Power Web Discovery input. It also combined a persistent product rail, a dense role table and a right-side editor inside the bounded application workspace.

The corrected discovery configuration is:

product definition -> semantic buying-role policy -> future account handoff.

Access rules are frozen compatibility data. They do not constrain publication, role deletion, RoleDemand compilation or people-search planning. Existing versions and the existing Access Planner remain readable and unchanged.

Semantic-role authoring

A role requires only a stable generated code, display name, business responsibility, requiredness and organizational scope. New required roles default to high priority; optional roles default to normal priority.

Decision rights, a priority override and exclusions are optional advanced guidance. Historical reason and expected-evidence values remain readable, but new configuration does not require or edit them. Expected evidence, title variants, aliases and queries belong to auditable account-specific planning in slice 0.7.6.6.2, not to product policy.

Publication requires complete product context, at least one role and at least one required role. Empty advanced guidance is valid.

Access-strategy compatibility

access_playbook_version_id becomes nullable. New publications create product and buying-role snapshots only and expose access_playbook=null. Historical versions with access snapshots continue to return the original data.

The draft API accepts an omitted access field. A supplied value is accepted only when it is identical to the frozen stored value; mutation returns the explicit conflict `access_playbook_frozen`. Restoring an historical version restores product and roles only. No access snapshot is reactivated or created.

Workspace contract

Playbook uses two states: a full-width product catalog and a full-width product detail. The detail contains a back command and compact product switcher; it has no persistent product rail.

Product detail has Product, Buying roles and Versions tabs. Access rules are absent from the primary workspace. Historical access data is visible only in read-only version detail and is labelled as compatibility data not used by Power Web Discovery.

Selecting a role expands its editor below the selected table row. The editor spans the same width as the table; there is no right inspector. The four basic business controls are name, responsibility, requiredness and scope. Advanced guidance is collapsed by default.

A shared underline `WorkspaceTabs` component owns section navigation in Playbook, Radar detail, candidate detail, run diagnostics and Access Plans. Pill controls remain reserved for filters and mode switches.

URL state preserves `productId` and the active tab. Loading, API failure, optimistic conflict and browser navigation never fall back to local demo data.

Role-demand ownership correction

Slice 0.7.6.6.1 snapshots `ProductDefinition` and `BuyingRolePolicy` versions and compiles role responsibility, requiredness, scope and effective priority. It does not snapshot `AccessPlaybook` and does not require authored expected evidence or route constraints.

Slice 0.7.6.6.2 owns accepted account-specific title, query, alias, expected-evidence and exclusion hypotheses. These proposals cannot add, remove or reprioritize semantic roles.

Requirement traceability

- PWS-CFG-01: product and role policy form the complete discovery configuration.
- PWS-ROLE-01: a role publishes with only the four basic business controls.
- PWS-ROLE-02: priority defaults are deterministic and advanced guidance is optional.
- PWS-PLAN-01: expected evidence and title/query variants are planning-owned.
- PWS-ACCESS-01: new publication creates no access snapshot or dependency.
- PWS-ACCESS-02: historical access data remains readable and immutable.
- PWS-API-01: API and persistence survive migration and restart.

- PWS-UI-01: catalog and product detail are separate full-width states.
- PWS-UI-02: role detail expands inline at the table width.
- PWS-TABS-01: section navigation uses shared underline tabs.
- PWS-COMPAT-01: Access Planner, Power Web Board and historical versions do not regress.
- PWS-BENCH-01: the accepted benchmark remains blind and unchanged.
- PWS-NET-01: the slice performs no provider calls or pipeline runs.
- PWS-PROC-01: TO BE, tests, validation and finalized AS IS are traceable.

Hard acceptance

The slice is accepted only after backend, migration, API, frontend and Docker tests pass; the product detail occupies at least 95 percent of the available workspace; inline role detail matches the table width within two pixels at 1280x720 and 1366x768 in RU and EN; persisted state survives API restart; all mandatory requirements pass; and this design is reconciled into AS IS.