



Fig. 77.1 Renal mucormycosis. This contrast-enhanced computed tomography scan shows bulky kidneys, with large nonenhancing areas (arrows) involving the cortex and medulla and with no contrast in the pelvicalyceal system.

Fig_77_1




Fig. 77.2 Takayasu arteritis. Shown is bilateral renal artery narrowing (vertical arrows) with poststenotic dilation on the left side, dilation and irregularity of the abdominal aorta (black arrow), and a large collateral vessel (horizontal arrow) arising from the inferior mesenteric artery.

Fig_77_2

Table 77.1 Economic and Development Indicators on the Indian Subcontinent				
Parameter	India	Pakistan	Bangladesh	Sri Lanka
Population (billions)	1.22	0.193	0.163	0.021
Population growth rate (%)	1.31	1.55	1.58	0.91
Life expectancy at birth (years)	67.48	66.7	70.36	76.15
Median age (years)	26.7	22.2	23.9	31.4
Percentage of total population that is elderly (>65 years)	5	4	5	8
Literacy rate (%)	64.84 (in 2011)	55 (in 2009)	57.7 (in 2011)	92.5 (in 2010)
Infant mortality rate/1000 live births (in 2013)	44.6	59.35	47.30	9.24
Per-capita gross domestic product purchasing power parity (US\$, in 2012)	3800	3100	2000	6000
Percentage of the population living below the national poverty line	29.8	22.3	31.5	8.9
Human development index	0.554	0.515	0.515	0.715
Country ranking by human development index (of 179 countries)	136	146	146	92

Data from The World Development Report 2022 <<https://data.worldbank.org/en/publication/wdi2022>>, Global Burden of Disease <<http://www.healthdata.org/gbd>>, World Health Organization Global Health Observatory <<http://www.who.int/gho/countries/en/>>, and CIA World Factbook <<https://www.cia.gov/library/publications/resources/the-world-factbook/>>

Table_77_1

Table 77.2 Causes of Community-Acquired Acute Kidney Injury in a Tertiary Referral Center on the Indian Subcontinent (%)		
Causes	Number of Patients	Percentage of Total (%)
Infections	294	44
Tropical infections	77	
Acute gastroenteritis	97	
Acute pyelonephritis	31	
Other infections	89	
Obstetric	111	16.6
Sepsis	25	
Postpartum hemorrhage	15	
Preeclampsia/eclampsia	15	
Thrombotic microangiopathy	12	
Others	44	
Envenomation	80	12
Snake	66	
Wasp	11	
Others	3	
Drug-induced acute kidney injury	31	4.6
Poisoning	26	
Paracetamol	17	3.89
Others	9	
Rhabdomyolysis	43	6.43
Paracetamol	56	8.3
Other rare causes	27	4.04
Total	668	

Author's unpublished data.

Table_77_2

Table 77.3 Causes of Chronic Kidney Disease and End-Stage Kidney Failure in India and Pakistan (%)		
Cause	India (N = 57,273) ^a	Pakistan (N = 6127) ^b
Diabetic nephropathy	31.3	40.35
Hypertension	12.9	28.89
Chronic glomerulonephritis	13.8	11.57
Chronic interstitial nephritis, calculus disease, obstructive nephropathy	10.4	7.6
Other, unknown	31.8	11.48

^aAdapted from Rajapurkar MM, John GT, Kirpalani AL, et al. What do we know about chronic kidney disease in India: first report of the Indian CKD registry. *BMC Nephrol.* 2012;13:10.
^bData from The Kidney Foundation. Dialysis Registry of Pakistan 2007–2008. Karachi, Pakistan: The Kidney Foundation; 2008.

Table_77_3

Table 77.4 Spectrum of Glomerular Diseases in Native Kidney Biopsies on the Indian Subcontinent			
Country	India ^a	Pakistan ^b	Sri Lanka ^c
Number of patients	3275	1793	2680
Year	2006–2016	1995–2008	2010–2019
Primary glomerulonephritis (%)	73	73	40.9
MCD (%)	14.9	5.8	10.11
FSGS (%)	16.1	21.2	11.41
MN (%)	14.2	17.2	5.7
IgA nephropathy (%)	9.2	1.5	9.14
MPGN (%)	5.1	1.1	3.76
Secondary glomerulonephritis (%)	15.5	10.9	36.9
Lupus nephritis (%)	9.4	4.9	15.45
Amyloidosis (%)	3.3	4.6	0.85
Diabetic nephropathy (%)	1.6	0.9	7.2

^aAdapted from Mittal P, Agarwal SK, Singh G, et al. Spectrum of biopsy-proven renal disease in northern India: a single-centre study. *Nephrology.* 2020;25:55–62.
^bAdapted from Mubarak M, Kazi JI, Naqvi R, Ahmed E, Akhter F, Naqvi SA, et al. Pattern of renal diseases observed in native renal biopsies in adults in a single centre in Pakistan. *Nephrology.* 2011;16:87–92.
^cAdapted from Basnayake DB, Wazli Abdul W, Nanayakkara N, Shafraz M, Priyadarshana P, Mahanama BS. Analysis of a histopathological pattern of renal biopsy specimens in Sri Lanka: a single-centre study. *J Am Soc Nephrol.* 2019.

Table_77_4