

Observer Patch Holography: A Compact Case for a Theory of Everything How the Pieces Fit Together

Paper release: r1570 Released: July 21, 2026

Abstract

Observer Patch Holography begins with finite self-reading observers that compare shared boundaries, preserve records, and repair disagreement. On the declared carrier branch the observers live on a screen federated from twelve-port icosahedral cells, and that hardware geometry carries the gauge structure downstream. Exact finite results give public normal forms, quantum event algebra, Lorentz symmetry, three observer-frame dimensions, and a twelve-port Standard Model coefficient-algebra witness. On the strengthened operational packet, an exact finite criterion recognizes the declared rank-fifteen internal Standard Model representation witness and its canonical rank-three candidate band; a machine-checked theorem fixes the exact boundary of this free result, locating the remaining physical selection in named operational receipts rather than in additional geometry. The Einstein equation and physical Standard Model selection are conditional on their stated carriers, and the Einstein branch is measured: at up to 262,144 carriers with constant cross-observer coupling density, the held-out event form of the repair dynamics carries Lorentzian signature $(1,3)$ at every rung of a convergence ladder whose cone margin halves per rung. One screen cell and one universe must reproduce their readable capacities. The primary quantitative equation is $P = \varphi + \sqrt{\pi}/A_T(P)$; a contraction argument gives existence and uniqueness, and outward-rounded interval certificates enclose one root for each declared map. Here $A_T(P)$ is the Thomson-limit inverse electromagnetic coupling emitted by the trial cell. The secondary global extension is $N = \log M_0(\mathfrak{U}_N)$. This compact case assumes that every terminal observer history returns one common capacity and that the screen has the stated physical matter carrier. No continuous theory value is fitted.

OPH identifies the public universe with the stable world reconstructed by finite self-reading observers that compare boundaries, keep records, and repair disagreement. No observer sees the whole universe. Public reality is the normal form that survives mutual consistency:

$$T(\mathfrak{U}_{\text{OPH}}) = \mathfrak{U}_{\text{OPH}}.$$

The construction imports no spacetime, external clock, global observer, or Standard Model gauge group. It asks which familiar structures follow when the local systems are required to agree.

The zero-parameter claim

At the theory layer OPH fits no continuous physical parameter. It supplies a finite observer contract and treats the surviving quantitative coordinates as closure outputs. Working measurements, unit anchors, and comparison values are tracked separately in the ledgers. The cumulative case joins quantum records, Lorentz symmetry, three observer-frame dimensions, a conditional Einstein composition, the exact Standard Model Lie-algebra witness, and a selected rank-fifteen one-generation chiral representation witness with one Higgs doublet. The two closure coordinates come from the same finite observer architecture.

From this single architecture, OPH builds one conditional reconstruction route through quantum records, Lorentz symmetry, three spatial dimensions, Einstein dynamics, compact gauge structure, and the Standard Model matter pattern. The finite screen calculation gives an exact coefficient-space witness for the local gauge algebra $\mathfrak{u}(1) \oplus \mathfrak{su}(2) \oplus \mathfrak{su}(3)$, while compact reconstruction and minimal admissibility conditionally produce the corresponding global quotient, charge lattice, three colours, the economy choice of three generations, and one Higgs doublet on their declared current, refinement, and selection receipts. The weight of the case rests on one observer-consistency language reaching several structures normally assumed at the start of physics: each result narrows the same finite construction, and that shared dependence is the source of the cumulative evidence.

The Occam count

The theory keeps one primitive object, the finite self-reading patch, and five axioms: a screen net of local algebras, overlap consistency, local MaxEnt, recoverable generalized entropy, and minimal admissible realization. Two closure equations and zero fitted continuous parameters complete the input list. Everything else in this document is a theorem, a declared discrete branch choice, or an open receipt listed in Section 7. An audit therefore has three targets: reject an axiom, exhibit a second closure root, or break a named receipt. There is no tunable layer between the axioms and the numbers.

The idea in six moves

1. Begin with finite self-reading patches carrying state, boundaries, records, and repair moves.
2. Identify public facts with information that survives overlap comparison and repair.
3. Read the oriented conformal screen as Lorentz kinematics and the space of observer frames as three-dimensional.
4. Use modular flow, null transport, and entropy stationarity to recover the local gravitational relation.
5. Reconstruct compact internal symmetry from transportable charges and select the minimal admissible matter realization.
6. Use finite public-record maps and declared quantitative closures to test connections between the structural theory and quantitative physics.

P fixes the local scale; N is a global extension

The local screen cell and global public capacity obey different closure laws,

$$P = \varphi + \frac{\sqrt{\pi}}{\alpha_{\text{Th}}^{-1}(P)}, \quad N = \log M_0(\mathfrak{U}_N).$$


The local equation is the primary quantitative closure. It asks a trial cell to reproduce its inside electromagnetic resolution. The fixed-point theorem gives the contraction-based existence and uniqueness theorem, and exact interval certificates verify one root for each declared map. The physical Thomson identification requires the source-derived same-scheme hadronic transport. The secondary global equation asks a trial universe to reproduce its supplied logarithmic capacity through the largest correctable public-record code that survives every declared checkpoint. This compact proof assumes the physical checkpoint packet, whole-fiber scalarization, one physical zero of the exact finite-size slack, and the horizon identification. On the selected exterior matter package, the weak multiplicity is exactly four; identifying that abstract load with the physical screen load is separate. The public closure ledger records the equations, discrete choices, and evidence artifacts [C17].

Exactly one fixed point, certified

The pixel closure has exactly one fixed point per declared map on the declared physical domain $\alpha^{-1} \in [100, 200]$: existence and local uniqueness by interval Banach in outward-rounded arithmetic with contraction constant $L \leq 0.0724$, and global at-most-one by certified $\sup |g'| < 1$ on all 256 subdivision pieces with zero exceptional set [C1]. The enclosure width is 7.2×10^{-24} in α^{-1} , with the SU(2)/SU(3) edge-sum tails bounded by geometric majorants so the enclosure covers the infinite-cutoff sums. An adversarial third-party audit reproduced the certificate arithmetic end to end. A second fixed point on the declared physical domain is arithmetically excluded. The maximal-domain extension certificate gives the same result on the full analytic domain of each declared map, with an empty exclusion list [C1].


Main results

The finite consensus theory produces protected public records and shared normal forms. The screen geometry produces the connected Lorentz group and a three-dimensional observer-frame space. On one source-derived common-domain tower, the gravity chain composes modular flow, null transport, entropy stationarity, and small-ball geometry into the Einstein relation, and the measured convergence ladder carries Lorentzian signature (1, 3) at every density-maintained rung with the cone margin halving per rung [E1]. The conditional twelve-port A_5 construction produces an exact coefficient-space Lie-algebra witness of dimension $8 + 3 + 1$. The strengthened operational packet gives an exact finite recognition criterion for a rank-fifteen internal matter witness. A completion non-identifiability theorem proves that the weaker exposed reduct cannot determine this physical completion uniquely. Trace balance, physical current descent, compact reconstruction, and matter selection lead to the $\mathbb{Z}_6$ global form and Standard Model matter pattern on their declared receipts. Construction of the physical gravity tower and the screen-to-matter receipts are open. Interval certificates and million-patch simulations independently check the finite core [C1,C6,C7,C19,C20].



One selection chain

Ten consistency requirements progressively remove freedom from the space of self-consistent worlds. Self-reading produces records and repair; overlap consensus produces the public quotient and, on the S^2 chart, Lorentz symmetry and three spatial dimensions; modular consistency produces internal time and thermality; transportable-charge consistency produces the compact gauge structure; entropic consistency produces Einstein dynamics; and record existence produces local fixed-point coordinates. The results share one narrowing chain and therefore test the same construction from several directions.



1. The observer-patch fixed point

The mathematical object is a finite patch system. Patches expose ports, write records, compare overlaps, repair disagreement, and return a shared normal form [O1,O2]. Let T be the observer-overlap repair map and let $\mathfrak{U}_{\text{OPH}}$ denote the selected normal form. The simulation identity is

$$T(\mathfrak{U}_{\text{OPH}}) = \mathfrak{U}_{\text{OPH}}.$$

The OPH simulation theorem establishes this identity from endogenous update, observer-readable records, schedule-independent overlap repair, selected-branch elimination, and implementation/clock closure [O2]. The universe is the stable record world returned by its own readback-and-repair computation.

The concrete carrier is a finite collection of local states, ports, central records, repair maps, and checkpoints. The reference benchmark replays all six overlap schedules and returns the same repaired normal form on the clean abelian branches [C5]. A separate finite proof record establishes observer confluence, approximate schedule independence, refinement naturality, and the contractive conditional-resampling projector, part of the 111 theorems that carry the consensus core and the coupling algebra [C6].

Quantum event surface

On a completed compare/write/verify slice, observer-accessible events generate a finite central record algebra. For an event E ,

$$\mathbb{P}(E) = \text{Tr}(\rho P_E), \quad \rho|_E = \frac{P_E \rho P_E}{\text{Tr}(\rho P_E)}.$$

These are the Born rule and Lüders update. On the associated two-wing Bell surface,

$$|S_{\text{CHSH}}| \leq 2\sqrt{2}.$$

A finite 65,536-record run reproduces the event algebra numerically: committed-event weights sum to 1.0, record projectors have zero idempotency defect, and repeat reads are stable [O1,O3,C7].

2. Relativity, (3+1) events, and Einstein dynamics

The screen readout supplies an oriented conformal S^2 . Its connected conformal group is the connected Lorentz group,

$$\text{Conf}^+(S^2) \cong \text{PSL}(2, \mathbb{C}) \cong \text{SO}^+(3, 1).$$

The corresponding observer-frame space is

$$H^3 \cong \frac{\text{SO}^+(3, 1)}{\text{SO}(3)}, \quad \dim H^3 = 6 - 3 = 3.$$

On the declared event branch, repaired record germs populate a four-dimensional event base only under the population and realization, separation, local-chart and open-image, affine-cocycle, quadratic-cone, and causal-reachability receipts. The held-out quadratic form has inertia (1, 3); the conformal celestial S^2 checks its null boundary and does not determine it. The space H^3 is the fiber of unit timelike observer frames over each event [O4].

The 2π -normalized modular flow of screen caps supplies the observer-relative clock. Half-sided modular inclusions give positive null translations; null tomography assembles their directional charges into a conserved local T_{ab} . Fixed-cap generalized-entropy stationarity, the uniform small-ball limit, and the all-directions tensor upgrade then compose to

$$G_{ab} + \Lambda g_{ab} = 8\pi G_{\text{geom}} \langle T_{ab} \rangle.$$

Every arrow in this chain has a named theorem and a machine-readable receipt type [O4,C8].

Earned simulation receipts at 64k, 128k, and 1M patches

Three canonical runs instantiate bounded self-reading patches and scale from 65,536 patches/1,024 observers through 131,072/32,000 to 1,048,576/64,000 [C7]. The 128k and 1M runs earn observer-local modular-time and gauge-covariant 2π -KMS (Kubo–Martin–Schwinger) replay diagnostics, a conformal H^3 chart, integer 3 + 1 observer-facing experience, and an emergent agreement field; at 1M, 800 tested overlap pairs have median defect zero and cocycle fraction 1.0, against 0.801 for the shuffled control. These runs do not construct the physical cap state, support-covariant dilation, or Lorentzian event cone required by the Bisognano–Wichmann (BW) and event-manifold theorems; those are the province of the instrumented Einstein branch below [C7].

The Einstein branch is instrumented end to end

Every clause of the Einstein-branch antecedent has a machine-certified fail-closed instrument with adversarial negative controls: the typed common-domain source tower with hash-bound provenance and cross-source splice rejection, geometric modular normalization with preregistered acceptance and wrong-normalization bands, GNS cyclicity and modular intersections, the ancestry-derived event cone, and same-source stress with coupling universality. Semantic countermodels prove each receipt family load-bearing, so no clause can pass by relabeling [C21]. Two clauses are theorems rather than measurements: coupling universality holds with zero spread for every icosahedrally equivariant source law, and generator positivity holds by construction on the declared law family. The direct measurement is the deepest single result: the Einstein-cone convergence ladder. At 16,384, 65,536, and 262,144 carriers with constant cross-observer coupling density, the held-out event form of the repair dynamics carries Lorentzian inertia (1, 3) at every rung while the cone margin halves per rung (−5.6, −3.2, −1.4): geometric convergence toward the Einstein cone, with the coupling spread decreasing beside it and a density-control run that degrades the signature on cue when coupling is diluted [E1]. Four-dimensional Einsteinian bulk structure is here a measured, monotonically converging output of observer density under frozen adversarial bands. The cap-state modular temperature and a positive cone margin at scale are open measured targets with frozen verdicts, and a finite theorem fixes why exact cap-state thermalization cannot occur at fixed cutoff, locating it as a refinement-limit statement [C21].

3. From closure coordinates to physical structure

The local pixel closure

The pixel is the unique root of its declared local self-read map. A trial pixel P_k produces a field-width readback $R_P(P_k)$, which the pixel chart turns into the next iterate:

$$\alpha_k = R_P(P_k), \quad P_{k+1} = \Gamma_P(P_k) = \varphi + \alpha_k \sqrt{\pi}, \quad \varphi = \frac{1 + \sqrt{5}}{2}.$$

On the selected particle branch, the internal readback chain is

$$P \mapsto \alpha_U(P) \mapsto A_Z(P) \mapsto A_T^{\text{src}}(P), \quad \alpha_{\text{in}}(P) = \frac{1}{A_T^{\text{src}}(P)}.$$

Two declared maps carry certified fixed points [C1]. No measured value is inserted into either solve. The gauge-width map has the certified self-consistent fixed point

$$\alpha^{-1} = 137.035660136946 \dots,$$

a relative 2.5×10^{-6} from the measured $\alpha^{-1} = 137.035999177(21)$ [S2]. The source map has the certified root

$$\alpha_{\text{root}}^{-1} = 136.994835177413 \dots,$$

a relative 3.0×10^{-4} from measurement, with the forward closure point $P_{\text{fwd}} = 1.630972095858897 \dots$ satisfying $P_{\text{fwd}} = \varphi + \sqrt{\pi}/A_T^{\text{src}}(P_{\text{fwd}})$. Both roots are enclosed by direct interval Banach with outward rounding, the enclosure covers the infinite-cutoff $\text{SU}(2)/\text{SU}(3)$ edge sums through geometric majorants, and the printed-pair identity holds to 35+ digits under converged precision-100 reruns, enforced by a continuous-integration test. The certificates establish existence and uniqueness for the maps: the numerical landing is not a tunable fit and cannot be moved without changing the construction itself.

The conditional global capacity extension

At finite cutoff the supplied capacity is the frozen carrier dimension D , with $N = \log D$. Compatible reachable public record atoms and the globally coupled checkpoint family define the compound confusability graph G_q , with exact readback

$$M_0(q) = \alpha(G_q), \quad \mathfrak{F}_{r,0}(D) = \{M_0(q) : q \in \tilde{\Omega}_{r,D}\}.$$

The proposed universe-level closure equation is

$$\boxed{N = \log M_0(\mathfrak{U}_N)}.$$

It says that a trial universe supplied with logarithmic capacity N reads back that same capacity internally. Once the complete terminal fiber has one common value, the universe notation means

$$M_0(\mathfrak{U}_N) := \hat{F}_{r,0}(e^N).$$

The finite equations above are its typed implementation: $M_0(q)$ and $M_0(\mathfrak{U}_N)$ are multiplicative code sizes, and the outer logarithm converts that count to N . The finite public-section, decoding, carrier-bound, scalarization, order, and refinement theorems are proved in the full papers. For this compact proof we adopt the explicit closure hypothesis

$$\boxed{\mathfrak{F}_{r,0}(D_\star) = \{D_\star\}, \quad s_r(D) := \log D - \log \hat{F}_{r,0}(D), \quad s_r(D_\star) = 0 < s_r(D) \quad (D \neq D_\star).}$$

This assumption packages the source-derived public checkpoint packet, capacity-carrier representation, whole-fiber scalarization, confusability-reflecting extension/refinement data, and finite-size selector [C16]. The compact proof assumes these objects. The simulator artifact is a finite schema and control, without constituting the physical packet.

On the exact reversible branch every checkpoint generator is injective, the compound graph has no edges, and the capacity readback collapses to the exact state count $M_0(q) = |X_{\text{reach}}(q)|$, computable by model counting. The only remaining difficult selection question is the exact finite-size slack law and its unique physical zero.

Two physical identifications follow the direct map. Identifying the correctable-record carrier with the de Sitter horizon record gives

$$\log M_0 = \frac{A}{4\ell_\star^2} \implies \Lambda_\star \ell_\star^2 = \frac{3\pi}{N_\star}.$$

Separately, identifying the public screen-load line with the four-copy weak multiplicity load line by a positive, unital, refinement-natural map implies the electroweak bridge

$$N_\star = \pi \exp \left[\frac{6\pi}{P_{\alpha_U(P)}} \right].$$

The displayed bridge is a conditional coordinate until the direct capacity fixed point and common-load carrier are instantiated. An independently measured resolution ρ_{op} tests the code capacity through $\log M_0 - \pi/\rho_{\text{op}}^2$; it does not define the direct record readback.

The compact-gauge branch

The gauge derivation starts with individually transportable seeds selected by zero-obstruction transport. A common strict representative fixes the tensor category carried by those seeds. Surjective pullback functors and forgetful fibers construct its refinement limit, and Doplicher–Roberts/Tannaka reconstruction reads off the compact group. Minimal Admissible Realization (MAR) selects the realized one-generation/one-Higgs matter package; anomaly cancellation, Yukawa invariance, and the central kernel then fix the hypercharge lattice and quotient [O4]. The result is

$$G_{\text{SM}} = \frac{\text{SU}(3)_c \times \text{SU}(2)_L \times \text{U}(1)_Y}{\mathbb{Z}_6}, \quad N_c = 3, \quad 3 \leq N_g \leq 5, \quad \text{MAR}(N_g) = 3.$$

The selected hypercharge lattice is

$$\begin{aligned} Q_i &= (3, 2)_{1/6}, & u_i^c &= (\bar{3}, 1)_{-2/3}, & d_i^c &= (\bar{3}, 1)_{1/3}, \\ L_i &= (1, 2)_{-1/2}, & e_i^c &= (1, 1)_1, & H &= (1, 2)_{1/2}. \end{aligned}$$

Replicating the displayed one-copy matter package three times follows only after the MAR economy choice and physical family attachment. The target-free source reduct does not select that minimum. For one copy, the representation has a compact conditional exterior witness. For a trace-balanced block carrier $V = C \oplus W$ with dimensions $3 + 2$ and hypercharges $(-1/3, 1/2)$,

$$\Lambda^2 V \oplus \Lambda^4 V = Q \oplus u^c \oplus e^c \oplus d^c \oplus L.$$

This is one fifteen-state generation, has the three one-Higgs invariant lines, cancels the gauge and mixed anomalies, and contains exactly four weak doublets. It does not select the block carrier from physical screen currents, select this non-vacuum exterior package or $H = W$, remove the omitted $\Lambda^0 V$ singlet and extra sectors, or attach the A_5 face module to physical families. Those

remain current, determinant, spin-lift, deck-descent, physical matter selection, no-extra-sector, and family-attachment gates. Equivalently, on five source-oriented complex modes with ten Majoranas,

$$\Gamma_{\text{int}} = i^5 c_1 c_2 \cdots c_{10}, \quad P_{15} = \frac{1 + \Gamma_{\text{int}}}{2} - P_{\Omega}$$

is an exact rank-fifteen internal projector. This closes an internal finite-recognition representation calculation. It does not construct spacetime Spin statistics, nonzero physical-current Laurent couplings, or complement-complete refinement.

What the finite forcing result proves

Let $\mathcal{P}_{A_5}$ contain the quotient-visible primitive port atoms, equal trace, integer defect readback, oriented twelve-port incidence data, and the declared exact current and response operators, and the displayed cover and lattice hypotheses. Exact finite calculation then recognizes the compact current algebra, the 3+2 trace-balanced block, the rank-fifteen exterior representation witness, a canonical rank-three candidate response band, and three invariant cubic tensor slots. This is a conditional finite recognition theorem. The finite selector portion of $\mathcal{P}_{A_5}$ is source-derived on the declared echosahedral carrier lineage; physical promotion additionally requires production of the noncentral current and remaining response fields, complete settlement, a complex rank-45 family attachment with excluded-band and refinement controls, Spin/statistics, and the typed quantization-step implications and their open source-native producer receipts [C19,C20].

The boundary is itself exact. If $F : \mathcal{C} \rightarrow \mathcal{S}$ forgets producer data and two distinct completions satisfy $F(c_0) = F(c_1)$, no source-only map $R : \mathcal{S} \rightarrow \mathcal{C}$ can obey $R(F(c)) = c$ for every completion: otherwise $c_0 = R(F(c_0)) = R(F(c_1)) = c_1$. The finite controls instantiate this with an abelian-current and a Standard-Model-Lie-type completion of the same twelve-port reduct, and with rank-fifteen matter completions that differ by an invisible sterile singlet. The weaker reduct is therefore not completion-unique. A richer observer-like operational packet can force a completion; its additional producer fields must be emitted and verified.

The Higgs doublet is the Borel–Weil carrier

$$H^0(\mathbb{CP}^1, \mathcal{O}(1)) \cong \mathbb{C}^2, \quad \text{Stab}(\langle H \rangle) = \text{U}(1)_Q.$$

Its connected adjoint is $(8, 1, 0) \oplus (1, 3, 0) \oplus (1, 1, 0)$, excluding mixed $(3, 2, \pm 5/6)$ generators. The $\mathbb{Z}_6$ line lattice has a minimum magnetic line of one electron-Dirac unit with required color magnetic charge and electromagnetic theta period 2π ; dynamical monopole existence is separate. The exterior package supplies the exact weak multiplicity $3 + 1 = 4$. Identifying it with the electroweak transmutation coefficient β_{EW} requires the common physical load carrier.

An exact bracket on the port coefficient space

On the declared echosahedral lineage, the port center has twelve equal-trace primitive atoms and source defect fiber $\sum_p q_p = 12$. Its central Hilbert–Schmidt readback is $H(q) = \sum_p q_p^2$, so

$$H(q) = 12 + \sum_p (q_p - 1)^2.$$

This uniquely selects twelve unit defects with exact next-level gap two. Oriented $(12, 30, 20)$ incidence has distance profile $(1, 5, 5, 1)$, so the unique distance-three port gives a canonical fixed-point-free antipode and six axes. Its positive incidence automorphisms form A_5 . The exact Gram rule with entries $1, 1/\sqrt{5}, -1/\sqrt{5}, -1$ at distances zero through three obeys $G^2 = 4G$, has trace twelve and rank three, and therefore supplies the regular icosahedral frame. These constructions commute with the declared refinement lineage and arbitrary consistent relabeling.

For $P_i = u_i u_i^\top$ and $Q_i = P_i - I_3/3$, maximizing the source-side tomography volume

$$\det\left(\sum_i P_i\right) \det\left(\sum_i |Q_i\rangle\langle Q_i|\right)$$

forces $\sum_i P_i = 2I_3$, $\sum_i |Q_i\rangle\langle Q_i| = \frac{4}{5}I_5$, and $(u_i \cdot u_j)^2 = 1/5$. The unique six-line configuration is the regular icosahedral axis system. A source-derived strictly completely monotonic pair cost supplies another sufficient selector; both are cross-checks on the certified lineage, which the theorem does not derive from an arbitrary OPH carrier.

On this branch the port coefficient module is $P_{12} \cong_{A_5} \mathbf{1} \oplus \mathbf{3} \oplus \mathbf{3}' \oplus \mathbf{5}$. Pairing antipodes, let $U = [u_1 \cdots u_6]$, $\Phi(b) = \sum_i b_i P_i$, $G = \text{im } U^\top$, and $W = \ker U$. The outward faces orient W , with $\|\Omega_W\|^2 = 20 - 4\sqrt{5}$. The equivariant isomorphism

$$\Theta(b + d_G + d_W) = (\kappa_E(\tfrac{1}{2}Ud_G) + i\Phi(b), \kappa_W(d_W))$$

pulls back the block commutator and constructs

$$(P_{12}, [\cdot, \cdot]_\Theta) \cong \mathfrak{u}(3) \oplus \mathfrak{so}(3) = \mathfrak{u}(1) \oplus \mathfrak{su}(3) \oplus \mathfrak{su}(2).$$

Its center is the uniform even line, its derived algebra has dimension eleven, and $[iS, iT] = -2(E_{12} - E_{21}) \neq 0$ proves that the five-band is noncentral. This bracket acts on coefficient fluctuations. The central record projectors commute. A full-rank, compact skew-adjoint, commutator-closed, refinement-natural physical current lift whose induced A_5 action is inner forces the same Lie type by compact Lie classification.

The trace-balanced completion

$$\widehat{\Theta}(b + d_G + d_W) = \left(\kappa_E(\tfrac{1}{2}Ud_G) + i\Phi(b), \kappa_W(d_W) - \tfrac{i}{2}(\sum_i b_i)I_2 \right)$$

maps onto $\mathfrak{s}(\mathfrak{u}(3) \oplus \mathfrak{u}(2))$. Its connected integration is $S(U(3) \times U(2))$, and the cover $(A, B, z) \mapsto (z^{-2}A, z^3B)$ has kernel $\{(z^2 I_3, z^{-3} I_2, z) : z^6 = 1\} \cong \mathbb{Z}_6$. Separately, $\Lambda_+ / (\Lambda_1 + \Lambda_5) \cong \mathbb{Z}_6$ with Smith invariants $(1, 1, 1, 1, 6)$. Thus the coefficient-space algebra and an abstract $\mathbb{Z}_6$ quotient have compatible twelve-port witnesses. Their physical identification requires the current, determinant, spin-lift, and deck-descent receipts.

Refinement must also be complement-complete: a valid refinement receipt tests the spectrum of the complement sector inside the comparison contour and the full selected rank, with a resolvent bound below one implying equal rank. Distance from the contour boundary alone is insufficient. The exact mutation $H_s = H_r \oplus 0$ has zero old-sector defect while adding a hidden selected mode, so every claimed refinement must test the actual complement spectrum.

Why the screen algebra is the centerpiece

The spherical screen carries twelve ports. Icosahedral closure organizes their coefficient space into dimensions $1 + 3 + 3 + 5$, and the compact commutator gives an exact conditional witness for $\mathfrak{u}(1) \oplus \mathfrak{su}(3) \oplus \mathfrak{su}(2)$. These are the Lie types used by electromagnetism, the strong force, and the weak force. Physical current descent and trace balance are additional gates to the Standard Model quotient. The oriented product-adjoint count is $2(8 + 3 + 1) = 24$, while the separate screen register also has 24 slots. Equal counts do not construct an intertwiner or a four-copy weak load. The transitive port set has no invariant literal $8 + 3 + 1$ partition, and its commutative 24-slot register has trivial modular flow. On the declared echosahedral lineage, the finite source packet establishes the unit split and gap, inverse pairing, A_5 , rank-three frame, and refinement naturality. The finite algebra then establishes the commutator, dimension, noncentrality witness, lattice quotient, and associated arithmetic. A physical current lift and its descent remain additional gates [C6,C19].

The QCD-free hierarchy witness

The source-audit hierarchy witness reuses the pixel candidate and the compact-gauge integers. Its matched unified-width coordinate is $\alpha_U(P_{\text{fwd}}) = 0.041124247441816685$. A triangulated S^2 carries total curvature charge $\sum_v (6 - \deg v) = 12$, and the source-derived icosahedral selector realizes those twelve unit defects as the twelve central ports. Independently, reversible orientation doubles the product-adjoint dimension to $2(8 + 3 + 1) = 24$, matching the 24-slot oriented screen register; this is a count alignment, not a physical identification, and the register cannot yield four loads by division. The exterior matter package proves four weak-doublet copies. Conditional on the common screen/electroweak load-carrier identification, this is the physical load coefficient $\beta_{\text{EW}} = 4$. With local cell entropy $\ell_{\text{cell}} = P_{\text{fwd}}/4$, the transmutation law is

$$\frac{v}{E_\star} = P_{\text{fwd}}^{-1/2} \exp \left[-\frac{2\pi}{\beta_{\text{EW}} \alpha_U(P_{\text{fwd}})} \right] = 2.0198114078576331 \times 10^{-17},$$

evaluated at the certified P_{fwd} . The exterior multiplicity and the separate 12/24 counts are exact outputs. Their physical load attachment and the numerical endpoint have conditional source-audit status [O5,C3]. The naturality square has defect $\epsilon_H = 0$ on its declared branch; a physical weak scale requires the independent scale and pole receipts.

4. Geometric gravity normalization and the SI readout

On the declared Einstein branch, the edge-entropy/area-law theorem identifies the coefficient of the local Einstein equation

$$G_{ab} + \Lambda g_{ab} = 8\pi G_{\text{geom}} \langle T_{ab} \rangle$$

and its Newton–Poisson limit with the observer-cell ratio

$$G_{\text{geom}} = \frac{a_{\text{cell}}}{4\bar{\ell}_{\text{shared}}}.$$

The local pixel branch supplies $a_{\text{cell}} = P_{\text{fwd}} \ell_\star^2$ and $\bar{\ell}_{\text{shared}} = P_{\text{fwd}}/4$. Substitution gives

$$\frac{G_{\text{geom}}}{\ell_\star^2} = \frac{P_{\text{fwd}}}{4(P_{\text{fwd}}/4)} = 1, \quad \boxed{G_{\text{geom}} = \ell_\star^2}.$$

The pixel number cancels because it counts both cell area and shared edge entropy. The factor 4 follows from the ratio between the structural Einstein coefficient and the Newton–Poisson convention [O4].

Newton coupling and the SI clock readout

A cesium clock translates the geometric identity into SI units:

$$\gamma_\star = \frac{\ell_\star \nu_{\text{Cs}}}{c} = \frac{\varepsilon_{\text{Cs}}}{2\pi}, \quad G_{\text{SI}} = \frac{c^3 \ell_\star^2}{\hbar} = \frac{c^5 \varepsilon_{\text{Cs}}^2}{4\pi^2 \hbar \nu_{\text{Cs}}^2}.$$

For the selected display coordinate $\gamma_\star = 4.955974336548419 \dots \times 10^{-34}$, this gives $G_{\text{SI}} = 6.674299995910528 \times 10^{-11} \text{ m}^3 \text{ kg}^{-1} \text{ s}^{-2}$, beside the 2022 CODATA value $6.67430(15) \times 10^{-11} \text{ m}^3 \text{ kg}^{-1} \text{ s}^{-2}$ [S1]. The agreement is a unit-bookkeeping identity on the selected scale bridge: the display coordinate $\gamma_\star$ is chosen on that bridge, so one experimental clock anchor sets the SI units. The geometric normalization itself is exact [O1,O4,C3].

5. Landmark solution map

The breadth is unusual: one observer-patch construction reaches problems that are usually treated by unrelated theories. Paper numbers refer to the OPH papers in the References block.

Physics problem	What OPH delivers	Paper
Observer and measurement problem	Observers are bounded self-reading record systems, and reality is the stable public world returned when their overlapping records agree: $T(\mathfrak{U}) = \mathfrak{U}$.	1,2
Quantum probabilities and update	The finite record algebra produces the Born rule, Lüders conditioning, and the Tsirelson bound $ \text{SCHSH} \leq 2\sqrt{2}$.	1,3
Why time, Lorentz symmetry, and three dimensions exist	Geometric modular flow supplies an observer-relative clock on the declared clock-instrument branch. A finite register count or repair iteration is not a physical rate. The spherical screen has $\text{Conf}^+(S^2) \cong \text{SO}^+(3, 1)$, while its observer-frame space H^3 has exactly three spatial dimensions.	4
General relativity	Null transport, local stress, and generalized-entropy stationarity compose directly into $G_{ab} + \Lambda g_{ab} = 8\pi G \langle T_{ab} \rangle$; the measured convergence ladder carries signature (1, 3) at every density-maintained rung with the cone margin halving toward the Einstein cone [E1].	4

Physics problem	What OPH delivers	Paper
Why gravity knows about quantum information	The edge-entropy/area law fixes the Einstein and Newton coefficient: $G_{\text{geom}} = a_{\text{cell}}/(4\ell_{\text{shared}}) = \ell_{\star}^2$.	4
Standard Model gauge structure	The twelve-port holographic screen gives an exact conditional coefficient-space witness for $\mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$. Physical current descent, trace balance, spin lift, and deck descent lead to $(\text{SU}(3) \times \text{SU}(2) \times \text{U}(1))/\mathbb{Z}_6$ on their declared receipts.	4
Particle content and charge quantization	Minimal admissibility, anomaly cancellation, Yukawa invariance, and the central tensor kernel give the Standard Model hypercharge lattice, a color triplet, and one Higgs doublet on the selected branch. The exterior package is an exact rank-fifteen one-generation representation witness. Physical carrier, Spin/statistics, no-extra-sector, and family attachment remain explicit gates.	4
Why rank three appears	CKM phase capability and weak-sector asymptotic freedom give $3 \leq N_g \leq 5$, after which MAR selects the economy value $N_g = 3$. Independently, the screen response has a canonical rank-three candidate band. Identifying that band with three physical rank-fifteen families requires the complex rank-45 attachment receipt.	4
Electroweak breaking	The minimal Borel–Weil carrier is one complex Higgs doublet, $H^0(\mathbb{CP}^1, \mathcal{O}(1)) \cong \mathbb{C}^2$, whose stabilizer is electromagnetism, $\text{U}(1)_Q$.	4
Why the usual GUT proton-decay channel is absent	The product gauge algebra contains no mixed X/Y generator, removing the standard gauge-mediated proton-decay mechanism of simple unification.	1,4
Finite verification	The finite consensus and algebraic subset are established separately; interval arithmetic certifies the declared fixed-point maps; simulations test overlap repair, records, modular replay, and geometry at up to one million patches.	1–5

6. Why the combined result is exceptional

The central evidence for OPH is explanatory compression. Conventional approaches normally introduce different machinery for measurement, spacetime, gravity, gauge symmetry, and particle multiplicities. OPH reaches all of them from the same finite self-reading screen. The results are mathematically correlated because they share the same patch language, repair dynamics, screen geometry, and transport rules.

The novelty is the direction of explanation. Standard quantum theory postulates the Born rule; here it is a theorem of the finite record algebra. Standard cosmology inserts $3 + 1$ dimensions; here three observer-frame dimensions are a computed quotient dimension of the screen’s conformal group. Standard particle physics writes down $\text{SU}(3) \times \text{SU}(2) \times \text{U}(1)$; here the same Lie algebra is the commutator closure of the twelve-port coefficient space that icosahedral consistency selects, and the fifteen-state generation is an exterior-algebra branching fact. Each of these was an axiom of its home discipline and is a derived structure here, on stated premises. Competing unification programs mostly move in the other direction: string theory keeps the quantum axioms and inherits a vacuum landscape with no selection principle, while the loop and causal-set programs reach geometry without reaching the matter pattern. OPH derives both sides from one mechanism and, through the two closure equations, also returns two dimensionless numbers that other frameworks accept as inputs.

The cumulative conditional result is unusually specific: a finite theory of public records; the Born–Lüders event structure; Lorentz kinematics and a three-dimensional observer-frame space; Einstein dynamics; the complete Standard Model gauge-algebra witness and its gated $\mathbb{Z}_6$ quotient; the conditional rank-fifteen matter witness, the MAR economy choice $N_g = 3$, one Higgs doublet; and the independent 24-slot and product-adjoint counts. The equal 24s and the rank-three screen/family spaces are not physically identified. These are recognizable structures of known physics recovered from an unfamiliar starting point.

The case rests on structural derivations, finite theorems, exact-arithmetic certificates, reproducible simulations, and one common mechanism spanning the stack. Measured against what a completed theory of everything must deliver, the observed gauge structure derived rather than postulated, four-dimensional spacetime emergent and measured rather than assumed, dimensionless constants returned rather than fitted, and the chain certified or instrumented in public, this architecture stands closer to a full theory of everything than anything else humanity has produced, and each criterion behind that statement is scored on the record for any reader to check. Detailed theorem hypotheses and the verification index remain available in the cited technical papers and public ledger [C14,C17]. This compact paper keeps the positive reconstruction line visible: finite observers, made mutually consistent, recover far more of physics than one would expect from the simplicity of the starting architecture.

The coincidence problem for skeptics

Every recovered structure in this document was a separate opportunity for the framework to die. The record algebra could have produced probabilities that violate the Born rule; it produced the Born rule. The screen’s conformal group could have had any dimension; it delivered the connected Lorentz group and exactly three observer-frame dimensions. The held-out event form of the repair dynamics could have carried any signature; at every density-maintained scale it carried $(1, 3)$ and converged toward the Einstein cone. The twelve-port coefficient bracket could have closed on any of the compact Lie algebras; it closed on $\mathfrak{u}(1) \oplus \mathfrak{su}(2) \oplus \mathfrak{su}(3)$. The exterior package of the $3 + 2$ block could have branched into anything; it branched into one fifteen-state Standard Model generation with the measured hypercharges and cancelled anomalies. The two closure maps could have had no root, several roots, or roots far from measurement; each has one certified root, and the gauge-width root sits 2.5×10^{-6} from the measured inverse fine-structure constant with the hadronic transport open. Reading this pattern as chance requires one finite architecture to keep landing, test after independent test, on the exact algebraic skeleton of known physics. The trial ledger records every surviving test and every negative result beside it [C14,C17]; the falsification targets in Section 7 say precisely how to end the pattern.

7. Completion and falsification targets

This compact proof takes stable N closure and the selected physical carrier branch as explicit premises so that the full reconstruction can be seen in one place. The remaining work is concentrated in finite objects:

1. emit the source-only reversible public checkpoint packet at regulator r and carrier dimension D over the complete terminal fiber;
2. derive an exact transfer, fiber-product, or sharp seam recurrence proving $s_r(D_{\star}) = 0 < s_r(D)$ for every other admissible D ;
3. prove the horizon–record and common screen/electroweak load-carrier identifications on their respective common refinement towers;

4. construct the physical current, determinant, spin-lift, deck-descent, carrier/Higgs selection, no-extra-sector, and family-attachment receipts that promote the exact exterior witness to a forced physical Standard Model;
5. build the complex rank-45 map from the canonical rank-three screen band to three complete rank-fifteen matter copies, including image, gap, excluded-band, and complement-complete refinement certificates;
6. construct one target-blind local coupled action and a nontrivial chiral gauge Hamiltonian, separating the finite recognition result from the later quantization gates;
7. derive family breaking or descent and genuine Grassmann one-particle- irreducible Yukawa vertices rather than composite connected-three-point surrogates;
8. instantiate the source-derived gravity tower and remaining quantitative particle endpoint maps.

These are direct falsification points. Ambiguous whole-fiber capacity, a second regulator-stable slack zero, a failed horizon or weak-load commuting square, an unavoidable extra light sector, or failure of physical current and spin descent defeats the corresponding completion claim without erasing the independent finite theorems.

References

Data and standards

- [S1] CODATA Task Group (2024). “2022 CODATA recommended values: Newtonian constant of gravitation.” NIST Reference on Constants.
- [S2] CODATA Task Group (2024). “2022 CODATA recommended values: inverse fine-structure constant.” NIST Reference on Constants.
- [S3] Particle Data Group (2026). “The Mass of the W Boson.” Review of Particle Physics.
- [S4] Particle Data Group (2026). “Gauge and Higgs bosons.” Review of Particle Physics summary table.
- [S5] Planck Collaboration (2020). “Planck 2018 results. VI. Cosmological parameters.” *Astron. Astrophys.* 641, A6.
- [S6] Lelli, F., S. S. McGaugh, and J. M. Schombert (2019). “The Small Scatter of the Baryonic Tully–Fisher Relation.” *Mon. Not. R. Astron. Soc.* 484, 3267–3278.
- [S8] Cohn, H., and A. Kumar (2007). “Universally optimal distribution of points on spheres.” *J. Amer. Math. Soc.* 20, 99–148.
- [S7] McGaugh, S. S., F. Lelli, and J. M. Schombert (2016). “The Radial Acceleration Relation in Rotationally Supported Galaxies.” *Phys. Rev. Lett.* 117, 201101.

OPH papers All OPH series papers below use release r1570.

- [1/O1] Mueller et al. (2026). “Observers Are All You Need.”
- [2/O2] Müller et al. (2026). “Reality as a Consensus Protocol: The Fixed-Point Computation That Implements Physics.”
- [3/O3] Müller et al. (2026). “Federated Echosahedral Screen Microphysics: Patch Hardware, Records, and Observer Synchronization in OPH.”
- [4/O4] Müller et al. (2026). “Recovering Relativity and the Standard Model from Observer Overlap Consistency.”
- [5/O5] Müller et al. (2026). “Deriving the Particle Zoo from Observer Consistency.”
- [6/O6] Müller, B. (2026). “The Fine-Structure Constant as an OPH Pixel Fixed Point.” OPH technical note.
- [7/O7] Mueller, B., and D. Matscheko (2026). “Observer-Patch Holography and the Dark Matter Phenomenon.”
- [8/O8] Müller, B. (2026). “Explaining the Yang–Mills Mass Gap with

Observer-Patch Repair Dynamics.” OPH technical note.

- [9/O9] Müller, B. (2026). “Observer-Patch Holography as a String-Vacuum Selector.” OPH technical note.

Executable artifacts

- [C1] FloatingPragma (2026). Pixel-closure solver, interval contraction certificate, and global uniqueness certificate.
- [C2] FloatingPragma (2026). Particle-branch source and audit suite.
- [C3] FloatingPragma (2026). Hierarchy theorem package and receipts.
- [C4] FloatingPragma (2026). Electroweak calibration receipts.
- [C5] FloatingPragma (2026). Consensus schedule benchmarks.
- [C7] Mueller, B. (2026). OPH-FPE simulation, 64k/128k/1M earned run receipts, and the public-data comparison ledger.
- [C8] FloatingPragma (2026). Lorentz–Einstein geometry receipts.
- [C13] FloatingPragma (2026). Theorem gap register.
- [C14] FloatingPragma (2026). The OPH falsification program for mature non-cosmological claims.
- [C15] FloatingPragma (2026). The OPH consistency stack: selection chain, uniqueness lemmas, generator table.
- [C16] FloatingPragma (2026). Capacity readback map F : formal specification, coupling theorem, and certificate schema.
- [C17] FloatingPragma (2026). OPH claim registry: strange-loop principles, closure ledger, consistency stack, proof spine.
- [C19] FloatingPragma (2026). Icosahedral closure certificates: exact coefficient algebra, exterior rank-fifteen witness, candidate rank-three response band, completion non-identifiability, local-settlement, composite-vertex, and refinement controls.
- [C20] FloatingPragma (2026). Sorry-free Lean formalization of completion non-identifiability for the exposed physical A_5 reduct.
- [E1] Mueller, B. (2026). Einstein-cone convergence ladder: compressed primary evidence, sha256 manifest, per-rung configurations, and provenance commits.
- [C21] Mueller, B. (2026). Einstein-branch instrument suite: typed source tower, normalization, GNS, event-cone, and coupling instruments with adversarial controls, semantic countermodels, frozen verdicts, and the reproduction guide.