Git Cheat Sheet

Legend <required> [optional]

UPDATE

Get Help! git help [command]

BRANCH

checkout

branch

Merge conflicts Successful branching model

Learn More! http://book.git-scm.com/

COMMIT

commit

http://gitref.org/ http://learn.github.com/ http://help.github.com/ http://progit.org/book/ http://gitready.com/

PUBLISH

push

format-patch

Create

From existing data

cd ~/projects/myproject git init git add

From existing repo

git clone ~/existing/repo ~/new/repo git clone you@host.org:dir/project.git default protocol is ssh

Remote repository for existing local data

mkdir repo.git && cd repo.git git init --bare [--shared=group]

Change

Files changed in working directory

Changes to tracked files

Changes between ID1 and ID2 git diff <ID1> <ID2>

History of changes git log

History of changes with files changed git whatchanged

Who changed what and when in a file git blame <FILE>

A commit identified by ID

A specific file from a specific ID git diff <ID>:<FILE>

All local branches

star "*" marks the current branch

Search for patterns

git grep <PATTERN> [PATH]

Branch/Tag

Switch to the BRANCH branch ait checkout <BRANCH>

Merge branch B1 into branch B2

git checkout <B2> git merge <B1>

Create branch based on HEAD git branch <BRANCH>

Create branch based on another git checkout <NEW> <BASE>

Delete a branch

git branch -d <BRANCH>

Make a version or milestone git tag <VERSION NAME>

git tag -a <VERSION_NAME> -m <MESSAGE> recommended

Delete a tag

git tag <VERSION_NAME>

Revert

Return to the last committed state git checkout -f | git reset --hard

Revert the last commit

git revert HEAD Creates a new commit Revert specific commit

git revert <ID>
Creates a new commit

Fix the last commit

git commit -a --amend after editing the broken files

Checkout the ID version of a file

ait checkout <ID> <FILE>

Rvert git reset --hard

ait refloa git reset HEAD@{<N>}

Update

Fetch latest changes from origin

this does not merge them Pull latest changes from origin

does a fetch followed by a merge

Apply a patch that someone sent you

In case of conflict, resolve the conflict and

Commit

Commit all local changes

git commit

git commit -m '<MESSAGE>'

git commit -a -m '<MESSAGE>'

Changes last commit

git commit --amend

Publish

Prepare a patch for other developpers git format-patch origin

Push changes to origin git push <REMOTE> <BRANCH>

Fetch changes git fetch <REMOTE>

Delete renote branch

git push <REMOTE> :<BRANCH>

git push origin/upstream --tags

List remotes

git [REMOTE] -v

Useful aliases

colored pretty-printed log

hist = log --graph --pretty=format:'%C(cyan)%h%C(reset) -%C(yellow)%d%C(reset) %s %C(green)(%cr) %C(yellow)<%an>%C(reset)' --abbrev-commit --date=relative

apply-gitignore = !git Is-files -ci --exclude-standard -z | xargs -0r git rm --cached

Useful tips

Workflow

CHANGE

using your

favorite editor

BROWSE

status

log

show

diff

branch

Get help!

git help [command]

CREATE

init

clone

Create empty branch

git symbolic-ref HEAD refs/heads/newbranch

rm .git/index

ait clean -fdx

<DO WORK>

git add your files

git commit -m 'Initial commit'

Graphical log

git log --graph

git log --graph --pretty=oneline --abbrev-commit (consider using an alias => see Useful aliasesa)

Push branch to remote

git push <REMOTE> <BRANCH>

Semantic Versioning

git tag <MAJOR.MINOR.PATCH>

major: API changes minor: add functionality patch: bug fixes

View merge conflicts git diff

View merge conflicts against base file git diff --base <FILE>

View merge conflicts against other changes ait diff --theirs <FILE>

REVERT

reset

checkout

revert

View merge conflicts against your changes git diff --ours <FILE>

Discard a conflicting patch

git reset --hard git rebase --skip

After resolving conflicts, merge with git add <CONFLICTING_FILE>

git rebase --continue

Configuration

git config [--global]

global is stored in ~/.gitconfig

user.name <NAME> user.email <EMAIL>

color color.ui auto true/false

github.user <USER> github.token <TOKEN>

pack.threads 0 optimisation diff.renamelimit 0

windows core.autocrif true

editor | core.editor < EDITOR > merge merge.tool <EDITOR>

alias [<aliascommand> = <gitcommandline>

feature branches master branches develop **hotfixes** Hotfix for Only bugfixes v0.2

develop is the default development branch is the default upstream repository origin is the current branch