# **Git Cheat Sheet**

### **Create**

#### From existing data

cd ~/projects/myproject
git init
git add .

#### From existing repo

git clone ~/existing/repo ~/new/repo git clone you@host.org:dir/project.git default protocol is ssh

#### Remote repository for existing local data

mkdir repo.git && cd repo.git git init --bare [--shared=group] see help for info

## **Change**

Files changed in working directory git status

Changes to tracked files git diff

Changes between ID1 and ID2 git diff <ID1> <ID2>

History of changes git log

History of changes with files changed git whatchanged

Who changed what and when in a file git blame <FILE>

A commit identified by ID git show <ID>

A specific file from a specific ID git diff <ID>:<FILE>

All local branches

git branch

star "\*" marks the current branch

Search for patterns

git grep <PATTERN> [PATH]

### **Branch/Tag**

Switch to the BRANCH branch

git checkout <BRANCH>

Merge branch B1 into branch B2 git checkout <B2> git merge <B1>

Create branch based on HEAD
git branch < BRANCH>

Create branch based on another git checkout <NEW> <BASE>

Delete a branch

git branch -d <BRANCH>

Make a version or milestone git tag <VERSION\_NAME>

#### Revert

Return to the last committed state git checkout -f | git reset --hard

Revert the last commit

git revert HEAD Creates a new commit

Revert specific commit

git revert <ID>

Creates a new commit

Fix the last commit

git commit -a --amend after editing the broken files

Checkout the ID version of a file

git checkout <ID> <FILE>

Rvert git reset --hard

git reflog git reset HEAD@{<N>}

## **Update**

Fetch latest changes from origin

this does not merge them

Pull latest changes from origin

does a fetch followed by a merge Apply a patch that someone sent you

git am -3 patch.mbox

In case of conflict, resolve the conflict and

## **Commit**

Commit all local changes

git commit

git commit -m '[MESSAGE]'
git commit -a -m '[MESSAGE]'

Changes last commit

git commit --amend

#### **Publish**

Prepare a patch for other developpers git format-patch origin

Push changes to origin git push [REMOTE] [BRANCH]

Fetch changes git fetch [REMOTE]

Delete renote branch
git push [REMOTE] :[BRANCH]

Publish tags

git push origin/upstream --tags

List remotes git [REMOTE] -v

**master** is the defau

Legend
<required>
[optional]


Get Help!

git help [command]

Learn More!

http://book.git-scm.com/ http://gitref.org/ http://learn.github.com/ http://help.github.com/ http://progit.org/book/ http://gitready.com/

### Workflow



## **Useful tips**

Get help!

git help [command]

Create empty branch

git symbolic-ref HEAD refs/heads/newbranch

rm .git/index

git clean -fdx

<DO WORK>

git add your files

git commit -m 'Initial commit'

Graphical log

git log --graph

git log --graph --pretty=oneline --abbrev-commit

Push branch to remote

git push <REMOTE> <BRANCH>

## Merge conflicts

View merge conflicts git diff

View merge conflicts against base file git diff --base <FILE>

View merge conflicts against other changes

git diff --theirs <FILE>

View merge conflicts against your changes git diff --ours <FILE>

Discard a conflicting patch

git reset --hard

git rebase --skip

8.0.0000

After resolving conflicts, merge with git add <CONFLICTING\_FILE>

git rebase --continue

# Configuration

git config [--global] global is stored in ~/.gitconfig

user.name <NAME>
user.email <EMAIL>

color Color.ui auto true/false

github.user <USER>
github.token <TOKEN>


optimisation pack.threads 0 diff.renamelimit 0

windows **Core.autocrif true** 

editor Core.editor <EDITOR>

merge merge.tool <EDITOR>

## Successful branching model



master is the default development branch
origin is the default upstream repository
HEAD is the current branch