hitung

Execution Environment

Host name	SOLUSINDO - DESKTOP-EPKK6HL
Local OS	Windows 10 64bit
Katalon version	9.5.0.217
Browser	Chrome 127.0.0.0
Device name	

Summary

ID	Test Suites/hitung		
Description			
Total	10		
Passed	7	Failed	3
Error	0	Incomplete	0
Skipped	0		
Start	22-08-2024 17:21:01	End	22-08-2024 17:27:03
Elapsed	6m - 1.745s		

#	ID	Description	Status
1	Test Cases/hitungProperti		PASSED
2	Test Cases/hitungProperti		PASSED
3	Test Cases/hitungProperti		PASSED
4	Test Cases/hitungProperti		FAILED
5	Test Cases/hitungProperti		PASSED
6	Test Cases/hitungProperti		FAILED
7	Test Cases/hitungProperti		PASSED
8	Test Cases/hitungProperti		FAILED
9	Test Cases/hitungProperti		PASSED
10	Test Cases/hitungProperti		PASSED

hitungProperti

Information

ID	Test Cases/hitungProperti		
Description			
Tag			
Start	22-08-2024 17:21:01	End	22-08-2024 17:21:40
Elapsed	38.896s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("https://www.btnproperti.co.id/tools/hitung-harga-properti") Browser is opened with url: 'https://www.btnproperti.co.id/tools/hitung-harga-properti'	6.621s	PASSED
2	maximizeWindow() Current window maximized	0.175s	PASSED
3	setText(findTestObject("hitungHarga/penghasilanTotal"), penghasilan) Text '10000000' is set on object 'Object Repository/hitungHarga/penghasilanTotal'	22.474s	PASSED

hitungProperti

#	Description	Elapsed	Status
4	takeFullPageScreenshot()	1.849s	PASSED

Taking screenshot successfully



#	Description	Elapsed	Status
5	setText(findTestObject("hitungHarga/pengeluaran"), pengeluaran)	1.843s	PASSED

Text '7500000' is set on object 'Object Repository/hitungHarga/pengeluaran'

hitungProperti

#	Description	Elapsed	Status
6	takeFullPageScreenshot() Taking screenshot successfully	0.998s	PASSED
7	selectOptionByValue(findTestObject("hitungHarga/jangkaWaktu"), tahun, false) All options with value '2' are selected in object 'Object Repository/hitungHarga/jangkaWaktu'	0.913s	PASSED
8	value = getAttribute(findTestObject("hitungHarga/selectJangkaWaktu"), "tahun") Attribute 'tahun' of object 'Object Repository/hitungHarga/selectJangkaWaktu' is: 'null'	0.372s	PASSED
9	bulanInt = Integer.valueOf(tahun)	0.007s	PASSED
10	pengeluaranInt = Integer.valueOf(pengeluaran)	0.004s	PASSED



hitungProperti

#	Description	Elapsed	Status
11	penghasilanInt = Integer.valueOf(penghasilan)	0.005s	PASSED
12	if (penghasilanInt <= pengeluaranInt)	0.004s	PASSED
13	else	0.049s	PASSED
14	println(hitung)	0.018s	PASSED
15	scrollToElement(findTestObject("hitungHarga/pengeluaran"), 0) Scroll to object 'Object Repository/hitungHarga/pengeluaran' successfully	0.337s	PASSED
16	verifyElementClickable(findTestObject("hitungHarga/buttonHitung")) Object 'Object Repository/hitungHarga/buttonHitung' is clickable	0.353s	PASSED
17	click(findTestObject("hitungHarga/buttonHitung")) Object: 'Object Repository/hitungHarga/buttonHitung' is clicked on	0.415s	PASSED

hitungProperti

#	Description	Elapsed	Status
18	takeFullPageScreenshot() Taking screenshot successfully	0.912s	PASSED
19	harga = getText(findTestObject("hitungHarga/harga")) Text of object 'Object Repository/hitungHarga/harga' is: 'Rp 20.000.000'	0.358s	PASSED
20	harga = replace("Rp ", "").replace(".", "")	0.010s	PASSED
21	hargaInt = Integer.valueOf(harga)	0.003s	PASSED
22	println(hargaInt)	0.004s	PASSED



hitungProperti

#	Description	Elapsed	Status
23	assert hitung == hargaInt	0.006s	PASSED
24	closeBrowser() Browser is closed	0.352s	PASSED

hitungProperti

Information

ID	Test Cases/hitungProperti		
Description			
Tag			
Start	22-08-2024 17:21:40	End	22-08-2024 17:22:19
Elapsed	38.594s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("https://www.btnproperti.co.id/tools/hitung-harga-properti") Browser is opened with url: 'https://www.btnproperti.co.id/tools/hitung-harga-properti'	3.870s	PASSED
2	maximizeWindow() Current window maximized	0.126s	PASSED
3	setText(findTestObject("hitungHarga/penghasilanTotal"), penghasilan) Text '7500000' is set on object 'Object Repository/hitungHarga/penghasilanTotal'	23.037s	PASSED

hitungProperti

#	Description	Elapsed	Status
4	takeFullPageScreenshot()	1.211s	PASSED

Taking screenshot successfully



5	setText(findTestObject("hitungHarga/pengeluaran"), pengeluaran)	4.976s	PASSED

Text '5000000' is set on object 'Object Repository/hitungHarga/pengeluaran'

hitungProperti

#	Description	Elapsed	Status
6	takeFullPageScreenshot() Taking screenshot successfully	1.309s	PASSED
7	selectOptionByValue(findTestObject("hitungHarga/jangkaWaktu"), tahun, false) All options with value '4' are selected in object 'Object Repository/hitungHarga/jangkaWaktu'	0.724s	PASSED
8	value = getAttribute(findTestObject("hitungHarga/selectJangkaWaktu"), "tahun") Attribute 'tahun' of object 'Object Repository/hitungHarga/selectJangkaWaktu' is: 'null'	0.303s	PASSED
9	bulanInt = Integer.valueOf(tahun)	0.001s	PASSED
10	pengeluaranInt = Integer.valueOf(pengeluaran)	0.001s	PASSED



hitungProperti

#	Description	Elapsed	Status
11	penghasilanInt = Integer.valueOf(penghasilan)	0.002s	PASSED
12	if (penghasilanInt <= pengeluaranInt)	0.001s	PASSED
13	else	0.004s	PASSED
14	println(hitung)	0.001s	PASSED
15	scrollToElement(findTestObject("hitungHarga/pengeluaran"), 0) Scroll to object 'Object Repository/hitungHarga/pengeluaran' successfully	0.307s	PASSED
16	verifyElementClickable(findTestObject("hitungHarga/buttonHitung")) Object 'Object Repository/hitungHarga/buttonHitung' is clickable	0.322s	PASSED
17	click(findTestObject("hitungHarga/buttonHitung")) Object: 'Object Repository/hitungHarga/buttonHitung' is clicked on	0.388s	PASSED

hitungProperti

#	Description	Elapsed	Status
18	takeFullPageScreenshot() Taking screenshot successfully	1.310s	PASSED
19	harga = getText(findTestObject("hitungHarga/harga")) Text of object 'Object Repository/hitungHarga/harga' is: 'Rp 40.000.000'	0.303s	PASSED
20	harga = replace("Rp ", "").replace(".", "")	0.001s	PASSED
21	hargaInt = Integer.valueOf(harga)	0.002s	PASSED
22	println(hargaInt)	0.001s	PASSED



hitungProperti

#	Description	Elapsed	Status
23	assert hitung == hargaInt	0.001s	PASSED
24	closeBrowser() Browser is closed	0.328s	PASSED

hitungProperti

Information

ID	Test Cases/hitungProperti		
Description			
Tag			
Start	22-08-2024 17:22:19	End	22-08-2024 17:22:54
Elapsed	35.246s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("https://www.btnproperti.co.id/tools/hitung-harga-properti") Browser is opened with url: 'https://www.btnproperti.co.id/tools/hitung-harga-properti'	3.783s	PASSED
2	maximizeWindow() Current window maximized	0.097s	PASSED
3	setText(findTestObject("hitungHarga/penghasilanTotal"), penghasilan) Text '8000000' is set on object 'Object Repository/hitungHarga/penghasilanTotal'	21.964s	PASSED

hitungProperti

#	Description	Elapsed	Status
4	takeFullPageScreenshot()	1.215s	PASSED

Taking screenshot successfully



#	Description	Elapsed	Status
5	setText(findTestObject("hitungHarga/pengeluaran"), pengeluaran)	2.885s	PASSED

Text '5500000' is set on object 'Object Repository/hitungHarga/pengeluaran'

hitungProperti

#	Description	Elapsed	Status
6	takeFullPageScreenshot() Taking screenshot successfully	1.020s	PASSED
7	selectOptionByValue(findTestObject("hitungHarga/jangkaWaktu"), tahun, false) All options with value '3' are selected in object 'Object Repository/hitungHarga/jangkaWaktu'	0.791s	PASSED
8	value = getAttribute(findTestObject("hitungHarga/selectJangkaWaktu"), "tahun") Attribute 'tahun' of object 'Object Repository/hitungHarga/selectJangkaWaktu' is: 'null'	0.470s	PASSED
9	bulanInt = Integer.valueOf(tahun)	0.001s	PASSED
10	pengeluaranInt = Integer.valueOf(pengeluaran)	0.001s	PASSED



hitungProperti

#	Description	Elapsed	Status
11	penghasilanInt = Integer.valueOf(penghasilan)	0.001s	PASSED
12	if (penghasilanInt <= pengeluaranInt)	0.000s	PASSED
13	else	0.003s	PASSED
14	println(hitung)	0.001s	PASSED
15	scrollToElement(findTestObject("hitungHarga/pengeluaran"), 0) Scroll to object 'Object Repository/hitungHarga/pengeluaran' successfully	0.292s	PASSED
16	verifyElementClickable(findTestObject("hitungHarga/buttonHitung")) Object 'Object Repository/hitungHarga/buttonHitung' is clickable	0.299s	PASSED
17	click(findTestObject("hitungHarga/buttonHitung")) Object: 'Object Repository/hitungHarga/buttonHitung' is clicked on	0.388s	PASSED

hitungProperti

#	Description	Elapsed	Status
18	takeFullPageScreenshot() Taking screenshot successfully 	1.222s	PASSED
19	harga = getText(findTestObject("hitungHarga/harga")) Text of object 'Object Repository/hitungHarga/harga' is: 'Rp 30.000.000'	0.496s	PASSED
20	harga = replace("Rp ", "").replace(".", "")	0.001s	PASSED
21	hargaInt = Integer.valueOf(harga)	0.001s	PASSED
22	println(hargaInt)	0.001s	PASSED

hitungProperti

#	Description	Elapsed	Status
23	assert hitung == hargaInt	0.001s	PASSED
24	closeBrowser() Browser is closed	0.268s	PASSED

hitungProperti

Information

ID	Test Cases/hitungProperti		
Description			
Tag			
Start	22-08-2024 17:22:54	End	22-08-2024 17:23:28
Elapsed	33.987s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("https://www.btnproperti.co.id/tools/hitung-harga-properti") Browser is opened with url: 'https://www.btnproperti.co.id/tools/hitung-harga-properti'	4.205s	PASSED
2	maximizeWindow() Current window maximized	0.203s	PASSED
3	setText(findTestObject("hitungHarga/penghasilanTotal"), penghasilan) Text '6000000' is set on object 'Object Repository/hitungHarga/penghasilanTotal'	22.180s	PASSED

hitungProperti

#	Description	Elapsed	Status
4	takeFullPageScreenshot()	1.319s	PASSED

Taking screenshot successfully



5	setText(findTestObject("hitungHarga/pengeluaran"), pengeluaran)	1.053s	PASSED

Text '7500000' is set on object 'Object Repository/hitungHarga/pengeluaran'

hitungProperti

#	Description	Elapsed	Status
6	takeFullPageScreenshot() Taking screenshot successfully	0.986s	PASSED
7	selectOptionByValue(findTestObject("hitungHarga/jangkaWaktu"), tahun, false) All options with value '5' are selected in object 'Object Repository/hitungHarga/jangkaWaktu'	1.991s	PASSED
8	value = getAttribute(findTestObject("hitungHarga/selectJangkaWaktu"), "tahun") Attribute 'tahun' of object 'Object Repository/hitungHarga/selectJangkaWaktu' is: 'null'	0.336s	PASSED
9	bulanInt = Integer.valueOf(tahun)	0.002s	PASSED
10	pengeluaranInt = Integer.valueOf(pengeluaran)	0.002s	PASSED



hitungProperti

#	Description	Elapsed	Status
11	penghasilanInt = Integer.valueOf(penghasilan)	0.001s	PASSED
12	if (penghasilanInt <= pengeluaranInt)	0.667s	PASSED
13	println(hitung)	0.004s	PASSED
14	scrollToElement(findTestObject("hitungHarga/pengeluaran"), 0) Scroll to object 'Object Repository/hitungHarga/pengeluaran' successfully	0.311s	PASSED

hitungProperti

#	Description	Elapsed	Status
15	verifyElementClickable(findTestObject("hitungHarga/buttonHitung"))	0.682s	FAILED

Unable to verify object 'Object Repository/hitungHarga/buttonHitung' to be clickable (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/hitungHarga/buttonHitung' to be clickable
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementClickableKeyword. verifyElementClickable(VerifyElementClickableKeyword.groovy:96)
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementClickableKeyword. execute(VerifyElementClickableKeyword.groovy:67)
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementClickable(WebUiBuiltInKeywords.groovy:605)
at hitungProperti.run(hitungProperti:53)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150)
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
at TempTestSuite1724322053554.run(TempTestSuite1724322053554.groovy:35)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: Object 'Object Repository/hitungHarga/buttonHitung' is NOT clickable
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.builtin. VerifyElementClickableKeyword$_verifyElementClickable_closure1.doCall (VerifyElementClickableKeyword.groovy:83)
at com.kms.katalon.core.webui.keyword.builtin. VerifyElementClickableKeyword$_verifyElementClickable_closure1.call (VerifyElementClickableKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

hitungProperti

#	Description	Elapsed	Status

... 20 more

)



hitungProperti

Information

ID	Test Cases/hitungProperti		
Description			
Tag			
Start	22-08-2024 17:23:28	End	22-08-2024 17:24:04
Elapsed	35.670s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("https://www.btnproperti.co.id/tools/hitung-harga-properti") Browser is opened with url: 'https://www.btnproperti.co.id/tools/hitung-harga-properti'	4.115s	PASSED
2	maximizeWindow() Current window maximized	0.115s	PASSED
3	setText(findTestObject("hitungHarga/penghasilanTotal"), penghasilan) Text '6000000' is set on object 'Object Repository/hitungHarga/penghasilanTotal'	22.280s	PASSED

hitungProperti

#	Description	Elapsed	Status
4	takeFullPageScreenshot()	1.310s	PASSED

Taking screenshot successfully



#	Description	Elapsed	Status
5	setText(findTestObject("hitungHarga/pengeluaran"), pengeluaran)	2.928s	PASSED

Text '3000000' is set on object 'Object Repository/hitungHarga/pengeluaran'

hitungProperti

#	Description	Elapsed	Status
6	takeFullPageScreenshot() Taking screenshot successfully	0.953s	PASSED
7	selectOptionByValue(findTestObject("hitungHarga/jangkaWaktu"), tahun, false) All options with value '5' are selected in object 'Object Repository/hitungHarga/jangkaWaktu'	0.786s	PASSED
8	value = getAttribute(findTestObject("hitungHarga/selectJangkaWaktu"), "tahun") Attribute 'tahun' of object 'Object Repository/hitungHarga/selectJangkaWaktu' is: 'null'	0.300s	PASSED
9	bulanInt = Integer.valueOf(tahun)	0.001s	PASSED
10	pengeluaranInt = Integer.valueOf(pengeluaran)	0.000s	PASSED



hitungProperti

#	Description	Elapsed	Status
11	penghasilanInt = Integer.valueOf(penghasilan)	0.001s	PASSED
12	if (penghasilanInt <= pengeluaranInt)	0.001s	PASSED
13	else	0.002s	PASSED
14	println(hitung)	0.001s	PASSED
15	scrollToElement(findTestObject("hitungHarga/pengeluaran"), 0) Scroll to object 'Object Repository/hitungHarga/pengeluaran' successfully	0.368s	PASSED
16	verifyElementClickable(findTestObject("hitungHarga/buttonHitung")) Object 'Object Repository/hitungHarga/buttonHitung' is clickable	0.394s	PASSED
17	click(findTestObject("hitungHarga/buttonHitung")) Object: 'Object Repository/hitungHarga/buttonHitung' is clicked on	0.369s	PASSED

hitungProperti

#	Description	Elapsed	Status
18	takeFullPageScreenshot() Taking screenshot successfully  	0.988s	PASSED
19	harga = getText(findTestObject("hitungHarga/harga")) Text of object 'Object Repository/hitungHarga/harga' is: 'Rp 60.000.000'	0.315s	PASSED
20	harga = replace("Rp ", "").replace(".", "")	0.002s	PASSED
21	hargaInt = Integer.valueOf(harga)	0.002s	PASSED
22	println(hargaInt)	0.002s	PASSED

hitungProperti

#	Description	Elapsed	Status
23	assert hitung == hargaInt	0.001s	PASSED
24	closeBrowser() Browser is closed	0.367s	PASSED

hitungProperti

Information

ID	Test Cases/hitungProperti		
Description			
Tag			
Start	22-08-2024 17:24:04	End	22-08-2024 17:24:38
Elapsed	33.691s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("https://www.btnproperti.co.id/tools/hitung-harga-properti") Browser is opened with url: 'https://www.btnproperti.co.id/tools/hitung-harga-properti'	4.057s	PASSED
2	maximizeWindow() Current window maximized	0.198s	PASSED
3	setText(findTestObject("hitungHarga/penghasilanTotal"), penghasilan) Text '8000000' is set on object 'Object Repository/hitungHarga/penghasilanTotal'	22.508s	PASSED

hitungProperti

#	Description	Elapsed	Status
4	takeFullPageScreenshot()	1.155s	PASSED

Taking screenshot successfully



#	Description	Elapsed	Status
5	setText(findTestObject("hitungHarga/pengeluaran"), pengeluaran)	1.988s	PASSED

Text '10000000' is set on object 'Object Repository/hitungHarga/pengeluaran'

hitungProperti

#	Description	Elapsed	Status
6	takeFullPageScreenshot() Taking screenshot successfully	1.052s	PASSED
7	selectOptionByValue(findTestObject("hitungHarga/jangkaWaktu"), tahun, false) All options with value '6' are selected in object 'Object Repository/hitungHarga/jangkaWaktu'	0.928s	PASSED
8	value = getAttribute(findTestObject("hitungHarga/selectJangkaWaktu"), "tahun") Attribute 'tahun' of object 'Object Repository/hitungHarga/selectJangkaWaktu' is: 'null'	0.368s	PASSED
9	bulanInt = Integer.valueOf(tahun)	0.001s	PASSED
10	pengeluaranInt = Integer.valueOf(pengeluaran)	0.001s	PASSED



hitungProperti

#	Description	Elapsed	Status
11	penghasilanInt = Integer.valueOf(penghasilan)	0.001s	PASSED
12	if (penghasilanInt <= pengeluaranInt)	0.336s	PASSED
13	println(hitung)	0.001s	PASSED
14	scrollToElement(findTestObject("hitungHarga/pengeluaran"), 0) Scroll to object 'Object Repository/hitungHarga/pengeluaran' successfully	0.379s	PASSED

hitungProperti

#	Description	Elapsed	Status
15	verifyElementClickable(findTestObject("hitungHarga/buttonHitung"))	0.680s	FAILED

Unable to verify object 'Object Repository/hitungHarga/buttonHitung' to be clickable (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/hitungHarga/buttonHitung' to be clickable
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementClickableKeyword. verifyElementClickable(VerifyElementClickableKeyword.groovy:96)
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementClickableKeyword. execute(VerifyElementClickableKeyword.groovy:67)
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementClickable(WebUiBuiltInKeywords.groovy:605)
at hitungProperti.run(hitungProperti:53)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150)
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
at TempTestSuite1724322053554.run(TempTestSuite1724322053554.groovy:35)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: Object 'Object Repository/hitungHarga/buttonHitung' is NOT clickable
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.builtin. VerifyElementClickableKeyword$_verifyElementClickable_closure1.doCall (VerifyElementClickableKeyword.groovy:83)
at com.kms.katalon.core.webui.keyword.builtin. VerifyElementClickableKeyword$_verifyElementClickable_closure1.call (VerifyElementClickableKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

hitungProperti

#	Description	Elapsed	Status

... 20 more

)



hitungProperti

Information

ID	Test Cases/hitungProperti		
Description			
Tag			
Start	22-08-2024 17:24:38	End	22-08-2024 17:25:14
Elapsed	36.241s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("https://www.btnproperti.co.id/tools/hitung-harga-properti") Browser is opened with url: 'https://www.btnproperti.co.id/tools/hitung-harga-properti'	4.959s	PASSED
2	maximizeWindow() Current window maximized	0.112s	PASSED
3	setText(findTestObject("hitungHarga/penghasilanTotal"), penghasilan) Text '7500000' is set on object 'Object Repository/hitungHarga/penghasilanTotal'	22.381s	PASSED

hitungProperti

#	Description	Elapsed	Status
4	takeFullPageScreenshot()	1.288s	PASSED

Taking screenshot successfully



5	setText(findTestObject("hitungHarga/pengeluaran"), pengeluaran)	1.821s	PASSED

Text '6000000' is set on object 'Object Repository/hitungHarga/pengeluaran'

hitungProperti

#	Description	Elapsed	Status
6	takeFullPageScreenshot() Taking screenshot successfully	0.955s	PASSED
7	selectOptionByValue(findTestObject("hitungHarga/jangkaWaktu"), tahun, false) All options with value '3' are selected in object 'Object Repository/hitungHarga/jangkaWaktu'	1.171s	PASSED
8	value = getAttribute(findTestObject("hitungHarga/selectJangkaWaktu"), "tahun") Attribute 'tahun' of object 'Object Repository/hitungHarga/selectJangkaWaktu' is: 'null'	0.439s	PASSED
9	bulanInt = Integer.valueOf(tahun)	0.002s	PASSED
10	pengeluaranInt = Integer.valueOf(pengeluaran)	0.001s	PASSED



hitungProperti

#	Description	Elapsed	Status
11	penghasilanInt = Integer.valueOf(penghasilan)	0.001s	PASSED
12	if (penghasilanInt <= pengeluaranInt)	0.003s	PASSED
13	else	0.007s	PASSED
14	println(hitung)	0.003s	PASSED
15	scrollToElement(findTestObject("hitungHarga/pengeluaran"), 0) Scroll to object 'Object Repository/hitungHarga/pengeluaran' successfully	0.322s	PASSED
16	verifyElementClickable(findTestObject("hitungHarga/buttonHitung")) Object 'Object Repository/hitungHarga/buttonHitung' is clickable	0.299s	PASSED
17	click(findTestObject("hitungHarga/buttonHitung")) Object: 'Object Repository/hitungHarga/buttonHitung' is clicked on	0.395s	PASSED

hitungProperti

#	Description	Elapsed	Status
18	takeFullPageScreenshot() Taking screenshot successfully 	0.938s	PASSED
19	harga = getText(findTestObject("hitungHarga/harga")) Text of object 'Object Repository/hitungHarga/harga' is: 'Rp 18.000.000'	0.752s	PASSED
20	harga = replace("Rp ", "").replace(".", "")	0.000s	PASSED
21	hargaInt = Integer.valueOf(harga)	0.000s	PASSED
22	println(hargaInt)	0.001s	PASSED

hitungProperti

#	Description	Elapsed	Status
23	assert hitung == hargaInt	0.001s	PASSED
24	closeBrowser() Browser is closed	0.326s	PASSED

hitungProperti

Information

ID	Test Cases/hitungProperti		
Description			
Tag			
Start	22-08-2024 17:25:14	End	22-08-2024 17:25:50
Elapsed	35.521s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("https://www.btnproperti.co.id/tools/hitung-harga-properti") Browser is opened with url: 'https://www.btnproperti.co.id/tools/hitung-harga-properti'	4.181s	PASSED
2	maximizeWindow() Current window maximized	0.141s	PASSED
3	setText(findTestObject("hitungHarga/penghasilanTotal"), penghasilan) Text '6000000' is set on object 'Object Repository/hitungHarga/penghasilanTotal'	22.376s	PASSED

hitungProperti

#	Description	Elapsed	Status
4	takeFullPageScreenshot()	1.309s	PASSED

Taking screenshot successfully



#	Description	Elapsed	Status
5	setText(findTestObject("hitungHarga/pengeluaran"), pengeluaran)	4.101s	PASSED

Text '6000000' is set on object 'Object Repository/hitungHarga/pengeluaran'

hitungProperti

#	Description	Elapsed	Status
6	takeFullPageScreenshot() Taking screenshot successfully	0.869s	PASSED
7	selectOptionByValue(findTestObject("hitungHarga/jangkaWaktu"), tahun, false) All options with value '4' are selected in object 'Object Repository/hitungHarga/jangkaWaktu'	0.824s	PASSED
8	value = getAttribute(findTestObject("hitungHarga/selectJangkaWaktu"), "tahun") Attribute 'tahun' of object 'Object Repository/hitungHarga/selectJangkaWaktu' is: 'null'	0.312s	PASSED
9	bulanInt = Integer.valueOf(tahun)	0.002s	PASSED
10	pengeluaranInt = Integer.valueOf(pengeluaran)	0.000s	PASSED



hitungProperti

#	Description	Elapsed	Status
11	penghasilanInt = Integer.valueOf(penghasilan)	0.001s	PASSED
12	if (penghasilanInt <= pengeluaranInt)	0.315s	PASSED
13	println(hitung)	0.001s	PASSED
14	scrollToElement(findTestObject("hitungHarga/pengeluaran"), 0) Scroll to object 'Object Repository/hitungHarga/pengeluaran' successfully	0.337s	PASSED

hitungProperti

#	Description	Elapsed	Status
15	verifyElementClickable(findTestObject("hitungHarga/buttonHitung"))	0.709s	FAILED

Unable to verify object 'Object Repository/hitungHarga/buttonHitung' to be clickable (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/hitungHarga/buttonHitung' to be clickable
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementClickableKeyword. verifyElementClickable(VerifyElementClickableKeyword.groovy:96)
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementClickableKeyword. execute(VerifyElementClickableKeyword.groovy:67)
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementClickable(WebUiBuiltInKeywords.groovy:605)
at hitungProperti.run(hitungProperti:53)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150)
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
at TempTestSuite1724322053554.run(TempTestSuite1724322053554.groovy:35)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: Object 'Object Repository/hitungHarga/buttonHitung' is NOT clickable
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.builtin. VerifyElementClickableKeyword$_verifyElementClickable_closure1.doCall (VerifyElementClickableKeyword.groovy:83)
at com.kms.katalon.core.webui.keyword.builtin. VerifyElementClickableKeyword$_verifyElementClickable_closure1.call (VerifyElementClickableKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

hitungProperti

#	Description	Elapsed	Status

... 20 more

)



hitungProperti

Information

ID	Test Cases/hitungProperti		
Description			
Tag			
Start	22-08-2024 17:25:50	End	22-08-2024 17:26:26
Elapsed	36.410s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("https://www.btnproperti.co.id/tools/hitung-harga-properti") Browser is opened with url: 'https://www.btnproperti.co.id/tools/hitung-harga-properti'	4.747s	PASSED
2	maximizeWindow() Current window maximized	0.109s	PASSED
3	setText(findTestObject("hitungHarga/penghasilanTotal"), penghasilan) Text '9000000' is set on object 'Object Repository/hitungHarga/penghasilanTotal'	21.900s	PASSED

hitungProperti

#	Description	Elapsed	Status
4	takeFullPageScreenshot()	1.239s	PASSED

Taking screenshot successfully



#	Description	Elapsed	Status
5	setText(findTestObject("hitungHarga/pengeluaran"), pengeluaran)	2.996s	PASSED

Text '6000000' is set on object 'Object Repository/hitungHarga/pengeluaran'

hitungProperti

#	Description	Elapsed	Status
6	takeFullPageScreenshot() Taking screenshot successfully	1.175s	PASSED
7	selectOptionByValue(findTestObject("hitungHarga/jangkaWaktu"), tahun, false) All options with value '3' are selected in object 'Object Repository/hitungHarga/jangkaWaktu'	0.845s	PASSED
8	value = getAttribute(findTestObject("hitungHarga/selectJangkaWaktu"), "tahun") Attribute 'tahun' of object 'Object Repository/hitungHarga/selectJangkaWaktu' is: 'null'	0.342s	PASSED
9	bulanInt = Integer.valueOf(tahun)	0.001s	PASSED
10	pengeluaranInt = Integer.valueOf(pengeluaran)	0.001s	PASSED



hitungProperti

#	Description	Elapsed	Status
11	penghasilanInt = Integer.valueOf(penghasilan)	0.000s	PASSED
12	if (penghasilanInt <= pengeluaranInt)	0.001s	PASSED
13	else	0.002s	PASSED
14	println(hitung)	0.001s	PASSED
15	scrollToElement(findTestObject("hitungHarga/pengeluaran"), 0) Scroll to object 'Object Repository/hitungHarga/pengeluaran' successfully	0.301s	PASSED
16	verifyElementClickable(findTestObject("hitungHarga/buttonHitung")) Object 'Object Repository/hitungHarga/buttonHitung' is clickable	0.326s	PASSED
17	click(findTestObject("hitungHarga/buttonHitung")) Object: 'Object Repository/hitungHarga/buttonHitung' is clicked on	0.378s	PASSED

hitungProperti

#	Description	Elapsed	Status
18	takeFullPageScreenshot() Taking screenshot successfully  	0.941s	PASSED
19	harga = getText(findTestObject("hitungHarga/harga")) Text of object 'Object Repository/hitungHarga/harga' is: 'Rp 36.000.000'	0.745s	PASSED
20	harga = replace("Rp ", "").replace(".", "")	0.001s	PASSED
21	hargaInt = Integer.valueOf(harga)	0.001s	PASSED
22	println(hargaInt)	0.001s	PASSED

hitungProperti

#	Description	Elapsed	Status
23	assert hitung == hargaInt	0.001s	PASSED
24	closeBrowser() Browser is closed	0.304s	PASSED

hitungProperti

Information

ID	Test Cases/hitungProperti		
Description			
Tag			
Start	22-08-2024 17:26:26	End	22-08-2024 17:27:03
Elapsed	36.693s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("https://www.btnproperti.co.id/tools/hitung-harga-properti") Browser is opened with url: 'https://www.btnproperti.co.id/tools/hitung-harga-properti'	4.455s	PASSED
2	maximizeWindow() Current window maximized	0.164s	PASSED
3	setText(findTestObject("hitungHarga/penghasilanTotal"), penghasilan) Text '2500000' is set on object 'Object Repository/hitungHarga/penghasilanTotal'	22.120s	PASSED

hitungProperti

#	Description	Elapsed	Status
4	takeFullPageScreenshot()	1.170s	PASSED

Taking screenshot successfully



#	Description	Elapsed	Status
5	setText(findTestObject("hitungHarga/pengeluaran"), pengeluaran)	3.036s	PASSED

Text '500000' is set on object 'Object Repository/hitungHarga/pengeluaran'

hitungProperti

#	Description	Elapsed	Status
6	takeFullPageScreenshot() Taking screenshot successfully	1.188s	PASSED
7	selectOptionByValue(findTestObject("hitungHarga/jangkaWaktu"), tahun, false) All options with value '2' are selected in object 'Object Repository/hitungHarga/jangkaWaktu'	0.653s	PASSED
8	value = getAttribute(findTestObject("hitungHarga/selectJangkaWaktu"), "tahun") Attribute 'tahun' of object 'Object Repository/hitungHarga/selectJangkaWaktu' is: 'null'	0.281s	PASSED
9	bulanInt = Integer.valueOf(tahun)	0.000s	PASSED
10	pengeluaranInt = Integer.valueOf(pengeluaran)	0.000s	PASSED



hitungProperti

#	Description	Elapsed	Status
11	penghasilanInt = Integer.valueOf(penghasilan)	0.001s	PASSED
12	if (penghasilanInt <= pengeluaranInt)	0.001s	PASSED
13	else	0.001s	PASSED
14	println(hitung)	0.000s	PASSED
15	scrollToElement(findTestObject("hitungHarga/pengeluaran"), 0) Scroll to object 'Object Repository/hitungHarga/pengeluaran' successfully	0.297s	PASSED
16	verifyElementClickable(findTestObject("hitungHarga/buttonHitung")) Object 'Object Repository/hitungHarga/buttonHitung' is clickable	0.311s	PASSED
17	click(findTestObject("hitungHarga/buttonHitung")) Object: 'Object Repository/hitungHarga/buttonHitung' is clicked on	0.504s	PASSED

hitungProperti

#	Description	Elapsed	Status
18	takeFullPageScreenshot() Taking screenshot successfully 	0.937s	PASSED
19	harga = getText(findTestObject("hitungHarga/harga")) Text of object 'Object Repository/hitungHarga/harga' is: 'Rp 16.000.000'	1.238s	PASSED
20	harga = replace("Rp ", "").replace(".", "")	0.002s	PASSED
21	hargaInt = Integer.valueOf(harga)	0.000s	PASSED
22	println(hargaInt)	0.001s	PASSED

hitungProperti

#	Description	Elapsed	Status
23	assert hitung == hargaInt	0.001s	PASSED
24	closeBrowser() Browser is closed	0.301s	PASSED