

National University of Computer & Emerging Sciences, Karachi Fall-2022 FAST School of Computing Midterm-2



31st October 2022, 10:00 am - 11:00am

Course Code:CS1002 Course Name: Programming Fundamentals

Instructor Name: Mr. M. Shahzad, Dr. Farooque, Dr. Muhammad Farrukh Shahid, Dr. M. Usama,

Mr. Shahbaz, Mr. Musawar, Ms. Atiya, Ms. Aqsa, Ms. Sumaiyah

Student Roll No: Section:

Instructions:

- Return the guestion paper and make sure to keep it inside your answer sheet.
- Read each question completely before answering it. There are three questions and two pages (front plus back).
- In case of any ambiguity, you may make assumption. However, your assumption should not contradict any statement in the question paper.
- Do not write anything on the question paper (except your ID and group).

Total Time: 1 Hour Max Points: 60

Question#1: Give the output when these programs are executed: mins]

[12 points, CLO3, 15

```
1.
   #include <stdio.h>
                                                                   #include <stdio.h>
   void main()
                                                                   int main()
   \{ \text{ int data} [] = \{-2, 45, 0, 11, -9\}, i; \}
                                                                   {
         for ( i=0; i <6; i++) {
                                                                      char str[]="PFMIDII";
              if (data[i] > data[i + 1]) {
                                                                        int i:
               int temp = data[i];
                                                                      for(i = 0; str[i] != '\0'; i++)
                data[i] = data[i + 1];
                data[i + 1] = temp;
                                                                        str[i]=str[i]+i;
                                                                        printf("%c", str[i]);
              }
      for (i = 0; i < 5; i++) {
                                                                   }
            printf("%d ", data[i]);
   }
3.
   #include <stdio.h>
                                                                   #include <stdio.h>
   int main()
                                                                   int main()
   { int i=0, j=0;
                                                                   { int i=1, j=0;
      do
                                                                      do
        while(j < 3)
                                                                       for(j='A'; j<='E'; j+=i)
        printf("%d", j);
                                                                          printf("%c",j);
        j++;
                                                                          j++;
        printf("%d\n", ++i);
                                                                         printf("\n");
      while(++i < 6);
                                                                      while(i< 4);
      return 0;
                                                                      return 0;
   }
                                                                   }
```

Question#2: [16 points, CLO2, 20

mins]

Scenario: Deoxyribonucleic acid (DNA) is an information carrier in humans' cells that helps in the development and functioning of an organism. The information in DNA is stored as a code made up of four chemical bases (letters) or nucleotides: adenine (A), guanine (G), cytosine (C), and thymine (T). Human DNA consists of about 3 billion bases, and more than 99 percent of those bases are the same in all people. The meaning of the DNA code lies in the sequence of these nucleotides' letters i.e. A, G, C & T.

Task:

Read a long DNA sequence up to 20 nucleotides and display a histogram of each letter by printing number of "* against each letter.

Sample Input: Sample Output: AGCTTACATATTACGAGTTG A: * * * * * *

G: * * * * C: * * * T: * * * * * *

Question#3: [32 points, CLO2, 25 mins]

Write a program for new red line bus service where we want to keep track of daily ticket sales, for each bus, in every city. The number of cities, buses and tickets are set to following values:

Number of cities = last digit of your ID + 2 Number of buses in each city = last two digits of your ID Number of ticket sales for each bus = last three digits of your ID

Your program should ask your ID in one variable, for example "22k-1234", and extract above given values. For every ticket in every bus at every city, your program should also ask user's age and calculates appropriate ticket price i.e., for every ticket, there are three possible charges:

Full price

Elderly (age > 60) 30% discount on the ticket price Children (age < 6) 50% discount on the ticket price

Let us assume the total ticket price is set to **varCharges** rupees (user specified), then your program should calculate and display sales track in following format:

All Data:

City	Bus	Passenger	age	amount rupees
City 1	Bus 1	Passenger 1	55	500 rupees
City 1	Bus 1	Passenger 2	50	500 rupees
City 1	Bus 1	Passenger 3	75	350 rupees
City 1	Bus 2	Passenger 1	5	250 rupees
City 1	Bus 2	Passenger 2	35	500 rupees
City 2	Bus 1	Passenger 1	15	500 rupees

Total sales for each bus in each city:

City	Bus	Total Sales
City 1	Bus 1	1,350 rupees
City 1	Bus 2	750 rupees
City 2	Bus 1	120,000 rupees
City 3	Bus 1	120,000 rupees
City 3	Bus 2	120,000 rupees

How much money has been discounted in total for all the buses and cities [Description: We have discounted 400,000 rupees for elders and 200,000 rupees for children for all cities]

[hint: A char variable on any index in string str1 can be converted to int using casting, ex: int a = int(str1[5]-'0');]

BEST OF LUCK!