

W A T C O N

LARGE TILES

watcon
international





CERAMIC DECK SYSTEM

EXADECK series

RESIDENTIAL TERRACES AND FLAT ROOFS.

Exadeck is an access floor system perfect for use on residential terraces and flat roofs thanks to its easy assembly system and possible anchorage using composite bonding materials, with no need to screw it to the substrate, thus avoiding the risk of water leaks.



LAMA

14,1 x 121,7 x 2,6 cm - 5.6" x 47.9" x 1.0"



C-3



R11



Clase C
C-class






Ala <0,5%



V1



rectificado
rectified



Natural



Maple



Oak





Teca



Antico





Grey



Lama. Slab.

14,1x121,7x2,6 cm*
5.6" x 47.9" x 1.0"




☒ C-3
☒ R11
☒ CLASS C



Cierre perimetral. Perimeter closure.

14,1x121,7x2,6 cm*
5.6" x 47.9" x 1.0"

☒ C-3
☒ R11
☒ CLASS C



WALKWAYS, FOOTPATHS & ACCESSES TO GARDEN AREAS.

Exadeck is perfect for walkways, footpaths and terraces in gardens and parks since it blends into the background setting with originality. It is also fully fire resistant, as well as having a high resistance to moisture, temperature changes and wind suction.



1 LAMA
14,1 x 121,7 x 2,6 cm - 5.6" x 47.9" x 1.0"



CERAMIC DECK SYSTEM

EXADECK

series



ACCESSES TO POOLS & POOLSIDE AREAS.

Exadeck can be used to create pathways between beaches or as decking around pools and lakes since it has a high slip resistance and a high resistance to ultra-violet rays. It is also anti-bacterial thanks to its almost zero water absorption rate



1 LAMA
14,1 x 121,7 x 2,6 cm - 5.6" x 47.9" x 1.0"



2 PELDAÑO RECTO 120 LITOS SIBERIA
33 x 120 x 3 cm - 13.0" x 47.2" x 1.2"



C-3



R11



C





BEACHSIDE PROMENADES & RELATED FACILITIES.

Exadeck is a sustainable flooring solution, perfect for outdoor leisure and catering areas thanks to its visual appeal and capacity to fit in with any background setting. Because this is an access floor system, it is simple to assemble and the boards can easily be replaced. It also offers easy access to the space below the decking so that cables, piping and other networks can be concealed there.



SWIMMING POOL TERRACES

Exadeck is the ideal product for swimming pool beaches, solariums or wet areas, since it does not absorb water and it can withstand sharp temperature changes without expanding or becoming deformed.

CERAMIC DECK SYSTEM EXADECK series



- 1 LAMA
14,1 x 121,7 x 2,6 cm - 5.6" x 47.9" x 1.0"



- 2 CIERRE PERIMETRAL
14,1 x 121,7 x 2,6 cm - 5.6" x 47.9" x 1.0"



- 1 LAMA
14,1 x 121,7 x 2,6 cm - 5.6" x 47.9" x 1.0"



- 2 PELDAÑO RECTO 120 YOHO TECA
33 x 120 x 3 cm - 13.0" x 47.2" x 1.2"



- 3 PELDAÑO RECTO 120 ÓPERA LIGHT
33 x 120 x 3 cm - 13.0" x 47.2" x 1.2"





Private house pool · Zaragoza · Exadeck oak



Area verde · Barcelona · Exadeck natural



Private house pool · Burgo de Ebro · Exadeck maple




Private house pool · Barcelona · Exadeck natural



Diagonal · Barcelona · Exadeck antico



Private house pool · Lombardia · Exadeck antico



ARDENAS



Marfil Cromo Gris Antracita

C-3 R12 C

YOHO



Maple Natural Oak Teca

C-3 R11 C

ÓPERA



Ivory Light Silver Iron

C-3 R12 C

IMPERIAL



Arian Ceniza Moca Siena

C-3 R11 C

MILÁN



Arena Gris Marengo

C-3 R12 C

VENATTO*



Perla

C-3 R11 C

* Acabado disponible sólo en Borde Skimmer. Finish available only on Borde Skimmer.

LIZANA**



Haya Cerezo Olivo Nogal

C-3 R12 C

NUBIA**




Nubia

C-3 R11 C

** Acabado disponible sólo en Peldaño Recto 120. Finish available only on Peldaño Recto 120.

Borde skimmer. Skimmer edge.
45 x 75 x 3 cm - 17.7" x 29.5" x 1.2"



D. Continuidad gráfica, parte trasera.
Graphic continuous, backside.

Borde piscina. Peldaño recto 120.
Straight step edge 120.
33 x 120 x 3 cm - 13.0" x 47.2" x 1.2" $\pm$ 12 mm





OUTDOOR



Soft Tech
C3 Antislip

HIDDEN GRID DRAINAGE SYSTEM

We renewed our hidden grid drainage system with a new design that facilitates the collection of water for better drainage.

SERIE URBAN

	OSLO 9793	PZ/126
	NIZA 9794	PZ/126

SERIE NATURAL STONES

	AMBERES 6690	PZ/126
	TIVOLI 6691	PZ/126

SERIE EVOLUTION


	WHITE STONE 2364	PZ/126
	BEIGE STONE 2347	PZ/126
	GREY 2357	PZ/126

SERIE MADERA /WOOD

	AMAZÓNICA 2350	PZ/126
	YUKÓN 2353	PZ/126
	TAIGA 2373	PZ/126

SERIE PIEDRA /STONE

	BERMEO 2375	PZ/126
	TUI 2342	PZ/126



REJILLA OCULTA REGISTRABLE PZ/126
500x126x20 mm
(Grosor 12mm)


OUTDOOR




Soft Tech
C3 Antislip

CONCRETE BLOCK FOR OVERFLOW POOL

This new block is specially designed as a channel and support for our technical pool edge accompanied by our ceramic grid. It consists of a prefabricated coping formed by concrete blocks. It is an ideal system for building overflow pools.



HORMIGÓN **BTH3 9799** PZ/171



Embalaje | Packing

FORMATOS / DIMENSIONS / FORMATS mm

BLOQUE DE HORMIGÓN PARA PISCINA DESBORDANTE
CONCRETE BLOCK FOR OVERFLOW POOL
245x200x567

Piezas ml / Pieces
lm / Pièces ml

4,0

CAJA / BOX / BOÎTES

Piezas / Pieces / pièces

Kg

PALETS / PALLETS / PALETTES

Cajas/ Box / Boîtes

Kg




NIZA

MEDITERRANEAN STYLE FOR YOUR POOL

A floor with a highly realistic polished concrete finish in a beautiful light gray tone. Thanks to its versatility, it adapts perfectly to any environment, creating a Mediterranean style if we combine it with wood, natural fibers or contemporary if combined with modern furniture. It provides a nice effect of unity and continuity



PLAYA



BASE NIZA C3
1200 x 600 x 10

+



PELDAÑO RECTO NIZA
625 x 317 x 40

+



CARTABÓN INTERIOR
PELDAÑO RECTO NIZA
625 x 625 x 40

+



BASE NIZA C3
625 x 310 x 10

CORONACIÓN

VASO DE PISCINA

Bases / Floor tiles

HARMONIZED INDOORS AND OUTDOORS



BASE
NI-11159 2/005
NI-7583 2/005
1200 x 600 x 10



BASE
NI-9801 2/003
625 x 310 x 10

Embalaje | Packing

FORMATOS / DIMENSIONS / FORMATS mm	Piezas m² / Pieces sqm / Pièces m²	CAJA / BOX / BOÎTES		PALETS / PALLETS / PALETTES	
		Piezas / Pieces / pièces	Kg	Cajas/ Box / Boîtes	Kg
BASE 625x310x10	5	5	21,5	64	1.376
BASE R 1200x600x10	1,39	2	31,25	30	937,5
BASE R 1200x600x10 C1	1,39	2	31,25	30	937,5

Special pieces

Soft Tech
C3 Antislip



PELDAÑO RECTO
NI-9815 PZ/103
625 x 317 x 40



PELDAÑO RECTO 1200
NI-7581 PZ/104
1200 x 317 x 40



CARTABÓN INTERIOR
PELDAÑO RECTO
NI-9823 JG/111
625 x 625 x 40



CARTABÓN EXTERIOR
PELDAÑO RECTO
NI-9822 JG/111
625 x 625 x 40

Embalaje | Packing

FORMATOS / DIMENSIONS / FORMATS mm	Piezas ml / Pieces lm / Pièces ml	CAJA / BOX / BOÎTES		PALETS / PALLETS / PALETTES	
		Piezas / Pieces / pièces	Kg	Cajas/ Box / Boîtes	Kg
PELDAÑO RECTO 625x317x40	1,6	4	24,1	28	674,8
PELDAÑO RECTO 1200x317x40	0,83	2	23,8	14	333,2
CARTABÓN INTERIOR PELDAÑO RECTO 625x625x40		2	17,6		
CARTABÓN EXTERIOR PELDAÑO RECTO 625x625x40		2	18,5		

HARMONIZED INDOORS AND OUTDOORS

Special pieces



RODAPIÉ
NI-11201 PZ/156
310 x 86 x 11



LOSETA CORTE
NI-9803 PZ/162
625 x 150 x 10



FRONTAL 1200
NI-9809 PZ/158
1200 x 150 x 10



BORDE TÉCNICO
NI-11029 PZ/118
625 x 330 x 23



CARTABÓN INTERIOR
BORDE TÉCNICO
NI-11035 JG/119
625 x 625 x 23



CARTABÓN EXTERIOR
BORDE TÉCNICO
NI-11041 JG/119
625 x 625 x 23



ZANQUÍN RECTO R.
Dcho. NI-11224 JG/112
Izq. NI-11236 JG/112
305 x 270 x 86



REJILLA CERÁMICA
EVACUACIÓN: 19 m³/h
NI-10906 PZ/121
500x 245 x 25



ESQ. REJILLA CERÁMICA
EVACUACIÓN: 19 m³/h
NI-10905 JG/122
450x 450 x 25



REJILLA CERÁMICA
CURVABLE
EVACUACIÓN: 19 m³/h
NI-11205 PZ/123
500 x 245 x 25



REJILLA OCULTA REGISTRABLE
NI-9794 PZ/126
500x126x20 mm
(Grosor 12mm)

Embalaje | Packing

FORMATOS / DIMENSIONS / FORMATS mm	Piezas ml / Pieces lm / Pièces ml	CAJA / BOX / BOÎTES		PALETS / PALLETES / PALETTES	
		Piezas / Pieces / pièces	Kg	Cajas/ Box / Boîtes	Kg
LOSETA 625X150X10	1,6	10	21	40	840
FRONTAL 1200 1200x150x10	0,83	6	26,4	33	871,2
RODAPIÉ 310x86x11	3,2	32	17,2	72	1.238,4
ZANQUÍN RECTO R. 305x270x86 Juego / Set	1,6	12	13,2	52	686,4
BORDE TÉCNICO 625x330x23	1,6	4	29,6	28	828,8
CARTABÓN INTERIOR TÉCNICO 625x625x23		2	21,48		
CARTABÓN EXTERIOR TÉCNICO 625x625x23		2	21,92		
REJILLA CERÁMICA 500x245x25	2,0	4	22,8	32	729,6
ESQUINA REJILLA 450x450x25		2	14,9		
REJILLA CURVABLE 500x245x25	2,0	4	17,7	32	566,4
REJILLA OCULTA REGISTRABLE 500x126x20	2,0				




PARADISE BALI + TUI

COMBINE AND CREATE A UNIQUE POOL

Taking inspiration from the lovely emerald green colour and subtly irregular pattern of Bali stone, we have created this porcelain stoneware design to bring attractive natural beauty and an exotic finish to swimming pool design. Available for pool interiors in 625x310x10 mm format. Various combinations can be created for the pool coping and the pool surround, or for both. The White Stone or Grey designs from the Evolution Series and the Taiga design from the Madera Series are fine examples.



PLAYA



BASE TUI
625 x 310 x 10

+




PELDAÑO RECTO TUI
625 x 317 x 40

+



CARTABÓN INTERIOR
PELDAÑO RECTO TUI
625 x 625 x 40

+



BASE PARADISE BALI
625 x 310 x 10

CORONACIÓN

VASO DE PISCINA

COLLECTION FOR POOL TANK

Bases / Floor tiles



BASE
PA-5769 M²/003
625 x 310 x 10

Embalaje | Packing

FORMATOS / DIMENSIONS / FORMATS mm	Piezas m ² / Pieces sqm / Pièces m ²	CAJA / BOX / BOÎTES		PALETS / PALLETES / PALETTES	
		Piezas / Pieces / pièces	Kg	Cajas/ Box / Boîtes	Kg
BASE 625x310x10	5	5	21		

Special pieces



PELDAÑO RECTO
PA-7277 PZ/103
625 x 317 x 40



CARTABÓN INTERIOR
PELDAÑO RECTO
PA-7353 JG/111
625 x 625 x 40



CARTABÓN EXTERIOR
PELDAÑO RECTO
PA-7354 JG/111
625 x 625 x 40



PELDAÑO RECTO FRENTE 70
PA-7580 PZ/160
1200 x 317 x 70



BORDE INFINITY
PA-7587 PZ/129
625 x 260 x 22



PASAMANOS
PA-7355 PZ/141
310 x 150 (120 interior) x 33
PA-7356 PZ/142
310 x 190 (160 interior) x 33

Embalaje | Packing

FORMATOS / DIMENSIONS / FORMATS mm	Piezas ml / Pieces lm / Pièces ml	CAJA / BOX / BOÎTES		PALETS / PALLETES / PALETTES	
		Piezas / Pieces / pièces	Kg	Cajas/ Box / Boîtes	Kg
PELDAÑO RECTO 625x317x40	1,6	4	24,1	28	674,8
PELDAÑO RECTO FRENTE 70 1200x317x70	1,6	2	24,8	14	347,2
CARTABÓN INTERIOR PELDAÑO RECTO 625x625x40		2	17,6		
CARTABÓN EXTERIOR PELDAÑO RECTO 625x625x40		2	18,5		
BORDE INFINITY 625x260x22	1,6	4	29,6	28	828,8
PASAMANOS 310x150x33 120 interior / inner	3,2	12	21,6	36	777,6
PASAMANOS 310x190x33 160 interior / inner	3,2	12	23,04	30	691

COLLECTION FOR POOL TANK

Special pieces



LOSETA CORTE
PA-5773 PZ/162
625 x 150 x 10



LISTELO CORTE
PA-5777 PZ/167
625 x 73 x 10



CANTONERA
PA-5781 PZ/131
310 x 55 x 55



ESQUINA INTERIOR
CANTONERA
PA-6515 PZ/132
55 x 55/100



ESQUINA EXTERIOR
CANTONERA
PA-6513 PZ/132
55 x 55



ÁNGULO CURVO
PA-6584 PZ/133
310 x 36 / r=35



ESQUINA INTERIOR
ÁNGULO CURVO
PA-6632 PZ/132
36 x 36 / r=35



ESQUINA EXTERIOR
ÁNGULO CURVO
PA-6615 PZ/132
63 x 63 / r=35



MEDIA CAÑA
PA-5798
310 x 52 / r=35



ESQUINA EXTERIOR
MEDIA CAÑA
PA-5806 PZ/132
r=35



ESQUINA INTERIOR
MEDIA CAÑA
PA-5802 PZ/132
72 x 72 / r=35

Embalaje | Packing

FORMATOS / DIMENSIONS / FORMATS mm	Piezas ml / Pieces lm / Pièces ml	CAJA / BOX / BOÎTES		PALETS / PALLETS / PALETTES	
		Piezas / Pieces / pièces	Kg	Cajas/ Box / Boîtes	Kg
LOSETA 625x150x10	1,6	10	21	40	840
LISTELO 625x73x10	1,6	20	21	40	840
CANTONERA 310x55x55	3,2	16	12,3	52	639,6
ESQUINA EXTERIOR CANTONERA 55x55		4	0,9		
ESQUINA INTERIOR CANTONERA 55x55/100		4	1,34		
ÁNGULO CURVO 310x36 r=35	3,2	30	7,05	72	507,6
ESQ. INT. ÁNGULO CURVO 36x36 r=35		4	0,24		
ESQ. EXT. ÁNGULO CURVO 63x63 r=35		4	0,32		
MEDIA CAÑA 310x52	3,2	30	8,9	72	640,8
ESQUINA INTERIOR MEDIA CAÑA 72x72 r=35		4	0,5		
ESQUINA EXTERIOR MEDIA CAÑA r=35		4	0,14		



WHITE STONE SERIE EVOLUTION

MEDITERRANEAN STYLE FOR YOUR POOL

A floor with a highly realistic polished concrete finish in a beautiful light gray tone. Thanks to its versatility, it adapts perfectly to any environment, creating a Mediterranean style if we combine it with wood, natural fibers or contemporary if combined with modern furniture. It provides a nice effect of unity and continuity



Resistencia a la
helada.
Frost resistance.



Resistencia química.
Chemical resistance.



Resistencia a las
manchas.
Stain resistance.



OUTDOOR



WHITE STONE
SERIE EVOLUTION

COLLECTION FOR POOL TANK

Special pieces



BORDE PISCINA 500
WS-3617 PZ/116
625 x 500 x 23



CARTABÓN INTERIOR
BORDE PISCINA 500
WS-3696 JG/117
625 x 625 x 23



CARTABÓN EXTERIOR
BORDE PISCINA 500
WS-3697 JG/117
625 x 625 x 23



REJILLA CERÁMICA
EVACUACIÓN: 19 m³/h
WS-2362 PZ/121
500 x 245 x 25



BORDE PISCINA
WS-3653 PZ/118
625 x 330 x 23



CARTABÓN INTERIOR
BORDE PISCINA
WS-3618 JG/119
625 x 625 x 23



CARTABÓN EXTERIOR
BORDE PISCINA
WS-3619 JG/119
625 x 625 x 23



ESQUINA REJILLA
CERÁMICA
EVACUACIÓN: 19 m³/h
WS-1760 JG/122
450 x 450 x 25



BORDE TÉCNICO
WS-1514 PZ/118
625 x 330 x 23



CARTABÓN INTERIOR
BORDE TÉCNICO
WS-1518 JG/119
625 x 625 x 23



CARTABÓN EXTERIOR
BORDE TÉCNICO
WS-1522 JG/119
625 x 625 x 23



REJILLA CERÁMICA
CURVABLE
EVACUACIÓN: 19 m³/h
WS-2363 PZ/123
500 x 245 x 25

NEW



BORDE TÉCNICO 1200
WS-11138 PZ/120
1200 x 330 x 23

NEW



BORDE INFINITY
WS-10738 PZ/129
625 x 260 x 22

Embalaje | Packing

FORMATOS / DIMENSIONS / FORMATS mm	Piezas ml / Píeces lm	CAJA / BOX / BOÎTES		PALETS / PALLETES / PALETTES	
	/ Píeces ml	Piezas / Píeces / pièces	Kg	Cajas/ Box / Boîtes	Kg
BORDE PISCINA 500 625x500x23	1,6	3	33,3	22	732,6
BORDE TÉCNICO 625x330x23	1,6	4	29,6	28	828,8
BORDE TÉCNICO 1.200x330x23	0,83				
BORDE PISCINA 625x330x23	1,6	4	29,6	28	828,8
BORDE INFINITY 625x260x22	1,6	4	29,6	28	828,8
CARTABÓN INTERIOR BORDE PISCINA 500 625x625x23		1	13,5		
CARTABÓN EXTERIOR BORDE PISCINA 500 625x625x23		1	13,5		
CARTABÓN INTERIOR TÉCNICO 625x625x23		2	21,48		
CARTABÓN EXTERIOR TÉCNICO 625x625x23		2	21,92		
CARTABÓN INTERIOR BORDE PISCINA 625x625x23	3,2	2	21,48		
CARTABÓN EXTERIOR BORDE PISCINA 625x625x23		2	21,92		
REJILLA CERÁMICA 500x245x25	2,0	4	22,8		
ESQUINA REJILLA 450x450x25		2	14,9	32	729,6
REJILLA CURVABLE 500x245x25	2,0	4	17,7	32	566,4





BEIGE STONE SERIE EVOLUTION

MEDITERRANEAN STYLE FOR YOUR POOL

A floor with a highly realistic polished concrete finish in a beautiful beige stone tone. Thanks to its versatility, it adapts perfectly to any environment, creating a Mediterranean style if we combine it with wood, natural fibers or contemporary if combined with modern furniture. It provides a nice effect of unity and continuity



Resistencia a la
helada.
Frost resistance.



Resistencia química.
Chemical resistance.




Resistencia a las
manchas.
Stain resistance.



MARBLE

in & out & in

IMPERIAL SERIES



C-1
C-3



R9
R11



Clase C
C class



Ala <0,5%
Alb <1,5%
Bla <0,5%*



V2




rectificado
rectified



120x120 cm*
47.2" x 47.2"

± 10 mm

☑ C-1 ☑ R9
☑ C-3 ☑ R11 ☑ C Class



60x120 cm*
23.6" x 47.2"

± 10 mm

☑ C-1 ☑ R9
☑ C-3 ☑ R11 ☑ C Class



14,5x120 cm*
5.7" x 47.2"

± 10 mm

☑ C-1 ☑ R9



60x60 cm*
23.6" x 23.6"

± 10 mm

☑ C-1 ☑ R9



33x66,5 cm
13.0" x 26.2"

± 10 mm

☑ C-1 ☑ R9
☑ C-3 ☑ R11 ☑ C Class

IMPERIAL SERIES











MARBLE

in & out

IMPERIAL SERIES



3D design



pool pieces





moca

ceniza

- 1 Base · 60x120 cm - C-3 / R11+C
- 2 Peldaño recto 120 · 33x120x3 cm - C-3 / R11+C
- 3 Borde desbordante · 28x66,5 cm - C-3 / R11+C

- 4 Tabica · 14,5x120 cm - C-1 / R9
- 5 Rejilla · 24,5x24,5 cm - C-3 / R11+C
- 6 Remate peldaño recto · 3x33 cm - C-1 / R9

- 7 Media caña 4 · 4,2x33 cm
- 8 Uña media caña a 4 · 4,2x4,2 cm

- 1 Base · 60x120 cm - C-3 / R11+C
- 2 Base · 60x60 cm - C-1 / R9

- 3 Borde desbordante · 28x66,5 cm - C-3 / R11+C
- 4 Áng. desbordante · 31x31 cm - C-3 / R11+C

- 5 Rejilla · 24,5x24,5 cm - C-3 / R11+C
- 6 Áng. rejilla · 33x33 cm - C-3 / R11+C

Borde desbordante
28 x 66,5 cm - 11.0" x 26.2"

C-3 R11 C



Ángulo desbordante
31 x 31 cm - 12.2" x 12.2"

C-3 R11 C



Rejilla
24,5 x 24,5 cm - 9.6" x 9.6"

C-3 R11 C



Áng. rejilla izda./dcha.
33 x 33 cm - 13.0" x 13.0"

C-3 R11 C



Media caña 4
4,2 x 33 cm - 1.7" x 13.0"



Uña media caña 4
4,2 x 4,2 cm - 1.7" x 1.7"



MARBLE

in & out

IMPERIAL SERIES
overflow pool coping

IMPERIAL SERIES



MARBLE

Imperial outdoor+ skimmer pool coping

arian]

1 Base - 60x120 cm - C-3 / R11+C

2 Borde skimmer - 45x75x3 cm - C-3 / R11+C

3 Tabica - 14,5x120 cm - C-1 / R9

4 Peldaño recto 120 - 33x120x3 cm - C-3 / R11+C

5 Base - 33x66,5 cm - C-1 / R9

siena]

1 Base - 120x120 cm - C-3 / R11+C

2 Borde skimmer - 45x75x3 cm - C-3 / R11+C

3 Arista 3 - 3,3x33 cm

4 Media caña 4 - 4,2x33 cm

5 Áng. Arista 3 - 3,3x4,2x5 cm

6 Base - 33x66,5 cm - C-1 / R9

7 Base - 33x66,5 cm - C-3 / R11+C



Borde skimmer
45 x 75 x 3 cm
17.7" x 29.5" x 1.2"

C-3 R11 C

2



Peldaño recto 120
33 x 120 x 3 cm
13.0" x 47.2" x 1.2"

C-3 R11 C

4



Arista 3
3,3 x 33 cm - 1,3" x 13,0"

3



Media caña 4
4,2 x 33 cm - 1,7" x 13,0"

4



Ángulo arista 3
3,3 x 4,2 x 5 cm - 1,3" x 1,7" x 2,0"

5





MARBLE

Venatto

in&out

acabados. acabados

&in



oE60



120x120 cm*

47.2" x 47.2"

10 mm

C-1 R9

C-3 R11 C Class



60x120 cm*

23.6" x 47.2"

10 mm

C-1 R9

C-3 R11 C Class



14,5x120 cm*

5.7" x 47.2"

10 mm

C-1 R9

C-3 R11 C Class



33x66,5 cm

13.0" x 26.2"

10 mm

C-1 R9

C-3 R11 C Class



C-1
C-3



R9
R11



Clase C
C class



Ala <0,5%
Alb <1,5%
Bla <0,5%*



V1



rectificado
rectified



rectificado
rectified



rectificado
rectified



rectificado
rectified

Pool pieces

75 cm
45 cm
3 cm

3D design

Borde skimmer
45 x 75 x 3 cm

3 C-3 R11 C

66,5 cm
28 cm
3 cm

Borde desbordante
28 x 66,5 cm
11.0" x 26.2"

C-3 R11 C

31 cm
31 cm
1,7 cm

Ángulo desbordante
31 x 31 cm
12.2" x 12.2"

C-3 R11 C

24,5 cm
24,5 cm
3 cm

Rejilla
24,5 x 24,5 cm

C-3 R11 C

33 cm
33 cm
3 cm

Áng. rejilla izda./dcha.
33 x 33 cm
13.0" x 13.0"

3 C-3 R11 C

*set de 2 piezas (izda./dcha.)

33 cm
4,2 cm

Media caña 4
4,2 x 33 cm
1.7" x 13.0"

33 cm
3,3 cm

Arista 3
3,3 x 33 cm
1.3" x 13.0"

4,2 cm
4,2 cm

Uña media caña 4
4,2 x 4,2 cm
1.7" x 1.7"

3,3 cm
3,3 cm

Uña arista 3
3,3 x 3,3 cm
1.3" x 1.3"

3,3 cm
4,2 cm
5 cm

Ángulo arista 3
3,3 x 4,2 x 5 cm
1.3" x 1.7" x 2.0"

5 cm
3,3 cm
4,2 cm

Áng. media caña 4
4,2 x 3,3 x 5 cm
1.7" x 1.3" x 2.0"

120 cm
33 cm
30,5 cm
4 cm

Peldaño ML 120
33 x 120 x 4 cm
13.0" x 47.2" x 1.6"

C-1 R9
C-3 R11 C

33 cm
4 cm

Remate peldaño ML
izda./dcha.
4 x 33 cm
1.6" x 13.0"

Zq8iúú

59,6 cm
59,6 cm
50,4 cm
50,4 cm

Zanquín ingletado
ML izda./dcha.
59,6 x 59,6 cm
23.5" x 23.5"

1

60 cm
9 cm

Rodapié
9 x 60 cm
3.5" x 23.6"

Alb / Gres Extruido - #H6I/E6/EJ5áúóÉáíol5áÖg#H6I/E6IolB02eRZlWlRP/ÇqayNlHlRÇQlPGRÇqWl
Ala / Gres Porcelánico Extruido - #H6I/E6/EIolááÉó'áúlvHáúÉL'6ÉIol5áÖgíolááÉó'áúE#H6I/E6IolB02eRZlWlRP/ÇqayNlHlRÇQlPGRÇqWl
30'qí5áÉgíolááÉó'áúlvHáúÉL'6ÉIol5áÖgíolááÉó'áúEíolHlRÇQlPGRÇqWl

perla]

- 1 Base · 120x120 cm - C-1 / R9
- 2 Base · 120x120 cm - C-3 / R11+C

- 3 Peldaño ML 120 · 33x120x4 cm - C-1 / R9
- 4 Borde skimmer · 45x75x3 cm - C-3 / R11+C

- 5 Base orobico taupe · 60x120 cm - C-1 / R9




MARBLE

Venatto overflow pool coping

perla]

- 1 Base - 120x120 cm - C-3 / R11+C
- 2 Borde desbordante - 28x66,5 cm - C-3 / R11+C
- 3 Rejilla - 24,5x24,5 cm - C-3 / R11+C
- 4 Base - 33x66,5 cm - C-3 / R11+C
- 5 Peldaño ML - 33x120x4 cm - C-3 / R11+C
- 6 Peldaño recto yoho teca - 33x120x3 cm - C-3 / R11+C



Borde desbordante
28 x 66,5 cm - 11,0" x 26,2"

C-3 R11 C



Rejilla
24,5 x 24,5 cm - 9,6" x 9,6"

C-3 R11 C



Peldaño ML 120
33 x 120 x 4 cm - 13,0" x 47,2" x 1,6"

C-3 R11 C



Peldaño recto 120 Yoho teca
33 x 120 x 3 cm - 13,0" x 47,2" x 1,2"

C-3 R11 C



Venatto skimmer pool coping

- 7 Borde skimmer - 45x75x3 cm - C-3 / R11+C
- 8 Media caña 4 - 4,2x33 cm
- 9 Uña media caña 4 - 4,2x4,2 cm
- 10 Base - 33x66,5 cm - C-1 / R9
- 11 Base orobico taupe - 60x120 cm - C-1 / R9
- 12 Peldaño ML - 33x120x4 cm - C-1 / R9



Borde skimmer
45 x 75 x 3 cm - 17,7" x 29,5" x 1,2"

C-3 R11 C



Media caña 4
4,2 x 33 cm
1,7" x 13,0"



Uña media caña 4
4,2 x 4,2 cm - 1,7" x 1,7"



Peldaño ML 120
33 x 120 x 4 cm - 13,0" x 47,2" x 1,6"

C-3 R11 C





Ópera outdoor+overflow pool coping

- ivory]
- 1 Base - 120x120 cm - C-3 / R12+C
 - 2 Base - 33x66,5 cm - C-3 / R12+C
 - 3 Borde desbordante - 28x66,5 cm - C-3 / R12+C
 - 4 Áng. desbordante - 31x31 cm - C-3 / R12+C
 - 5 Rejilla - 24,5x24,5 cm - C-3 / R12+C
 - 6 Áng. rejilla - 33x33 cm - C-3 / R12+C

- iron]
- 1 Base - 120x120 cm - C-3 / R12+C
 - 2 Base - 60x120 cm - C-1 / R9
 - 3 Borde desbordante - 28x66,5 cm - C-3 / R12+C
 - 4 Áng. desbordante - 31x31 cm - C-3 / R12+C
 - 5 Rejilla - 24,5x24,5 cm - C-3 / R12+C
 - 6 Áng. rejilla - 24,5x33 cm - C-3 / R12+C
 - 7 Media caña 4 - 4,2x33 cm
 - 8 Peldaño recto 120 - 33x120x3 cm - C-3 / R12+C
 - 8 Tabica - 14,5x120 cm - C-1 / R9



Borde desbordante
28 x 66,5 cm - 11.0" x 26.2"

C-3 R12 C



Ángulo desbordante
31 x 31 cm - 12.2" x 12.2"

C-3 R12 C



Rejilla
24,5 x 24,5 cm - 9.6" x 9.6"

C-3 R12 C



Áng. rejilla izda./dcha.
33 x 33 cm - 13.0" x 13.0"

C-3 R12 C



Media caña 4
4,2 x 33 cm - 1.7" x 13.0"



Peldaño recto 120
33 x 120 x 4 cm - 13.0" x 47.2" x 1.6"

C-3 R12 C



iron

- 1 Base · 120x120 cm - C-3 / R12+C
- 2 Base · 33x66,5 cm - C-1 / R9

- 3 Borde desbordante · 28x66,5 cm - C-3 / R12+C
- 4 Rejilla · 24,5x24,5 cm - C-3 / R12+C

- 5 Áng. rejilla · 33x33 cm - C-3 / R12+C
- 6 Áng. desbordante · 31x31 cm - C-3 / R12+C

- 7 Peldaño recto 120 · 33x120x3 cm - C-3 / R12+C
- 8 Tabica · 14,5x120 cm - C-1 / R9





acabados. finishes



Ivory

Light

Silver

Iron



120x120 cm*
47.2" x 47.2"

10 mm
C-1 R9
C-3 R12 C Class



60x120 cm*
23.6" x 47.2"

9 mm
C-1 R9
C-3 R12 C Class



14,5x120 cm*
5.7" x 47.2"

9 mm
C-1 R9



33x66,5 cm
13.0" x 26.2"

10 mm
C-1 R9
C-3 R12 C Class

piezas piscina. pool pieces



peldaños y rodapiés. steps & skirtings



OPERA

in&out+skimmer pool coping

ivory

1 Base · 60x120 cm - C-3 / R12+C

2 Peldaño recto 120 · 33x120x3 cm - C-3 / R12+C

3 Base · 60x120 cm - C-1 / R9

4 Peldaño recto 120 · 33x120x3 cm - C-1 / R9

5 Tabica · 14,5x120 cm - C-1 / R9



URBAN

Ópera in&out+skimmer pool coping

light]

- | | |
|---|--|
| 1 Base - 60x120 cm - C-1 / R9 | 4 Borde skimmer - 45x75x3 cm - C-3 / R12+C |
| 2 Base - 60x120 cm - C-3 / R12+C | 5 Tabica - 14,5x120 cm - C-1 / R9 |
| 3 Pedraño recto 120 - 33x120x3 cm - C-3 / R12+C | |



Ópera in&out+infinity skimmer pool coping

silver]

- | | |
|-----------------------------------|--|
| 1 Base - 60x120 cm - C-1 / R9 | 4 Borde skimmer - 45x75x3 cm - C-3 / R12+C |
| 2 Base - 120x120 cm - C-3 / R12+C | 5 Media caña 4 - 4,2x33 cm |
| 3 Base - 60x120 cm - C-3 / R12+C | 6 Uña media caña 4 - 4,2x4,2 cm |



Borde skimmer
45 x 75 x 3 cm
17.7" x 29.5" x 1.2"

C-3 R12 C



Media caña 4
4,2 x 33 cm
1.7" x 13.0"



Uña media caña 4
4,2 x 4,2 cm
1.7" x 1.7"

6



STONE

Bedford serie in&out & in



acabados. finishes



White

Sand

Pearl



120x120 cm*
47.2" x 47.2"

± 9 mm
C-1 R9
C-3 R12 C Class



60x120 cm*
23.6" x 47.2"

± 9,2 mm
C-1 R9
C-3 R12 C Class



14,5x120 cm*
5.7" x 47.2"

± 9,2 mm
C-1 R9



33x66,5 cm
13.0" x 26.2"

± 10 mm
C-1 R9
C-3 R12 C Class




33x33 cm
13.0" x 13.0"

± 10 mm
C-1 R9
C-3 R12 C Class

piezas piscinas. pool pieces



peldaños y rodapiés. steps & skirtings



pearl]

1 Base · 120x120 cm - C-1 / R9

2 Base · 33x33 cm - C-3 / R12+C

3 Borde skimmer · 45x120x3 cm - C-3 / R12+C

STONE

in&out

BEDFORD

in&out+skimmer pool coping



pearl]

1 Base · 60x120 cm - C-3 / R12+C

2 Borde skimmer · 45x120x3 cm - C-3 / R12+C

3 Peldaño recto 120 · 33x120x3 cm - C-3/ R12+C

4 Tabica · 14,5x120 cm - C-1 / R9

5 Base · 60x120 cm - C-1 / R9

BEDFORD

in&out+skimmer pool coping



sand]

1 Base · 120x120 cm - C-3 / R12+C

2 Base · 120x120 cm - C-1 / R9

3 Borde skimmer · 45x120x3 cm - C-3 / R12+C

STONE

in&out

BEDFORD

in&out+skimmer pool coping



STONE

Bedford in&out & in+overflow infinity pool coping

white]

1 Base · 120x120 cm · C-3 / R12+C

3 Áng. desbordante · 31x31 cm · C-3 / R12+C

5 Áng. rejilla modular · 30x30 cm · C-3 / R12+C

7 Áng. media caña 8 · 7,7x7,7x11 cm

9 Arista 8 · 7,7x66,5 cm

2 Borde desbordante · 28x66,5 cm · C-3 / R12+C

4 Rejilla modular · 24,5x30 cm · C-3 / R12+C

6 Base · 60x120 cm · C-3 / R12+C

8 Media caña 8 · 7,7x66,5 cm

10 Uña arista 8 · 7,7x7,7 cm





STONE

Litos serie
in&out & in




acabados. finishes



Artico

Sabana

Siberia



100x100 cm*
39.4" x 39.4"

10 mm
C-1 R9
C-3 R12 C Class



60x120 cm*
23.6" x 47.2"

9 mm
C-1 R9
C-3 R12 C Class



14,5x120 cm*
5.7" x 47.2"


9 mm
C-1 R9



33x66,5 cm
13.0" x 26.2"

10 mm
C-1 R9
C-3 R12 C Class

piezas piscinas. pool pieces



peldaños y rodapiés. steps & skirtings



Litos outdoor+overflow pool coping

sabana]

- | | | |
|--|--|-------------------------------------|
| 1 Base · 60x120 cm · - C-3 / R12+C | 4 Áng. desbordante · 31x31 cm · - C-3 / R12+C | 7 Tabica · 14,5x120 cm · - C-1 / R9 |
| 2 Borde desbordante · 28x66,5 cm · - C-3 / R12+C | 5 Áng. rejilla izda/dcha. · 33x33 cm · - C-3 / R12+C | |
| 3 Rejilla · 24,5x24,5 cm · - C-3 / R12+C | 6 Peldaño recto 120 · 33x120x3 cm · - C-3 / R12+C | |



Litos indoor+overflow pool coping

siberia]

- | | | |
|--|--|----------------------------------|
| 1 Base · 60x120 cm · - C-3 / R12+C | 4 Áng. desbordante · 31x31 cm · - C-3 / R12+C | 7 Uña media caña 4 · 4,2x4,2 cm |
| 2 Borde desbordante · 28x66,5 cm · - C-3 / R12+C | 5 Áng. rejilla izda/dcha. · 33x33 cm · - C-3 / R12+C | 8 Base · 33x66,5 cm · - C-1 / R9 |
| 3 Rejilla · 24,5x24,5 cm · - C-3 / R12+C | 6 Media caña 4 · 4,2x33 cm | |



Borde desbordante
28 x 66,5 cm · 11.0" x 26.2"

2 C-3 R12 C



Ángulo desbordante
31 x 31 cm · 12.2" x 12.2"

4 C-3 R12 C



Rejilla
24,5 x 24,5 cm · 9.6" x 9.6"

3 C-3 R12 C



Áng. rejilla izda/dcha.
33 x 33 cm · 13.0" x 13.0"

5 C-3 R12 C



Media caña 4
4,2 x 33 cm · 1.7" x 13.0"


6



Uña media caña 4
4,2 x 4,2 cm · 1.7" x 1.7"

7







acabados. finishes



Bianco

Navona

Grigio

Nebbia



120x120 cm*
47.2" x 47.2"

9 mm

C-1 R9
C-3 R12 C Class



60x120 cm*
23.6" x 47.2"

9,2 mm

C-1 R9
C-3 R12 C Class



14,5x120 cm*
5.7" x 47.2"

9,2 mm

C-1 R9



33x33 cm
13.0" x 13.0"

10 mm

C-3 R12 C Class



16,25x33 cm
6.4" x 13.0"

10 mm

C-3 R12 C Class



16,25x16,25 cm
6.4" x 6.4"

10 mm

C-3 R12 C Class

piezas piscinas. pool pieces



Borde skimmer
45 x 120 x 3 cm
17.7" x 47.2" x 1.2"

rectificado. rectified
C-3 R12 C




3D design

Continuidad gráfica en parte trasera. Digitally printed backside.



Borde desbordante
28 x 66,5 cm
11.0" x 26.2"

rectificado. rectified
C-3 R12 C



Angulo desbordante
31 x 31 cm
12.2" x 12.2"


rectificado. rectified
C-3 R12 C



Rejilla modular
24,5 x 30 cm
9.6" x 11.8"

rectificado. rectified
C-3 R12 C

Set de 6 piezas desmontables de 4,02 x 24,5 cm.
Set of 6 detachable pieces 4.02 x 24.5 cm.




Angulo rejilla modular
30 x 30 cm
11.8" x 11.8"

rectificado. rectified
C-3 R12 C

Set de 2 piezas (izda./dcha.)
Two pieces set (left/right)

peldaños y rodapiés. steps&skirtings



Peldaño recto 120
33 x 120 x 3 cm
13.0" x 47.2" x 1.2"

12 mm
rectificado. rectified
C-1 R9
C-3 R12 C



Peldaño recto
33 x 33 x 3 cm
13.0" x 13.0" x 1.2"

12 mm
C-3 R12 C



Peldaño ML
33 x 33 x 4 cm
13.0" x 13.0" x 1.6"

13 mm
C-3 R12 C



Cartabón ML
33 x 33 x 4 cm
13.0" x 13.0" x 1.6"

14 mm
rectificado. rectified
C-3 R12 C




Remate peldaño recto
3 x 33 cm
1.2" x 13.0"

7,5 mm




Zanquín ingletado recto
59,6 x 59,6 cm
23.5" x 23.5"

11 mm



Zanquín ingletado ML izda./dcha.
59,6 x 59,6 cm
23.5" x 23.5"

11 mm



Rodapié
9 x 60 cm
3.5" x 23.6"

11 mm

bianco]

- 1 Base · 120x120 cm - C-3 / R12+C
- 2 Base · 60x120 cm - C-3 / R12+C

- 3 Borde skimmer · 45x120x3 cm - C-3 / R12+C
- 4 Peldaño recto 120 · 33x120x3 cm - C-3 / R12+C

- 5 Tabica · 14,5x120 cm - C-1 / R9

PROVENZA

indoor + skimmer pool coping | large format



navona]

- 1 Base · 120x120 cm - C-3 / R12+C
- 2 Base · 60x120 cm - C-1 / R9

- 3 Borde skimmer · 45x120x3 cm - C-3 / R12+C
- 4 Peldaño recto 120 · 33x120x3 cm - C-3/ R12+C

- 5 Tabica · 14,5x120 cm - C-1 / R9
- 6 Base · 60x120 cm - C-3 / R12+C

EARTH


in&out&in

PROVENZA



indoor + skimmer pool coping | large format



Skimmer coping system. Placement diagrams.




- | | |
|---|---|
| 1 Solera de hormigón. Concrete floor. | 7 Coronación, peldaño recto 120 - 33x120 cm - C3. 120 Square step tread 33x120 cm - C3. |
| 2 Capa de regularización. Regularisation layer. | 8 Bases cerámicas 33x66,5 cm - C-1 en paredes. Ceramic bases 33x66,5 cm - C-1 on walls. |
| 3 Adhesivo tipo C252. Adhesive type C252. | 9 Rejunte tipo RG de resinas reactivas. RG type grouting of reactive resins. |
| 4 Rejunte tipo CG2WA. CG2WA type grouting. | 10 Media caña 4x33 cm. Internal cove 4x33 cm. Demi canne 4x33 cm. |
| 5 Bases cerámicas C-3. ceramic bases. | 11 Bases cerámicas 33x66,5 cm - C3 en fondo. Ceramic bases 33x66,5 cm - C3 at bottom. |
| 6 Junta elástica. Elastic joint. | 12 Junta hidroexpansiva. Hydroexpansive joint. Joint hydroexpansif. |



Ardenas cromo


7
Peldaño recto 120
33 x 120 x 3 cm - 13.0" x 47.2" x 1.2"

rectificado, rectified
C-3 R12 C




5
Base 60x120 cm
60 x 120 cm - 23.6" x 47.2"

C-3 R12 C




8
Base 33x66,5 cm
33 x 66,5 cm - 13.0" x 26.2"

C-1 R9




11
Base 33x66,5 cm
33 x 66,5 cm - 13.0" x 26.2"

C-3 R12 C




Residential pools: overflow coping system. Piscines résidentielles: overflow systeme.




1

Rejilla
24,5 x 66,5 cm
9.6" x 26.2"




2

Borde desbordante
28 x 66,5 cm
11.0" x 26.2"




1

Rejilla modular
24,5 x 30 cm
9.6" x 11.8"




2

Áng. rejilla modular
30 x 30 cm
11.8" x 11.8"




3

Borde desbordante
28 x 66,5 cm
11.0" x 26.2"



4

Ángulo desbordante
31 x 31 cm
12.2" x 12.2"



5

Arista 8
7,7 x 66,5 cm
3.0" x 26.2"



6

Ángulo arista 8
7,7 x 7,7 x 11 cm
3.0" x 3.0" x 4.3"



Coping system pieces

Borde desbordante
28 x 66,5 cm - 11.0" x 26.2"
rectificado, rectified

Ángulo desbordante
31 x 31 cm - 12.2" x 12.2"
rectificado, rectified

IMPERIAL
Arian Ceniza Moca Siena
C-3 R11 C

VENATTO
Perla
C-3 R11 C

LIZANA
Haya Cerezo Olivo Nogal
C-3 R12 C

ÓPERA
Ivory Light Silver Iron
C-3 R12 C

BEDFORD
White Sand Pearl
C-3 R12 C

ARDENAS
Marfil Cromo Gris Antracita
C-3 R12 C

PROVENZA
Bianco Navona Grigio Nebbia
C-3 R12 C

Rejilla modular
24,5 x 30 cm - 9.6" x 11.8"
rectificado, rectified

Set de 6 piezas desmontables de 4.02x24.5 cm.
Set of 6 detachable pieces 4.02x24.5 cm.

Áng. rejilla modular
30 x 30 cm - 1.8" x 11.8"
rectificado, rectified

Set de 2 piezas (izda./dcha).
Two pieces set (left/right)

BEDFORD
White Sand Pearl
C-3 R12 C

PROVENZA
Bianco Navona Grigio Nebbia
C-3 R12 C

Rejilla
24,5 x 24,5 cm - 9.6" x 9.6"
rectificado, rectified

IMPERIAL
Arian Ceniza Moca Siena
C-3 R11 C

VENATTO
Perla
C-3 R11 C

ÓPERA
Ivory Light Silver Iron
C-3 R12 C

LITOS
Artico Siberia Sabana
C-3 R12 C

Rejilla
24,5 x 66,5 cm - 9.6" x 26.2"
rectificado, rectified

LIZANA
Haya Cerezo Olivo Nogal
C-3 R12 C

Ángulo rejilla
33 x 33 cm - 13.0" x 13.0"
rectificado, rectified

IMPERIAL
Arian Ceniza Moca Siena
C-3 R11 C

VENATTO
Perla
C-3 R11 C

LIZANA
Haya Cerezo Olivo Nogal
C-3 R12 C

ÓPERA
Ivory Light Silver Iron
C-3 R12 C

LITOS
Artico Siberia Sabana
C-3 R12 C

Pool basin pieces

Media caña 8
7,7 x 66,5 cm - 3.0" x 26.2"
rectificado, rectified

Arista 8
7,7 x 66,5 cm - 3.0" x 26.2"

Uña media caña 8
7,7 x 7,7 cm - 3.0" x 3.0"

Uña arista 8
7,7 x 7,7 cm - 3.0" x 3.0"

Ángulo arista 8
7,7 x 7,7 x 11 cm - 3.0" x 3.0" x 4.3"

Áng. media caña 8
7,7 x 7,7 x 11 cm - 3.0" x 3.0" x 4.3"

BEDFORD
White Sand Pearl

Media caña 4
4,2 x 33 cm - 1.7" x 13.0"

Arista 3
3,3 x 33 cm - 1.3" x 13.0"

Uña media caña 4
4,2 x 4,2 cm - 1.7" x 1.7"

Uña arista 3
3,3 x 3,3 cm - 1.3" x 1.3"

Ángulo arista 3*
3,3 x 4,2 x 5 cm
1.3" x 1.7" x 2.0"

Áng. media caña 4*
4,2 x 3,3 x 5 cm
1.7" x 1.3" x 2.0"

*sólo series Imperial y Venatto *Imperial and Venatto series only

IMPERIAL
Arian Ceniza Moca Siena

VENATTO
Perla

LIZANA
Haya Cerezo Olivo Nogal

ÓPERA
Ivory Light Silver Iron

LITOS
Artico Siberia Sabana


TECHNICAL AREA

Overflow coping system. Placement diagrams. Overflow system. Schémas de pose.



Overflow coping



- 1 Borde desbordante 28x66,5. Overflow coping 28x66,5.
- 2 Rejilla modular 24,5x30. Modular grating 24,5x30.
- 3 Base cerámica 33x66,5 (C-3). Ceramic bases 33x66,5 (C-3).
- 4 Borde desbordante corte a 45° para esquina. Overflow coping 45° corner cut.
- 5 Ángulo rejilla modular 30x30. Modular grating corner 30x30.
- 6 Ángulo desbordante 31x31. Overflow corner 31x31.



The upper part of the modular grid is coplanar with the rest of the elements of the assembly.




bedford sand

- 1 Borde desbordante
28 x 66,5 cm - 11.0" x 26.2"
rectificado. rectified
C-3 R12 C
- 2 Rejilla modular
24,5 x 30 cm - 9.6" x 11.8"
rectificado. rectified
C-3 R12 C
- 3 Ángulo desbordante
31 x 31 cm - 12.2" x 12.2"
rectificado. rectified
C-3 R12 C
- 4 Ángulo rejilla modular
30 x 30 cm - 11.8" x 11.8"
rectificado. rectified
C-3 R12 C
- 5 Media caña 8
7,7 x 66,5 cm - 3.0" x 26.2"
- 6 Uña media caña 8
7,7 x 7,7 cm - 3.0" x 3.0"

TECHNICAL AREA

Overflow coping system. Placement diagrams. Overflow system. Schémas de pose.



1 Solera de hormigón Concrete floor.

2 Capa de regularización Regulation layer.

3 Adhesivo tipo C2S2. Adhesive type C2S2.

4 Rejunte tipo CG2WA. CG2WA type grouting.

5 Bases cerámica C-3. C-3 ceramic bases.

6 Junta elástica. Elastic joint.

7 Rejilla cerámica 24,5x24,5 - C3. Ceramic grating 24,5x24,5 - C3.

8 Borde desbordante 28x66,5 - C3. Overflow coping 28x66,5 - C3.

9 Ángulo rejilla cerámica lada/décha. - C3. Ceramic grid - C3.

10 Ángulo desbordante C3. Overflow corner C3.

11 Junta hidroexpansiva. Hydroexpansive joint. Joint hydroexpansif.

12 Bases cerámicas 33x66,5 cm - C-1 en paredes. Ceramics bases 33x66,5 cm -



13 Rejunte tipo RG de resinas reactivas. RG type grouting of reactive resins.

14 Media caña 4. Internal cove 4. Demi canne 4.

15 Capa de impermeabilización. Waterproofing layer. Couche imperméable.

16 Capa de adhesivo cementoso tipo C2S2. Cementitious adhesive layer type C2S2.


17 Apoyos rejilla cerámica 24,5x24,5 cm canal desbordante. Ceramic grating supports 24,5x24,5 cm overflow channel. Grille en céramique supportant 24,5x24,5 cm canal de débordement.



Imperial ceniza


8 Borde desbordante 28 x 66,5 cm - 11.0" x 26.2"

rectificado, rectified
C-3 R11 C



7 Rejilla 24,5 x 24,5 cm - 9.6" x 9.6"

rectificado, rectified
C-3 R11 C



10 Ángulo desbordante 31 x 31 cm - 12.2" x 12.2"

rectificado, rectified
C-3 R11 C



9 Ángulo rejilla 33 x 33 cm - 13.0" x 13.0"

rectificado, rectified
C-3 R11 C



14 Media caña 4 4,2 x 33 cm - 1.7" x 13.0"



17 Uña media caña 4 4,2 x 4,2 cm - 1.7" x 1.7"



VIDEO COLOCACIÓN REJILLAS.
INSTALLATION OF GRATINS VIDEO



WATCON

TILES

Transforming Outdoors with Style and Comfort



ADDRESS

343 SULTANPUR MG ROAD
NEW DELHI, INDIA



PHONE

+91 9999839999



MAIL

ADIT@WATCON.NET