



MANUFACTURING PRODUCTS SHOWCASE CATALOGUE



Pressure Gauges

Temperature Gauges

Thermocouples

Level Instruments

Resistance Temperature Detectors

Needle Valves

Thermowells

Manifold Valves

Pressure switches

Diaphragm Seals

Twin Ferrule Tube Fittings

www.deltainstruments.in

WELCOME TO DELTA PROCESS CONTROL INSTRUMENTS PVT. LTD

We **M/s. DELTA PROCESS CONTROL INSTRUMENTS PVT. LTD** is one of the most recognized manufacturers of wide range of DELTA pressure & Temperature gauge for various applications founded in 2010 now ISO 9001-2015 Co. by TUV, Registered under SSI unit of Govt. of Karnataka.

In depth, expertise earned over the years has evoked stupendous and constant demand which resulted into large and highly sophisticated production setup which has spread over 5000 sq.ft at Bangalore, Karnataka, manufacturing 300 Pressure Gauges per day.

We have a well-equipped machine shop, Press shop, Tool & Die shop, assembly line and calibrating cell to produce versatile, durable and reliable yet extremely economical pressure gauges each and every activity in the production line is subjected to stringent quality checks through a series of tests viz. Bourden Tube welding and heat treatment, Cycle Test, Calibration Test conducted by a well- equipped test laboratory manned by qualified and experienced technocrats, specially trained personnel Technicians, Engineers and a smoothly running sales & service network are both essential pre-requisites and proof that we take our obligations to our products and our discerning customers more serious than ever. Customer satisfaction through excellence in quality is the zest of our mission.

Our range of products are Bourdon Pressure Gauges in Stainless Steel and Phosphor Bronze material having weather proof Casing, Utility / Commercial Gauges, Glycerine Filled Gauges, Receiver Gauges, Diaphragm and Diaphragm Sealed Gauges, Homogenizer Pressure Gauge, Electrical contact Gauges, Differential Pressure Gauges, Test & Master Gauges.

Our Pressure Gauge have found a spectacular break-through, as they are designed and manufactured for rugged duty providing utility and durability to meet the rigid specifications of Fertilizers and Petrochemical Industries, Nuclear and Thermal Power Generation Units, Pulp & Paper Mills, Food & Pharmaceuticals, Refineries and Heavy Chemical Plants, onshore/offshore drilling Platforms, Refrigeration and Air Conditioning Units and other equipment's like valve positional, Hydraulic Machines / Power Packs, air filter regulators, compressors etc.



Pressure Gauge



Steel Case, Black Powder Coated
 Nominal Size : 40/50/63/80/100/150
 250mm
 Wetted Parts : Copper Alloy
 Accuracy : $\pm 1.6\%$ & $\pm 2.5\%$ F.S.
 Range : upto 1000 Bar

UP



All SS Industrial Gauge
 Nominal Size : 100/125/150/200/
 250 mm
 Wetted Parts : AISI SS 316L
 Accuracy : $\pm 1.0\%$ F.S.
 Range : upto 1600 Bar
 Execution : Dry / Liquid Filled

IP



SS Case Brass Pressure Gauge
 Nominal Size : 50/63/100 mm
 Wetted Parts : Copper alloy
 Accuracy : $\pm 1.6\%$ of F.S.
 (for NS 63mm*100mm)
 $\pm 2.5\%$ of F.S (for NS*50 mm)
 Range : -760 mm hg
 0 to 700 kg/cm²
 -1 to 21 kg/cm²

BI



All SS Economical Gauge Compact Case
 Nominal Size : 100mm
 Wetted Parts : AISI SS 316L
 Accuracy : $\pm 1.6\%$ of F. S.
 Range : upto 400 Bar
 Execution : Dry / Liquid Filled

EP



All SS Capsule Type
 Nominal Size : 63/100/125/150mm
 Capsule : AISI SS 316
 Accuracy : $\pm 1.6\%$ F.S.
 Range : 250 to 6000 mmwc

CS



All SS External Zero Adjustment.
 Nominal Size : 100mm
 Wetted Parts : AISI SS 316L
 Accuracy : $\pm 1\%$ of F. S.
 Range : upto 400 Bar
 Execution : Dry / Liquid Filled

EA



SS Compact Case
 Nominal Size : 63MM, 100 MM,
 Wetted Parts : AISI SS 316
 Accuracy : $\pm 1.6\%$ F.S.
 Range : upto 400 Bar
 Execution : Dry / Liquid Filled

SP



Maximum Reading Pressure Gauge
 Nominal Size : 100/150/200/250 mm
 Wetted Parts : AISI SS 316
 Accuracy : $\pm 1\%$ F.S
 Range : upto 1600 Bar
 Execution : Dry / Liquid Filled

MR



All SS Solid Front
 Nominal Size : 100/150mm
 Wetted Parts : AISI SS 316L
 Accuracy : $\pm 1.0\%$ F.S.
 Range : upto 1600 Bar
 Execution : Dry / Liquid Filled

BW



SS Case, Test Gauge
 Nominal Size : 150/200/250mm
 Accuracy : $\pm 0.25\%$ F.S.
 Range : upto 1000 Bar

MG



Draft Gauge
 Nominal Size : 150 x 78 /
 200 x 180mm
 Wetted Parts : Copper Alloy
 Accuracy : $\pm 2.5\%$ F.S
 Range : 50 to 6000 mmWC

DG



Electric Contact Type
 Nominal Size : 100/150 mm
 Wetted Parts : AISI SS 316L
 Accuracy : $\pm 1.0\%$ F.S
 Range : upto 1600 Bar

IE



Ammonia Pressure Gauge Bourdon Type
 Nominal Size : 100 mm
 Wetted Parts : AISI SS 316
 Accuracy : $\pm 1.6\%$ F.S
 Range : -1 kg/cm² to
 25 kg/cm²

AP



All SS Sanitary Gauge
 Nominal Size : 50/63/100 mm
 Diaphragm : AISI SS 316L
 Accuracy : $\pm 1.6\%$ F.S.
 Range : upto 40 Bar
 Execution : Dry / Liquid Filled

TC

Pressure Gauge



All SS Schaffer High Pressure Gauge. (Diaphragm Type)
 Nominal Size : 100/150 mm
 Accuracy : $\pm 1.6\%$ F.S.
 Range : 250 to 6000 mmwc
 Connection : Screwed / Flanged
 Diaphragm : AISI SS 316L

DC



Differential Pressure Gauge (Piston Operated)
 Nominal Size : 63MM, 100 MM, & 150MM
 Wetted Parts : AISI 304 SS, Spring & Screw With Ceramic Magnet.
 Accuracy : $\pm 3\%$ OF F.S.
 Range : 0 TO 10.00 KG/CM2

DP



All SS Schaffer Low Pressure Gauge. (Diaphragm Type)
 Nominal Size : 100/150 mm
 Accuracy : $\pm 1.6\%$ F.S.
 Range : 250 to 6000 mmwc
 Connection : Screwed / Flanged
 Diaphragm : AISI SS 316L

SF



Double Diaphragm : Differential Pressure Gauge
 Nominal Size : 100/150mm
 Diaphragm : AISI SS 316L
 Accuracy : $\pm 1.6\%$ F.S.
 Range : upto 25 Bar

DSD



All SS Homogenizer Gauge, Diaphragm Type
 Nominal Size : 100/150 mm
 Diaphragm : AISI SS 316L
 Accuracy : $\pm 1.6\%$ F.S.
 Range : upto 1600 bar
 Execution : Dry / Liquid Filled

HG



Mud Gauge
 Nominal Size : 100 mm
 Wetted Parts : AISI SS 316
 Accuracy : $\pm 2.0\%$ F.S.
 Range : 16 to 80 mpa

MG

Temperature Gauge



Fully SS, Thermometer with Capillary
 Nominal Size : 100/125/150/200/250mm
 Wetted Parts : AISI SS 316
 Range : -80 to 650°C
 Type : Rigid Stem/ Capillary
 Filling Fluid : Dry / Liquid Filled

TG



Fully SS, Thermometer
 Nominal Size : 40/50/63/80/100/125/150 mm
 Wetted Parts : AISI SS 316
 Range : -80 to 600°C
 Type : Bimetal

TB



Exhaust Thermometer with external
 Nominal Size : 100 mm
 Wetted Parts : AISI 304 SS (Bayonet Type)
 Accuracy : Class 1 as per EN 13190
 Range : + 50 to 650° Cel.

ET

Thermowells



Product Name : Flanged Type Thermowell
 Model : E11
 Type : Fabricated From BARSTOCK
 Connection : Flanged As per ANSI, JIS, DIN

FT



Product Name : Straight Screwed Type Thermowell
 Model : E12
 Type : Fabricated From BARSTOCK
 Connection : Screwed
 Construction : Straight

SST



Product Name : Flanged Tapered Type Thermowell
 Model : E13
 Type : Fabricated From BARSTOCK
 Connection : Flanged
 Construction : Tapered

FTT



Product Name : Tapered Screwed Type Thermowell
 Type : Fabricated From BARSTOCK
 Connection : Screwed
 Construction : Tapered Fully

TST

Diaphragm Seals



Diaphragm Seals : Sanitary Clamp Type

Range : -1 to 40 Bar
Connection : Sanitary Seal
Wetted Parts : AISI SS 316L

SC



Slip Ring Coupled Type

Range : -1 to 400 Bar
Connection : Screwed
Wetted Parts : AISI SS 316, SS 316L
Monel, Titanium

SRC



Diaphragm Seals : "I" Section Type

Flange As Per : ANSI, ASA, DIN, JIS
Range : -1 to 400 Bar
Wetted Parts : AISI SS 316, SS 316L,
Titanium, Hastelloyc

DIS



Direct Coupled Type

Range : -1 to 400 Bar
Connection : Screwed
Wetted Parts : AISI SS 316, SS 316L

DC



Diaphragm Seals : Direct Flanged Flush Type

Flange As Per : ANSI, ASA, DIN, JIS
Range : -1 to 250 Bar
Wetted Parts : AISI SS 316, SS 316L,
Titanium, Hastelloyc

DFF



Compact Design

Range : upto 21 Bar
Connection : Screwed
Wetted Parts : AISI SS 316

CD



Diaphragm Seals : Direct Flanged Insert Type

Flange As Per : ANSI, ASA, DIN, JIS
Range : -1 to 250 Bar
Wetted Parts : AISI SS 316, SS 316L,
Titanium, Hastelloyc

DFI



Floating Type / Sanitary Type

Range : upto 40 Bar
Connection : SMS / DIN / RJT / IDP
Wetted Parts : AISI SS 316, SS 316L

F/S



Diaphragm Seals : Extended Neck Type

Flange As Per : ANSI, ASA, DIN, JIS
Range : -1 to 250 Bar
Wetted Parts : AISI SS 316

EN



Screwed Flush Type

Range : upto 600 Bar
Connection : Screwed
Wetted Parts : AISI SS 316L,
Hastelloyc

SF



Diaphragm Seals : Wafer Type

Flange As Per : ANSI, ASA, DIN, JIS
Range : 1 to 160 Bar
Wetted Parts : AISI SS 316

WT



Heavy duty mini seal

Wetted Parts : AISI 316L SS
Range : -1 to 600 Bar

HM



Diaphragm Seals : Floating Ring Type

Application : Pulp
Range : 1 to 40 Bar
Wetted Parts : AISI SS 316, SS 316L

FR

Needle Valve



Product Name : NEEDLE VALVE
Material : AISI SS 316
Working Pressure : 400 Bar
Working Temperature : 240°C
Sizes : 2"

NV1



Product Name : NEEDLE VALVE
Material : AISI SS 316 /
 SS 316L / Monel
Working Pressure : 400 Bar
Working Temperature : 240°C (max 550°C)
Sizes : 1/8" to 1"

NV3

Manifold Valve



Product Name : Two Valve Manifold
Material : AISI SS 316
 SS 316L / Monel
Working Pressure : 6000 psi
Working Temperature : 240°C (max 550°C)
Process Side : 1/2" NPT Female
Instrument side : 1/2" NPT Female
Vent/Test : 1/4" NPT Female

2VM



Product Name : Three Valve Manifold
Material : AISI SS 316
 SS 316L / Monel
Working Pressure : 6000 psi
Working Temperature : 240°C (max 550°C)
Process Side : 1/2" NPT Female
Instrument side : 1/2" NPT Female
Vent/Test : 1/4" NPT Female

3VM



Product Name : Five Valve Manifold
Material : AISI SS 316
 SS 316L / Monel
Working Pressure : 6000 psi
Working Temperature : 240°C (max 550°C)
Process Side : 1/2" NPT Female
Instrument side : 1/2" NPT Female
Vent/Test : 1/4" NPT Female

5VM

Accessories



Product Name : Cooling Tower
Type : Perforated / FIN
 type / Capillary
Moc : AISI SS 316 /
 AISI SS 316L

CT



Product Name : Gauge Cock
Material : AISI SS 316
Working Temperature : upto 180°C
Gasket Seal : PTFE
Pressure : 100kg/cm²

GC



Product Name : Overload Protector
Setting Range : 1.0 to 400 Bar
Reset Value : 30% of set Value
Max. Working Pressure : 500 Bar
Opr. Temp : -20°C to 200°C
Material : AISI SS 316 /
 SS 316L / Monel

OP



Product Name : Flushing Ring
Flange Size : 2" to 5" as per
 ANSI B 16.5
Material : AISI 316 SS
Number of Parts : Two
Port Connection : 1/4" NPT (F)
 with male Plug
Sealing Face : Raced Face

FR



Product Name : Pulsation Dampener /
 Snubber
Working Pressure : upto 400kg/cm²
Working Temperature : -20°C to 200°C
Material : AISI SS 316
 SS 316L / Monel

SN




Product Name : SYPHON
Type : COIL / PIGTAIL / U
 Type
Moc : AISI SS 316 /
 SS 316L / Carbon
 Steel
Pipe Size : Schedule 40 /
 Schedule 80

SY

Resistance Temperature Detector (RTD)


Product Name: RTD Assembly With Fixed Threaded Extension




Product Name: RTD Assembly With Adjustable Threaded Extension




Product Name: RTD Insert With Threaded Pot & Lead Wires




Product Name: Bearing Temperature RTD



Product Name: RTD Assembly With Protecting Tube (Flanged Connection)



Product Name: RTD Assembly With Adjustable Tri-Clamp Connection




Thermocouple

Product Name: TC Assembly With Adjustable Threaded Connection




Product Name: TC Assembly With Protecting Tube (Flanged Connection)



Product Name: TC Insert With Transition Joint



Product Name: TC Insert With Plug & Jack Connector



SERVICES

Diaphragm Seal Repair & Refurbishment

- SERVICES OFFERED :** Transmitter assembling with diaphragm seal
Diaphragm seal refurbishment & calibration
- REASONS :** Bulging of diaphragm
Diaphragm 'blown up'
Diaphragm damaged due to corrosion
Dents in the diaphragm
Customized requirements of customer/process
- FACILITIES :** Laser Welding of diaphragms
Helium Leak testing
HART calibration & simulation of transmitter



OUR CLIENTS :

DELTA[®]
ISO 9001:2015 CO.



Delta Process Control Instrument Pvt. Ltd.

7/46/1, 1st Cross, Next to HGS, Shamanna Reddy Layout ,
Garvebhavipalya, Hosur main Road, Bangalore - 560068

✉ : sales@deltainstruments.in, deltainstruments52@gmail.com

☎ : 080- 41224255, (M) : 09448370307, 09741785268

🌐 : www.deltainstruments.in

Authorized Dealer :

sensing your needs.....