Pretty-print ☑️


```
{
  "openapi": "3.0.0",
  "info": {
    "title": "Paxos API",
    "version": "2.0",
    "description": "\u003Cp\u003EWelcome to Paxos APIs. At Paxos, our mission is to enable the movement of any asset, any time, in a trustworthy way. These APIs serve that mission by making it easier than ever for you to directly integrate our product capabilities into your application, leveraging the speed, stability, and security of the Paxos platform.\u003C/p\u003E \u003Cp\u003EThe documentation that follows gives you access to our Crypto Brokerage, Trading, and Exchange products. It includes APIs for market data, orders, and the held rate quote flow.\u003C/p\u003E \u003Cp\u003ETo test in our sandbox environment, \u003Ca href=\"https://account.sandbox.paxos.com\" target=\"_blank\"\u003Esign up\u003C/a\u003E for an account. For more information about Paxos and our APIs, visit \u003Ca href=\"https://www.paxos.com/\" target=\"_blank\"\u003EPaxos.com\u003C/a\u003E.\u003C/p\u003E\n",
    "x-logo": {
      "url": "/docs/paxos.svg",
      "backgroundColor": "#FFFFFF",
      "altText": "Paxos logo"
    }
  },
  "tags": [
    {
      "name": "Profiles",
      "description": "Profiles hold asset balances, and every Paxos transaction is on a particular profile.\nDepending on your integration type, Profiles may be used to reflect both corporate balances or individual user balances.\nThere are two types of Profiles:\n- `DEFAULT` Profiles are system-generated.\n- `NORMAL` Profiles are created using the [Create Profile](#operation/CreateProfile) endpoint and are the only type of Profile you can create.\n"
    },
    {
      "name": "Quotes",
      "description": "Quotes are \"held rates\" offered by Paxos to buy or sell assets at a specific\nprice within a period of time - for example, the option to buy BTC within\nthe next 30 seconds for $8,000.\n\nThe typical Quotes workflow is as follows:\n\n1. Call [List Quotes](#operation/ListQuotes) to get the latest available\n   quoted prices for the assets you want to buy or sell.\n1. Present the offered price to one or more end-users, with a timer\n   indicating the time to expiration.\n1. If a user accepts the price, call [Create Quote Execution](#operation/CreateQuoteExecution) with the amount to buy or sell.\n1. Call [Get Quote Execution](#operation/GetQuoteExecution) to monitor\n   for completion and know when the funds from the execution are available.\n\nIt's important to show end-users the latest available price. If you cache\nprices to show them to multiple users, you should refresh the cache once\nper second.\n\nYou can call [List Quote Executions](#operation/ListQuoteExecutions) to\nreview or construct reports on quote execution activity.\n"
    },
    {
      "name": "Quote Executions",
      "description": "Quote Executions buy or sell assets using a Quote obtained from\nthe [Quotes](#tag/Quotes) flow.\n"
    },
    {
      "name": "Orders",
      "description": "\u003Cp\u003EThere are three types of orders: market, limit and post-only.\u003C/p\u003E\n\u003Cp\u003EMarket orders guarantee execution at a variable price and quantity. Limit orders guarantee price and quantity at the time of execution but do not guarantee execution. Post-only is an order type that will only be placed on the order book if it is the maker side of a trade.\u003C/p\u003E\n"
    },
    {
      "name": "Market Data",
      "description": "Market data provides various parameters of the order book and historical
```

Pretty-print


```
    },
    {
      "name": "Pricing",
      "description": "Pricing provides historical data related to charting of asset
prices.\n\nNote: Some Pricing API markets may be unavailable for trading.\n"
    },
    {
      "name": "Issuer Quotes",
      "description": "Issuer Quotes are \"held rates\" offered by Paxos to mint or redeem
Paxos-issued assets at a specific price within a period of time - for example, the option to
buy PAXG within the next 5 seconds for $3,000.\n\nThe typical Issuer Quotes workflow is as
follows:\n\n1. Call [Create Issuer Quote](#operation/CreateIssuerQuote) to get a quote for the
asset you want to mint or redeem to a specific profile.\n1. Call [Create Issuer Quote
Execution](#operation/CreateIssuerQuoteExecution) with the quote ID and profile ID.\n\nYou can
call [List Issuer Quote Executions](#operation/ListIssuerQuoteExecutions) to review or
construct reports on issuer quote execution activity.\n"
    },
    {
      "name": "Identity",
      "description": "An Identity represents a person or institution who is able to take
actions on the Paxos Platform. Depending on \nyour integration type you might not need to
create Identities for your end users. \n\nIdentities must pass a set of verifications and
checks before they're able to transact on the Platform. Learn more\nabout getting started with
Identity and managing their onboarding lifecycle in the [Identity Developer Guide]
(https://docs.paxos.com/identity).\n"
    },
    {
      "name": "Institution Members",
      "description": "Institution Members allow you to associate persons with an institution
on our Platform.\nEach institution can have multiple members, with each member representing
the relationship to a person identity.\n\nWhen creating an institution identity, you must
designate at least one institution member.\nThis requirement ensures we have complete
information about the institution's ownership structure\nand key personnel, which is necessary
to onboard institutions.\n"
    },
    {
      "name": "Accounts",
      "description": "Accounts connect Identities (persons or institutions) to Profiles (asset
balances).\nKey features include:\n\n- **Balance Management**: Track and manage profile
balances via [Subledgering](https://docs.paxos.com/crypto-brokerage/ledger-type#fiat-and-
crypto-subledger)\n- **Joint Account Support**: Link multiple Identities to a single Account
for shared on platform balance\n\nAccounts are required for all Identity API integrations.\n"
    },
    {
      "name": "Account Members",
      "description": "Account Members allow you to associate an Identity with an Account on
our Platform.\nEach Account can be linked to multiple Identities, which supports Joint
Accounts (where two Identities have the ability\nto transact against a single Profile)
\n\nAccount members are effectively immutable. In order to update an account member,\nclients
should remove then re-add the account member with the desired state.\n\nThe API requires
clients to have write access on the account and all identities\nassociated with the
account.\n"
    },
    {
      "name": "Identity Documents",
      "description": "The Identity Documents API allows clients to send documents to Paxos to
validate identities\nduring the KYC process. Files can be updated multiple times by re-sending
the document type\nfor processing.\n\nWe currently accept the following file formats:\n-
\u003Ccode\u003Epdf\u003C/code\u003E\n- \u003Ccode\u003Ejpg\u003C/code\u003E\n-
\u003Ccode\u003Epng\u003C/code\u003E\n\nSteps to upload a document are as follows:\n1. Send a
\u003Ccode\u003EPUT\u003C/code\u003E request to
\u003Ccode\u003E/identity/identities/{id}/documents\u003C/code\u003E to get\n  the upload
URL.\n1. Send your document to the provided URL via a PUT request. Take the following example
using curl:\n  \u003Ccode\u003E$ curl --upload-file Proof_of_residence.jpg $URI
```

Pretty-print


```
\u003Ccode\u003EGET\u003C/code\u003E request to
\u003Ccode\u003E/identity/identities/{id}/documents\u003C/code\u003E\n"
    },
    {
      "name": "Fiat Transfers",
      "description": "The Fiat Transfers API allows clients to deposit and withdraw fiat via
the following Fiat Networks: Wire (Fedwire and SWIFT) and CUBIX. The supported asset is
USD.\n\nThe full set of Fiat Transfers API endpoints is:\n- For Deposits:\n  - [Create Fiat
Deposit Instructions](#operation/CreateFiatDepositInstructions)\n  - [List Fiat Deposit
Instructions](#operation/ListFiatDepositInstructions)\n  - [Get Fiat Deposit Instructions]
(#operation/GetFiatDepositInstructions)\n- For Withdrawals:\n  - [Create Fiat Account]
(#operation/CreateFiatAccount)\n  - [List Fiat Accounts](#operation/ListFiatAccounts)\n  -
[Get Fiat Account](#operation/GetFiatAccount)\n  - [Delete Fiat Account]
(#operation/DeleteFiatAccount)\n  - [Update Fiat Account](#operation/UpdateFiatAccount)\n  -
[Create Fiat Withdrawal](#operation/CreateFiatWithdrawal)\n"
    },
    {
      "name": "Stablecoin Conversion",
      "description": "\u003Cp\u003EConvert between fiat and stablecoin using \u003Ca
href=\"#operation/CreateStablecoinConversion\"\u003ECreate Stablecoin Conversion\u003C/a\u003E
and check the status of a \u003Ca href=\"#operation/GetStablecoinConversion\"\u003Esingle
conversion\u003C/a\u003E or retrieve a \u003Ca
href=\"#operation/ListStablecoinConversions\"\u003Elist of
conversions\u003C/a\u003E.\u003C/p\u003E\n",
      "externalDocs": {
        "description": "Learn more about stablecoin conversions →",
        "url": "https://docs.paxos.com/developer/convert"
      }
    },
    {
      "name": "Transfers",
      "description": "Each deposit to and withdrawal from a Paxos account is a Transfer.\nA
Transfer is associated with a particular Profile, and increases or\ndecreases the available
balance of a single asset in that Profile.\n"
    },
    {
      "name": "Tax Forms",
      "description": "All tax forms are associated to a single account_id.\nAn account_id can
have multiple tax forms associated with it.\nUS 1099-B and 1099-Misc tax forms for the
previous fiscal year will be available in February of the current calendar year.\nPrevious
years tax forms are also available by request.\n"
    },
    {
      "name": "Crypto Deposits",
      "description": "For [Paxos Global PTE Ltd](https://help.paxos.com/hc/en-
us/articles/9647005243284) users, update or reject a crypto deposit that does not contain the
required [travel rule](https://help.paxos.com/hc/en-us/articles/25928845778068)
information.\nDeposits with the `NEEDS_INFO` status require additional sender information
before they can be processed.\n- For individuals, both first and last name are required.\n-
For institutions, the institution name is required.\n\nIf a deposit is rejected, the funds
will no longer be available.\n",
      "externalDocs": {
        "description": "Learn more about travel rule udpates →",
        "url": "https://help.paxos.com/hc/en-us/articles/25422999706900"
      }
    },
    {
      "name": "Settlement",
      "description": "Use the Settlements API to facilitate simultaneous exchange of pre-
funded assets. Automate a variety of use cases that require two-party approval, including net
settlement of over-the-counter trades, withdrawal requests for tri-party collateral, payment
requests, and bilateral settlement for marketplace end users.\n\nThe simple request-and-
approval workflow supports both one-directional and bidirectional transactions to allow a user
to receive an asset (for example, send USDP) or simultaneously send and receive assets (for
```

Pretty-print

are fully funded does the Settlements API allow for change of custody. Upon completion, all settled assets are immediately available for trading, transferring, withdrawal or other supported activities.\n\nThe Source Profile initiates the transaction for the Target Profile to approve. The `DIRECTION` of each asset is always relative to the Source Profile and only the owner of the Source Profile can cancel a transaction if it hasn't been approved by the Target Profile.\n",
      "externalDocs": {
        "description": "Learn more about the Settlement APIs →",
        "url": "https://docs.paxos.com/settlements"
      }
    },
    {
      "name": "Paxos Transfers",
      "description": "Move assets between two Entities belonging to the same Organization or to a different Organization on the Paxos platform.\n\n\u003E Transferring USD between Entities is prohibited in some jurisdictions. Contact [Support](https://support.paxos.com/) if you run into any problems with this restriction.\n\nEnsure the destination [Profile](https://docs.paxos.com/dashboard/organization#profile) already exists before beginning the transfer. This may require contacting someone outside your Organization to get the destination Profile ID.\n"
    },
    {
      "name": "Monitoring Addresses",
      "description": "A Monitoring Address is a blockchain address that Paxos monitors daily for eligible stablecoin activity and determines the amount of rewards your organization will earn. We recommend adding any addresses you expect to hold, receive, or mint Paxos stablecoins as a monitoring address in order to receive rewards for all of your qualifying on-chain activity. \n\n\u003E Monitoring addresses must be added by month end (`23:59 UTC+0`) in order to earn rewards for that month. Addresses added after month end will start earning rewards for the following month.\n\n*These endpoints are only relevant for Global Dollar Network (GDN) partners.*\n"
    },
    {
      "name": "Payout Address",
      "description": "Endpoints working with Payout Address. These endpoints are only relevant for Global Dollar Network (GDN) partners."
    },
    {
      "name": "Statements",
      "description": "A Statement summarizes all eligible stablecoin rewards for a given organization over a fixed time period. It aggregates earned reward types (e.g., custody, mint, acceptance) and records whether the statement was paid.\n\nStatements are generated monthly and are immutable. Revised statements will be issued as a new statement with a unique ID. Statements can be used to reconcile balances or for accounting and accounts receivable purposes.\n\n*These endpoints are only relevant for Global Dollar Network (GDN) partners.*\n"
    },
    {
      "name": "Payments",
      "description": "Payments represent actual transfers of rewards to the payout address associated with a given statement. Payments are made on-chain to a specified payout address. Payments tie 1:1 with a statement amount.\n\nUse the `ref_id` to link payments to statements. \n\n\u003E Some fields (e.g., `account_id`, `profile_id`) are populated for consistency but are not relevant to reward-specific flows.\n\n*These endpoints are only relevant for Global Dollar Network (GDN) partners.*\n"
    },
    {
      "name": "API Credentials",
      "description": "API credentials allow programmatic access to Paxos APIs. These endpoints enable you to manage and view your API credentials.\n"
    },
    {
      "name": "Events",
      "description": "The Events API allows you to fetch events that occurred on the Paxos platform with the full event payload. This REST API can be used as part of your webhook

Pretty-print


```
retries), or standalone by polling for events related to your identities.\n"
    },
    {
      "name": "Event Types",
      "description": "\u003Cdiv style=\"max-width:100%; font-family:system-ui,-apple-
system,BlinkMacSystemFont,'Segoe UI',Roboto,Oxygen,Ubuntu,Cantarell,'Open Sans','Helvetica
Neue',sans-serif;\"\u003E\n  \u003Cdiv style=\"padding:0 0 24px;\"\u003E\n    \u003Cdiv
style=\"display:grid; grid-template-columns:1fr; gap:16px; margin-bottom:24px;\"\u003E\n
\u003C!-- identity.documents_required --\u003E\n      \u003Cdiv id=\"event-identity-documents-
required\" style=\"border:1px solid #e3e8ee; border-radius:8px; overflow:hidden; box-shadow:0
2px 5px rgba(0,0,0,0.03); transition:transform 0.15s ease, box-shadow 0.15s ease;\"\u003E\n
\u003Cdiv style=\"background:#f7fafc; padding:16px; border-bottom:1px solid #e3e8ee;\"\u003E\n
\u003Cdiv style=\"display:flex; align-items:center; justify-content:space-between;\"\u003E\n
\u003Ch3 style=\"margin:0; font-size:15px; color:#1a1f36; font-weight:600;\"\u003E\n
\u003Ca href=\"#event-identity-documents-required\" style=\"color:inherit; text-
decoration:none;\"\u003E\n                \u003Ccode style=\"font-family:monospace; font-
weight:500;\"\u003Eidentity.documents_required\u003C/code\u003E\n
\u003C/a\u003E\n            \u003C/h3\u003E\n            \u003Cspan style=\"font-size:12px;
color:#697386; background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n
\u003Ca href=\"#object-identity-documents-required\" style=\"color:inherit; text-
decoration:none;\"\u003Eobject: identity_documents_required\u003C/a\u003E\n
\u003C/span\u003E\n          \u003C/div\u003E\n        \u003C/div\u003E\n        \u003Cdiv
style=\"padding:16px; background:white;\"\u003E\n          \u003Cp style=\"margin:0; font-
size:14px; color:#4f566b; line-height:1.6;\"\u003E\n            Identity requires additional
documents, use the \u003Ca href=\"#tag/Identity-Documents\"\u003EUploadDocument\u003C/a\u003E
endpoint to upload all required documents.\n          \u003C/p\u003E\n
\u003C/div\u003E\n      \u003C/div\u003E\n      \u003C!-- identity.approved --\u003E\n
\u003Cdiv id=\"event-identity-approved\" style=\"border:1px solid #e3e8ee; border-radius:8px;
overflow:hidden; box-shadow:0 2px 5px rgba(0,0,0,0.03); transition:transform 0.15s ease, box-
shadow 0.15s ease;\"\u003E\n        \u003Cdiv style=\"background:#f7fafc; padding:16px;
border-bottom:1px solid #e3e8ee;\"\u003E\n          \u003Cdiv style=\"display:flex; align-
items:center; justify-content:space-between;\"\u003E\n            \u003Ch3 style=\"margin:0;
font-size:15px; color:#1a1f36; font-weight:600;\"\u003E\n              \u003Ca href=\"#event-
identity-approved\" style=\"color:inherit; text-decoration:none;\"\u003E\n
\u003Ccode style=\"font-family:monospace; font-
weight:500;\"\u003Eidentity.approved\u003C/code\u003E\n              \u003C/a\u003E\n
\u003C/h3\u003E\n            \u003Cspan style=\"font-size:12px; color:#697386;
background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n              \u003Ca
href=\"#object-identity-summary-status-change\" style=\"color:inherit; text-
decoration:none;\"\u003Eobject: identity_summary_status_change\u003C/a\u003E\n
\u003C/span\u003E\n          \u003C/div\u003E\n        \u003C/div\u003E\n        \u003Cdiv
style=\"padding:16px; background:white;\"\u003E\n          \u003Cp style=\"margin:0; font-
size:14px; color:#4f566b; line-height:1.6;\"\u003E\n            Identity is
\u003Ccode\u003EAPPROVED\u003C/code\u003E\n          \u003C/p\u003E\n
\u003C/div\u003E\n      \u003C/div\u003E\n      \u003C!-- identity.denied --\u003E\n
\u003Cdiv id=\"event-identity-denied\" style=\"border:1px solid #e3e8ee; border-radius:8px;
overflow:hidden; box-shadow:0 2px 5px rgba(0,0,0,0.03); transition:transform 0.15s ease, box-
shadow 0.15s ease;\"\u003E\n        \u003Cdiv style=\"background:#f7fafc; padding:16px;
border-bottom:1px solid #e3e8ee;\"\u003E\n          \u003Cdiv style=\"display:flex; align-
items:center; justify-content:space-between;\"\u003E\n            \u003Ch3 style=\"margin:0;
font-size:15px; color:#1a1f36; font-weight:600;\"\u003E\n              \u003Ca href=\"#event-
identity-denied\" style=\"color:inherit; text-decoration:none;\"\u003E\n
\u003Ccode style=\"font-family:monospace; font-
weight:500;\"\u003Eidentity.denied\u003C/code\u003E\n              \u003C/a\u003E\n
\u003C/h3\u003E\n            \u003Cspan style=\"font-size:12px; color:#697386;
background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n              \u003Ca
href=\"#object-identity-summary-status-change\" style=\"color:inherit; text-
decoration:none;\"\u003Eobject: identity_summary_status_change\u003C/a\u003E\n
\u003C/span\u003E\n          \u003C/div\u003E\n        \u003C/div\u003E\n        \u003Cdiv
style=\"padding:16px; background:white;\"\u003E\n          \u003Cp style=\"margin:0; font-
size:14px; color:#4f566b; line-height:1.6;\"\u003E\n            Identity is
\u003Ccode\u003EDENIED\u003C/code\u003E\n          \u003C/p\u003E\n        \u003C/div\u003E\n
\u003C/div\u003E\n      \u003C!-- identity.disabled --\u003E\n      \u003Cdiv id=\"event-
identity-disabled\" style=\"border:1px solid #e3e8ee; border-radius:8px; overflow:hidden; box-
```

Pretty-print

ease;\"\u003E\n \u003Cdiv style=\"background:#f7fafc; padding:16px; border-bottom:1px solid #e3e8ee;\"\u003E\n \u003Cdiv style=\"display:flex; align-items:center; justify-content:space-between;\"\u003E\n \u003Ch3 style=\"margin:0; font-size:15px; color:#1a1f36; font-weight:600;\"\u003E\n \u003Ca href=\"#event-identity-disabled\" style=\"color:inherit; text-decoration:none;\"\u003E\n \u003Ccode style=\"font-family:monospace; font-weight:500;\"\u003Eidentity.disabled\u003C/code\u003E\n \u003C/a\u003E\n \u003C/h3\u003E\n \u003Cspan style=\"font-size:12px; color:#697386; background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n \u003Ca href=\"#object-identity-summary-status-change\" style=\"color:inherit; text-decoration:none;\"\u003Eobject: identity_summary_status_change\u003C/a\u003E\n \u003C/span\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003Cdiv style=\"padding:16px; background:white;\"\u003E\n \u003Cp style=\"margin:0; font-size:14px; color:#4f566b; line-height:1.6;\"\u003E\n Identity is \u003Ccode\u003EDISABLED\u003C/code\u003E\n \u003C/p\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003C!-- identity.kyc_refresh.started --\u003E\n \u003Cdiv id=\"event-identity-kyc-refresh-started\" style=\"border:1px solid #e3e8ee; border-radius:8px; overflow:hidden; box-shadow:0 2px 5px rgba(0,0,0,0.03); transition:transform 0.15s ease, box-shadow 0.15s ease;\"\u003E\n \u003Cdiv style=\"background:#f7fafc; padding:16px; border-bottom:1px solid #e3e8ee;\"\u003E\n \u003Cdiv style=\"display:flex; align-items:center; justify-content:space-between;\"\u003E\n \u003Ch3 style=\"margin:0; font-size:15px; color:#1a1f36; font-weight:600;\"\u003E\n \u003Ca href=\"#event-identity-kyc-refresh-started\" style=\"color:inherit; text-decoration:none;\"\u003E\n \u003Ccode style=\"font-family:monospace; font-weight:500;\"\u003Eidentity.kyc_refresh.started\u003C/code\u003E\n \u003C/a\u003E\n \u003C/h3\u003E\n \u003Cspan style=\"font-size:12px; color:#697386; background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n \u003Ca href=\"#object-identity-kyc-refresh\" style=\"color:inherit; text-decoration:none;\"\u003Eobject: identity_kyc_refresh\u003C/a\u003E\n \u003C/span\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003Cdiv style=\"padding:16px; background:white;\"\u003E\n \u003Cp style=\"margin:0; font-size:14px; color:#4f566b; line-height:1.6;\"\u003E\n Identity is required to undergo its periodic \u003Ca href=\"https://docs.paxos.com/identity/kyc-refresh\"\u003EKYC refresh\u003C/a\u003E.\n \u003C/p\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003C!-- identity.kyc_refresh.completed --\u003E\n \u003Cdiv id=\"event-identity-kyc-refresh-completed\" style=\"border:1px solid #e3e8ee; border-radius:8px; overflow:hidden; box-shadow:0 2px 5px rgba(0,0,0,0.03); transition:transform 0.15s ease, box-shadow 0.15s ease;\"\u003E\n \u003Cdiv style=\"background:#f7fafc; padding:16px; border-bottom:1px solid #e3e8ee;\"\u003E\n \u003Cdiv style=\"display:flex; align-items:center; justify-content:space-between;\"\u003E\n \u003Ch3 style=\"margin:0; font-size:15px; color:#1a1f36; font-weight:600;\"\u003E\n \u003Ca href=\"#event-identity-kyc-refresh-completed\" style=\"color:inherit; text-decoration:none;\"\u003E\n \u003Ccode style=\"font-family:monospace; font-weight:500;\"\u003Eidentity.kyc_refresh.completed\u003C/code\u003E\n \u003C/a\u003E\n \u003C/h3\u003E\n \u003Cspan style=\"font-size:12px; color:#697386; background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n \u003Ca href=\"#object-identity-kyc-refresh\" style=\"color:inherit; text-decoration:none;\"\u003Eobject: identity_kyc_refresh\u003C/a\u003E\n \u003C/span\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003Cdiv style=\"padding:16px; background:white;\"\u003E\n \u003Cp style=\"margin:0; font-size:14px; color:#4f566b; line-height:1.6;\"\u003E\n Identity has successfully completed its periodic \u003Ca href=\"https://docs.paxos.com/identity/kyc-refresh\"\u003EKYC refresh\u003C/a\u003E.\n \u003C/p\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003C!-- identity.kyc_refresh.expired --\u003E\n \u003Cdiv id=\"event-identity-kyc-refresh-expired\" style=\"border:1px solid #e3e8ee; border-radius:8px; overflow:hidden; box-shadow:0 2px 5px rgba(0,0,0,0.03); transition:transform 0.15s ease, box-shadow 0.15s ease;\"\u003E\n \u003Cdiv style=\"background:#f7fafc; padding:16px; border-bottom:1px solid #e3e8ee;\"\u003E\n \u003Cdiv style=\"display:flex; align-items:center; justify-content:space-between;\"\u003E\n \u003Ch3 style=\"margin:0; font-size:15px; color:#1a1f36; font-weight:600;\"\u003E\n \u003Ca href=\"#event-identity-kyc-refresh-expired\" style=\"color:inherit; text-decoration:none;\"\u003E\n \u003Ccode style=\"font-family:monospace; font-weight:500;\"\u003Eidentity.kyc_refresh.expired\u003C/code\u003E\n \u003C/a\u003E\n \u003C/h3\u003E\n \u003Cspan style=\"font-size:12px; color:#697386; background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n

Pretty-print

decoration:none;\"\u003Eobject: identity_kyc_refresh\u003C/a\u003E\n
\u003C/span\u003E\n   \u003C/div\u003E\n   \u003C/div\u003E\n   \u003Cdiv
style=\"padding:16px; background:white;\"\u003E\n   \u003Cp style=\"margin:0; font-
size:14px; color:#4f566b; line-height:1.6;\"\u003E\n   Identity has not completed its
required \u003Ca href=\"https://docs.paxos.com/identity/kyc-refresh\"\u003EKYC
refresh\u003C/a\u003E within the designated timeframe.\n   \u003C/p\u003E\n
\u003C/div\u003E\n   \u003C/div\u003E\n   \u003C!-- transfer.crypto_deposit.pending --
\u003E\n   \u003Cdiv id=\"event-transfer-crypto-deposit-pending\" style=\"border:1px solid
#e3e8ee; border-radius:8px; overflow:hidden; box-shadow:0 2px 5px rgba(0,0,0,0.03);
transition:transform 0.15s ease, box-shadow 0.15s ease;\"\u003E\n   \u003Cdiv
style=\"background:#f7fafc; padding:16px; border-bottom:1px solid #e3e8ee;\"\u003E\n
\u003Cdiv style=\"display:flex; align-items:center; justify-content:space-between;\"\u003E\n
\u003Ch3 style=\"margin:0; font-size:15px; color:#1a1f36; font-weight:600;\"\u003E\n
\u003Ca href=\"#event-transfer-crypto-deposit-pending\" style=\"color:inherit; text-
decoration:none;\"\u003E\n   \u003Ccode style=\"font-family:monospace; font-
weight:500;\"\u003Etransfer.crypto_deposit.pending\u003C/code\u003E\n
\u003C/a\u003E\n   \u003C/h3\u003E\n   \u003Cspan style=\"font-size:12px;
color:#697386; background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n
\u003Ca href=\"#object-transfer-status-change\" style=\"color:inherit; text-
decoration:none;\"\u003Eobject: transfer_status_change\u003C/a\u003E\n
\u003C/span\u003E\n   \u003C/div\u003E\n   \u003C/div\u003E\n   \u003Cdiv
style=\"padding:16px; background:white;\"\u003E\n   \u003Cp style=\"margin:0; font-
size:14px; color:#4f566b; line-height:1.6;\"\u003E\n   Crypto deposit detected on-
chain and is \u003Ccode\u003EPENDING\u003C/code\u003E confirmation.\n
\u003C/p\u003E\n   \u003C/div\u003E\n   \u003C/div\u003E\n   \u003C!--
transfer.crypto_deposit.completed --\u003E\n   \u003Cdiv id=\"event-transfer-crypto-
deposit-completed\" style=\"border:1px solid #e3e8ee; border-radius:8px; overflow:hidden; box-
shadow:0 2px 5px rgba(0,0,0,0.03); transition:transform 0.15s ease, box-shadow 0.15s
ease;\"\u003E\n   \u003Cdiv style=\"background:#f7fafc; padding:16px; border-bottom:1px
solid #e3e8ee;\"\u003E\n   \u003Cdiv style=\"display:flex; align-items:center; justify-
content:space-between;\"\u003E\n   \u003Ch3 style=\"margin:0; font-size:15px;
color:#1a1f36; font-weight:600;\"\u003E\n   \u003Ca href=\"#event-transfer-crypto-
deposit-completed\" style=\"color:inherit; text-decoration:none;\"\u003E\n
\u003Ccode style=\"font-family:monospace; font-
weight:500;\"\u003Etransfer.crypto_deposit.completed\u003C/code\u003E\n
\u003C/a\u003E\n   \u003C/h3\u003E\n   \u003Cspan style=\"font-size:12px;
color:#697386; background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n
\u003Ca href=\"#object-transfer-status-change\" style=\"color:inherit; text-
decoration:none;\"\u003Eobject: transfer_status_change\u003C/a\u003E\n
\u003C/span\u003E\n   \u003C/div\u003E\n   \u003C/div\u003E\n   \u003Cdiv
style=\"padding:16px; background:white;\"\u003E\n   \u003Cp style=\"margin:0; font-
size:14px; color:#4f566b; line-height:1.6;\"\u003E\n   Crypto deposit is
\u003Ccode\u003ECOMPLETED\u003C/code\u003E and funds are available on platform.\n
\u003C/p\u003E\n   \u003C/div\u003E\n   \u003C/div\u003E\n   \u003C!--
transfer.crypto_deposit.failed --\u003E\n   \u003Cdiv id=\"event-transfer-crypto-deposit-
failed\" style=\"border:1px solid #e3e8ee; border-radius:8px; overflow:hidden; box-shadow:0
2px 5px rgba(0,0,0,0.03); transition:transform 0.15s ease, box-shadow 0.15s ease;\"\u003E\n
\u003Cdiv style=\"background:#f7fafc; padding:16px; border-bottom:1px solid #e3e8ee;\"\u003E\n
\u003Cdiv style=\"display:flex; align-items:center; justify-content:space-between;\"\u003E\n
\u003Ch3 style=\"margin:0; font-size:15px; color:#1a1f36; font-weight:600;\"\u003E\n
\u003Ca href=\"#event-transfer-crypto-deposit-failed\" style=\"color:inherit; text-
decoration:none;\"\u003E\n   \u003Ccode style=\"font-family:monospace; font-
weight:500;\"\u003Etransfer.crypto_deposit.failed\u003C/code\u003E\n
\u003C/a\u003E\n   \u003C/h3\u003E\n   \u003Cspan style=\"font-size:12px;
color:#697386; background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n
\u003Ca href=\"#object-transfer-status-change\" style=\"color:inherit; text-
decoration:none;\"\u003Eobject: transfer_status_change\u003C/a\u003E\n
\u003C/span\u003E\n   \u003C/div\u003E\n   \u003C/div\u003E\n   \u003Cdiv
style=\"padding:16px; background:white;\"\u003E\n   \u003Cp style=\"margin:0; font-
size:14px; color:#4f566b; line-height:1.6;\"\u003E\n   Crypto deposit has
\u003Ccode\u003EFAILED\u003C/code\u003E or been cancelled.\n   \u003C/p\u003E\n
\u003C/div\u003E\n   \u003C/div\u003E\n   \u003C!-- transfer.crypto_withdrawal.pending -
-\u003E\n   \u003Cdiv id=\"event-transfer-crypto-withdrawal-pending\" style=\"border:1px
solid #e3e8ee; border-radius:8px; overflow:hidden; box-shadow:0 2px 5px rgba(0,0,0,0.03);

Pretty-print

style=\"background:#f7fafc; padding:16px; border-bottom:1px solid #e3e8ee;\"\u003E\n
\u003Cdiv style=\"display:flex; align-items:center; justify-content:space-between;\"\u003E\n
\u003Ch3 style=\"margin:0; font-size:15px; color:#1a1f36; font-weight:600;\"\u003E\n
\u003Ca href=\"#event-transfer-crypto-withdrawal-pending\" style=\"color:inherit; text-
decoration:none;\"\u003E\n \u003Ccode style=\"font-family:monospace; font-
weight:500;\"\u003Etransfer.crypto_withdrawal.pending\u003C/code\u003E\n
\u003C/a\u003E\n \u003C/h3\u003E\n \u003Cspan style=\"font-size:12px;
color:#697386; background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n
\u003Ca href=\"#object-transfer-status-change\" style=\"color:inherit; text-
decoration:none;\"\u003Eobject: transfer_status_change\u003C/a\u003E\n
\u003C/span\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003Cdiv
style=\"padding:16px; background:white;\"\u003E\n \u003Cp style=\"margin:0; font-
size:14px; color:#4f566b; line-height:1.6;\"\u003E\n Crypto withdrawal has been
initiated and is \u003Ccode\u003EPENDING\u003C/code\u003E on-chain processing.\n
\u003C/p\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003C!--
transfer.crypto_withdrawal.completed --\u003E\n \u003Cdiv id=\"event-transfer-crypto-
withdrawal-completed\" style=\"border:1px solid #e3e8ee; border-radius:8px; overflow:hidden;
box-shadow:0 2px 5px rgba(0,0,0,0.03); transition:transform 0.15s ease, box-shadow 0.15s
ease;\"\u003E\n \u003Cdiv style=\"background:#f7fafc; padding:16px; border-bottom:1px
solid #e3e8ee;\"\u003E\n \u003Cdiv style=\"display:flex; align-items:center; justify-
content:space-between;\"\u003E\n \u003Ch3 style=\"margin:0; font-size:15px;
color:#1a1f36; font-weight:600;\"\u003E\n \u003Ca href=\"#event-transfer-crypto-
withdrawal-completed\" style=\"color:inherit; text-decoration:none;\"\u003E\n
\u003Ccode style=\"font-family:monospace; font-
weight:500;\"\u003Etransfer.crypto_withdrawal.completed\u003C/code\u003E\n
\u003C/a\u003E\n \u003C/h3\u003E\n \u003Cspan style=\"font-size:12px;
color:#697386; background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n
\u003Ca href=\"#object-transfer-status-change\" style=\"color:inherit; text-
decoration:none;\"\u003Eobject: transfer_status_change\u003C/a\u003E\n
\u003C/span\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003Cdiv
style=\"padding:16px; background:white;\"\u003E\n \u003Cp style=\"margin:0; font-
size:14px; color:#4f566b; line-height:1.6;\"\u003E\n Crypto withdrawal is
\u003Ccode\u003ECOMPLETED\u003C/code\u003E and has been sent to the destination address.\n
\u003C/p\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003C!--
transfer.crypto_withdrawal.failed --\u003E\n \u003Cdiv id=\"event-transfer-crypto-
withdrawal-failed\" style=\"border:1px solid #e3e8ee; border-radius:8px; overflow:hidden; box-
shadow:0 2px 5px rgba(0,0,0,0.03); transition:transform 0.15s ease, box-shadow 0.15s
ease;\"\u003E\n \u003Cdiv style=\"background:#f7fafc; padding:16px; border-bottom:1px
solid #e3e8ee;\"\u003E\n \u003Cdiv style=\"display:flex; align-items:center; justify-
content:space-between;\"\u003E\n \u003Ch3 style=\"margin:0; font-size:15px;
color:#1a1f36; font-weight:600;\"\u003E\n \u003Ca href=\"#event-transfer-crypto-
withdrawal-failed\" style=\"color:inherit; text-decoration:none;\"\u003E\n
\u003Ccode style=\"font-family:monospace; font-
weight:500;\"\u003Etransfer.crypto_withdrawal.failed\u003C/code\u003E\n
\u003C/a\u003E\n \u003C/h3\u003E\n \u003Cspan style=\"font-size:12px;
color:#697386; background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n
\u003Ca href=\"#object-transfer-status-change\" style=\"color:inherit; text-
decoration:none;\"\u003Eobject: transfer_status_change\u003C/a\u003E\n
\u003C/span\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003Cdiv
style=\"padding:16px; background:white;\"\u003E\n \u003Cp style=\"margin:0; font-
size:14px; color:#4f566b; line-height:1.6;\"\u003E\n Crypto withdrawal has
\u003Ccode\u003EFAILED\u003C/code\u003E or been cancelled.\n \u003C/p\u003E\n
\u003C/div\u003E\n \u003C/div\u003E\n \u003C!-- transfer.act_deposit.pending --
\u003E\n \u003Cdiv id=\"event-transfer-act-deposit-pending\" style=\"border:1px solid
#e3e8ee; border-radius:8px; overflow:hidden; box-shadow:0 2px 5px rgba(0,0,0,0.03);
transition:transform 0.15s ease, box-shadow 0.15s ease;\"\u003E\n \u003Cdiv
style=\"background:#f7fafc; padding:16px; border-bottom:1px solid #e3e8ee;\"\u003E\n
\u003Cdiv style=\"display:flex; align-items:center; justify-content:space-between;\"\u003E\n
\u003Ch3 style=\"margin:0; font-size:15px; color:#1a1f36; font-weight:600;\"\u003E\n
\u003Ca href=\"#event-transfer-act-deposit-pending\" style=\"color:inherit; text-
decoration:none;\"\u003E\n \u003Ccode style=\"font-family:monospace; font-
weight:500;\"\u003Etransfer.act_deposit.pending\u003C/code\u003E\n
\u003C/a\u003E\n \u003C/h3\u003E\n \u003Cspan style=\"font-size:12px;
color:#697386; background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n

Pretty-print

decoration:none;\"\u003Eobject: transfer_status_change\u003C/a\u003E\n
\u003C/span\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003Cdiv
style=\"padding:16px; background:white;\"\u003E\n \u003Cp style=\"margin:0; font-
size:14px; color:#4f566b; line-height:1.6;\"\u003E\n Fiat deposit via DBS has been
initiated and is \u003Ccode\u003EPENDING\u003C/code\u003E processing.\n
\u003C/p\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003C!--
transfer.act_deposit.completed --\u003E\n \u003Cdiv id=\"event-transfer-act-deposit-
completed\" style=\"border:1px solid #e3e8ee; border-radius:8px; overflow:hidden; box-shadow:0
2px 5px rgba(0,0,0,0.03); transition:transform 0.15s ease, box-shadow 0.15s ease;\"\u003E\n
\u003Cdiv style=\"background:#f7fafc; padding:16px; border-bottom:1px solid #e3e8ee;\"\u003E\n
\u003Cdiv style=\"display:flex; align-items:center; justify-content:space-between;\"\u003E\n
\u003Ch3 style=\"margin:0; font-size:15px; color:#1a1f36; font-weight:600;\"\u003E\n
\u003Ca href=\"#event-transfer-act-deposit-completed\" style=\"color:inherit; text-
decoration:none;\"\u003E\n \u003Ccode style=\"font-family:monospace; font-
weight:500;\"\u003Etransfer.act_deposit.completed\u003C/code\u003E\n
\u003C/a\u003E\n \u003C/h3\u003E\n \u003Cspan style=\"font-size:12px;
color:#697386; background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n
\u003Ca href=\"#object-transfer-status-change\" style=\"color:inherit; text-
decoration:none;\"\u003Eobject: transfer_status_change\u003C/a\u003E\n
\u003C/span\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003Cdiv
style=\"padding:16px; background:white;\"\u003E\n \u003Cp style=\"margin:0; font-
size:14px; color:#4f566b; line-height:1.6;\"\u003E\n Fiat deposit via DBS is
\u003Ccode\u003ECOMPLETED\u003C/code\u003E and funds are available on platform.\n
\u003C/p\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003C!--
transfer.act_deposit.failed --\u003E\n \u003Cdiv id=\"event-transfer-act-deposit-failed\"
style=\"border:1px solid #e3e8ee; border-radius:8px; overflow:hidden; box-shadow:0 2px 5px
rgba(0,0,0,0.03); transition:transform 0.15s ease, box-shadow 0.15s ease;\"\u003E\n
\u003Cdiv style=\"background:#f7fafc; padding:16px; border-bottom:1px solid #e3e8ee;\"\u003E\n
\u003Cdiv style=\"display:flex; align-items:center; justify-content:space-between;\"\u003E\n
\u003Ch3 style=\"margin:0; font-size:15px; color:#1a1f36; font-weight:600;\"\u003E\n
\u003Ca href=\"#event-transfer-act-deposit-failed\" style=\"color:inherit; text-
decoration:none;\"\u003E\n \u003Ccode style=\"font-family:monospace; font-
weight:500;\"\u003Etransfer.act_deposit.failed\u003C/code\u003E\n
\u003C/a\u003E\n \u003C/h3\u003E\n \u003Cspan style=\"font-size:12px;
color:#697386; background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n
\u003Ca href=\"#object-transfer-status-change\" style=\"color:inherit; text-
decoration:none;\"\u003Eobject: transfer_status_change\u003C/a\u003E\n
\u003C/span\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003Cdiv
style=\"padding:16px; background:white;\"\u003E\n \u003Cp style=\"margin:0; font-
size:14px; color:#4f566b; line-height:1.6;\"\u003E\n Fiat deposit via DBS has
\u003Ccode\u003EFAILED\u003C/code\u003E or been cancelled.\n \u003C/p\u003E\n
\u003C/div\u003E\n \u003C/div\u003E\n \u003C!-- transfer.act_withdrawal.pending --
\u003E\n \u003Cdiv id=\"event-transfer-act-withdrawal-pending\" style=\"border:1px solid
#e3e8ee; border-radius:8px; overflow:hidden; box-shadow:0 2px 5px rgba(0,0,0,0.03);
transition:transform 0.15s ease, box-shadow 0.15s ease;\"\u003E\n \u003Cdiv
style=\"background:#f7fafc; padding:16px; border-bottom:1px solid #e3e8ee;\"\u003E\n
\u003Cdiv style=\"display:flex; align-items:center; justify-content:space-between;\"\u003E\n
\u003Ch3 style=\"margin:0; font-size:15px; color:#1a1f36; font-weight:600;\"\u003E\n
\u003Ca href=\"#event-transfer-act-withdrawal-pending\" style=\"color:inherit; text-
decoration:none;\"\u003E\n \u003Ccode style=\"font-family:monospace; font-
weight:500;\"\u003Etransfer.act_withdrawal.pending\u003C/code\u003E\n
\u003C/a\u003E\n \u003C/h3\u003E\n \u003Cspan style=\"font-size:12px;
color:#697386; background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n
\u003Ca href=\"#object-transfer-status-change\" style=\"color:inherit; text-
decoration:none;\"\u003Eobject: transfer_status_change\u003C/a\u003E\n
\u003C/span\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003Cdiv
style=\"padding:16px; background:white;\"\u003E\n \u003Cp style=\"margin:0; font-
size:14px; color:#4f566b; line-height:1.6;\"\u003E\n Fiat withdrawal via DBS has
been initiated and is \u003Ccode\u003EPENDING\u003C/code\u003E processing.\n
\u003C/p\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003C!--
transfer.act_withdrawal.completed --\u003E\n \u003Cdiv id=\"event-transfer-act-
withdrawal-completed\" style=\"border:1px solid #e3e8ee; border-radius:8px; overflow:hidden;
box-shadow:0 2px 5px rgba(0,0,0,0.03); transition:transform 0.15s ease, box-shadow 0.15s
ease;\"\u003E\n \u003Cdiv style=\"background:#f7fafc; padding:16px; border-bottom:1px

Pretty-print

content:space-between;\"\u003E\n \u003Ch3 style=\"margin:0; font-size:15px; color:#1a1f36; font-weight:600;\"\u003E\n \u003Ca href=\"#event-transfer-act-withdrawal-completed\" style=\"color:inherit; text-decoration:none;\"\u003E\n \u003Ccode style=\"font-family:monospace; font-weight:500;\"\u003Etransfer.act_withdrawal.completed\u003C/code\u003E\n \u003C/a\u003E\n \u003C/h3\u003E\n \u003Cspan style=\"font-size:12px; color:#697386; background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n \u003Ca href=\"#object-transfer-status-change\" style=\"color:inherit; text-decoration:none;\"\u003Eobject: transfer_status_change\u003C/a\u003E\n \u003C/span\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003Cdiv style=\"padding:16px; background:white;\"\u003E\n \u003Cp style=\"margin:0; font-size:14px; color:#4f566b; line-height:1.6;\"\u003E\n Fiat withdrawal via DBS is \u003Ccode\u003ECOMPLETED\u003C/code\u003E and has been sent to the destination account.\n \u003C/p\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003C!-- transfer.act_withdrawal.failed --\u003E\n \u003Cdiv id=\"event-transfer-act-withdrawal-failed\" style=\"border:1px solid #e3e8ee; border-radius:8px; overflow:hidden; box-shadow:0 2px 5px rgba(0,0,0,0.03); transition:transform 0.15s ease, box-shadow 0.15s ease;\"\u003E\n \u003Cdiv style=\"background:#f7fafc; padding:16px; border-bottom:1px solid #e3e8ee;\"\u003E\n \u003Cdiv style=\"display:flex; align-items:center; justify-content:space-between;\"\u003E\n \u003Ch3 style=\"margin:0; font-size:15px; color:#1a1f36; font-weight:600;\"\u003E\n \u003Ca href=\"#event-transfer-act-withdrawal-failed\" style=\"color:inherit; text-decoration:none;\"\u003E\n \u003Ccode style=\"font-family:monospace; font-weight:500;\"\u003Etransfer.act_withdrawal.failed\u003C/code\u003E\n \u003C/a\u003E\n \u003C/h3\u003E\n \u003Cspan style=\"font-size:12px; color:#697386; background:#e3e8ee; padding:2px 8px; border-radius:12px;\"\u003E\n \u003Ca href=\"#object-transfer-status-change\" style=\"color:inherit; text-decoration:none;\"\u003Eobject: transfer_status_change\u003C/a\u003E\n \u003C/span\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003Cdiv style=\"padding:16px; background:white;\"\u003E\n \u003Cp style=\"margin:0; font-size:14px; color:#4f566b; line-height:1.6;\"\u003E\n Fiat withdrawal via DBS has \u003Ccode\u003EFAILED\u003C/code\u003E or been cancelled.\n \u003C/p\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003Cdiv style=\"background:#f8fafc; border:1px solid #e3e8ee; border-radius:8px; padding:16px; margin-top:24px;\"\u003E\n \u003Cp style=\"margin:0; font-size:13px; color:#697386; line-height:1.5; display:flex; align-items:flex-start;\"\u003E\n \u003Cspan\u003E\n \u003Cstrong\u003ENote:\u003C/strong\u003E We may add additional event types at any time. Your implementation should handle unexpected event types gracefully.\n \u003C/span\u003E\n \u003C/p\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n\u003C/div\u003E\n"
    },
    {
      "name": "Event Objects",
      "description": "\u003Cdiv style=\"max-width:100%; font-family:system-ui,-apple-system,BlinkMacSystemFont,'Segoe UI',Roboto,Oxygen,Ubuntu,Cantarell,'Open Sans','Helvetica Neue',sans-serif;\"\u003E\n \u003Cp style=\"font-size:14px; line-height:1.5; color:#4f566b; margin-bottom:20px;\"\u003E\n The following object schemas describe the structure of data that accompanies each event type.\n \u003C/p\u003E\n \u003C!-- identity_documents_required --\u003E\n \u003Cdiv style=\"margin-bottom:32px;\"\u003E\n \u003Cdiv id=\"object-identity-documents-required\" style=\"border:1px solid #e3e8ee; border-radius:8px; overflow:hidden; box-shadow:0 1px 3px rgba(0,0,0,0.05);\"\u003E\n \u003Cdiv style=\"background:#f7fafc; padding:16px; border-bottom:1px solid #e3e8ee;\"\u003E\n \u003Ch3 style=\"margin:0; font-size:16px; color:#1a1f36; font-weight:600;\"\u003E\n \u003Ca href=\"#object-identity-documents-required\" style=\"color:inherit; text-decoration:none;\"\u003E\n \u003Ccode\u003Eidentity_documents_required\u003C/code\u003E\n \u003C/a\u003E\n \u003C/h3\u003E\n \u003C/div\u003E\n \u003Cdiv\u003E\n \u003Ctable style=\"margin-left: 12px; border-collapse:collapse; font-size:14px; line-height:1.5;\"\u003E\n \u003Cthead\u003E\n \u003Ctr style=\"text-align:left; border-bottom:1px solid #e3e8ee;\"\u003E\n \u003Cth style=\"padding:12px 16px; color:#697386; font-weight:500; width:30%;\"\u003EField\u003C/th\u003E\n \u003Cth style=\"padding:12px 16px; color:#697386; font-weight:500; width:20%;\"\u003EType\u003C/th\u003E\n \u003Cth style=\"padding:12px 16px; color:#697386; font-weight:500;\"\u003EDescription\u003C/th\u003E\n \u003C/tr\u003E\n \u003C/thead\u003E\n \u003Ctbody\u003E\n \u003Ctr style=\"border-bottom:1px solid #f2f2f2;\"\u003E\n \u003Ctd style=\"padding:12px 16px; color:#1a1f36; vertical-align:top;\"\u003E\n

Pretty-print
radius:3px; font-size:13px;\"\u003Eid\u003C/code\u003E\n \u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003EUUID\u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003EUnique identifier for this event object\u003C/td\u003E\n \u003C/tr\u003E\n \u003Ctr style=\"border-bottom:1px solid #f2f2f2;\"\u003E\n \u003Ctd style=\"padding:12px 16px; color:#1a1f36; vertical-align:top;\"\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:13px;\"\u003Eidentity_id\u003C/code\u003E\n \u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003EUUID\u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003EIdentifier for the identity requiring documents\u003C/td\u003E\n \u003C/tr\u003E\n \u003Ctr style=\"border-bottom:1px solid #f2f2f2;\"\u003E\n \u003Ctd style=\"padding:12px 16px; color:#1a1f36; vertical-align:top;\"\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:13px;\"\u003Erequired_documents\u003C/code\u003E\n \u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003Elist enum\u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003E\n List of \u003Ca href=\"https://docs.paxos.com/api/v2#tag/Identity-Documents/operation/ListIdentityDocuments\" style=\"color:#635bff; text-decoration:none; font-weight:500;\"\u003Erequired document types\u003C/a\u003E\n \u003C/td\u003E\n \u003C/tr\u003E\n \u003C/tbody\u003E\n \u003C/table\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003C!-- identity_summary_status_change --\u003E\n \u003Cdiv style=\"margin-bottom:32px;\"\u003E\n \u003Cdiv id=\"object-identity-summary-status-change\" style=\"border:1px solid #e3e8ee; border-radius:8px; overflow:hidden; box-shadow:0 1px 3px rgba(0,0,0,0.05);\"\u003E\n \u003Cdiv style=\"background:#f7fafc; padding:16px; border-bottom:1px solid #e3e8ee;\"\u003E\n \u003Ch3 style=\"margin:0; font-size:16px; color:#1a1f36; font-weight:600;\"\u003E\n \u003Ca href=\"#object-identity-summary-status-change\" style=\"color:inherit; text-decoration:none;\"\u003E\n \u003Ccode\u003Eidentity_summary_status_change\u003C/code\u003E\n \u003C/a\u003E\n \u003C/h3\u003E\n \u003C/div\u003E\n \u003Cdiv\u003E\n \u003Ctable style=\"margin-left: 12px; border-collapse:collapse; font-size:14px; line-height:1.5;\"\u003E\n \u003Cthead\u003E\n \u003Ctr style=\"text-align:left; border-bottom:1px solid #e3e8ee;\"\u003E\n \u003Cth style=\"padding:12px 16px; color:#697386; font-weight:500; width:30%;\"\u003EField\u003C/th\u003E\n \u003Cth style=\"padding:12px 16px; color:#697386; font-weight:500; width:20%;\"\u003EType\u003C/th\u003E\n \u003Cth style=\"padding:12px 16px; color:#697386; font-weight:500;\"\u003EDescription\u003C/th\u003E\n \u003C/tr\u003E\n \u003C/thead\u003E\n \u003Ctbody\u003E\n \u003Ctr style=\"border-bottom:1px solid #f2f2f2;\"\u003E\n \u003Ctd style=\"padding:12px 16px; color:#1a1f36; vertical-align:top;\"\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:13px;\"\u003Eid\u003C/code\u003E\n \u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003EUUID\u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003EUnique identifier for this event object\u003C/td\u003E\n \u003C/tr\u003E\n \u003Ctr style=\"border-bottom:1px solid #f2f2f2;\"\u003E\n \u003Ctd style=\"padding:12px 16px; color:#1a1f36; vertical-align:top;\"\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:13px;\"\u003Eidentity_id\u003C/code\u003E\n \u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003EUUID\u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003EIdentifier for the affected identity\u003C/td\u003E\n \u003C/tr\u003E\n \u003Ctr style=\"border-bottom:1px solid #f2f2f2;\"\u003E\n \u003Ctd style=\"padding:12px 16px; color:#1a1f36; vertical-align:top;\"\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:13px;\"\u003Eold_summary_status\u003C/code\u003E\n \u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003Eenum\u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003E\n Previous status:\n

Pretty-print

style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:12px; margin-right:4px; margin-bottom:4px; display:inline-block;\"\u003EPENDING\u003C/code\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:12px; margin-right:4px; margin-bottom:4px; display:inline-block;\"\u003EERROR\u003C/code\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:12px; margin-right:4px; margin-bottom:4px; display:inline-block;\"\u003EAPPROVED\u003C/code\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:12px; margin-right:4px; margin-bottom:4px; display:inline-block;\"\u003EDENIED\u003C/code\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:12px; margin-right:4px; margin-bottom:4px; display:inline-block;\"\u003EDISABLED\u003C/code\u003E\n \u003C/span\u003E\n \u003C/td\u003E\n \u003C/tr\u003E\n \u003Ctr style=\"border-bottom:1px solid #f2f2f2;\"\u003E\n \u003Ctd style=\"padding:12px 16px; color:#1a1f36; vertical-align:top;\"\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:13px;\"\u003Enew_summary_status\u003C/code\u003E\n \u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003Eenum\u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003E\n New status:\n \u003Cspan style=\"display:block; margin-top:4px;\"\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:12px; margin-right:4px; margin-bottom:4px; display:inline-block;\"\u003EPENDING\u003C/code\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:12px; margin-right:4px; margin-bottom:4px; display:inline-block;\"\u003EERROR\u003C/code\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:12px; margin-right:4px; margin-bottom:4px; display:inline-block;\"\u003EAPPROVED\u003C/code\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:12px; margin-right:4px; margin-bottom:4px; display:inline-block;\"\u003EDENIED\u003C/code\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:12px; margin-right:4px; margin-bottom:4px; display:inline-block;\"\u003EDISABLED\u003C/code\u003E\n \u003C/span\u003E\n \u003C/td\u003E\n \u003C/tr\u003E\n \u003C/tbody\u003E\n \u003C/table\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003C!-- identity_kyc_refresh --\u003E\n \u003Cdiv style=\"margin-bottom:32px;\"\u003E\n \u003Cdiv id=\"object-identity-kyc-refresh\" style=\"border:1px solid #e3e8ee; border-radius:8px; overflow:hidden; box-shadow:0 1px 3px rgba(0,0,0,0.05);\"\u003E\n \u003Cdiv style=\"background:#f7fafc; padding:16px; border-bottom:1px solid #e3e8ee;\"\u003E\n \u003Ch3 style=\"margin:0; font-size:16px; color:#1a1f36; font-weight:600;\"\u003E\n \u003Ca href=\"#object-identity-kyc-refresh\" style=\"color:inherit; text-decoration:none;\"\u003E\n \u003Ccode\u003Eidentity_kyc_refresh\u003C/code\u003E\n \u003C/a\u003E\n \u003C/h3\u003E\n \u003C/div\u003E\n \u003Cdiv\u003E\n \u003Ctable style=\"margin-left: 12px; border-collapse:collapse; font-size:14px; line-height:1.5;\"\u003E\n \u003Cthead\u003E\n \u003Ctr style=\"text-align:left; border-bottom:1px solid #e3e8ee;\"\u003E\n \u003Cth style=\"padding:12px 16px; color:#697386; font-weight:500; width:30%;\"\u003EField\u003C/th\u003E\n \u003Cth style=\"padding:12px 16px; color:#697386; font-weight:500; width:20%;\"\u003EType\u003C/th\u003E\n \u003Cth style=\"padding:12px 16px; color:#697386; font-weight:500;\"\u003EDescription\u003C/th\u003E\n \u003C/tr\u003E\n \u003C/thead\u003E\n \u003Ctbody\u003E\n \u003Ctr style=\"border-bottom:1px solid #f2f2f2;\"\u003E\n \u003Ctd style=\"padding:12px 16px; color:#1a1f36; vertical-align:top;\"\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:13px;\"\u003Eid\u003C/code\u003E\n \u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003EUUID\u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003EUnique identifier for this event object\u003C/td\u003E\n \u003C/tr\u003E\n \u003Ctr style=\"border-bottom:1px solid #f2f2f2;\"\u003E\n \u003Ctd style=\"padding:12px 16px; color:#1a1f36; vertical-align:top;\"\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-

Pretty-print

\u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-
align:top;\"\u003EUUID\u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px;
color:#4f566b; vertical-align:top;\"\u003EIdentifier for the affected
identity\u003C/td\u003E\n \u003C/tr\u003E\n \u003Ctr style=\"border-
bottom:1px solid #f2f2f2;\"\u003E\n \u003Ctd style=\"padding:12px 16px;
color:#1a1f36; vertical-align:top;\"\u003E\n \u003Ccode style=\"font-
family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-
size:13px;\"\u003Elast_kyc_refresh_date\u003C/code\u003E\n \u003C/td\u003E\n
\u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-
align:top;\"\u003EDatetime\u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px;
color:#4f566b; vertical-align:top;\"\u003E\n Date of the most recent completed
KYC refresh\n \u003Cspan style=\"display:block; font-size:12px;
color:#697386;\"\u003E(optional)\u003C/span\u003E\n \u003C/td\u003E\n
\u003C/tr\u003E\n \u003Ctr\u003E\n \u003Ctd style=\"padding:12px 16px;
color:#1a1f36; vertical-align:top;\"\u003E\n \u003Ccode style=\"font-
family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-
size:13px;\"\u003Enext_kyc_refresh_date\u003C/code\u003E\n \u003C/td\u003E\n
\u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-
align:top;\"\u003EDatetime\u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px;
color:#4f566b; vertical-align:top;\"\u003E\n Scheduled date for the next KYC
refresh\n \u003Cspan style=\"display:block; font-size:12px;
color:#697386;\"\u003E(optional)\u003C/span\u003E\n \u003C/td\u003E\n
\u003C/tr\u003E\n \u003C/tbody\u003E\n \u003C/table\u003E\n
\u003C/div\u003E\n \u003C/div\u003E\n \u003C/div\u003E\n \u003C!-- transfer_status_change
--\u003E\n \u003Cdiv style=\"margin-bottom:32px;\"\u003E\n \u003Cdiv id=\"object-transfer-
status-change\" style=\"border:1px solid #e3e8ee; border-radius:8px; overflow:hidden; box-
shadow:0 1px 3px rgba(0,0,0,0.05);\"\u003E\n \u003Cdiv style=\"background:#f7fafc;
padding:16px; border-bottom:1px solid #e3e8ee;\"\u003E\n \u003Ch3 style=\"margin:0;
font-size:16px; color:#1a1f36; font-weight:600;\"\u003E\n \u003Ca href=\"#object-
transfer-status-change\" style=\"color:inherit; text-decoration:none;\"\u003E\n
\u003Ccode\u003Etransfer_status_change\u003C/code\u003E\n \u003C/a\u003E\n
\u003C/h3\u003E\n \u003C/div\u003E\n \u003Cdiv\u003E\n \u003Ctable
style=\"margin-left: 12px; border-collapse:collapse; font-size:14px; line-
height:1.5;\"\u003E\n \u003Cthead\u003E\n \u003Ctr style=\"text-
align:left; border-bottom:1px solid #e3e8ee;\"\u003E\n \u003Cth
style=\"padding:12px 16px; color:#697386; font-weight:500;
width:30%;\"\u003EField\u003C/th\u003E\n \u003Cth style=\"padding:12px 16px;
color:#697386; font-weight:500; width:20%;\"\u003EType\u003C/th\u003E\n \u003Cth
style=\"padding:12px 16px; color:#697386; font-weight:500;\"\u003EDescription\u003C/th\u003E\n
\u003C/tr\u003E\n \u003C/thead\u003E\n \u003Ctbody\u003E\n
\u003Ctr style=\"border-bottom:1px solid #f2f2f2;\"\u003E\n \u003Ctd
style=\"padding:12px 16px; color:#1a1f36; vertical-align:top;\"\u003E\n
\u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-
radius:3px; font-size:13px;\"\u003Eid\u003C/code\u003E\n \u003C/td\u003E\n
\u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-
align:top;\"\u003EUUID\u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px;
color:#4f566b; vertical-align:top;\"\u003EThe Paxos transfer ID. You can call the \u003Ca
href=\"#tag/Transfers/operation/GetTransfer\"\u003EGetTransfer\u003C/a\u003E endpoint with
this ID to get more details about it.\u003C/td\u003E\n \u003C/tr\u003E\n
\u003Ctr style=\"border-bottom:1px solid #f2f2f2;\"\u003E\n \u003Ctd
style=\"padding:12px 16px; color:#1a1f36; vertical-align:top;\"\u003E\n
\u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-
radius:3px; font-size:13px;\"\u003Etype\u003C/code\u003E\n \u003C/td\u003E\n
\u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-
align:top;\"\u003Eenum\u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px;
color:#4f566b; vertical-align:top;\"\u003E\n Type of transfer:\n
\u003Cspan style=\"display:block; margin-top:4px;\"\u003E\n \u003Ccode
style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-
size:12px; margin-right:4px; margin-bottom:4px; display:inline-
block;\"\u003ECRYPTO_DEPOSIT\u003C/code\u003E\n \u003Ccode style=\"font-
family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:12px;
margin-right:4px; margin-bottom:4px; display:inline-
block;\"\u003ECRYPTO_WITHDRAWAL\u003C/code\u003E\n \u003Ccode style=\"font-
family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:12px;

Pretty-print
block;\"\u003EACT_DEPOSIT\u003C/code\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:12px; margin-right:4px; margin-bottom:4px; display:inline-block;\"\u003EACT_WITHDRAWAL\u003C/code\u003E\n \u003C/span\u003E\n \u003C/td\u003E\n \u003C/tr\u003E\n \u003Ctr style=\"border-bottom:1px solid #f2f2f2;\"\u003E\n \u003Ctd style=\"padding:12px 16px; color:#1a1f36; vertical-align:top;\"\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:13px;\"\u003Estatus\u003C/code\u003E\n \u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003Eenum\u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003E\n Status of transfer:\n \u003Cspan style=\"display:block; margin-top:4px;\"\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:12px; margin-right:4px; margin-bottom:4px; display:inline-block;\"\u003EPENDING\u003C/code\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:12px; margin-right:4px; margin-bottom:4px; display:inline-block;\"\u003ECOMPLETED\u003C/code\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:12px; margin-right:4px; margin-bottom:4px; display:inline-block;\"\u003EFAILED\u003C/code\u003E\n \u003C/span\u003E\n \u003C/td\u003E\n \u003C/tr\u003E\n \u003Ctr style=\"border-bottom:1px solid #f2f2f2;\"\u003E\n \u003Ctd style=\"padding:12px 16px; color:#1a1f36; vertical-align:top;\"\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:13px;\"\u003Eref_id\u003C/code\u003E\n \u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003Estring\u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003E\n The client-specified ID of the transfer for replay protection and lookup.\n \u003Cspan style=\"display:block; font-size:12px; color:#697386;\"\u003E(optional)\u003C/span\u003E\n \u003C/td\u003E\n \u003C/tr\u003E\n \u003Ctr style=\"border-bottom:1px solid #f2f2f2;\"\u003E\n \u003Ctd style=\"padding:12px 16px; color:#1a1f36; vertical-align:top;\"\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:13px;\"\u003Ecrypto_network\u003C/code\u003E\n \u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003Eenum\u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003E\n Cryptocurrency network (e.g. \u003Ccode\u003EETHEREUM\u003C/code\u003E, \u003Ccode\u003EBASE\u003C/code\u003E, \u003Ccode\u003ESOLANA\u003C/code\u003E)\n \u003Cspan style=\"display:block; font-size:12px; color:#697386;\"\u003E(optional, present for crypto transfers)\u003C/span\u003E\n \u003C/td\u003E\n \u003C/tr\u003E\n \u003Ctr style=\"border-bottom:1px solid #f2f2f2;\"\u003E\n \u003Ctd style=\"padding:12px 16px; color:#1a1f36; vertical-align:top;\"\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:13px;\"\u003Ecrypto_tx_hash\u003C/code\u003E\n \u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003Estring\u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003E\n On-chain transaction hash\n \u003Cspan style=\"display:block; font-size:12px; color:#697386;\"\u003E(optional, present for crypto transfers when available)\u003C/span\u003E\n \u003C/td\u003E\n \u003C/tr\u003E\n \u003Ctr style=\"border-bottom:1px solid #f2f2f2;\"\u003E\n \u003Ctd style=\"padding:12px 16px; color:#1a1f36; vertical-align:top;\"\u003E\n \u003Ccode style=\"font-family:monospace; background:#f7fafc; padding:2px 4px; border-radius:3px; font-size:13px;\"\u003Ecrypto_tx_index\u003C/code\u003E\n \u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003Estring\u003C/td\u003E\n \u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003E\n The output index or output address\n \u003Cspan style=\"display:block; font-size:12px; color:#697386;\"\u003E(optional, present for crypto transfers when available)\u003C/span\u003E\n \u003C/td\u003E\n \u003C/tr\u003E\n \u003Ctr\u003E\n \u003Ctd style=\"padding:12px 16px; color:#1a1f36; vertical-align:top;\"\u003E\n \u003Ccode style=\"font-family:monospace;

Pretty-print


```
size:13px;\"\u003Ememo\u003C/code\u003E\n              \u003C/td\u003E\n              \u003Ctd
style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003Estring\u003C/td\u003E\n
\u003Ctd style=\"padding:12px 16px; color:#4f566b; vertical-align:top;\"\u003E\n
Memo associated with the transfer as an identifier\n                \u003Cspan
style=\"display:block; font-size:12px; color:#697386;\"\u003E(optional, present for fiat
transfers when available)\u003C/span\u003E\n              \u003C/td\u003E\n
\u003C/tr\u003E\n          \u003C/tbody\u003E\n        \u003C/table\u003E\n
\u003C/div\u003E\n    \u003C/div\u003E\n  \u003C/div\u003E\n\n  \n\u003C/div\u003E\n"
    }
  ],
  "paths": {
    "/profiles": {
      "get": {
        "summary": "List Profiles",
        "description": "Return the associated Profiles for the current Account.\nThe paginated
results default to the maximum limit of 1,000 Profiles, unless otherwise specified with the
`limit` parameter.\nEvery paginated response contains a `next_page` field until the last page
is reached.\nPass the `next_page` value into the `page_cursor` field of the next request to
retrieve the next page of results.",
        "operationId": "ListProfiles",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListProfilesResponse"
                },
                "examples": {
                  "response": {
                    "value": {
                      "items": [
                        {
                          "id": "1a763ac5-13d9-4568-bb8b-747c416b105c",
                          "nickname": "default",
                          "type": "DEFAULT"
                        },
                        {
                          "id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
                          "nickname": "MyProfileName",
                          "type": "NORMAL"
                        }
                      ]
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "created_at.lt",
            "description": "Include timestamps strictly less than lt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.lte",
```

Pretty-print


```
2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.eq",
            "description": "Include timestamps exactly equal to eq. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.gte",
            "description": "Include timestamps greater than or equal to lte. RFC3339 format,
like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.gt",
            "description": "Include timestamps strictly greater than gt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          },
          {
            "name": "order",
            "description": "Return items in ascending (ASC) or descending (DESC) order.
Defaults to ASC.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "DESC",
                "ASC"
              ]
            }
```

Pretty-print


```
          {
            "name": "order_by",
            "description": "The specific method by which the returned results will be
ordered.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "CREATED_AT"
              ]
            }
          },
          {
            "name": "page_cursor",
            "description": "Cursor token for fetching the next page.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "nickname",
            "description": "Optionally filter by Profile display name. Retrieves nickname(s)
based on the beginning characters of the given display name (prefix matching). Case
insensitive. WIldcards and regular expressions not supported.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "ids",
            "description": "Optionally filter by the UUIDs of the profiles. Limit 100.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          }
        ],
        "tags": [
          "Profiles"
        ],
        "security": [
          {
            "OAuth2": [
              "funding:read_profile"
            ]
          }
        ]
      },
      "post": {
        "summary": "Create Profile",
        "description": "Create a new profile for this account. Profiles created using this
endpoint always have a type of `NORMAL`.",
        "operationId": "CreateProfile",
        "responses": {
```

Pretty-print


```
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Profile"
                }
              }
            }
          }
        },
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/CreateProfileRequest"
              }
            }
          },
          "required": true
        },
        "tags": [
          "Profiles"
        ],
        "security": [
          {
            "OAuth2": [
              "funding:write_profile"
            ]
          }
        ]
      }
    },
    "/profiles/{profile_id}": {
      "get": {
        "summary": "Get Profile",
        "description": "Read a single profile by its UUID, or read the default profile using
the alias \"default\".",
        "operationId": "GetProfile",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Profile"
                },
                "examples": {
                  "profile_id=b7b77d82-e6a7-4ae9-9904-36231aedf985": {
                    "value": {
                      "id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
                      "nickname": "MyProfileName",
                      "type": "NORMAL"
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "profile_id",
            "description": "The UUID of the profile, or \"default\" for the default profile.",
            "in": "path",
```

Pretty-print


```
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "include_deactivated",
            "description": "Used to include deactivated profiles in the response.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "boolean"
            }
          }
        ],
        "tags": [
          "Profiles"
        ],
        "security": [
          {
            "OAuth2": [
              "funding:read_profile"
            ]
          }
        ]
      },
      "put": {
        "summary": "Update Profile",
        "description": "Change the `nickname` label for the given `profile_id` (Profile).",
        "operationId": "UpdateProfile",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Profile"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "profile_id",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/ProfilePublicUpdateProfileBody"
              }
            }
          },
          "required": true
        },
        "tags": [
          "Profiles"
        ],
```

Pretty-print


```
          {
            "OAuth2": [
              "funding:write_profile"
            ]
          }
        ]
      }
    },
    "/profiles/{profile_id}/balances": {
      "get": {
        "summary": "List Profile Balances",
        "description": "Retrieve the Profile’s available and trading balances.\nUse query
parameters to retrieve a defined set of assets.\nOmit query parameters to retrieve all asset
balances.",
        "operationId": "ListProfileBalances",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListProfileBalancesResponse"
                },
                "examples": {
                  "assets=BTC,USD": {
                    "value": {
                      "items": [
                        {
                          "asset": "BTC",
                          "available": "1.23103715",
                          "trading": ".25"
                        },
                        {
                          "asset": "USD",
                          "available": "1510.23",
                          "trading": "100.00"
                        }
                      ]
                    }
                  },
                  "All Assets": {
                    "value": {
                      "items": [
                        {
                          "asset": "USD",
                          "available": "1510.23",
                          "trading": "100.00"
                        },
                        {
                          "asset": "EUR",
                          "available": "0",
                          "trading": "0"
                        },
                        {
                          "asset": "SGD",
                          "available": "0",
                          "trading": "0"
                        },
                        {
                          "asset": "BTC",
                          "available": "1.23103715",
                          "trading": ".25"
                        },
                        {
```

Pretty-print


```
                        "available": "0",
                        "trading": "0"
                      },
                      {
                        "asset": "PAXG",
                        "available": "0",
                        "trading": "0"
                      },
                      {
                        "asset": "BCH",
                        "available": "0",
                        "trading": "0"
                      },
                      {
                        "asset": "SOL",
                        "available": "0",
                        "trading": "0"
                      }
                    ]
                  }
                }
              }
            }
          }
        }
      },
      "parameters": [
        {
          "name": "profile_id",
          "in": "path",
          "required": true,
          "schema": {
            "type": "string"
          }
        },
        {
          "name": "assets",
          "in": "query",
          "required": false,
          "explode": true,
          "schema": {
            "type": "array",
            "items": {
              "type": "string"
            }
          }
        }
      ],
      "tags": [
        "Profiles"
      ],
      "security": [
        {
          "OAuth2": [
            "funding:read_profile"
          ]
        }
      ]
    }
  },
  "/profiles/{profile_id}/balances/{asset}": {
    "get": {
      "summary": "Get Profile Balance",
      "description": "Get the balance of `asset` in a profile.",
```

Pretty-print


```
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ProfileBalance"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "profile_id",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "asset",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Profiles"
        ],
        "security": [
          {
            "OAuth2": [
              "funding:read_profile"
            ]
          }
        ]
      }
    },
    "/profiles/{profile_id}/deactivate": {
      "put": {
        "summary": "Deactivate Profile",
        "description": "Deactivate the given `profile_id`. The default profile cannot be
deactivated.\nDeactivated profiles won't be visible for deposits.\nProfiles with more than
zero balances cannot be deactivated.\nIf a deactivated profile has a non-zero balance it will
be reactivated.",
        "operationId": "DeactivateProfile",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/DeactivateProfileResponse"
                }
              }
            }
          }
        },
        "parameters": [
          {
```

Pretty-print


```
            "description": "The UUID of the profile.\nThe default profile cannot be
deactivated.\nThe profile must have a zero balance to be deactivated.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Profiles"
        ],
        "security": [
          {
            "OAuth2": [
              "funding:write_profile"
            ]
          }
        ]
      }
    },
    "/sandbox/profiles/{profile_id}/deposit": {
      "post": {
        "summary": "Create Sandbox Deposit",
        "description": "Create a test deposit to fund a profile in the sandbox
environment.\n\nAlways specify `crypto_network` when making a crypto sandbox deposit. Omit the
parameter when depositing fiat.\n\n*This functionality is only available in the sandbox
environment.*",
        "operationId": "CreateSandboxDeposit",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/CreateSandboxDepositResponse"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "profile_id",
            "description": "The ID of the profile that will credited with the assets.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/FundingSandboxCreateSandboxDepositBody"
              }
            }
          },
          "required": true
        },
        "tags": [
          "Sandbox Deposits"
```

Pretty-print


```
        "security": [
          {
            "OAuth2": [
              "funding:read_profile"
            ]
          }
        ]
      }
    },
    "/identity/identities": {
      "get": {
        "summary": "List Identities",
        "description": "This endpoint enables you to fetch a list of Identities.\nYou can use
query parameters to filter the results returned by `created_at`, `updated_at`,
`summary_status` and `identity_type`\n\nNote that this endpoint supports pagination and
returns a cursor token for fetching next pages.",
        "operationId": "ListIdentities",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListIdentitiesResponse"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "summary_status",
            "description": "Summary Status of the Identity.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "PENDING",
                "ERROR",
                "APPROVED",
                "DENIED",
                "DISABLED"
              ]
            }
          },
          {
            "name": "created_at.lt",
            "description": "Include timestamps strictly less than lt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.lte",
            "description": "Include timestamps less than or equal to lte. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
```

Pretty-print


```
            "format": "date-time"
          }
        },
        {
          "name": "created_at.eq",
          "description": "Include timestamps exactly equal to eq. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
          "in": "query",
          "required": false,
          "schema": {
            "type": "string",
            "format": "date-time"
          }
        },
        {
          "name": "created_at.gte",
          "description": "Include timestamps greater than or equal to lte. RFC3339 format,
like `2006-01-02T15:04:05Z`.",
          "in": "query",
          "required": false,
          "schema": {
            "type": "string",
            "format": "date-time"
          }
        },
        {
          "name": "created_at.gt",
          "description": "Include timestamps strictly greater than gt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
          "in": "query",
          "required": false,
          "schema": {
            "type": "string",
            "format": "date-time"
          }
        },
        {
          "name": "updated_at.lt",
          "description": "Include timestamps strictly less than lt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
          "in": "query",
          "required": false,
          "schema": {
            "type": "string",
            "format": "date-time"
          }
        },
        {
          "name": "updated_at.lte",
          "description": "Include timestamps less than or equal to lte. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
          "in": "query",
          "required": false,
          "schema": {
            "type": "string",
            "format": "date-time"
          }
        },
        {
          "name": "updated_at.eq",
          "description": "Include timestamps exactly equal to eq. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
          "in": "query",
          "required": false,
```

Pretty-print


```
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "updated_at.gte",
            "description": "Include timestamps greater than or equal to lte. RFC3339 format,
like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "updated_at.gt",
            "description": "Include timestamps strictly greater than gt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          },
          {
            "name": "order",
            "description": "Return items in ascending (ASC) or descending (DESC) order.
Defaults to DESC.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "DESC",
                "ASC"
              ]
            }
          },
          {
            "name": "order_by",
            "description": "The specific method by which the returned results will be
ordered.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "CREATED_AT"
              ]
            }
          },
          {
```

Pretty-print


```
            "description": "Cursor token for fetching the next page.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "identity_type",
            "description": "Optionally filter by Identity type",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "PERSON",
                "INSTITUTION"
              ]
            }
          }
        ],
        "tags": [
          "Identity"
        ],
        "security": [
          {
            "OAuth2": [
              "identity:read_identity"
            ]
          }
        ]
      },
      "post": {
        "summary": "Create Identity",
        "description": "Creates a new Person or Institution Identity on the Paxos
Platform.\n\nA successful response indicates that the identity has been created and is
`PENDING` approval. The identity is only\navailable to use on the Platform once it is
`APPROVED`. For a full description of statuses read the [status guide here]
(https://docs.paxos.com/identity/statuses).\n\nFor detailed guidance on which [fields are
required](https://docs.paxos.com/identity/required-details) for your integration\nor the
[lifecycle of an Identity](https://docs.paxos.com/identity/statuses) on the platform, please
read the [Identity Developer Guide](https://docs.paxos.com/identity).",
        "operationId": "CreateIdentity",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Identity"
                },
                "examples": {
                  "Create Person Identity with Passthrough": {
                    "value": {
                      "created_at": "2022-02-15T05:46:50.957068Z",
                      "id": "36ae1728-c54a-4046-86df-8a413e0ab9b3",
                      "person_details": {
                        "additional_screening_status": "PENDING",
                        "address": {
                          "address1": "1 Example St",
                          "city": "New York",
                          "country": "USA",
                          "province": "NY",
                          "zip_code": "10001"
```

Pretty-print


```
                "cip_id": "111-11-1234",
                "cip_id_country": "USA",
                "cip_id_type": "SSN",
                "date_of_birth": "1980-01-01T00:00:00Z",
                "first_name": "John",
                "govt_id": "111-11-1234",
                "govt_id_type": "SSN",
                "id_verification_status": "APPROVED",
                "last_name": "Doe",
                "nationality": "USA",
                "passthrough_verified_at": "2021-06-16T09:28:14Z",
                "passthrough_verifier_type'": "JUMIO",
                "sanctions_verification_status": "PENDING",
                "verifier_type": "PASSTHROUGH"
              },
              "ref_id": "33ece656-eef1-43b5-a851-b6b9099089a5",
              "summary_status": "PENDING",
              "tax_details": [
                {
                  "tax_payer_country": "USA",
                  "tax_payer_id": "111-11-1234"
                }
              ],
              "type": "PERSON",
              "updated_at": "2022-02-15T05:46:50.957068Z"
            }
          },
          "Create Institutional Identity": {
            "value": {
              "created_at": "2022-02-15T22:47:06.808912Z",
              "id": "09d32f7b-fe0c-47d0-9968-89267909320a",
              "institution_details": {
                "additional_screening_status": "PENDING",
                "business_address": {
                  "address1": "1 Example St",
                  "city": "New York",
                  "country": "USA",
                  "province": "NY",
                  "zip_code": "10001"
                },
                "cip_id": "12-9876543",
                "cip_id_country": "USA",
                "cip_id_type": "EIN",
                "document_verification_status": "PENDING",
                "govt_registration_date": "2021-04-14T00:00:00Z",
                "incorporation_address": {
                  "address1": "1 Example St",
                  "city": "New York",
                  "country": "USA",
                  "province": "NY",
                  "zip_code": "10001"
                },
                "institution_sub_type": "INVESTMENT",
                "institution_type": "TRUST",
                "name": "Institution A",
                "regulation_status": "NON_REGULATED",
                "sanctions_verification_status": "PENDING",
                "trading_type": "PRIVATE"
              },
              "institution_members": [
                {
                  "identity_id": "a81d4cf9-da6d-40ff-9366-0405aedfd31e",
                  "roles": [
                    "GRANTOR"
```

Pretty-print


```
                    },
                    {
                      "identity_id": "e458c723-edfa-478e-a01c-939707c0be9f",
                      "roles": [
                        "TRUSTEE"
                      ]
                    },
                    {
                      "identity_id": "b11242ea-5772-4970-934b-6336540ded05",
                      "roles": [
                        "BENEFICIAL_OWNER"
                      ]
                    }
                  ],
                  "ref_id": "33ece656-eef1-43b5-a851-b6b9099089a6",
                  "summary_status": "PENDING",
                  "tax_details": [
                    {
                      "tax_payer_country": "USA",
                      "tax_payer_id": "12-9876543"
                    }
                  ],
                  "type": "INSTITUTION",
                  "updated_at": "2022-02-15T22:47:06.808912Z"
                }
              }
            }
          }
        }
      },
      "409": {
        "description": "Duplicate identity record",
        "content": {
          "application/json": {
            "schema": {
              "$ref": "#/components/schemas/Problem"
            },
            "examples": {
              "Create Identity with the same SSN": {
                "value": {
                  "type": "https://developer.paxos.com/docs/v2/problems/already-exists",
                  "title": "Already Exists",
                  "status": 409,
                  "detail": "duplicate (cip_id, cip_id_type, cip_id_country) provided",
                  "meta": {
                    "existing": {
                      "id": "36ae1728-c54a-4046-86df-8a403e0ab9b3"
                    }
                  }
                }
              },
              "Duplicate fef_id provided": {
                "value": {
                  "type": "https://developer.paxos.com/docs/v2/problems/already-exists",
                  "title": "Already Exists",
                  "status": 409,
                  "detail": "duplicate ref_id provided",
                  "meta": {
                    "existing": {
                      "id": "c9560de1-835c-48fa-bd1a-e91da2ef770c"
                    }
                  }
                }
              }
```

Pretty-print


```
            }
          }
        }
      },
      "requestBody": {
        "content": {
          "application/json": {
            "schema": {
              "$ref": "#/components/schemas/CreateIdentityRequest"
            },
            "examples": {
              "Create Person Identity": {
                "value": {
                  "person_details": {
                    "verifier_type": "PASSTHROUGH",
                    "passthrough_verifier_type": "JUMIO",
                    "passthrough_verified_at": "2021-06-16T09:28:14Z",
                    "first_name": "John",
                    "last_name": "Doe",
                    "date_of_birth": "1980-01-01",
                    "phone_number": "+1 555 678 1234",
                    "email": "example@somemail.org",
                    "cip_id": "111-11-1234",
                    "cip_id_type": "SSN",
                    "cip_id_country": "USA",
                    "nationality": "USA",
                    "address": {
                      "country": "USA",
                      "address1": "1 Example St",
                      "city": "New York",
                      "province": "NY",
                      "zip_code": "10001"
                    },
                    "metadata": {
                      "custom_property1": "custom value 1",
                      "custom_property2": "custom value 2"
                    }
                  },
                  "ref_id": "33ece656-eef1-43b5-a851-b6b9099089a5"
                }
              },
              "Create Institutional Identity": {
                "value": {
                  "institution_members": [
                    {
                      "identity_id": "a81d4cf9-da6d-40ff-9366-0405aedfd31e",
                      "roles": [
                        "GRANTOR"
                      ]
                    },
                    {
                      "identity_id": "e458c723-edfa-478e-a01c-939707c0be9f",
                      "roles": [
                        "TRUSTEE"
                      ]
                    },
                    {
                      "identity_id": "b11242ea-5772-4970-934b-6336540ded05",
                      "roles": [
                        "BENEFICIAL_OWNER"
                      ]
                    }
                  ],
                  "institution_details": {
```

Pretty-print


```
                      "institution_type": "TRUST",
                      "institution_sub_type": "INVESTMENT",
                      "cip_id": "12-9569897",
                      "cip_id_type": "EIN",
                      "cip_id_country": "USA",
                      "govt_registration_date": "2021-04-14T00:00:00Z",
                      "business_address": {
                        "address1": "1 Example St",
                        "city": "New York",
                        "country": "USA",
                        "province": "NY",
                        "zip_code": "10001"
                      },
                      "incorporation_address": {
                        "address1": "1 Example St",
                        "city": "New York",
                        "country": "USA",
                        "province": "NY",
                        "zip_code": "10001"
                      },
                      "regulation_status": "NON_REGULATED",
                      "trading_type": "PRIVATE"
                    },
                    "ref_id": "33ece656-eef1-43b5-a851-b6b9099089a6"
                  }
                }
              }
            }
          },
          "required": true
        },
        "tags": [
          "Identity"
        ],
        "security": [
          {
            "OAuth2": [
              "identity:write_identity"
            ]
          }
        ]
      }
    },
    "/identity/identities/{identity_id}/documents": {
      "get": {
        "summary": "List Identity Documents",
        "description": "This endpoint enables you to get a list of all documents associated
with an identity.",
        "operationId": "ListIdentityDocuments",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListIdentityDocumentsResponse"
                },
                "examples": {
                  "List Identity Documents": {
                    "value": {
                      "documents": [
                        {
                          "file_id": "e1959b03-8c3d-4bdd-9437-403ccf8772f5",
                          "name": "test_file.png",
```

Pretty-print


```
                          "OTHER_DOCUMENTS",
                          "APPLICATION"
                        ],
                        "created_at": "2023-07-07T23:03:19.170481Z"
                      }
                    ]
                  }
                }
              }
            }
          }
        },
        "404": {
          "description": "Not Found",
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/Problem"
              },
              "examples": {
                "Not Found": {
                  "value": {
                    "detail": "Identity with id f6b1365a-dc8e-4526-aa3f-e688826c36be doesn't
exist",
                    "status": 404,
                    "title": "Not Found",
                    "type": "about:blank"
                  }
                }
              }
            }
          }
        },
        "403": {
          "description": "Permissions Denied",
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/Problem"
              },
              "examples": {
                "Forbidden": {
                  "value": {
                    "detail": "Forbidden",
                    "status": 403,
                    "title": "Forbidden",
                    "type": "about:blank"
                  }
                }
              }
            }
          }
        }
      },
      "parameters": [
        {
          "name": "identity_id",
          "description": "id associated with the identity",
          "in": "path",
          "required": true,
          "schema": {
            "type": "string"
          }
        },
```

Pretty-print


```
            "name": "include_pending_docs",
            "description": "Add a list of pending document types for the identity",
            "in": "query",
            "required": false,
            "schema": {
              "type": "boolean"
            }
          }
        ],
        "tags": [
          "Identity Documents"
        ],
        "security": [
          {
            "OAuth2": [
              "identity:read_identity"
            ]
          }
        ]
      },
      "put": {
        "summary": "Document Upload",
        "description": "This endpoint enables you to receive a URL to upload a document to
Paxos for identity verification or enhanced due diligence purposes.\nWhen uploading a document
you must specify the document type. You will receive a\nURL where you can upload the document
using a POST request.\n\nRequirements:\n- Uploaded documents must be less than 100 MB in
size\n- Supported formats include PDF, JPG, and PNG\n\nFor more information on document
requirements for enhanced due diligence, see [here](https://docs.paxos.com/identity/edd).",
        "operationId": "DocumentUpload",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/DocumentUploadResponse"
                },
                "examples": {
                  "Create Document Upload": {
                    "value": {
                      "file_id": "f190b163-208f-4d73-8deb-4fb8b24add00",
                      "name": "Proof_of_residence.jpg",
                      "upload_url": "https://s3.amasonaws.com/pax...cec3f64fe20348685a"
                    }
                  }
                }
              }
            }
          },
          "403": {
            "description": "Permissions Denied",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Forbidden": {
                    "value": {
                      "detail": "document storage not enabled",
                      "status": 403,
                      "title": "Forbidden",
                      "type": "about:blank"
                    }
```

Pretty-print


```
                }
              }
            }
          },
          "404": {
            "description": "Not Found",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Not Found": {
                    "value": {
                      "detail": "identity does not exist",
                      "status": 404,
                      "title": "Not Found",
                      "type": "about:blank"
                    }
                  }
                }
              }
            }
          },
          "400": {
            "description": "Bad Request",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Invalid Request": {
                    "value": {
                      "detail": "must provide a file name, up to 260 characters",
                      "status": 400,
                      "title": "Bad Request",
                      "type": "about:blank"
                    }
                  }
                }
              }
            }
          },
          "409": {
            "description": "Already Exists",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Duplicate File Name": {
                    "value": {
                      "detail": "file named \"Proof_of_residence.jpg\" already exists",
                      "meta": {
                        "existing": {
                          "name": "Proof_of_residence.jpg"
                        }
                      },
                      "status": 409,
                      "title": "Already Exists",
                      "type": "https://developer.paxos.com/docs/v2/problems/already-exists"
                    }
```

Pretty-print


```
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "identity_id",
            "description": "The id of the identity the document is associated with.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/IdentityPublicDocumentUploadBody"
              },
              "examples": {
                "Create Document Upload": {
                  "value": {
                    "name": "Proof_of_residence.jpg",
                    "document_types": [
                      "PROOF_OF_RESIDENCY"
                    ]
                  }
                }
              }
            }
          },
          "required": true
        },
        "tags": [
          "Identity Documents"
        ],
        "security": [
          {
            "OAuth2": [
              "identity:write_identity"
            ]
          }
        ]
      }
    },
    "/identity/identities/{id}": {
      "get": {
        "summary": "Get Identity",
        "description": "Get an Identity by its (identity) id. You can only see identities created by you.\n\nYou can use the query parameter `include_details` to include identity details (`person_details` or `institution_details`) in\nthe response and the query parameter `include_institution_members` to include institution members in the response.",
        "operationId": "GetIdentity",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Identity"
                }
```

Pretty-print


```
            }
          }
        },
        "parameters": [
          {
            "name": "id",
            "description": "id associated with the identity",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "include_details",
            "description": "query param; details are encrypted, so we do not want to include
them by default",
            "in": "query",
            "required": false,
            "schema": {
              "type": "boolean"
            }
          },
          {
            "name": "include_institution_members",
            "description": "query param; to include institution members for institution
identity",
            "in": "query",
            "required": false,
            "schema": {
              "type": "boolean"
            }
          }
        ],
        "tags": [
          "Identity"
        ],
        "security": [
          {
            "OAuth2": [
              "identity:read_identity"
            ]
          }
        ]
      },
      "put": {
        "summary": "Update Identity",
        "description": "Updates an Identity, this action performs a delta of what is submitted
in the update and the existing identity.\n- Updating details (`person_details` or
`institution_details`) might lead to the identity being re-verified (e.g. re-screening name
changes), which\ncould impact the identity's ability to transact on the Platform.\n- Setting
`set_user_disabled` to `true` will make the Identity `DISABLED` (read [more here]
(https://docs.paxos.com/identity/statuses) on what this means)\n- Setting `tax_details` will
update all the tax details for the identity\n- Setting `last_kyc_refresh_date` indicates this
is not an adhoc-update, and instead an update for a [periodic kyc refresh]
(https://docs.paxos.com/identity/kyc-refresh)\n\nChanging an Institution Identity to a Person
and vice-versa is not supported.",
        "operationId": "UpdateIdentity",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
```

Pretty-print


```
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "id",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/IdentityPublicUpdateIdentityBody"
              }
            }
          },
          "required": true
        },
        "tags": [
          "Identity"
        ],
        "security": [
          {
            "OAuth2": [
              "identity:write_identity"
            ]
          }
        ]
      }
    },
    "/identity/institution-members": {
      "post": {
        "summary": "Add Institution Members",
        "description": "Add one or more institution members to a given institution.\n\nAdding
new members doesn't affect existing members. For example, if an institution has
three\nmembers, and adds two members using this API, then the institution would end up with
five total members.\n\nFor details on the properties that can be specified when creating
institution members,\nsee [Specifying Institution Members and Their Roles](#specifying-
institution-members-and-their-roles).",
        "operationId": "AddInstitutionMembers",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/AddInstitutionMembersResponse"
                },
                "examples": {
                  "Add Institution Members": {
                    "value": {
                      "institution_id": "2908fa8b-427a-4089-b2cf-17654c604623",
                      "members": [
                        {
                          "identity_id": "31abdcbd-2801-4dbc-8986-adec3828391b",
                          "roles": [
                            "GRANTOR"
```

Pretty-print


```
                        "id": "23ebbcd3-0fe6-48c8-9a2c-a35572b0e8ba"
                      },
                      {
                        "identity_id": "58def33e-b68f-47d3-bc2b-62b1f68f21e5",
                        "roles": [
                          "TRUSTEE"
                        ],
                        "id": "a0a0d270-0dd1-40b7-85ce-de713c47bcec"
                      }
                    ]
                  }
                }
              }
            }
          }
        }
      },
      "requestBody": {
        "content": {
          "application/json": {
            "schema": {
              "$ref": "#/components/schemas/AddInstitutionMembersRequest"
            },
            "examples": {
              "Add Institution Members": {
                "value": {
                  "institution_id": "2908fa8b-427a-4089-b2cf-17654c604623",
                  "members": [
                    {
                      "identity_id": "31abdcbd-2801-4dbc-8986-adec3828391b",
                      "roles": [
                        "GRANTOR"
                      ]
                    },
                    {
                      "identity_id": "58def33e-b68f-47d3-bc2b-62b1f68f21e5",
                      "roles": [
                        "TRUSTEE"
                      ]
                    }
                  ]
                }
              }
            }
          }
        },
        "required": true
      },
      "tags": [
        "Institution Members"
      ],
      "security": [
        {
          "OAuth2": [
            "identity:write_identity"
          ]
        }
      ]
    }
  },
  "/identity/institution-members/{id}": {
    "delete": {
      "summary": "Remove Institution Member",
      "description": "Removes an institution member from an institution.",
```

Pretty-print


```
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/DeleteInstitutionMemberResponse"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "id",
            "description": "The institution member ID that should be removed from the
institution.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Institution Members"
        ],
        "security": [
          {
            "OAuth2": [
              "identity:write_identity"
            ]
          }
        ]
      }
    },
    "/identity/accounts": {
      "get": {
        "summary": "List Accounts",
        "description": "List accounts with pagination. Every response will contain a
`next_page` field,\nas long as the end of the list has not been reached. Pass this value into
the `page_cursor` field of the next request\nto retrieve the next page of results.",
        "operationId": "ListAccounts",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListAccountsResponse"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "page_cursor",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
```

Pretty-print


```
            "name": "order",
            "description": "Return items in ascending (ASC) or descending (DESC) order.
Defaults to DESC.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "DESC",
                "ASC"
              ]
            }
          },
          {
            "name": "order_by",
            "description": "The specific method by which the returned results will be
ordered.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "CREATED_AT"
              ]
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          },
          {
            "name": "created_at.lt",
            "description": "Include timestamps strictly less than lt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.lte",
            "description": "Include timestamps less than or equal to lte. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.eq",
            "description": "Include timestamps exactly equal to eq. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
```

Pretty-print


```
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.gte",
            "description": "Include timestamps greater than or equal to lte. RFC3339 format,
like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.gt",
            "description": "Include timestamps strictly greater than gt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "identity_id",
            "description": "Optionally filter by primary identity identity.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "updated_at.lt",
            "description": "Include timestamps strictly less than lt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "updated_at.lte",
            "description": "Include timestamps less than or equal to lte. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "updated_at.eq",
            "description": "Include timestamps exactly equal to eq. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
```

Pretty-print


```
              "format": "date-time"
            }
          },
          {
            "name": "updated_at.gte",
            "description": "Include timestamps greater than or equal to lte. RFC3339 format,
like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "updated_at.gt",
            "description": "Include timestamps strictly greater than gt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          }
        ],
        "tags": [
          "Accounts"
        ],
        "security": [
          {
            "OAuth2": [
              "identity:read_account"
            ]
          }
        ]
      },
      "post": {
        "summary": "Create Account",
        "description": "Create an account for a given identity, via the `identity_id`
field.\nThis identity is the primary owner of the account for all tax-related purposes.\n\nTo
track user balances using Paxos [Profiles](#tag/Profiles), use `create_profile=true` when
creating the account.\nOnce an account has been created, it is not possible to associate it
with a [Profile](#tag/Profiles).\n\n### Account Members\n\nIn addition to the primary owner,
other identities may be associated with the account, by using `members`.\nThe identity on the
account is treated as a BENEFICIAL_OWNER.\n\nTo add a financial advisor to an account, add a
member with the FINANCIAL_ADVISOR role.\n\n#### Example\nThis example request creates a joint
account for John and Jane Doe. John has identity_id=82c338f4-3cb7-4d9b-be2a-4b077c82ee3a,\nand
Jane has identity_id=0f5d8475-33f3-4ebd-88a0-66dedc2581c1. John is the primary owner of the
account for tax-purposes, but Jane\nis a full beneficial owner.\n\nAdditionally, this account
has an associated financial advisor with identity_id=0d26f878-298e-4d47-81be-
cdf4e982a3d3.\n\n```json\n{\n\"account\": {\n\"identity_id\": \"82c338f4-3cb7-4d9b-be2a-
4b077c82ee3a\",\n\"members\": [{\n\"identity_id\": \"0f5d8475-33f3-4ebd-88a0-
66dedc2581c1\",\n\"roles\": [\"BENEFICIAL_OWNER\"]\n}, {\n\"identity_id\": \"0d26f878-298e-
4d47-81be-cdf4e982a3d3\",\n\"roles\": [\"FINANCIAL_ADVISOR\"]\n}]\n}\n}\n```\n\n###
Fields\n\nAny fields not listed are forbidden in this request.\n\nField | Notes\n---|---
\nidentity_id | Required\ndescription | Optional\nmetadata | Optional\nref_id |
Optional\nmembers | Optional",
        "operationId": "CreateAccount",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
```

Pretty-print


```
                "$ref": "#/components/schemas/Account"
              },
              "example": {
                "id": "e69e4e31-6dca-4a46-bb85-af40b5fe2d59",
                "identity_id": "82c338f4-3cb7-4d9b-be2a-4b077c82ee3a",
                "ref_id": "fec36070-4c23-48ac-9ee1-df338b8233fc",
                "description": "Individual account for John Doe",
                "metadata": {
                  "custom_field": "custom_value"
                },
                "admin_disabled": false,
                "user_disabled": false
              }
            }
          }
        }
      },
      "requestBody": {
        "content": {
          "application/json": {
            "schema": {
              "$ref": "#/components/schemas/CreateAccountRequest"
            }
          }
        },
        "required": true
      },
      "tags": [
        "Accounts"
      ],
      "security": [
        {
          "OAuth2": [
            "identity:write_account"
          ]
        }
      ]
    },
    "put": {
      "summary": "Update Account",
      "description": "This enables you to update an existing account with new information.
Please refer to the following\ntable for fields that can be updated via this
endpoint.\n\nField | Notes\n---|---\naccount.id | Required\naccount.description |
Optional\naccount.ref_id | Optional\naccount.metadata | Optional. This will overwrite any
existing metadata added to the account.\naccount.members | Optional. The only roles that can
be added/removed are `FINANCIAL_ADVISOR` or `AUTHORIZED_USER.` You must always specify the
full members object as we do not currently support differential member
updates.\nset_user_disabled | Optional. Setting this to `true` will disable the account,
limiting its ability to be used within the Paxos platform.\n\n#### Example Requests\n####
Disabling an account\n\n```json\n{\n\"set_user_disabled\": true,\n\"account\": {\n\"id\":
\"82c338f4-3cb7-4d9b-be2a-4b077c82ee3a\",\n\"description\": \"Account
Description\",\n\"ref_id\": \"82c338f4-3cb7\"\n}\n}\n```\n\n### Adding an account member\nTo
retain the existing account members and add a new account member, the `members` field must
contain the existing \naccount members and the new member. The below example adds an
`AUTHORIZED_USER` to the account.\n\nIn order to add account members while leaving existing
account members unaffected, clients \nshould use the [Add Account Members]
(#operation/AddAccountMembers) API.\n\n```json\n{\n\"account\": {\n\"id\": \"82c338f4-3cb7-
4d9b-be2a-4b077c82ee3a\",\n\"members\": [{\n\"identity_id\": \"0f5d8475-33f3-4ebd-88a0-
66dedc2581c1\",\n\"roles\": [\"BENEFICIAL_OWNER\"]\n}, {\n\"identity_id\": \"0d26f878-298e-
4d47-81be-cdf4e982a3d3\",\n\"roles\": [\"FINANCIAL_ADVISOR\"]\n}, {\n\"identity_id\":
\"012k23eb-298e-4d47-81be-cdf4e982a3d3\",\n\"roles\":
[\"AUTHORIZED_USER\"]\n}]\n}\n}\n```\n\n### Removing an account member\nTo remove an existing
account member and retain other needed members, the `members` field must contain \nthe
existing account members without the account member you'd like to remove. The below example
```

Pretty-print


```
to have at least one element. In order to delete all members \nfrom an account, clients should
use the [Delete Account Member](#operation/DeleteAccountMember)
API.\n\n```json\n{\n\"account\": {\n\"id\": \"82c338f4-3cb7-4d9b-be2a-
4b077c82ee3a\",\n\"members\": [{\n\"identity_id\": \"0f5d8475-33f3-4ebd-88a0-
66dedc2581c1\",\n\"roles\": [\"BENEFICIAL_OWNER\"]\n}]\n}\n}\n```\n\n### Updating an account
members' roles\nTo update an account members' roles, the `members` field must contain all the
existing members with their roles along \nwith the additional role that you'd like to add or
remove. The below example adds the `FINANCIAL_ADVISOR` role to an member that is already a
`BENEFICIAL_OWNER`.\n\n```json\n{\n\"account\": {\n\"id\": \"82c338f4-3cb7-4d9b-be2a-
4b077c82ee3a\",\n\"members\": [{\n\"identity_id\": \"0f5d8475-33f3-4ebd-88a0-
66dedc2581c1\",\n\"roles\": [\"BENEFICIAL_OWNER\", \"FINANCIAL_ADVISOR\"]\n}]\n}\n}\n```",
        "operationId": "UpdateAccount",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Account"
                },
                "example": {
                  "created_at": "2014-02-20T04:22:22.222221Z",
                  "id": "79c27a0e-46a2-4276-9769-e1ebc055fa72",
                  "identity_id": "0acd56b7-140b-4b29-83e4-7e717f03afd9",
                  "members": [
                    {
                      "identity_id": "11a3122a-0c50-4950-9934-2ad48a782b78",
                      "roles": [
                        "FINANCIAL_ADVISOR"
                      ]
                    },
                    {
                      "identity_id": "08ba6b70-bcc0-4e4a-a67f-1d28842dedfc",
                      "roles": [
                        "AUTHORIZED_USER"
                      ]
                    },
                    {
                      "identity_id": "2dedfc70-a67f-4e4a-bcc0-1d288408ba6b",
                      "roles": [
                        "BENEFICIAL_OWNER"
                      ]
                    }
                  ],
                  "summary_status": "PENDING",
                  "updated_at": "2022-02-24T04:20:22.222222Z"
                }
              }
            }
          }
        },
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/UpdateAccountRequest"
              },
              "example": {
                "account": {
                  "id": "79c27a0e-46a2-4276-9769-e1ebc055fa72",
                  "members": [
                    {
                      "identity_id": "11a3122a-0c50-4950-9934-2ad48a782b78",
                      "roles": [
```

Pretty-print


```
                    ]
                  },
                  {
                    "identity_id": "08ba6b70-bcc0-4e4a-a67f-1d28842dedfc",
                    "roles": [
                      "AUTHORIZED_USER"
                    ]
                  },
                  {
                    "identity_id": "2dedfc70-a67f-4e4a-bcc0-1d288408ba6b",
                    "roles": [
                      "BENEFICIAL_OWNER"
                    ]
                  }
                ]
              }
            }
          }
        },
        "required": true
      },
      "tags": [
        "Accounts"
      ],
      "security": [
        {
          "OAuth2": [
            "identity:write_account"
          ]
        }
      ]
    }
  },
  "/identity/accounts/{id}": {
    "get": {
      "operationId": "GetAccount",
      "responses": {
        "200": {
          "description": "A successful response.",
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/Account"
              }
            }
          }
        }
      },
      "parameters": [
        {
          "name": "id",
          "description": "uuid id of account",
          "in": "path",
          "required": true,
          "schema": {
            "type": "string"
          }
        }
      ],
      "tags": [
        "Accounts"
      ],
      "security": [
        {
```

Pretty-print


```
              "identity:read_account"
            ]
          }
        ]
      }
    },
    "/identity/account-members": {
      "post": {
        "summary": "Add Account Members",
        "description": "Add one or more account members to a given account.\n\nThe account
members added by this API do not affect existing account members. For example,\nif an account
has two members, and one member is added using this API, then the account will\nend up with
three members.\n\nFor more information on properties of account members, see [Account Members]
(#account-members).",
        "operationId": "AddAccountMembers",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/AddAccountMembersResponse"
                },
                "examples": {
                  "Add Institution Members": {
                    "value": {
                      "account_id": "79c27a0e-46a2-4276-9769-e1ebc055fa72",
                      "members": [
                        {
                          "identity_id": "11a3122a-0c50-4950-9934-2ad48a782b78",
                          "roles": [
                            "FINANCIAL_ADVISOR"
                          ],
                          "id": "01516495-031a-4c6c-b277-5734ea9cb99c"
                        },
                        {
                          "identity_id": "08ba6b70-bcc0-4e4a-a67f-1d28842dedfc",
                          "roles": [
                            "AUTHORIZED_USER"
                          ],
                          "id": "1039d953-808f-495f-902d-c15480942885"
                        }
                      ]
                    }
                  }
                }
              }
            }
          }
        },
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/AddAccountMembersRequest"
              },
              "examples": {
                "Add Account Members": {
                  "value": {
                    "account_id": "79c27a0e-46a2-4276-9769-e1ebc055fa72",
                    "members": [
                      {
                        "identity_id": "11a3122a-0c50-4950-9934-2ad48a782b78",
                        "roles": [
```

Pretty-print


```
                      ]
                    },
                    {
                      "identity_id": "08ba6b70-bcc0-4e4a-a67f-1d28842dedfc",
                      "roles": [
                        "AUTHORIZED_USER"
                      ]
                    }
                  ]
                }
              }
            }
          }
        },
        "required": true
      },
      "tags": [
        "Account Members"
      ],
      "security": [
        {
          "OAuth2": [
            "identity:write_account"
          ]
        }
      ]
    }
  },
  "/identity/account-members/{id}": {
    "delete": {
      "summary": "Remove Account Member",
      "description": "Removes an account member from an account.",
      "operationId": "DeleteAccountMember",
      "responses": {
        "200": {
          "description": "A successful response.",
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/DeleteAccountMemberResponse"
              }
            }
          }
        }
      },
      "parameters": [
        {
          "name": "id",
          "description": "The account member ID that should be removed from the account.",
          "in": "path",
          "required": true,
          "schema": {
            "type": "string"
          }
        }
      ],
      "tags": [
        "Account Members"
      ],
      "security": [
        {
          "OAuth2": [
            "identity:write_account"
          ]
```

Pretty-print


```
        ]
      }
    },
    "/identity/identities/{id}/sandbox-status": {
      "put": {
        "summary": "Sandbox Set Identity Status",
        "description": "Set the various statuses for the given Identity. To enable the Person Identity to transact,\nset both `id_verification_status` and `sanctions_verification_status` to `\"APPROVED\"`.\nTo enable the Institution to transact, set both `sanctions_verification_status` to `\"APPROVED\"`.\nThis endpoint also allows you to set the statuses for `document_verification_status` and\n`additional_screening_status`",
        "operationId": "SandboxSetIdentityStatus",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/SandboxSetIdentityResponse"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "id",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/IdentitySandboxSandboxSetIdentityStatusBody"
              }
            }
          },
          "required": true
        },
        "tags": [
          "Sandbox Identity"
        ],
        "security": [
          {
            "OAuth2": [
              "identity:write_identity"
            ]
          }
        ]
      }
    },
    "/all-markets/prices": {
      "get": {
        "summary": "List Prices",
        "description": "Retrieve current prices, as well as 24 hour prior (yesterday) prices, for the specified markets.\nAny single market that failed to be retrieved is excluded from the response.",
        "operationId": "ListPrices",
        "responses": {
```

Pretty-print


```
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListPricesResponse"
                },
                "examples": {
                  "response": {
                    "value": {
                      "prices": [
                        {
                          "market": "BTCUSD",
                          "current_price": "16627.62",
                          "yesterday_price": "16703.29",
                          "snapshot_at": "2023-01-03T18:27:40.294528Z"
                        },
                        {
                          "market": "ETHUSD",
                          "current_price": "1206.93",
                          "yesterday_price": "1216.55",
                          "snapshot_at": "2023-01-03T18:27:40.294528Z"
                        }
                      ]
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "markets",
            "description": "",
            "in": "query",
            "required": true,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string",
                "enum": [
                  "ETHUSD",
                  "BTCUSD",
                  "PAXGUSD",
                  "BCHUSD",
                  "LTCUSD",
                  "USDPUSD",
                  "LINKUSD",
                  "MATICUSD",
                  "AAVEUSD",
                  "UNIUSD"
                ]
              }
            }
          }
        ],
        "tags": [
          "Pricing"
        ]
      }
    },
    "/all-markets/ticker": {
      "get": {
```

Pretty-print


```
        "description": "Retrieves order book statistics of the exchange for all markets over
the last 24 hours and from midnight UTC until current time.\n\nPlease note: List Tickers
displays pricing from external venues when the itBit exchange is not available.",
        "operationId": "ListTickers",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListTickersResponse"
                },
                "examples": {
                  "response": {
                    "value": [
                      {
                        "market": "BTCUSD",
                        "best_bid": {
                          "price": "9245.25",
                          "amount": "0.23124212"
                        },
                        "best_ask": {
                          "price": "9274.00",
                          "amount": "1.82341000"
                        },
                        "last_execution": {
                          "price": "9273.75",
                          "amount": "0.00002341"
                        },
                        "last_day": {
                          "high": "10425.25",
                          "low": "8923.50",
                          "open": "9324.50",
                          "volume": "1423.12314232",
                          "start_time": "2020-01-17T18:36:08.737Z",
                          "end_time": "2020-01-18T18:36:08.737Z"
                        },
                        "today": {
                          "high": "10125.25",
                          "low": "9100.25",
                          "open": "9502.50",
                          "volume": "872.12314232",
                          "start_time": "2020-01-18T00:00:00.000Z",
                          "end_time": "2020-01-18T18:36:08.737Z"
                        },
                        "snapshot_at": "2020-01-17T18:36:08.737Z"
                      },
                      {
                        "market": "ETHUSD",
                        "best_bid": {
                          "price": "136.25",
                          "amount": "0.14532168"
                        },
                        "best_ask": {
                          "price": "138.00",
                          "amount": "1.72742000"
                        },
                        "last_execution": {
                          "price": "137.75",
                          "amount": "0.00003156"
                        },
                        "last_day": {
                          "high": "136.75",
                          "low": "135.25",
```

Pretty-print


```
                        "volume": "423.67235137",
                        "start_time": "2020-01-17T18:36:08.737Z",
                        "end_time": "2020-01-18T18:36:08.737Z"
                      },
                      "today": {
                        "high": "135.15",
                        "low": "134.13",
                        "open": "134.13",
                        "volume": "472.12314232",
                        "start_time": "2020-01-18T00:00:00.000Z",
                        "end_time": "2020-01-18T18:36:08.737Z"
                      },
                      "snapshot_at": "2020-01-17T18:36:08.737Z"
                    }
                  ]
                }
              }
            }
          }
        }
      },
      "tags": [
        "Pricing"
      ]
    }
  },
  "/executions": {
    "get": {
      "summary": "List Executions",
      "description": "Retrieves full details of underlying executions with optional
filters.\nNotes:\n- This endpoint returns a maximum of 1000 items per page.\n- Filtering
options are `account_id`, `profile_id` or neither (all executions).",
      "operationId": "ListExecutions",
      "responses": {
        "200": {
          "description": "A successful response.",
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/ListExecutionsResponse"
              },
              "examples": {
                "response": {
                  "value": {
                    "items": [
                      {
                        "execution_id": "12422531",
                        "order_id": "cb379c30-a9f8-4685-aa38-47d6e87ff09d",
                        "executed_at": "2022-08-01T21:01:27.217Z",
                        "market": "BTCUSD",
                        "side": "BUY",
                        "amount": "0.00432539",
                        "price": "23119.25",
                        "commission": "0.34999920465125",
                        "commission_asset": "USD",
                        "rebate": "0",
                        "rebate_asset": "USD",
                        "gross_trade_amount": "99.9997727575"
                      }
                    ],
                    "next_page_cursor": "CgwI-Iu6iQYQgPGVoQEQg5v2BQ"
                  }
                }
              }
```

Pretty-print


```
            }
          }
        },
        "parameters": [
          {
            "name": "profile_id",
            "description": "Filter executions by the Profile ID associated with the orders.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "account_id",
            "description": "Filter executions by the Account ID associated with the orders.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "order_id",
            "description": "Filter executions for a single order ID.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "since_execution_id",
            "description": "Excludes executions after the given ID.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "range.begin",
            "description": "Only return records after this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "range.end",
            "description": "Only return records before this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "page_cursor",
```

Pretty-print


```
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          }
        ],
        "tags": [
          "Orders"
        ],
        "security": [
          {
            "OAuth2": [
              "exchange:read_order"
            ]
          }
        ]
      }
    },
    "/issuer-quote": {
      "post": {
        "summary": "Create Issuer Quote",
        "description": "Creates a request for a quote where Paxos is the issuer. Note that
PAXG quotes will be unavailable when the London gold market is closed.",
        "operationId": "CreateIssuerQuote",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/CreateIssuerQuoteResponse"
                },
                "examples": {
                  "response": {
                    "value": {
                      "quote_id": "2ce28645-2e1c-4a5d-8799-90e7b6e02673",
                      "market": "PAXGUSD",
                      "side": "SELL",
                      "quantity": "0.05",
                      "price": "11.33",
                      "fee": "0.02",
                      "quote_amount": "0.34",
                      "expires_at": "2025-09-11T11:23:03.327913249Z"
                    }
                  }
                }
              }
            }
          }
        },
        "requestBody": {
          "content": {
            "application/json": {
```

Pretty-print


```
                "$ref": "#/components/schemas/CreateIssuerQuoteRequest"
              }
            }
          },
          "required": true
        },
        "tags": [
          "Issuer Quotes"
        ],
        "security": [
          {
            "OAuth2": [
              "exchange:write_issuer_quote"
            ]
          }
        ]
      }
    },
    "/issuer-quote/{quote_id}": {
      "post": {
        "summary": "Create Issuer Quote Execution",
        "description": "Executes on a quote where Paxos is the issuer.",
        "operationId": "CreateIssuerQuoteExecution",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/CreateIssuerQuoteExecutionResponse"
                },
                "examples": {
                  "response": {
                    "value": {
                      "id": "ce9c514e-ed82-401c-9d85-37da3736a0d0"
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "quote_id",
            "description": "The ID of the associated issuer quote to execute.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/ExchangePublicCreateIssuerQuoteExecutionBody"
              }
            }
          },
          "required": true
        },
        "tags": [
```

Pretty-print


```
        ],
        "security": [
          {
            "OAuth2": [
              "exchange:write_issuer_quote_execution"
            ]
          }
        ]
      }
    },
    "/issuer-quotes": {
      "get": {
        "summary": "List Issuer Quote Executions",
        "description": "Retrieves full details of quote executions where Paxos is the
issuer.",
        "operationId": "ListIssuerQuoteExecutions",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListIssuerQuoteExecutionsResponse"
                },
                "examples": {
                  "response": {
                    "value": {
                      "issuer_quote_executions": [
                        {
                          "id": "ce9c514e-ed82-401c-9d85-37da3736a0d0",
                          "created_at": "2025-09-11T11:23:01.022425Z",
                          "asset_type": "PAXG",
                          "principal": "0.34",
                          "fee": "0",
                          "status": "PENDING",
                          "ref_id": "2ce28645-2e1c-4a5d-8799-90e7b6e02673",
                          "token_fee": "0.02",
                          "token_price": "11.33",
                          "token_principal": "-0.03",
                          "profile_id": "e6b30762-0689-46fa-b208-35eb347e284c"
                        }
                      ],
                      "next_page_cursor": "CgsIxom6iQYQwO39XBDbsdVz"
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "profile_id",
            "description": "Optionally filter by the target profile of the issuer quote
execution.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "status",
            "description": "Optionally filter by status.",
```

Pretty-print


```
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string",
                "enum": [
                  "PENDING",
                  "COMPLETE",
                  "FAILED"
                ]
              }
            }
          },
          {
            "name": "created_range.begin",
            "description": "Only return records after this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_range.end",
            "description": "Only return records before this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return. Defaults to 100 if no limit provided.
Maximum 1000.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          },
          {
            "name": "page_cursor",
            "description": "Cursor for getting the next page of results. When the number of
items returned is fewer\nthan the limit, there is currently no next page.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "order",
            "description": "Determines whether the items are returned in ascending (ASC), or
descending (DESC) order.\nSorted by created at timestamp. Defaults to DESC.",
            "in": "query",
            "required": false,
            "schema": {
```

Pretty-print


```
              "enum": [
                "DESC",
                "ASC"
              ]
            }
          }
        ],
        "tags": [
          "Issuer Quotes"
        ],
        "security": [
          {
            "OAuth2": [
              "exchange:read_issuer_quote_execution"
            ]
          }
        ]
      }
    },
    "/markets": {
      "get": {
        "summary": "List Markets",
        "description": "Retrieves the set of current available markets for trading with
details.",
        "operationId": "ListMarkets",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListMarketsResponse"
                },
                "examples": {
                  "response": {
                    "value": {
                      "markets": [
                        {
                          "market": "BTCUSD",
                          "base_asset": "BTC",
                          "quote_asset": "USD",
                          "tick_rate": "0.25"
                        }
                      ]
                    }
                  }
                }
              }
            }
          }
        },
        "tags": [
          "Market Data"
        ]
      }
    },
    "/markets/{market}/historical-prices": {
      "get": {
        "summary": "List Historical Prices",
        "description": "Retrieves a set of average prices at a certain increment of time for
the requested market.\nThis endpoint is suitable for retrieving historical average price
trends where price precision, execution, and\nother detailed information is not required.\nTo
control the count, use either  `increment` or `max_data_points`.\nList Historical Prices
returns an error when an unexpected value is given, or when `increment` and\n
```

Pretty-print


```
point shows the mid price, the average of the order book best bid\n and ask price, or the
earliest available date. It is possible to set `range.begin` to a future date without
error.\n\nWhen `range.end` is omitted, the last data point will display current mid price
(average of order book best bid\n and best ask) at the request timestamp. It is possible to
set `range.end` to a future date without error.\n\nWhen `pagination.limit` is omitted, the
pagination limit will default to return the first 100 items.\nIf the pagination limit is set,
the API will return up to the limit in one response. The pagination limit max is
1,000.\n\nTime-series items are returned in chronological (ascending) order. All timestamps
are in UTC.",
        "operationId": "ListHistoricalPrices",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListHistoricalPricesResponse"
                },
                "examples": {
                  "response": {
                    "value": {
                      "market": "BTCUSD",
                      "prices": [
                        {
                          "average_price": "9245.50",
                          "timestamp": "2020-01-17T18:36:00.000Z"
                        },
                        {
                          "average_price": "9265.50",
                          "timestamp": "2020-01-17T18:37:00.000Z"
                        }
                      ],
                      "total_count": 50
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "market",
            "description": "Market of Order Book.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string",
              "enum": [
                "ETHEUR",
                "ETHUSD",
                "BTCEUR",
                "BTCUSD",
                "PAXGUSD",
                "BCHUSD",
                "LTCUSD",
                "ETHGBP",
                "BTCGBP",
                "LTCGBP",
                "BCHGBP",
                "USDPUSD",
                "ETHBRL",
                "BTCBRL",
                "LTCBRL",
```

Pretty-print


```
                "USDPGBP",
                "USDPBRL",
                "LINKUSD",
                "MATICUSD",
                "AAVEUSD",
                "UNIUSD",
                "AAVEMXN",
                "BCHMXN",
                "BTCMXN",
                "ETHMXN",
                "LTCMXN",
                "USDPMXN",
                "AAVEEUR",
                "BCHEUR",
                "LTCEUR",
                "LINKEUR",
                "MATICEUR",
                "PAXGEUR",
                "SOLEUR",
                "USDPEUR",
                "UNIEUR",
                "PYUSDEUR",
                "PYUSDGBP"
              ]
            }
          },
          {
            "name": "max_data_points",
            "description": "Maximum number of data points to return.\n\nThe time frame of the
increments will be inferred by finding the most granular increment without breaching the
`max_data_points` value based on a set of recording data points.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int64"
            }
          },
          {
            "name": "range.begin",
            "description": "Only return records after this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "range.end",
            "description": "Only return records before this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "pagination.limit",
            "description": "Number of results to return",
            "in": "query",
```

Pretty-print


```
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          },
          {
            "name": "pagination.offset",
            "description": "Number of results to skip",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          },
          {
            "name": "increment",
            "description": "Time increment between prices. Returns data exclusive from
`range.begin` and `range.end`. Do not use with `max_data_points`, as this results in an
error.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "ONE_MINUTE",
                "FIVE_MINUTES",
                "FIFTEEN_MINUTES",
                "THIRTY_MINUTES",
                "ONE_HOUR",
                "TWO_HOURS",
                "TWELVE_HOURS",
                "ONE_DAY",
                "ONE_WEEK",
                "TWO_WEEKS",
                "FOUR_WEEKS"
              ]
            }
          }
        ],
        "tags": [
          "Pricing"
        ],
        "security": [
          {
            "OAuth2": [
              "exchange:historical_prices"
            ]
          }
        ]
      }
    },
    "/markets/{market}/order-book": {
      "get": {
        "summary": "Get Order Book",
        "description": "Retrieves the full list of bids and asks of the order book at
individual price levels with resting quantities per level.",
        "operationId": "GetOrderBook",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
```

Pretty-print


```
                },
                "examples": {
                  "response": {
                    "value": {
                      "market": "BTCUSD",
                      "asks": [
                        {
                          "price": "9240.25",
                          "amount": "1.2341300"
                        },
                        {
                          "price": "9260.75",
                          "amount": "0.8134231"
                        }
                      ],
                      "bids": [
                        {
                          "price": "9220.50",
                          "amount": "3.7441300"
                        },
                        {
                          "price": "9123.00",
                          "amount": "0.2334231"
                        }
                      ]
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "market",
            "description": "Market of Order Book.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string",
              "enum": [
                "ETHEUR",
                "ETHSGD",
                "ETHUSD",
                "BTCEUR",
                "BTCSGD",
                "BTCUSD",
                "PAXGUSD",
                "BCHUSD",
                "LTCUSD",
                "USDPUSD",
                "ETHBRL",
                "BTCBRL",
                "LTCBRL",
                "BCHBRL",
                "USDPGBP",
                "USDPBRL",
                "LINKUSD",
                "MATICUSD",
                "AAVEUSD",
                "UNIUSD",
                "AAVEMXN",
                "BCHMXN",
                "BTCMXN",
```

Pretty-print


```
                "LTCMXN",
                "USDPMXN",
                "AAVEEUR",
                "BCHEUR",
                "LTCEUR",
                "LINKEUR",
                "MATICEUR",
                "PAXGEUR",
                "SOLEUR",
                "USDPEUR",
                "UNIEUR",
                "PYUSDEUR"
              ]
            }
          }
        ],
        "tags": [
          "Market Data"
        ]
      }
    },
    "/markets/{market}/recent-executions": {
      "get": {
        "summary": "List Recent Executions",
        "description": "Retrieves the list of 2000 most recent executions by all users to
occur in the order book.",
        "operationId": "ListRecentExecutions",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListRecentExecutionsResponse"
                },
                "examples": {
                  "response": {
                    "value": {
                      "items": [
                        {
                          "match_number": "5K8U4TTBKS1E",
                          "price": "9245.50",
                          "amount": "0.23421231",
                          "executed_at": "2020-01-17T18:36:38.737Z"
                        },
                        {
                          "match_number": "5K8U4TTBKRIO",
                          "price": "9237.50",
                          "amount": "1.68421231",
                          "executed_at": "2020-01-17T18:36:52.737Z"
                        }
                      ]
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "market",
            "description": "Market of the executions.",
            "in": "path",
```

Pretty-print


```
            "schema": {
              "type": "string",
              "enum": [
                "ETHEUR",
                "ETHSGD",
                "ETHUSD",
                "BTCEUR",
                "BTCSGD",
                "BTCUSD",
                "PAXGUSD",
                "BCHUSD",
                "LTCUSD",
                "USDPUSD",
                "ETHBRL",
                "BTCBRL",
                "LTCBRL",
                "BCHBRL",
                "USDPGBP",
                "USDPBRL",
                "LINKUSD",
                "MATICUSD",
                "AAVEUSD",
                "UNIUSD",
                "AAVEMXN",
                "BCHMXN",
                "BTCMXN",
                "ETHMXN",
                "LTCMXN",
                "USDPMXN",
                "AAVEEUR",
                "BCHEUR",
                "LTCEUR",
                "LINKEUR",
                "MATICEUR",
                "PAXGEUR",
                "SOLEUR",
                "USDPEUR",
                "UNIEUR",
                "PYUSDEUR"
              ]
            }
          }
        ],
        "tags": [
          "Market Data"
        ]
      }
    },
    "/markets/{market}/ticker": {
      "get": {
        "summary": "Get Ticker",
        "description": "Retrieves order book statistics of the exchange over the last 24 hours
and from midnight UTC until current time.",
        "operationId": "GetTicker",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/TickerRecord"
                },
                "examples": {
                  "response": {
```

Pretty-print


```
                "market": "BTCUSD",
                "best_bid": {
                  "price": "9245.25",
                  "amount": "0.23124212"
                },
                "best_ask": {
                  "price": "9274.00",
                  "amount": "1.82341000"
                },
                "last_execution": {
                  "price": "9273.75",
                  "amount": "0.00002341"
                },
                "last_day": {
                  "high": "10425.25",
                  "low": "8923.50",
                  "open": "9324.50",
                  "volume": "1423.12314232",
                  "start_time": "2020-01-17T18:36:08.737Z",
                  "end_time": "2020-01-18T18:36:08.737Z"
                },
                "today": {
                  "high": "10125.25",
                  "low": "9100.25",
                  "open": "9502.50",
                  "volume": "872.12314232",
                  "start_time": "2020-01-18T00:00:00.000Z",
                  "end_time": "2020-01-18T18:36:08.737Z"
                },
                "snapshot_at": "2020-01-17T18:36:08.737Z"
              }
            }
          }
        }
      }
    }
  },
  "parameters": [
    {
      "name": "market",
      "description": "Market of the Ticker.",
      "in": "path",
      "required": true,
      "schema": {
        "type": "string",
        "enum": [
          "ETHEUR",
          "ETHSGD",
          "ETHUSD",
          "BTCEUR",
          "BTCSGD",
          "BTCUSD",
          "PAXGUSD",
          "BCHUSD",
          "LTCUSD",
          "USDPUSD",
          "ETHBRL",
          "BTCBRL",
          "LTCBRL",
          "BCHBRL",
          "USDPGBP",
          "USDPBRL",
          "LINKUSD",
          "MATICUSD",
```

Pretty-print


```
                "UNIUSD",
                "AAVEMXN",
                "BCHMXN",
                "BTCMXN",
                "ETHMXN",
                "LTCMXN",
                "USDPMXN",
                "AAVEEUR",
                "BCHEUR",
                "LTCEUR",
                "LINKEUR",
                "MATICEUR",
                "PAXGEUR",
                "SOLEUR",
                "USDPEUR",
                "UNIEUR",
                "PYUSDEUR"
              ]
            }
          }
        ],
        "tags": [
          "Market Data"
        ]
      }
    },
    "/orders": {
      "get": {
        "summary": "List Orders",
        "description": "Retrieves full details of orders associated with a Profile ID, with
optional filters.\n\n- Historical data prior to May 16, 2022 is unavailable.\n- Pagination
Limit has a max of 1000. Pagination Offset is now deprecated and nonfunctional.\n- Filtering
options are `account_id`, `profile_id` or neither (all orders).",
        "operationId": "ListOrders",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListOrdersResponse"
                },
                "examples": {
                  "response": {
                    "value": {
                      "items": [
                        {
                          "id": "f190b163-208f-4d73-8deb-4fb8b24add00",
                          "profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
                          "ref_id": "my-order-1",
                          "status": "FILLED",
                          "market": "ETHUSD",
                          "side": "BUY",
                          "type": "LIMIT",
                          "price": "190.23",
                          "base_amount": "2.35781498",
                          "quote_amount": "0",
                          "metadata": {
                            "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339"
                          },
                          "amount_filled": "2.35781498",
                          "volume_weighted_average_price": "190.23",
                          "time_in_force": "GTC",
                          "is_triggered": false
```

Pretty-print


```
                        {
                          "id": "81e26e1d-eddb-455a-8b44-e3d845432de7",
                          "profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
                          "ref_id": "my-order-2",
                          "status": "FILLED",
                          "market": "BTCUSD",
                          "side": "BUY",
                          "type": "MARKET",
                          "price": "0",
                          "base_amount": "0",
                          "quote_amount": "500.00",
                          "metadata": {
                            "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339"
                          },
                          "amount_filled": "0.05142181",
                          "volume_weighted_average_price": "9723.50",
                          "time_in_force": "FOK",
                          "is_triggered": false
                        }
                      ],
                      "next_page_cursor": "CgsIxom6iQYQwO39XBDbsdVz"
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "profile_id",
            "description": "The profile associated with the orders.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "account_id",
            "description": "The account under which these orders are placed.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "market",
            "description": "Filter by the trading pair.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "ETHEUR",
                "ETHSGD",
                "ETHUSD",
                "BTCEUR",
                "BTCSGD",
                "BTCUSD",
                "PAXGUSD",
                "BCHUSD",
                "LTCUSD",
```

Pretty-print


```
                "LINKUSD",
                "MATICUSD",
                "AAVEUSD",
                "UNIUSD"
              ]
            }
          },
          {
            "name": "status",
            "description": "Filter by the status of the order.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "PENDING_SUBMISSION",
                "SUBMITTED",
                "OPEN",
                "FILLED",
                "CANCELLED",
                "REJECTED"
              ]
            }
          },
          {
            "name": "order_time.begin",
            "description": "Only return records after this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "order_time.end",
            "description": "Only return records before this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "ref_ids",
            "description": "The idempotence IDs provided during order creation.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "page_cursor",
            "description": "Cursor token for fetching the next page. If using this then do not
use paginationLimit and paginationOffset fields.",
            "in": "query",
```

Pretty-print


```
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return. If using this then do not use
paginationLimit and paginationOffset fields.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          }
        ],
        "tags": [
          "Orders"
        ],
        "security": [
          {
            "OAuth2": [
              "exchange:read_order"
            ]
          }
        ]
      }
    },
    "/profiles/{profile_id}/executions": {
      "get": {
        "summary": "List Executions",
        "description": "Retrieves full details of underlying executions for a profile id with
optional filters.\nIf pagination details are not set the response will default to 20 items.
Additionally, this endpoint will return a maximum of 500 items per page.",
        "operationId": "ListProfileExecutions",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListExecutionsResponse"
                },
                "examples": {
                  "response": {
                    "value": {
                      "items": [
                        {
                          "execution_id": "1600103",
                          "order_id": "248ffda4-83a0-4033-a5bb-8929d523f59f",
                          "executed_at": "2020-01-17T18:36:08.737Z",
                          "market": "BTCUSD",
                          "side": "BUY",
                          "amount": "29579.67560314",
                          "price": "9123.50",
                          "commission": "17.747802",
                          "commission_asset": "USD",
                          "rebate": "0.00",
                          "rebate_asset": "USD"
                        },
                        {
                          "execution_id": "1600104",
                          "order_id": "248ffda4-83a0-4033-a5bb-8929d523f59f",
                          "executed_at": "2020-01-17T18:36:08.737Z",
```

Pretty-print


```
                        "side": "SELL",
                        "amount": "29579.67560314",
                        "price": "9123.50",
                        "commission": "0",
                        "commission_asset": "USD",
                        "rebate": "8.873901",
                        "rebate_asset": "USD"
                      }
                    ],
                    "next_page_cursor": "CgsIxom6iQYQwO39XBDbsdVz"
                  }
                }
              }
            }
          }
        }
      },
      "parameters": [
        {
          "name": "profile_id",
          "description": "The ProfileId associated with the orders.",
          "in": "path",
          "required": true,
          "schema": {
            "type": "string"
          }
        },
        {
          "name": "order_id",
          "description": "Filter executions for a single order id.",
          "in": "query",
          "required": false,
          "schema": {
            "type": "string"
          }
        },
        {
          "name": "since_execution_id",
          "description": "Excludes executions after this id.",
          "in": "query",
          "required": false,
          "schema": {
            "type": "string"
          }
        },
        {
          "name": "range.begin",
          "description": "Only return records after this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`.",
          "in": "query",
          "required": false,
          "schema": {
            "type": "string",
            "format": "date-time"
          }
        },
        {
          "name": "range.end",
          "description": "Only return records before this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`.",
          "in": "query",
          "required": false,
          "schema": {
            "type": "string",
```

Pretty-print


```
            }
          },
          {
            "name": "page_cursor",
            "description": "Cursor token for fetching the next page.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          }
        ],
        "tags": [
          "ExchangePublic"
        ],
        "security": [
          {
            "OAuth2": [
              "exchange:read_order"
            ]
          }
        ]
      }
    },
    "/profiles/{profile_id}/orders": {
      "get": {
        "summary": "List Orders",
        "description": "Retrieves full details of orders associated with a profile id with
optional filters.\n\nNotes:\n- Pagination Limit has a max of 1000 and Pagination Offset a max
of 10000. If a larger Offset is needed, please contact support.",
        "operationId": "ListProfileOrders",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListOrdersResponse"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "profile_id",
            "description": "The ProfileId associated with the orders.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          },
          {
```

Pretty-print


```
            "description": "Filter by the trading pair.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "ETHEUR",
                "ETHSGD",
                "ETHUSD",
                "BTCEUR",
                "BTCSGD",
                "BTCUSD",
                "PAXGUSD",
                "BCHUSD",
                "LTCUSD",
                "USDPUSD",
                "LINKUSD",
                "MATICUSD",
                "AAVEUSD",
                "UNIUSD"
              ]
            }
          },
          {
            "name": "status",
            "description": "Filter by the status of the order.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "PENDING_SUBMISSION",
                "SUBMITTED",
                "OPEN",
                "FILLED",
                "CANCELLED",
                "REJECTED"
              ]
            }
          },
          {
            "name": "order_time.begin",
            "description": "Only return records after this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "order_time.end",
            "description": "Only return records before this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "ref_ids",
```

Pretty-print


```
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "page_cursor",
            "description": "Cursor token for fetching the next page. If using this then do not
use paginationLimit and paginationOffset fields.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return. If using this then do not use
paginationLimit and paginationOffset fields.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          }
        ],
        "tags": [
          "ExchangePublic"
        ],
        "security": [
          {
            "OAuth2": [
              "exchange:read_order"
            ]
          }
        ]
      },
      "post": {
        "summary": "Create Order",
        "description": "For limit orders, create an order for buying or selling an asset:\n\n-
To buy, set `side = BUY` and set `base_amount` to the crypto amount you want to buy.\n- To
sell, set `side = SELL` and set `base_amount` to the crypto amount you want to sell.\n\nFor
market orders, create an order for buying or selling an asset:\n\n- To buy, set `side = BUY`
and set `quote_amount` to the dollar amount you want to spend.\n- To sell, set `side = SELL`
and set `base_amount` to the crypto amount you want to sell.\n\nThere are five types of
orders:\n\n- Limit Orders: Buy or sell at a specified price or better. Execution not
guaranteed. Taker orders will be rejected if price deviates 15% from midpoint.\n- Post-Only
Limit Orders: have the same properties as Limit Orders, but get rejected if they cross the
orderbook.\n- Market Orders: Operate as Immediate or Cancel (IOC) orders. Price is variable,
executes at best available price at time of order.\n- Stop Market Orders: Will convert to a
market sell order with the specified quantity when the stop price is hit. The stop price does
not guarantee that it will be executed at that price. Market conditions (price) might change
between the order being triggered and order being executed. Currently only sell stop loss
orders are supported.\n- Stop Limit Orders: have a Stop Price which when hit, will convert to
a limit sell order that will be executed at a specified price (or better)\n\nMaximum notional
order size by type:\n\nOrder Type | Market  | Maximum Notional Value (USD)\n---------- | -----
-- | ----------------------------\nMarket     | all     | 500,000\nLimit      | BTCUSD  |
1,500,000\nLimit      | ETHUSD  | 1,500,000\nLimit      | other   | 1,000,000",
```

Pretty-print


```
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Order"
                },
                "examples": {
                  "response": {
                    "value": {
                      "id": "f190b163-208f-4d73-8deb-4fb8b24add00",
                      "profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
                      "ref_id": "my-order-1",
                      "status": "SUBMITTED",
                      "market": "ETHUSD",
                      "side": "BUY",
                      "type": "LIMIT",
                      "price": "190.23",
                      "base_amount": "2.35781498",
                      "quote_amount": "",
                      "metadata": {
                        "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339"
                      },
                      "amount_filled": "0.00000000",
                      "volume_weighted_average_price": "0.00000000",
                      "time_in_force": "GTC"
                    }
                  }
                }
              }
            }
          },
          "400": {
            "$ref": "#/components/responses/bad_request_trade"
          },
          "403": {
            "description": "Could not create order",
            "content": {
              "application/problem+json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Insufficient Funds": {
                    "$ref": "#/components/examples/Problem_insufficient_funds"
                  },
                  "Notional Value Too Large": {
                    "$ref": "#/components/examples/Problem_notional_value_too_large"
                  },
                  "Market Conditions Prevented Execution": {
                    "$ref":
"#/components/examples/Problem_market_conditions_prevented_execution"
                  }
                }
              }
            }
          },
          "409": {
            "description": "Order already created",
            "content": {
              "application/problem+json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
```

Pretty-print


```
                "examples": {
                  "Already Exists": {
                    "$ref": "#/components/examples/Problem_already_exists_order"
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "profile_id",
            "description": "The profileId the order will be associated with.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/ExchangePublicCreateOrderBody"
              },
              "examples": {
                "Limit Buy": {
                  "value": {
                    "side": "BUY",
                    "market": "ETHUSD",
                    "type": "LIMIT",
                    "price": "190.23",
                    "base_amount": "2.35781498",
                    "metadata": {
                      "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339"
                    }
                  }
                },
                "Limit Sell": {
                  "value": {
                    "side": "SELL",
                    "market": "ETHUSD",
                    "type": "LIMIT",
                    "price": "190.23",
                    "base_amount": "2.35781498",
                    "metadata": {
                      "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339"
                    }
                  }
                },
                "Market Buy": {
                  "value": {
                    "side": "BUY",
                    "market": "ETHUSD",
                    "type": "MARKET",
                    "quote_amount": "300.00",
                    "metadata": {
                      "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339"
                    }
                  }
                },
                "Market Sell": {
                  "value": {
```

Pretty-print


```
                    "market": "ETHUSD",
                    "type": "MARKET",
                    "base_amount": "3.48127123",
                    "metadata": {
                      "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339"
                    }
                  }
                }
              }
            }
          },
          "required": true
        },
        "tags": [
          "Orders"
        ],
        "security": [
          {
            "OAuth2": [
              "exchange:write_order"
            ]
          }
        ]
      }
    },
    "/profiles/{profile_id}/orders/{id}": {
      "get": {
        "summary": "Get Order",
        "description": "Retrieves the current state of an order.\n- Historical data prior to
May 16, 2022 is unavailable.",
        "operationId": "GetOrder",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Order"
                },
                "examples": {
                  "response": {
                    "value": {
                      "id": "f190b163-208f-4d73-8deb-4fb8b24add00",
                      "profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
                      "ref_id": "my-order-1",
                      "status": "SUBMITTED",
                      "market": "ETHUSD",
                      "side": "BUY",
                      "type": "LIMIT",
                      "price": "190.23",
                      "base_amount": "2.35781498",
                      "quote_amount": "",
                      "metadata": {
                        "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339"
                      },
                      "amount_filled": "0.00000000",
                      "volume_weighted_average_price": "0.00000000",
                      "time_in_force": "GTC",
                      "is_triggered": false
                    }
                  }
                }
              }
            }
```

Pretty-print


```
        },
        "parameters": [
          {
            "name": "profile_id",
            "description": "The profile ID associated with the order.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "id",
            "description": "The UUID of the Order.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Orders"
        ],
        "security": [
          {
            "OAuth2": [
              "exchange:read_order"
            ]
          }
        ]
      },
      "delete": {
        "summary": "Cancel Order",
        "description": "Submits a cancellation request. A response indicates that the request
has been acknowledged and provides no\nguarantee the order has been cancelled.",
        "operationId": "CancelOrder",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/CancelOrderResponse"
                },
                "examples": {
                  "response": {
                    "value": {

                    }
                  }
                }
              }
            }
          },
          "403": {
            "description": "Could not cancel order",
            "content": {
              "application/problem+json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Not Cancellable": {
```

Pretty-print


```
                }
              }
            }
          }
        }
      },
      "parameters": [
        {
          "name": "profile_id",
          "description": "The profile ID associated with the order.",
          "in": "path",
          "required": true,
          "schema": {
            "type": "string"
          }
        },
        {
          "name": "id",
          "description": "The UUID of the Order.",
          "in": "path",
          "required": true,
          "schema": {
            "type": "string"
          }
        }
      ],
      "tags": [
        "Orders"
      ],
      "security": [
        {
          "OAuth2": [
            "exchange:write_order"
          ]
        }
      ]
    }
  },
  "/profiles/{profile_id}/quote-executions": {
    "get": {
      "summary": "List Quote Executions",
      "description": "List quote executions within a particular profile.",
      "operationId": "ListQuoteExecutions",
      "responses": {
        "200": {
          "description": "A successful response.",
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/ListQuoteExecutionsResponse"
              }
            }
          }
        }
      },
      "parameters": [
        {
          "name": "profile_id",
          "description": "The profile ID associated with the orders.",
          "in": "path",
          "required": true,
          "schema": {
            "type": "string"
          }
```

Pretty-print


```
          {
            "name": "side",
            "description": "Filter by buy or sell side.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "BUY",
                "SELL"
              ]
            }
          },
          {
            "name": "market",
            "description": "Filter by the trading pair.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "ETHEUR",
                "ETHSGD",
                "ETHUSD",
                "BTCEUR",
                "BTCSGD",
                "BTCUSD",
                "PAXGUSD",
                "BCHUSD",
                "LTCUSD",
                "USDPUSD",
                "LINKUSD",
                "MATICUSD",
                "AAVEUSD",
                "UNIUSD"
              ]
            }
          },
          {
            "name": "status",
            "description": "Filter by the status of the order.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "CREATED",
                "SETTLED"
              ]
            }
          },
          {
            "name": "created_at.begin",
            "description": "Only return records after this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.end",
```

Pretty-print


```
format, like "2006-01-02T15:04:05Z .",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          },
          {
            "name": "order",
            "description": "Return items in ascending (ASC) or descending (DESC)
order.\nDefault order is descending (DESC).",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "DESC",
                "ASC"
              ]
            }
          },
          {
            "name": "order_by",
            "description": "The specific method by which the returned results will be
ordered.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "CREATED_AT"
              ]
            }
          },
          {
            "name": "page_cursor",
            "description": "Cursor token for fetching the next page. If using this then do not
use `pagination.limit` and `pagination.offset` fields.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Quote Executions"
        ],
        "security": [
          {
            "OAuth2": [
              "exchange:read_quote_execution"
            ]
```

Pretty-print


```
        ]
      },
      "post": {
        "summary": "Create Quote Execution",
        "description": "Execute on a quote for buying or selling an asset.\n\nThe side,
market, and guaranteed price of the execution are specified by the quote\nwith ID
`quote_id`.\n\nThe amount to buy or sell must be specified in either fiat or crypto by
setting\nexactly one of:\n - `base_amount` to specify the amount of crypto to buy or sell.\n -
`quote_amount` to specify the amount of fiat to spend or acquire.\n\nAn otherwise-valid
request to create a quote execution may fail with the following\ntypes of errors:\n -
[Expired](https://developer.paxos.com/docs/v2/problems/expired) if the quote\n   with ID
`quote_id` has expired.\n - [Insufficient Funds]
(https://developer.paxos.com/docs/v2/problems/insufficient-funds)\n   if the profile with ID
`profile_id` has insufficient available balance to\n   fund the execution.\n - [Rejected]
(https://developer.paxos.com/docs/v2/problems/rejected) if extreme\n   market conditions (e.g.
a very large price swing) have invalidated the quote.\n - [Already Exists]
(https://developer.paxos.com/docs/v2/problems/already-exists)\n   if a Quote Execution with
the same `ref_id` has already been created.",
        "operationId": "CreateQuoteExecution",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/QuoteExecution"
                },
                "examples": {
                  "Buy $100 BTC": {
                    "value": {
                      "id": "43a59965-be3a-45ab-841d-c55386e0ff90",
                      "profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
                      "quote_id": "366a26d2-3098-4226-a520-4bb43ae4d922",
                      "status": "CREATED",
                      "market": "BTCUSD",
                      "side": "BUY",
                      "price": "6001.2",
                      "base_amount": "0.016663334",
                      "base_asset": "BTC",
                      "quote_amount": "100.00",
                      "quote_asset": "USD",
                      "created_at": "2020-01-17T18:36:31.345Z",
                      "metadata": {
                        "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339"
                      }
                    }
                  },
                  "Sell 2 ETH": {
                    "value": {
                      "id": "43a59965-be3a-45ab-841d-c55386e0ff90",
                      "profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
                      "quote_id": "5a336768-5bc1-4401-9d95-9cb251ce4b58",
                      "status": "CREATED",
                      "market": "ETHUSD",
                      "side": "SELL",
                      "price": "224.11",
                      "base_amount": "2",
                      "base_asset": "ETH",
                      "quote_amount": "448.22",
                      "quote_asset": "USD",
                      "created_at": "2020-01-17T18:36:31.345Z",
                      "metadata": {
                        "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339"
                      }
```

Pretty-print


```
                }
              }
            }
          }
        },
        "403": {
          "description": "Could not create quote execution",
          "content": {
            "application/problem+json": {
              "schema": {
                "$ref": "#/components/schemas/Problem"
              },
              "examples": {
                "Expired": {
                  "$ref": "#/components/examples/Problem_expired_quote"
                },
                "Insufficient Funds": {
                  "$ref": "#/components/examples/Problem_insufficient_funds"
                },
                "Rejected": {
                  "$ref": "#/components/examples/Problem_rejected"
                }
              }
            }
          }
        },
        "404": {
          "description": "Could not find quote",
          "content": {
            "application/problem+json": {
              "schema": {
                "$ref": "#/components/schemas/Problem"
              },
              "examples": {
                "Not Found": {
                  "$ref": "#/components/examples/Problem_not_found_quote"
                }
              }
            }
          }
        },
        "409": {
          "description": "Quote Execution Already Exists",
          "content": {
            "application/problem+json": {
              "schema": {
                "$ref": "#/components/schemas/Problem"
              },
              "examples": {
                "Already Exists": {
                  "$ref": "#/components/examples/Problem_already_exists_quote_execution"
                }
              }
            }
          }
        }
      },
      "parameters": [
        {
          "name": "profile_id",
          "description": "The ID of the profile under which to execute this order.",
          "in": "path",
          "required": true,
          "schema": {
```

Pretty-print


```
            }
          }
        ],
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/ExchangePublicCreateQuoteExecutionBody"
              },
              "examples": {
                "Buy $100 BTC": {
                  "value": {
                    "quote_id": "366a26d2-3098-4226-a520-4bb43ae4d922",
                    "quote_amount": "100",
                    "metadata": {
                      "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339"
                    }
                  }
                },
                "Sell 2 ETH": {
                  "value": {
                    "quote_id": "5a336768-5bc1-4401-9d95-9cb251ce4b58",
                    "base_amount": "2",
                    "metadata": {
                      "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339"
                    }
                  }
                }
              }
            }
          },
          "required": true
        },
        "tags": [
          "Quote Executions"
        ],
        "security": [
          {
            "OAuth2": [
              "exchange:write_quote_execution"
            ]
          }
        ]
      }
    },
    "/profiles/{profile_id}/quote-executions/{id}": {
      "get": {
        "summary": "Get Quote Execution",
        "description": "Get an existing quote execution for buying or selling an asset.",
        "operationId": "GetQuoteExecution",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/QuoteExecution"
                }
              }
            }
          }
        },
        "parameters": [
          {
```

Pretty-print


```
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "id",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Quote Executions"
        ],
        "security": [
          {
            "OAuth2": [
              "exchange:read_quote_execution"
            ]
          }
        ]
      }
    },
    "/quotes": {
      "get": {
        "summary": "List Quotes",
        "description": "List quotes for buying or selling assets. By default, the list
will\ninclude the latest available quotes for both buying and selling all
supported\nassets.\n\nEach quote is valid until `expires_at`, and can be executed on
by\ncalling [Create Quote Execution](#operation/CreateQuoteExecution).\n\nMultiple calls to
list quotes in quick succession may return the same quote\nvalues. Paxos currently issues new
quotes at most once per second.",
        "operationId": "ListQuotes",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListQuotesResponse"
                },
                "examples": {
                  "Get Latest USD Quotes": {
                    "value": {
                      "items": [
                        {
                          "id": "366a26d2-3098-4226-a520-4bb43ae4d922",
                          "market": "BTCUSD",
                          "side": "BUY",
                          "price": "6001.2",
                          "base_asset": "BTC",
                          "quote_asset": "USD",
                          "created_at": "2020-01-17T18:36:08Z",
                          "expires_at": "2020-01-17T18:36:38Z"
                        },
                        {
                          "id": "71e2a297-f2d7-423c-8e4f-486aac70fa9f",
                          "market": "BTCUSD",
                          "side": "SELL",
                          "price": "5999.8",
```

Pretty-print


```
                        "quote_asset": "USD",
                        "created_at": "2020-01-17T18:36:08Z",
                        "expires_at": "2020-01-17T18:36:38Z"
                      },
                      {
                        "id": "ee018e41-0379-41c6-a099-1ea81204b192",
                        "market": "ETHUSD",
                        "side": "BUY",
                        "price": "225.88",
                        "base_asset": "ETH",
                        "quote_asset": "USD",
                        "created_at": "2020-01-17T18:36:08Z",
                        "expires_at": "2020-01-17T18:36:38Z"
                      },
                      {
                        "id": "5a336768-5bc1-4401-9d95-9cb251ce4b58",
                        "market": "ETHUSD",
                        "side": "SELL",
                        "price": "224.11",
                        "base_asset": "ETH",
                        "quote_asset": "USD",
                        "created_at": "2020-01-17T18:36:08Z",
                        "expires_at": "2020-01-17T18:36:38Z"
                      }
                    ]
                  }
                }
              }
            }
          }
        }
      },
      "parameters": [
        {
          "name": "markets",
          "description": "",
          "in": "query",
          "required": true,
          "explode": true,
          "schema": {
            "type": "array",
            "items": {
              "type": "string",
              "enum": [
                "ETHEUR",
                "ETHSGD",
                "ETHUSD",
                "BTCEUR",
                "BTCSGD",
                "BTCUSD",
                "PAXGUSD",
                "BCHUSD",
                "LTCUSD",
                "USDPUSD",
                "LINKUSD",
                "MATICUSD",
                "AAVEUSD",
                "UNIUSD"
              ]
            }
          }
        }
      ],
      "tags": [
```

Pretty-print


```
        ],
        "security": [
          {
            "OAuth2": [
              "exchange:read_quote"
            ]
          }
        ]
      }
    },
    "/sandbox/fiat-deposits": {
      "post": {
        "summary": "Initiate Sandbox Fiat Deposit",
        "description": "Initiate a test fiat deposit in the sandbox environment.\n\nThe
deposit will be processed based on `memo_id` from a previous Fiat Deposit Instructions
response.\n\n*This functionality is only available in the sandbox environment.*",
        "operationId": "InitiateSandboxFiatDeposit",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/InitiateSandboxFiatDepositResponse"
                },
                "example": {

                }
              }
            }
          },
          "400": {
            "content": {
              "application/problem+json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "example": {
                  "type": "about:blank",
                  "title": "Bad Request",
                  "status": 400,
                  "detail": "fiat network instructions required"
                }
              }
            },
            "description": "Bad Request"
          }
        },
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/InitiateSandboxFiatDepositRequest"
              },
              "example": {
                "amount": "10.00",
                "asset": "USD",
                "memo_id": "3CFXQSCMSPLFHXLZ",
                "fiat_network_instructions": {
                  "wire": {
                    "account_number": "12345678",
                    "fiat_account_owner_address": {
                      "country": "USA",
                      "address1": "456 Main Street, NY",
```

Pretty-print


```
                      "province": "NY",
                      "address2": "",
                      "zip_code": "10101"
                    },
                    "routing_details": {
                      "routing_number_type": "ABA",
                      "routing_number": "123456789",
                      "bank_name": "Customers Bank",
                      "bank_address": {
                        "country": "USA",
                        "address1": "123 Bank Street",
                        "city": "New York",
                        "province": "NY",
                        "address2": "",
                        "zip_code": "10101"
                      }
                    }
                  }
                },
                "fiat_account_owner": {
                  "institution_details": {
                    "name": "SomeCorp, Inc."
                  }
                }
              }
            }
          },
          "required": true
        },
        "tags": [
          "Sandbox Fiat Transfers"
        ],
        "security": [
          {
            "OAuth2": [
              "transfer:write_sandbox_fiat_deposit"
            ]
          }
        ]
      }
    },
    "/transfer/crypto-deposits/{id}/reject": {
      "post": {
        "summary": "Reject Crypto Deposit",
        "description": "Reject a crypto deposit which is waiting for required travel rule
information about the originator address.\nIf the rejected deposit has any status other than
`NEEDS_INFO`, the request will return an error.\nOnly the creator of the crypto deposit can
reject it.",
        "operationId": "RejectCryptoDeposit",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/RejectCryptoDepositResponse"
                },
                "example": {

                }
              }
            }
          },
          "400": {
```

Pretty-print


```
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "example": {
                  "type": "about:blank",
                  "title": "Bad Request",
                  "status": 400,
                  "detail": "id must be uuid, given 2d929a0d-e1e3-4781-b7f8-7b34e66f"
                }
              }
            },
            "description": "Bad Request"
          },
          "404": {
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "example": {
                  "type": "about:blank",
                  "title": "Not Found",
                  "status": 404,
                  "detail": "no crypto deposit found for id: 2d929a0d-e1e3-4781-b7f8-
7b34e66f7832"
                }
              }
            },
            "description": "Could not find deposit"
          },
          "409": {
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "example": {
                  "type": "about:blank",
                  "title": "Conflict",
                  "status": 409,
                  "detail": "crypto deposit 2d929a0d-e1e3-4781-b7f8-7b34e66f7832 does not need
info"
                }
              }
            },
            "description": "Deposit does not need info"
          }
        },
        "parameters": [
          {
            "name": "id",
            "description": "Paxos ID of the crypto deposit to reject.\nTo retrieve the ID, log
in to your Paxos account and go to the [Activity](https://account.paxos.com/wallet/activity)
tab.\nDownload the CSV activity file and check the ID column.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "requestBody": {
          "content": {
```

Pretty-print


```
              "schema": {
                "$ref": "#/components/schemas/TransferPublicRejectCryptoDepositBody"
              }
            }
          },
          "required": true
        },
        "tags": [
          "Crypto Deposits"
        ],
        "security": [
          {
            "OAuth2": [
              "transfer:reject_crypto_deposit"
            ]
          }
        ]
      }
    },
    "/transfer/crypto-deposits/{id}/update": {
      "post": {
        "summary": "Update Crypto Deposit",
        "description": "Crypto deposits that do not meet the minimum travel rule requirements
are blocked.\nTo update a crypto deposit, provide the required travel rule information about
the originator address.",
        "operationId": "UpdateCryptoDeposit",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/UpdateCryptoDepositResponse"
                },
                "example": {

                }
              }
            }
          },
          "400": {
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "example": {
                  "type": "about:blank",
                  "title": "Bad Request",
                  "status": 400,
                  "detail": "id must be uuid, given 2d929a0d-e1e3-4781-b7f8-7b34e66f"
                }
              }
            },
            "description": "Bad Request"
          },
          "404": {
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "example": {
                  "type": "about:blank",
```

Pretty-print


```
                "status": 404,
                "detail": "no crypto deposit found for id: 2d929a0d-e1e3-4781-b7f8-
7b34e66f7832"
              }
            }
          },
          "description": "Could not find deposit"
        },
        "409": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/Problem"
              },
              "example": {
                "type": "about:blank",
                "title": "Conflict",
                "status": 409,
                "detail": "crypto deposit 2d929a0d-e1e3-4781-b7f8-7b34e66f7832 does not need
info"
              }
            }
          },
          "description": "Deposit does not need info"
        }
      },
      "parameters": [
        {
          "name": "id",
          "description": "Paxos ID of the crypto deposit to update.\nTo retrieve the ID, log
in to your Paxos account and go to the [Activity](https://account.paxos.com/wallet/activity)
tab.\nDownload the CSV activity file and check the ID column.",
          "in": "path",
          "required": true,
          "schema": {
            "type": "string"
          }
        }
      ],
      "requestBody": {
        "content": {
          "application/json": {
            "schema": {
              "$ref": "#/components/schemas/TransferPublicUpdateCryptoDepositBody"
            }
          }
        },
        "required": true
      },
      "tags": [
        "Crypto Deposits"
      ],
      "security": [
        {
          "OAuth2": [
            "transfer:update_crypto_deposit"
          ]
        }
      ]
    }
  },
  "/transfer/crypto-destination-address": {
    "put": {
      "summary": "Put Crypto Destination Addresses",
```

Pretty-print


```
not exist, it will be created",
        "operationId": "PutCryptoDestinationAddress",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/PutCryptoDestinationAddressResponse"
                }
              }
            }
          }
        },
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/PutCryptoDestinationAddressRequest"
              }
            }
          },
          "required": true
        },
        "tags": [
          "Crypto Withdrawals"
        ],
        "security": [
          {
            "OAuth2": [
              "transfer:write_crypto_destination_address"
            ]
          }
        ]
      }
    },
    "/transfer/crypto-destination-addresses": {
      "get": {
        "summary": "List Crypto Destination Addresses",
        "description": "List all crypto destination addresses, optionally filtering and paging
the results",
        "operationId": "ListCryptoDestinationAddresses",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListCryptoDestinationAddressesResponse"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "ids",
            "description": "Optionally filter by the UUIDs of the crypto destination
addresses. Limit 100.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
```

Pretty-print


```
                "type": "string"
              }
            }
          },
          {
            "name": "crypto_networks",
            "description": "Optionally filter by the `crypto_network` of the destination
addresses. Limit 100.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string",
                "enum": [
                  "BITCOIN",
                  "ETHEREUM",
                  "BITCOIN_CASH",
                  "LITECOIN",
                  "SOLANA",
                  "POLYGON_POS",
                  "BASE",
                  "ARBITRUM_ONE",
                  "STELLAR",
                  "INK",
                  "XLAYER"
                ]
              }
            }
          },
          {
            "name": "addresses",
            "description": "Optionally filter by specific addresses. Limit 100.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "nicknames",
            "description": "Optionally filter by specific nicknames. Limit 100.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "bookmarked_status",
            "description": "Optionally filter by bookmarked status. If omitted, addresses
regardless of bookmarked status will be returned.",
            "in": "query",
            "required": false,
            "schema": {
```

Pretty-print


```
            }
          },
          {
            "name": "created_at.lt",
            "description": "Include timestamps strictly less than lt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.lte",
            "description": "Include timestamps less than or equal to lte. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.eq",
            "description": "Include timestamps exactly equal to eq. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.gte",
            "description": "Include timestamps greater than or equal to lte. RFC3339 format,
like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.gt",
            "description": "Include timestamps strictly greater than gt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return. Defaults to 100 if no limit is
provided. Maximum 1000.",
            "in": "query",
            "required": false,
            "schema": {
```

Pretty-print


```
              "format": "int32"
            }
          },
          {
            "name": "order",
            "description": "Return items in ascending (ASC) or descending (DESC) order.
Defaults to DESC.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "DESC",
                "ASC"
              ]
            }
          },
          {
            "name": "order_by",
            "description": "The specific method by which the returned results will be
ordered.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "CREATED_AT"
              ]
            }
          },
          {
            "name": "page_cursor",
            "description": "Optional cursor for getting the next page of results.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Crypto Withdrawals"
        ],
        "security": [
          {
            "OAuth2": [
              "transfer:read_crypto_destination_address"
            ]
          }
        ]
      }
    },
    "/transfer/crypto-withdrawals": {
      "post": {
        "summary": "Create Crypto Withdrawal",
        "description": "Withdraw a cryptocurrency asset to a specified destination
address.\n\n**Important for Stellar Network (PYUSD):**\n\nWhen withdrawing PYUSD on the
Stellar network, the destination address must have an established trustline with the PYUSD
issuer:\n\n- **PYUSD Issuer**: `GDQE7IXJ4HUHV6RQHIUPRJSEZE4DRS5WY577O2FY6YQ5LVWZ7JZTU2V5`
(mainnet)\n- **Asset Code**: `PYUSD`\n\n**How to Establish a Trustline:**\n\nThe recipient
must use a Stellar wallet or the Stellar SDK to:\n1. Ensure their account has minimum XLM
balance (at least 1 XLM recommended)\n2. Create a trustline to the PYUSD issuer for the PYUSD
asset\n3. Confirm the trustline is active before requesting withdrawal\n\n**Verifying
Trustline Status:**\n\nYou can verify if an address has the required trustline by:\n- Using
```

Pretty-print


```
using the Stellar SDK to check account balances\n",
        "operationId": "CreateCryptoWithdrawal",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Transfer"
                },
                "example": {
                  "id": "373b7966-4290-4be3-a604-51929173437b",
                  "customer_id": "72b2b4e6-d395-43d2-9b09-690fa6c1a664",
                  "profile_id": "1db50793-0a22-4d2a-8696-66fc4fd8e360",
                  "ref_id": "ABCZYX123",
                  "amount": "0.001",
                  "total": "0.00100223",
                  "fee": "0.00000223",
                  "asset": "BTC",
                  "balance_asset": "BTC",
                  "direction": "DEBIT",
                  "type": "CRYPTO_WITHDRAWAL",
                  "status": "PENDING",
                  "created_at": "2022-06-14T15:19:20.034294Z",
                  "updated_at": "2022-06-14T15:19:20.034294Z",
                  "destination_address": "1BvBMSEYstWetqTFn5Au4m4GFg7xJaNVN2",
                  "crypto_network": "BITCOIN",
                  "auto_conversion": {

                  }
                }
              }
            }
          },
          "403": {
            "description": "Could not create transfer",
            "content": {
              "application/problem+json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Insufficient Funds": {
                    "$ref": "#/components/examples/Problem_insufficient_funds"
                  },
                  "Expired": {
                    "$ref": "#/components/examples/Problem_fee_expired_crypto_withdrawal"
                  }
                }
              }
            }
          },
          "404": {
            "description": "Could not find fee quote",
            "content": {
              "application/problem+json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Not Found": {
                    "$ref": "#/components/examples/Problem_fee_not_found_crypto_withdrawal"
                  }
                }
```

Pretty-print


```
            }
          },
          "409": {
            "description": "Transfer already exists",
            "content": {
              "application/problem+json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Already Exists": {
                    "$ref": "#/components/examples/Problem_already_exists_crypto_withdrawal"
                  }
                }
              }
            }
          }
        },
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/CreateCryptoWithdrawalRequest"
              }
            }
          },
          "required": true
        },
        "tags": [
          "Crypto Withdrawals"
        ],
        "security": [
          {
            "OAuth2": [
              "transfer:write_crypto_withdrawal"
            ]
          }
        ]
      }
    },
    "/transfer/deposit-addresses": {
      "get": {
        "summary": "List Deposit Addresses",
        "description": "List all deposit addresses, optionally filtering and paging the
results.",
        "operationId": "ListDepositAddresses",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListDepositAddressesResponse"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "profile_ids",
            "description": "Optionally filter by the profile IDs associated with the deposit
addresses. Limit 100.",
            "in": "query",
```

Pretty-print


```
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "identity_ids",
            "description": "Optionally filter by the Identities associated with the deposit
addresses. Limit 100.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "ids",
            "description": "Optionally filter by the UUIDs of the deposit addresses. Limit
100.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "ref_ids",
            "description": "The client-specified IDs provided during transfer creation. Limit
100.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "created_at.lt",
            "description": "Include timestamps strictly less than lt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.lte",
            "description": "Include timestamps less than or equal to lte. RFC3339 format, like
```

Pretty-print


```
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.eq",
            "description": "Include timestamps exactly equal to eq. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.gte",
            "description": "Include timestamps greater than or equal to lte. RFC3339 format,
like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.gt",
            "description": "Include timestamps strictly greater than gt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return. Defaults to 100 if no limit is
provided. Maximum 1000.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          },
          {
            "name": "order",
            "description": "Return items in ascending (ASC) or descending (DESC) order.
Defaults to DESC.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "DESC",
                "ASC"
              ]
            }
```

Pretty-print


```
          {
            "name": "order_by",
            "description": "The specific method by which the returned results will be
ordered.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "CREATED_AT"
              ]
            }
          },
          {
            "name": "page_cursor",
            "description": "Optional: Cursor for getting the next page of results.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "account_ids",
            "description": "Optionally filter by the Accounts associated with the deposit
address. Limit 100.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          }
        ],
        "tags": [
          "Deposit Addresses"
        ],
        "security": [
          {
            "OAuth2": [
              "transfer:read_deposit_address"
            ]
          }
        ]
      },
      "post": {
        "summary": "Create Deposit Address",
        "description": "Create a deposit address on a blockchain network for depositing to a
profile.\n\n**Important for Stellar Network (PYUSD):**\n\nWhen creating a deposit address for
PYUSD on the Stellar network:\n\n- Paxos automatically handles all necessary setup including
trustline establishment\n- The deposit address is immediately ready to receive PYUSD tokens\n-
No additional configuration is required by the user\n- The PYUSD issuer address on Stellar
mainnet is: `GDQE7IXJ4HUHV6RQHIUPRJSEZE4DRS5WY577O2FY6YQ5LVWZ7JZTU2V5`\n- The PYUSD asset code
is: `PYUSD`\n",
        "operationId": "CreateDepositAddress",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
```

Pretty-print


```
                }
              }
            }
          },
          "409": {
            "description": "Deposit address already exists",
            "content": {
              "application/problem+json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Already Exists": {
                    "$ref": "#/components/examples/Problem_already_exists_deposit_address"
                  }
                }
              }
            }
          }
        },
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/CreateDepositAddressRequest"
              }
            }
          },
          "required": true
        },
        "tags": [
          "Deposit Addresses"
        ],
        "security": [
          {
            "OAuth2": [
              "transfer:write_deposit_address"
            ]
          }
        ]
      }
    },
    "/transfer/fees/crypto-withdrawal": {
      "post": {
        "summary": "Create Crypto Withdrawal Fee",
        "description": "Get a guaranteed fee for the given currency, valid for a period of
time.\nSpecify exactly one of `amount` or `total`, otherwise an error is returned.\n\nThe
[Create Crypto Withdrawal](#operation/CreateCryptoWithdrawal) request that uses the guaranteed
fee endpoint\nmust specify an `amount` less than or equal to the guaranteed fee `amount`,
otherwise the withdrawal is rejected.",
        "operationId": "CreateCryptoWithdrawalFee",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/CryptoWithdrawalFee"
                }
              }
            }
          }
        },
        "requestBody": {
```

Pretty-print


```
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/CreateCryptoWithdrawalFeeRequest"
              }
            }
          },
          "required": true
        },
        "tags": [
          "Fees"
        ],
        "security": [
          {
            "OAuth2": [
              "fee:write_crypto_withdrawal_fee"
            ]
          }
        ]
      }
    },
    "/transfer/fiat-accounts": {
      "get": {
        "summary": "List Fiat Accounts",
        "description": "List all Fiat Accounts, optionally filtering and paging the
results.\nThe response includes an abbreviated `FiatAccount` object:\n\n- Beneficiary name and
address details are excluded.\n- Only the last four (**4**) digits of the account number are
included.\n\nUse [Get Fiat Account](#operation/GetFiatAccount) to retrieve the complete
`FiatAccount` object.\n\nThe paginated results default to the maximum limit of 1,000 Fiat
Accounts, unless otherwise specified with the `limit` parameter.\nEvery paginated response
contains a `next_page` field until the last page is reached.\nPass the `next_page` value into
the `page_cursor` field of the next request to retrieve the next page of results.",
        "operationId": "ListFiatAccounts",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListFiatAccountsResponse"
                },
                "example": {
                  "items": [
                    {
                      "id": "dde1b3c5-d02a-48f6-8d11-16b4f532ea49",
                      "ref_id": "test_ref_id_1",
                      "identity_id": "c6ea91da-8f33-4545-9bdf-3cf29b4041d7",
                      "account_id": "91f91384-30d4-46c2-9118-7f3cec676a2c",
                      "fiat_account_owner": {
                        "person_details": null
                      },
                      "fiat_network_instructions": {
                        "wire": {
                          "account_number": "XXXX5678",
                          "fiat_account_owner_address": null,
                          "routing_details": {
                            "routing_number_type": "ABA",
                            "routing_number": "123456789",
                            "bank_name": "Customers Bank",
                            "bank_address": null
                          },
                          "status": "PENDING",
                          "metadata": {
                            "test_ref_id": "47aa7538-e2d2-47b3-8600-44a7965dd357",
                            "transaction_attempt": 1
```

Pretty-print


```
                        }
                      },
                      "created_at": "2023-09-24T14:15:22Z",
                      "updated_at": "2023-09-24T14:15:22Z"
                    }
                  ]
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "ids",
            "description": "Optionally filter by the UUIDs of the accounts. Limit 100.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "ref_ids",
            "description": "Optionally filter by the client-specified IDs provided during
account creation. Limit 100.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "created_at.lt",
            "description": "Include timestamps strictly less than lt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.lte",
            "description": "Include timestamps less than or equal to lte. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.eq",
            "description": "Include timestamps exactly equal to eq. RFC3339 format, like
```

Pretty-print


```
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.gte",
            "description": "Include timestamps greater than or equal to lte. RFC3339 format,
like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.gt",
            "description": "Include timestamps strictly greater than gt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return. Defaults to 100 if no limit is
provided. Maximum 1000.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          },
          {
            "name": "order",
            "description": "Return items in ascending (ASC) or descending (DESC) order.
Defaults to DESC.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "DESC",
                "ASC"
              ]
            }
          },
          {
            "name": "order_by",
            "description": "The specific method by which the returned results will be ordered.
Defaults to CREATED_AT.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "CREATED_AT"
```

Pretty-print


```
            }
          },
          {
            "name": "page_cursor",
            "description": "Optional: Cursor for getting the next page of results.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "include_deleted",
            "description": "Used to include deleted accounts in the response.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "boolean"
            }
          }
        ],
        "tags": [
          "Fiat Transfers"
        ],
        "security": [
          {
            "OAuth2": [
              "transfer:read_fiat_account"
            ]
          }
        ]
      },
      "post": {
        "summary": "Create Fiat Account",
        "description": "Create an account to initiate a fiat withdrawal.\n\nFor U.S. wires,
set `fiat_network_instructions` \u003E `wire` \u003E `routing_details` \u003E
`routing_number_type` to `ABA`. For international (SWIFT) wires, set
`fiat_network_instructions` \u003E `wire` \u003E `routing_details` \u003E
`routing_number_type` to `SWIFT`.\nFor CUBIX, set `fiat_network_instructions` \u003E `cubix`
\u003E `account_id`, and do not specify `routing_number_type`. For CUBIX, the `account_id` is
the CUBIX account ID.",
        "operationId": "CreateFiatAccount",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/FiatAccount"
                },
                "example": {
                  "id": "dde1b3c5-d02a-48f6-8d11-16b4f532ea49",
                  "ref_id": "test_ref_id_1",
                  "identity_id": "c6ea91da-8f33-4545-9bdf-3cf29b4041d7",
                  "account_id": "91f91384-30d4-46c2-9118-7f3cec676a2c",
                  "fiat_account_owner": {
                    "person_details": {
                      "first_name": "Jane",
                      "last_name": "Doe"
                    },
                    "fiat_network_instructions": {
                      "wire": {
                        "account_number": "12345678",
                        "fiat_account_owner_address": {
```

Pretty-print


```
                "address1": "456 Main Street, NY",
                "city": "New York",
                "province": "NY",
                "address2": "",
                "zip_code": "10101"
              },
              "routing_details": {
                "routing_number_type": "ABA",
                "routing_number": "123456789",
                "bank_name": "Customers Bank",
                "bank_address": {
                  "country": "USA",
                  "address1": "123 Bank Street",
                  "city": "New York",
                  "province": "NY",
                  "address2": "",
                  "zip_code": "10101"
                }
              }
            },
            "status": "PENDING",
            "metadata": {
              "test_ref_id": "47aa7538-e2d2-47b3-8600-44a7965dd357",
              "transaction_attempt": 1
            }
          }
        },
        "created_at": "2023-09-24T14:15:22Z"
      }
    }
  }
},
"400": {
  "description": "Bad Request",
  "content": {
    "application/json": {
      "schema": {
        "example": {
          "type": "about:blank",
          "title": "Bad Request",
          "status": 400,
          "detail": "account_number must be set"
        },
        "$ref": "#/components/schemas/Problem"
      },
      "example": {
        "type": "about:blank",
        "title": "Bad Request",
        "status": 400,
        "detail": "account_number must be set"
      }
    }
  }
},
"403": {
  "description": "Forbidden",
  "content": {
    "application/json": {
      "schema": {
        "example": {
          "type": "about:blank",
          "title": "Not Found",
          "status": 403,
          "detail": "identity_id forbidden for first-party customers"
```

Pretty-print


```
                "$ref": "#/components/schemas/Problem"
              },
              "example": {
                "type": "about:blank",
                "title": "Forbidden",
                "status": 403,
                "detail": "identity_id forbidden for first-party customers"
              }
            }
          }
        },
        "404": {
          "description": "Not Found",
          "content": {
            "application/json": {
              "schema": {
                "example": {
                  "type": "about:blank",
                  "title": "Not Found",
                  "status": 404,
                  "detail": "no fiat account found for id: 2d929a0d-e1e3-4781-b7f8-
7b34e66f7832"
                },
                "$ref": "#/components/schemas/Problem"
              },
              "example": {
                "type": "about:blank",
                "title": "Not Found",
                "status": 404,
                "detail": "no fiat account found for id: '2d929a0d-e1e3-4781-b7f8-
7b34e66f7832'"
              }
            }
          }
        }
      },
      "requestBody": {
        "content": {
          "application/json": {
            "schema": {
              "$ref": "#/components/schemas/CreateFiatAccountRequest"
            }
          }
        },
        "required": true
      },
      "tags": [
        "Fiat Transfers"
      ],
      "security": [
        {
          "OAuth2": [
            "transfer:write_fiat_account"
          ]
        }
      ]
    }
  },
  "/transfer/fiat-accounts/{id}": {
    "get": {
      "summary": "Get Fiat Account",
      "description": "Get a single Fiat Account by ID.\n\nIn the polling workflow, this
endpoint can be called to monitor a FiatAccount's status.\nThe Fiat Account response includes
the full account number, beneficiary name and address details.",
```

Pretty-print


```
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/FiatAccount"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "id",
            "description": "The Paxos fiat account ID (UUID).\nThe Fiat Account ID (`id`) is
provided in the response of the [Create Fiat Account](#operation/CreateFiatAccount).\nUse this
ID to retrieve the instructions using [Get Fiat Account](#operation/GetFiatAccount) & [List
Fiat Accounts](#operation/ListFiatAccounts).",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "include_deleted",
            "description": "Used to include deleted accounts in the response.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "boolean"
            }
          }
        ],
        "tags": [
          "Fiat Transfers"
        ],
        "security": [
          {
            "OAuth2": [
              "transfer:read_fiat_account"
            ]
          }
        ]
      },
      "delete": {
        "summary": "Delete Fiat Account",
        "description": "Delete a Fiat Account.\nOnce a Fiat Account is deleted, transfers
cannot be initiated to it.",
        "operationId": "DeleteFiatAccount",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "example": {
                    "type": "application/json",
                    "value": "{}"
                  }
                },
                "example": {
```

Pretty-print


```
            }
          }
        },
        "400": {
          "description": "Bad Request",
          "content": {
            "application/json": {
              "schema": {
                "example": {
                  "type": "about:blank",
                  "title": "Bad Request",
                  "status": 400,
                  "detail": "id must be uuid, given 2d929a0d-e1e3-4781-b7f8-7b34e66f"
                },
                "$ref": "#/components/schemas/Problem"
              },
              "example": {
                "type": "about:blank",
                "title": "Bad Request",
                "status": 400,
                "detail": "id must be uuid, given '123456'"
              }
            }
          }
        },
        "404": {
          "description": "Not Found",
          "content": {
            "application/json": {
              "schema": {
                "example": {
                  "type": "about:blank",
                  "title": "Not Found",
                  "status": 404,
                  "detail": "no fiat account found for id: 2d929a0d-e1e3-4781-b7f8-
7b34e66f7832"
                },
                "$ref": "#/components/schemas/Problem"
              },
              "example": {
                "type": "about:blank",
                "title": "Not Found",
                "status": 404,
                "detail": "no fiat account found for id: '2d929a0d-e1e3-4781-b7f8-
7b34e66f7832'"
              }
            }
          }
        }
      },
      "parameters": [
        {
          "name": "id",
          "description": "The Paxos fiat account ID (UUID).",
          "in": "path",
          "required": true,
          "schema": {
            "type": "string"
          }
        }
      ],
      "tags": [
        "Fiat Transfers"
      ],
```

Pretty-print


```
          {
            "OAuth2": [
              "transfer:write_fiat_account"
            ]
          }
        ]
      },
      "put": {
        "summary": "Update Fiat Account",
        "description": "Change an existing value or add a new value on one or more fields for
the given Fiat Account and return the modified Fiat Account in `PENDING` status.\nUpdate
fields in **either** `fiat_account_owner.person_details` or
`fiat_account_owner.institution_details`.\nAttempts to convert the `fiat_account_owner` type
results in an error.\nEmpty strings or null values are ignored.\n\nUpon successful response,
Paxos initiates an automated review of the requested changes and then either sets the status
to `APPROVED` or `REJECTED`.\nOccasionally, a manual review may be required.\nUse [Get Fiat
Account](#operation/GetFiatAccount) to check for status changes.",
        "operationId": "UpdateFiatAccount",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/FiatAccount"
                },
                "example": {
                  "id": "dde1b3c5-d02a-48f6-8d11-16b4f532ea49",
                  "ref_id": "test_ref_id_1",
                  "identity_id": "c6ea91da-8f33-4545-9bdf-3cf29b4041d7",
                  "account_id": "91f91384-30d4-46c2-9118-7f3cec676a2c",
                  "fiat_account_owner": {
                    "person_details": {
                      "first_name": "John",
                      "last_name": "Smith"
                    },
                    "fiat_network_instructions": {
                      "wire": {
                        "account_number": "12345678",
                        "fiat_account_owner_address": {
                          "country": "USA",
                          "address1": "456 Main Street, NY",
                          "city": "New York",
                          "province": "NY",
                          "address2": "",
                          "zip_code": "10101"
                        },
                        "routing_details": {
                          "routing_number_type": "ABA",
                          "routing_number": "123456789",
                          "bank_name": "Customers Bank",
                          "bank_address": {
                            "country": "USA",
                            "address1": "123 Bank Street",
                            "city": "New York",
                            "province": "NY",
                            "address2": "",
                            "zip_code": "10101"
                          }
                        }
                      },
                      "status": "PENDING",
                      "metadata": {
                        "test_ref_id": "47aa7538-e2d2-47b3-8600-44a7965dd357",
```

Pretty-print


```
                    }
                  }
                },
                "created_at": "2023-09-24T14:15:22Z",
                "updated_at": "2023-09-24T14:15:22Z"
              }
            }
          }
        },
        "400": {
          "description": "Bad Request",
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/Problem"
              },
              "example": {
                "type": "about:blank",
                "title": "Bad Request",
                "status": 400,
                "detail": "fiat_account_owner cannot be changed from person to institution"
              }
            }
          }
        },
        "403": {
          "description": "Forbidden",
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/Problem"
              },
              "example": {
                "type": "about:blank",
                "title": "Forbidden",
                "status": 403,
                "detail": "identity_id forbidden for 1st-Party ledgering. See:
https://docs.paxos.com/crypto-brokerage/ledger-type"
              }
            }
          }
        },
        "404": {
          "description": "Not Found",
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/Problem"
              },
              "example": {
                "type": "about:blank",
                "title": "Not Found",
                "status": 404,
                "detail": "fiat_account with id 2d929a0d-e1e3-4781-b7f8-7b34e66j783 not
found"
              }
            }
          }
        }
      },
      "parameters": [
        {
          "name": "id",
          "description": "The Paxos fiat account ID (UUID).\nThe Fiat Account ID (`id`) is
```

Pretty-print


```
ID to retrieve the instructions using [Get Fiat Account](#operation/GetFiatAccount) & [List
Fiat Accounts](#operation/ListFiatAccounts).",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/TransferPublicUpdateFiatAccountBody"
              },
              "examples": {
                "Update fiat account owner person details": {
                  "value": {
                    "fiat_account_owner": {
                      "person_details": {
                        "first_name": "John",
                        "last_name": "Smith"
                      }
                    }
                  }
                },
                "Update fiat account owner institution details": {
                  "value": {
                    "fiat_account_owner": {
                      "institution_details": {
                        "name": "Big Tech Inc"
                      }
                    }
                  }
                },
                "Update fiat account owner address": {
                  "value": {
                    "fiat_account_owner": {
                      "fiat_network_instructions": {
                        "wire": {
                          "fiat_account_owner_address": {
                            "country": "USA",
                            "address1": "456 Main Street, NY",
                            "city": "New York",
                            "province": "NY",
                            "address2": "",
                            "zip_code": "10101"
                          }
                        }
                      }
                    }
                  }
                },
                "Update routing bank name & address": {
                  "value": {
                    "fiat_account_owner": {
                      "fiat_network_instructions": {
                        "wire": {
                          "routing_details": {
                            "bank_name": "Customers Bank",
                            "bank_address": {
                              "country": "USA",
                              "address1": "123 Bank Street",
                              "address2": "",
```

Pretty-print


```
                              "province": "NY",
                              "zip_code": "10101"
                            }
                          }
                        }
                      }
                    }
                  }
                },
                "Update intermediary bank name & address": {
                  "value": {
                    "fiat_account_owner": {
                      "fiat_network_instructions": {
                        "wire": {
                          "intermediary_bank_name": "Intermediary Bank",
                          "intermediary_bank_address": {
                            "country": "USA",
                            "address1": "123 Bank Street",
                            "city": "New York",
                            "province": "NY",
                            "zip_code": "10101"
                          }
                        }
                      }
                    }
                  }
                },
                "Update fiat account metadata": {
                  "value": {
                    "metadata": {
                      "key1": "value1",
                      "key2": "value2"
                    }
                  }
                }
              }
            }
          },
          "required": true
        },
        "tags": [
          "Fiat Transfers"
        ],
        "security": [
          {
            "OAuth2": [
              "transfer:write_fiat_account"
            ]
          }
        ]
      }
    },
    "/transfer/fiat-deposit-instructions": {
      "get": {
        "summary": "List Fiat Deposit Instructions",
        "description": "Return the associated Fiat Deposit Instructions matching the search criteria for the current Account.\nThe paginated results default to the maximum limit of 1,000 Fiat Deposit instructions, unless otherwise specified with the `limit` parameter.\nEvery paginated response contains a `next_page` field until the last page is reached.\nPass the `next_page` value into the `page_cursor` field of the next request to retrieve the next page of results.",
        "operationId": "ListFiatDepositInstructions",
        "responses": {
          "200": {
```

Pretty-print


```
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListFiatDepositInstructionsResponse"
                },
                "example": {
                  "items": [
                    {
                      "id": "f190b163-208f-4d73-8deb-4fb8b24add00",
                      "profile_id": "5fc6d191-193c-4e28-94fa-656bbdbdfaad",
                      "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339",
                      "ref_id": "idempotence_id",
                      "status": "VALID",
                      "memo_id": "9CFXQSCMSPLFHXLZ",
                      "fiat_network_instructions": {
                        "wire": {
                          "account_number": "12345678",
                          "fiat_account_owner_address": {
                            "country": "USA",
                            "address1": "456 Main Street, NY",
                            "city": "New York",
                            "province": "NY",
                            "address2": "",
                            "zip_code": "10101"
                          },
                          "routing_details": {
                            "routing_number_type": "ABA",
                            "routing_number": "123456789",
                            "bank_name": "Customers Bank",
                            "bank_address": {
                              "country": "USA",
                              "address1": "123 Bank Street",
                              "city": "New York",
                              "province": "NY",
                              "address2": "",
                              "zip_code": "10101"
                            }
                          }
                        },
                        "fiat_account_owner": {
                          "person_details": {
                            "first_name": "Jane",
                            "last_name": "Doe"
                          }
                        },
                        "metadata": {
                          "my_id": "4024ee50-eefb-4f2e-85c7-e7899c0b7da5"
                        }
                      }
                    }
                  ]
                }
              }
            }
          },
          "400": {
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "example": {
                  "type": "about:blank",
                  "title": "Bad Request",
```

Pretty-print


```
                "detail": "page_cursor token cannot be parsed"
              }
            }
          },
          "description": "Bad Request"
        },
        "404": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/Problem"
              },
              "example": {
                "type": "about:blank",
                "title": "Not Found",
                "status": 404,
                "detail": "fiat deposit instructions with id f190b163-208f-4d73-8deb-
4fb8b24add00 not found"
              }
            }
          },
          "description": "Could not find Identity"
        }
      },
      "parameters": [
        {
          "name": "ids",
          "description": "Optionally filter by the UUIDs of the instructions. Limit 100.",
          "in": "query",
          "required": false,
          "explode": true,
          "schema": {
            "type": "array",
            "items": {
              "type": "string"
            }
          }
        },
        {
          "name": "ref_ids",
          "description": "Optionally filter by the client-specified IDs provided during
instructions creation. Limit 100.",
          "in": "query",
          "required": false,
          "explode": true,
          "schema": {
            "type": "array",
            "items": {
              "type": "string"
            }
          }
        },
        {
          "name": "created_at.lt",
          "description": "Include timestamps strictly less than lt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
          "in": "query",
          "required": false,
          "schema": {
            "type": "string",
            "format": "date-time"
          }
        },
        {
```

Pretty-print


```
            "description": "Include timestamps less than or equal to lte. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.eq",
            "description": "Include timestamps exactly equal to eq. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.gte",
            "description": "Include timestamps greater than or equal to lte. RFC3339 format,
like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.gt",
            "description": "Include timestamps strictly greater than gt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return. Defaults to 100 if no limit is
provided. Maximum 1000.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          },
          {
            "name": "order",
            "description": "Return items in ascending (ASC) or descending (DESC) order.
Defaults to DESC.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "DESC",
                "ASC"
```

Pretty-print


```
          }
        },
        {
          "name": "page_cursor",
          "description": "Optional: Cursor for getting the next page of results.",
          "in": "query",
          "required": false,
          "schema": {
            "type": "string"
          }
        }
      ],
      "tags": [
        "Fiat Transfers"
      ],
      "security": [
        {
          "OAuth2": [
            "transfer:read_fiat_deposit_instructions"
          ]
        }
      ]
    },
    "post": {
      "summary": "Create Fiat Deposit Instructions",
      "description": "Create instructions for depositing fiat.",
      "operationId": "CreateFiatDepositInstructions",
      "responses": {
        "200": {
          "description": "A successful response.",
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/FiatDepositInstructions"
              },
              "example": {
                "id": "f190b163-208f-4d73-8deb-4fb8b24add00",
                "profile_id": "5fc6d191-193c-4e28-94fa-656bbdbdfaad",
                "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339",
                "ref_id": "idempotence_id",
                "status": "VALID",
                "memo_id": "9CFXQSCMSPLFHXLZ",
                "fiat_network_instructions": {
                  "wire": {
                    "account_number": "12345678",
                    "fiat_account_owner_address": {
                      "country": "USA",
                      "address1": "456 Main Street, NY",
                      "city": "New York",
                      "province": "NY",
                      "address2": "",
                      "zip_code": "10101"
                    },
                    "routing_details": {
                      "routing_number_type": "ABA",
                      "routing_number": "123456789",
                      "bank_name": "Customers Bank",
                      "bank_address": {
                        "country": "USA",
                        "address1": "123 Bank Street",
                        "city": "New York",
                        "province": "NY",
                        "address2": "",
                        "zip_code": "10101"
```

Pretty-print


```
                    }
                  },
                  "fiat_account_owner": {
                    "person_details": {
                      "first_name": "Jane",
                      "last_name": "Doe"
                    }
                  },
                  "metadata": {
                    "my_id": "4024ee50-eefb-4f2e-85c7-e7899c0b7da5"
                  }
                }
              }
            }
          }
        },
        "400": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/Problem"
              },
              "example": {
                "type": "about:blank",
                "title": "Bad Request",
                "status": 400,
                "detail": "identity not enabled for customer 8a398cb6-4e3b-4868-9cea-
a1c567856e68 "
              }
            }
          },
          "description": "Bad Request"
        },
        "404": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/Problem"
              },
              "example": {
                "type": "about:blank",
                "title": "Not Found",
                "status": 404,
                "detail": "identity not found for customer 8a398cb6-4e3b-4868-9cea-
a1c567856e68"
              }
            }
          },
          "description": "Could not find Identity"
        }
      },
      "requestBody": {
        "content": {
          "application/json": {
            "schema": {
              "$ref": "#/components/schemas/CreateFiatDepositInstructionsRequest"
            },
            "examples": {
              "Create fiat deposit instructions": {
                "value": {
                  "profile_id": "5fc6d191-193c-4e28-94fa-656bbdbdfaad",
                  "fiat_network": "WIRE",
                  "identity_id": "8a398cb6-4e3b-4868-9cea-a1c567856e68",
                  "account_ id": "91f91384-30d4-46c2-9118-7f3cec676a2c",
```

Pretty-print


```
                    "routing_number_type": "SWIFT",
                    "metadata": {
                      "my_id": "4024ee50-eefb-4f2e-85c7-e7899c0b7da5"
                    }
                  }
                }
              }
            }
          },
          "required": true
        },
        "tags": [
          "Fiat Transfers"
        ],
        "security": [
          {
            "OAuth2": [
              "transfer:write_fiat_deposit_instructions"
            ]
          }
        ]
      }
    },
    "/transfer/fiat-deposit-instructions/{id}": {
      "get": {
        "summary": "Get Fiat Deposit Instructions",
        "description": "Get instructions for depositing fiat using a Paxos Fiat Deposit
Instructions ID.\nThe Fiat Deposit Instructions ID (`id`) is provided in the response of the
[Create Fiat Deposit Instructions](#operation/CreateFiatDepositInstructions).",
        "operationId": "GetFiatDepositInstructions",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/FiatDepositInstructions"
                },
                "example": {
                  "id": "f190b163-208f-4d73-8deb-4fb8b24add00",
                  "profile_id": "5fc6d191-193c-4e28-94fa-656bbdbdfaad",
                  "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339",
                  "ref_id": "idempotence_id",
                  "status": "VALID",
                  "memo_id": "9CFXQSCMSPLFHXLZ",
                  "fiat_network_instructions": {
                    "wire": {
                      "account_number": "12345678",
                      "fiat_account_owner_address": {
                        "country": "USA",
                        "address1": "456 Main Street, NY",
                        "city": "New York",
                        "province": "NY",
                        "address2": "",
                        "zip_code": "10101"
                      },
                      "routing_details": {
                        "routing_number_type": "ABA",
                        "routing_number": "123456789",
                        "bank_name": "Customers Bank",
                        "bank_address": {
                          "country": "USA",
                          "address1": "123 Bank Street",
                          "city": "New York",
```

Pretty-print


```
                        "address2": "",
                        "zip_code": "10101"
                      }
                    }
                  },
                  "fiat_account_owner": {
                    "person_details": {
                      "first_name": "Jane",
                      "last_name": "Doe"
                    }
                  },
                  "metadata": {
                    "my_id": "4024ee50-eefb-4f2e-85c7-e7899c0b7da5"
                  }
                }
              }
            }
          }
        },
        "400": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/Problem"
              },
              "example": {
                "type": "about:blank",
                "title": "Bad Request",
                "status": 400,
                "detail": "expected uuid, got invalid-uuid"
              }
            }
          },
          "description": "Bad Request"
        },
        "404": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/Problem"
              },
              "example": {
                "type": "about:blank",
                "title": "Not Found",
                "status": 404,
                "detail": "fiat deposit instructions with id f190b163-208f-4d73-8deb-
4fb8b24add00 not found"
              }
            }
          },
          "description": "Could not find Identity"
        }
      },
      "parameters": [
        {
          "name": "id",
          "description": "Retrieve the Paxos Fiat Deposit Instructions for the given `id`.",
          "in": "path",
          "required": true,
          "schema": {
            "type": "string"
          }
        }
      ],
```

Pretty-print


```
          "Fiat Transfers"
        ],
        "security": [
          {
            "OAuth2": [
              "transfer:read_fiat_deposit_instructions"
            ]
          }
        ]
      }
    },
    "/transfer/fiat-withdrawals": {
      "post": {
        "summary": "Create Fiat Withdrawal",
        "description": "Withdraw fiat to the given destination.",
        "operationId": "CreateFiatWithdrawal",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Transfer"
                },
                "example": {
                  "id": "f190b163-208f-4d73-8deb-4fb8b24add00",
                  "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339",
                  "profile_id": "5fc6d191-193c-4e28-94fa-656bbdbdfaad",
                  "identity_id": "54385e67-d7ef-40d1-b488-ceda6dd9b264",
                  "amount": "10.00",
                  "total": "10.00",
                  "fee": "0.0000000",
                  "asset": "USD",
                  "balance_asset": "USD",
                  "direction": "DEBIT",
                  "type": "CUBIX_WITHDRAWAL",
                  "status": "PENDING",
                  "created_at": "2023-07-13T18:36:08.737Z",
                  "updated_at": "2023-07-13T18:36:08.737Z",
                  "fiat_account_id": "caa82b32-8abd-4899-afdc-f9d4bf9b4e98"
                }
              }
            }
          },
          "400": {
            "description": "Bad Request",
            "content": {
              "application/json": {
                "schema": {
                  "example": {
                    "type": "about:blank",
                    "title": "Bad Request",
                    "status": 400,
                    "detail": "fiat account has invalid status REJECTED, must be approved"
                  },
                  "$ref": "#/components/schemas/Problem"
                },
                "example": {
                  "type": "about:blank",
                  "title": "Bad Request",
                  "status": 400,
                  "detail": "fiat account has invalid status REJECTED, must be approved"
                }
              }
```

Pretty-print


```
          },
          "404": {
            "description": "Could not find Profile",
            "content": {
              "application/json": {
                "schema": {
                  "example": {
                    "type": "about:blank",
                    "title": "Not Found",
                    "status": 404,
                    "detail": "fiat account not found with requested ID"
                  },
                  "$ref": "#/components/schemas/Problem"
                },
                "example": {
                  "type": "about:blank",
                  "title": "Not Found",
                  "status": 404,
                  "detail": "fiat account not found with requested ID"
                }
              }
            }
          },
          "403": {
            "content": {
              "application/problem+json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Insufficient Funds": {
                    "summary": "Example of insufficient funds",
                    "description": "The needed funds include wire withdrawal fees. Please
check developer documentation for fee details.",
                    "value": {
                      "type": "https://developer.paxos.com/docs/v2/problems/insufficient-
funds",
                      "title": "Insufficient Funds",
                      "status": 403,
                      "detail": "insufficient USD funds in profile 5fc6d191-193c-4e28-94fa-
656bbdbdfaad: 100 needed, 50 available",
                      "meta": {
                        "profile_id": "5fc6d191-193c-4e28-94fa-656bbdbdfaad",
                        "asset": "USD",
                        "available": "50",
                        "needed": "100"
                      }
                    }
                  }
                }
              }
            },
            "description": "Insufficient funds"
          },
          "409": {
            "description": "Transfer already exists",
            "content": {
              "application/problem+json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Already Exists": {
                    "$ref": "#/components/examples/Problem_already_exists_fiat_withdrawal"
```

Pretty-print


```
                }
              }
            }
          }
        },
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/CreateFiatWithdrawalRequest"
              }
            }
          },
          "required": true
        },
        "tags": [
          "Fiat Transfers"
        ],
        "security": [
          {
            "OAuth2": [
              "transfer:write_fiat_withdrawal"
            ]
          }
        ]
      }
    },
    "/transfer/internal": {
      "post": {
        "summary": "Create Internal Transfer",
        "description": "Transfer assets between two profiles belonging to the same customer.",
        "operationId": "CreateInternalTransfer",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Transfer"
                },
                "examples": {
                  "Internal Transfer": {
                    "value": {
                      "amount": "10",
                      "asset": "BTC",
                      "auto_conversion": {

                      },
                      "balance_asset": "BTC",
                      "created_at": "2022-04-28T22:07:56.436854Z",
                      "customer_id": "66325f47-455d-4e0c-9d38-70c047b41dbe",
                      "direction": "DEBIT",
                      "fee": "0",
                      "id": "5ab7e995-5589-4b3f-a333-c14b42ac6eaf",
                      "metadata": {
                        "my_id": "TEST-v2-Profile-transfer-428169"
                      },
                      "profile_id": "0acfa5a6-6f2e-41af-a833-48e301197ffd",
                      "ref_id": "TEST-v2-profile-transfer-ref_id-428169",
                      "status": "PENDING",
                      "total": "10",
                      "type": "INTERNAL_TRANSFER_DEBIT",
                      "group_id": "55e98066-d9ad-483b-9f10-d3aa252ebbe3"
                    }
```

Pretty-print


```
                "Internal Transfer with 3rd-Party Integrations": {
                  "value": {
                    "account_id": "bffc91a9-a5ff-4648-80f1-0542ba18c218",
                    "amount": "10",
                    "asset": "BTC",
                    "auto_conversion": {

                    },
                    "balance_asset": "BTC",
                    "created_at": "2022-04-28T22:07:56.436854Z",
                    "customer_id": "66325f47-455d-4e0c-9d38-70c047b41dbe",
                    "direction": "DEBIT",
                    "fee": "0",
                    "id": "5ab7e995-5589-4b3f-a333-c14b42ac6eaf",
                    "identity_id": "1ad1e93c-6652-4b9b-99d5-9a13d20f32cc",
                    "metadata": {
                      "my_id": "TEST-v2-Profile-transfer-428169"
                    },
                    "profile_id": "0acfa5a6-6f2e-41af-a833-48e301197ffd",
                    "ref_id": "TEST-v2-profile-transfer-ref_id-428169",
                    "status": "PENDING",
                    "total": "10",
                    "type": "INTERNAL_TRANSFER_DEBIT",
                    "group_id": "55e98066-d9ad-483b-9f10-d3aa252ebbe3"
                  }
                }
              }
            }
          }
        },
        "403": {
          "content": {
            "application/problem+json": {
              "schema": {
                "$ref": "#/components/schemas/Problem"
              },
              "examples": {
                "Insufficient Funds": {
                  "$ref": "#/components/examples/Problem_insufficient_funds"
                }
              }
            }
          },
          "description": "Insufficient funds"
        },
        "404": {
          "content": {
            "application/problem+json": {
              "schema": {
                "$ref": "#/components/schemas/Problem"
              },
              "examples": {
                "Profile Not Found": {
                  "$ref": "#/components/examples/Problem_not_found"
                }
              }
            }
          },
          "description": "Could not find profile"
        },
        "409": {
          "content": {
            "application/problem+json": {
              "schema": {
```

Pretty-print


```
                },
                "example": {
                  "type": "https://api.paxos.com/v2/problems/already-exists",
                  "detail": "Transfer with ref_id already exists",
                  "status": 409,
                  "title": "Already exists"
                }
              }
            },
            "description": "Transfer already exists"
          }
        },
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/CreateInternalTransferRequest"
              },
              "examples": {
                "Internal Transfer": {
                  "value": {
                    "ref_id": "idempotence_id",
                    "from_profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
                    "to_profile_id": "37867177-f88c-45cc-b9b5-d786e7079609",
                    "asset": "BTC",
                    "amount": "0.05",
                    "metadata": {
                      "my_id": "4024ee50-eefb-4f2e-85c7-e7899c0b7da5"
                    }
                  }
                },
                "Internal Transfer with 3rd-Party Integrations": {
                  "value": {
                    "ref_id": "idempotence_id",
                    "from_profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
                    "to_profile_id": "37867177-f88c-45cc-b9b5-d786e7079609",
                    "asset": "BTC",
                    "amount": "0.05",
                    "metadata": {
                      "my_id": "4024ee50-eefb-4f2e-85c7-e7899c0b7da5"
                    },
                    "from_account_id": "bffc91a9-a5ff-4648-80f1-0542ba18c218",
                    "from_identity_id": "1ad1e93c-6652-4b9b-99d5-9a13d20f32cc",
                    "to_account_id": "8f9af45d-3c01-49ba-95c5-64e4f90ae7a3",
                    "to_identity_id": "79c7ae81-1a6c-406c-9e9f-97999cf96819"
                  }
                }
              }
            }
          },
          "required": true
        },
        "tags": [
          "Internal Transfers"
        ],
        "security": [
          {
            "OAuth2": [
              "transfer:write_internal_transfer"
            ]
          }
        ]
      }
    },
```

Pretty-print


```
      "get": {
        "summary": "List Transfer Limits",
        "description": "List all limits that apply to the given transaction type.",
        "operationId": "ListTransferLimits",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListTransferLimitsResponse"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "transfer_type",
            "description": "Type of transfer to fetch limits for.",
            "in": "query",
            "required": true,
            "schema": {
              "type": "string",
              "enum": [
                "INTERNAL_TRANSFER_DEBIT",
                "INTERNAL_TRANSFER_CREDIT",
                "CRYPTO_DEPOSIT",
                "CRYPTO_WITHDRAWAL",
                "WIRE_DEPOSIT",
                "WIRE_WITHDRAWAL",
                "SEN_DEPOSIT",
                "SEN_WITHDRAWAL",
                "BANK_DEPOSIT",
                "BANK_WITHDRAWAL",
                "PAXOS_TRANSFER_DEBIT",
                "PAXOS_TRANSFER_CREDIT",
                "SIGNET_DEPOSIT",
                "SIGNET_WITHDRAWAL",
                "CBIT_WITHDRAWAL",
                "CBIT_DEPOSIT",
                "CUBIX_DEPOSIT",
                "CUBIX_WITHDRAWAL"
              ]
            }
          }
        ],
        "tags": [
          "Limits"
        ],
        "security": [
          {
            "OAuth2": [
              "transfer:read_transfer_limit"
            ]
          }
        ]
      }
    },
    "/transfer/paxos": {
      "post": {
        "summary": "Create Paxos Transfer",
        "description": "Transfer assets between two Profiles belonging to different [Entities]
(https://docs.paxos.com/dashboard/organization#entity).",
```

Pretty-print


```
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Transfer"
                },
                "examples": {
                  "Paxos Transfer": {
                    "value": {
                      "amount": "0.05",
                      "asset": "BTC",
                      "auto_conversion": {

                      },
                      "balance_asset": "BTC",
                      "created_at": "2024-12-11T17:45:14.423911Z",
                      "customer_id": "be05ac89-d1dc-4be7-b64a-a003012e9359",
                      "direction": "DEBIT",
                      "fee": "0",
                      "group_id": "b7b6cde7-9053-47e7-bbc0-22d5fa4344ef",
                      "id": "fe6bc170-a5be-43ff-bf5b-63c8b6489597",
                      "profile_id": "e6b30762-0689-46fa-b208-35eb347e284c",
                      "ref_id": "92528c72-4962-4d14-ae4d-6b262df698b2",
                      "status": "COMPLETED",
                      "total": "0.05",
                      "type": "PAXOS_TRANSFER_DEBIT",
                      "updated_at": "2024-12-11T17:45:14.479258Z"
                    }
                  },
                  "Paxos Transfer with 3rd-Party Integrations": {
                    "value": {
                      "account_id": "bffc91a9-a5ff-4648-80f1-0542ba18c218",
                      "amount": "0.05",
                      "asset": "BTC",
                      "auto_conversion": {

                      },
                      "balance_asset": "BTC",
                      "created_at": "2024-12-11T17:45:14.423911Z",
                      "customer_id": "be05ac89-d1dc-4be7-b64a-a003012e9359",
                      "direction": "DEBIT",
                      "fee": "0",
                      "group_id": "b7b6cde7-9053-47e7-bbc0-22d5fa4344ef",
                      "id": "fe6bc170-a5be-43ff-bf5b-63c8b6489597",
                      "identity_id": "1ad1e93c-6652-4b9b-99d5-9a13d20f32cc",
                      "profile_id": "e6b30762-0689-46fa-b208-35eb347e284c",
                      "ref_id": "92528c72-4962-4d14-ae4d-6b262df698b2",
                      "status": "COMPLETED",
                      "total": "0.05",
                      "type": "PAXOS_TRANSFER_DEBIT",
                      "updated_at": "2024-12-11T17:45:14.479258Z"
                    }
                  }
                }
              }
            }
          },
          "403": {
            "content": {
              "application/problem+json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
```

Pretty-print


```
                "examples": {
                  "Insufficient Funds": {
                    "$ref": "#/components/examples/Problem_insufficient_funds"
                  }
                }
              }
            },
            "description": "Insufficient funds"
          },
          "404": {
            "content": {
              "application/problem+json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Profile Not Found": {
                    "$ref": "#/components/examples/Problem_not_found"
                  }
                }
              }
            },
            "description": "Could not find profile"
          },
          "409": {
            "content": {
              "application/problem+json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "example": {
                  "type": "https://api.paxos.com/v2/problems/already-exists",
                  "detail": "Transfer with ref_id already exists",
                  "status": 409,
                  "title": "Already exists"
                }
              }
            },
            "description": "Transfer already exists"
          }
        },
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/CreatePaxosTransferRequest"
              },
              "examples": {
                "Paxos Transfer": {
                  "value": {
                    "ref_id": "idempotence_id",
                    "from_profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
                    "to_profile_id": "37867177-f88c-45cc-b9b5-d786e7079609",
                    "asset": "BTC",
                    "amount": "0.05",
                    "metadata": {
                      "my_id": "4024ee50-eefb-4f2e-85c7-e7899c0b7da5"
                    }
                  }
                },
                "Paxos Transfer with 3rd-Party Integrations": {
                  "value": {
                    "ref_id": "idempotence_id",
                    "from_profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
```

Pretty-print


```
                    "asset": "BTC",
                    "amount": "0.05",
                    "metadata": {
                      "my_id": "4024ee50-eefb-4f2e-85c7-e7899c0b7da5"
                    },
                    "from_account_id": "bffc91a9-a5ff-4648-80f1-0542ba18c218",
                    "from_identity_id": "1ad1e93c-6652-4b9b-99d5-9a13d20f32cc",
                    "to_account_id": "8f9af45d-3c01-49ba-95c5-64e4f90ae7a3",
                    "to_identity_id": "79c7ae81-1a6c-406c-9e9f-97999cf96819"
                  }
                }
              }
            }
          },
          "required": true
        },
        "tags": [
          "Paxos Transfers"
        ],
        "security": [
          {
            "OAuth2": [
              "transfer:write_paxos_transfer"
            ]
          }
        ]
      }
    },
    "/transfer/transfers": {
      "get": {
        "summary": "List Transfers",
        "description": "List all transfers, optionally filtering and paging the results.\n\nBy
default, transfers are returned in reverse chronological (descending)\norder by creation
time.\n\nThe recommended polling workflow is to query the results in ascending\norder (by
setting `order_by` to `CREATED_AT`), keeping track of the\n`created_at` timestamp of the most
recent transfer in the paged results.\nOnce transfers are discovered, the caller should store
the returned `ID`\nand query GetTransfer to retrieve status updates.",
        "operationId": "ListTransfers",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListTransfersResponse"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "profile_ids",
            "description": "Optionally filter by the target profiles of the transfers. Limit
100.\nCan be combined with created_at.* or updated_at.* filtering options only.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
```

Pretty-print


```
          {
            "name": "identity_ids",
            "description": "Optionally filter by the Identities associated with the transfers.
Limit 100.\nCan be combined with created_at.* or updated_at.* filtering options only.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "ref_ids",
            "description": "The client-specified IDs provided during transfer creation. Limit
100.\nCan be combined with created_at.* or updated_at.* filtering options only.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "created_at.lt",
            "description": "Include timestamps strictly less than lt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.lte",
            "description": "Include timestamps less than or equal to lte. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.eq",
            "description": "Include timestamps exactly equal to eq. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.gte",
            "description": "Include timestamps greater than or equal to lte. RFC3339 format,
```

Pretty-print


```
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.gt",
            "description": "Include timestamps strictly greater than gt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "updated_at.lt",
            "description": "Include timestamps strictly less than lt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "updated_at.lte",
            "description": "Include timestamps less than or equal to lte. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "updated_at.eq",
            "description": "Include timestamps exactly equal to eq. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "updated_at.gte",
            "description": "Include timestamps greater than or equal to lte. RFC3339 format,
like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "updated_at.gt",
```

Pretty-print


```
2006-01-02T15:04:05Z .",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return. Defaults to 100 if no limit is
provided. Maximum 1000.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          },
          {
            "name": "order",
            "description": "Determines whether the items are returned in ascending (ASC), or
descending (DESC) order.\nDefaults to ASC if `order_by` is UPDATED_AT. Otherwise defaults to
DESC.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "DESC",
                "ASC"
              ]
            }
          },
          {
            "name": "order_by",
            "description": "The specific method by which the returned results will be
ordered.\nWhen specifying both `order_by` and a timestamp filter, `order_by` must equal the
timestamp filter type.\nFor example:\n\n`updated_at.gte = 2022-07-01T03:02:01Z`, `order_by =
UPDATED_AT`\n\nUsing `updated_at.gte = 2022-07-01T03:02:01Z`, `order_by = CREATED_AT` is an
invalid pairing.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "CREATED_AT",
                "UPDATED_AT"
              ]
            }
          },
          {
            "name": "page_cursor",
            "description": "Optional: Cursor for getting the next page of results. When the
number of items returned is fewer\nthan the limit, there is currently no next page.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "account_ids",
            "description": "Optionally filter by the Accounts associated with the transfers.
```

Pretty-print


```
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "ids",
            "description": "Optionally filter by the transfer ids. Limit 100.\nCan be combined
with created_at.* or updated_at.* filtering options only.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "type",
            "description": "Retrieve all (default) or the specified transfers.\nOptionally
filter by transfer `type`.\nTo retrieve multiple transfer types, use query parameters: e.g.,
`type=CRYPTO_DEPOSIT&type=CRYPTO_WITHDRAWAL`.\nCan be combined with `created_at.*` or
`updated_at.*` filtering options only.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string",
                "enum": [
                  "INTERNAL_TRANSFER_DEBIT",
                  "INTERNAL_TRANSFER_CREDIT",
                  "CRYPTO_DEPOSIT",
                  "CRYPTO_WITHDRAWAL",
                  "WIRE_DEPOSIT",
                  "WIRE_WITHDRAWAL",
                  "SEN_DEPOSIT",
                  "SEN_WITHDRAWAL",
                  "BANK_DEPOSIT",
                  "BANK_WITHDRAWAL",
                  "PAXOS_TRANSFER_DEBIT",
                  "PAXOS_TRANSFER_CREDIT",
                  "SIGNET_DEPOSIT",
                  "SIGNET_WITHDRAWAL",
                  "CBIT_WITHDRAWAL",
                  "CBIT_DEPOSIT",
                  "CUBIX_DEPOSIT",
                  "CUBIX_WITHDRAWAL"
                ]
              }
            }
          },
          {
            "name": "group_ids",
            "description": "Optionally filter by transfer `group_ids`. Limit 100.",
            "in": "query",
```

Pretty-print


```
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "crypto_tx_hashes",
            "description": "Optionally filter by the on-chain transaction hash for crypto
transactions. Limit 100.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "secondary_statuses",
            "description": "Optionally filter by secondary status.\n\n -
TRAVEL_RULE_INFO_REQUESTED: Travel rule information is required to continue processing the
transfer.\n - TRAVEL_RULE_REJECTED: Transfer has been terminally rejected due to failing
travel rule checks.\n - CUSTOMER_REJECTED: Transfer was rejected by a customer.\n -
PENDING_CUSTOMER_APPROVAL: Transfer is pending customer approval.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string",
                "enum": [
                  "TRAVEL_RULE_INFO_REQUESTED",
                  "TRAVEL_RULE_REJECTED",
                  "CUSTOMER_REJECTED",
                  "PENDING_CUSTOMER_APPROVAL"
                ]
              }
            }
          },
          {
            "name": "statuses",
            "description": "Optionally filter by status.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string",
                "enum": [
                  "PENDING",
                  "COMPLETED",
                  "FAILED"
                ]
              }
            }
          }
        ],
```

Pretty-print


```
          "Transfers"
        ],
        "security": [
          {
            "OAuth2": [
              "transfer:read_transfer"
            ]
          }
        ]
      }
    },
    "/transfer/transfers/{id}": {
      "get": {
        "summary": "Get Transfer",
        "description": "Get a single transfer by ID.\n\nIn the polling workflow, this endpoint can be called to monitor transfer\nstatus changes.",
        "operationId": "GetTransfer",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Transfer"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "id",
            "description": "The Paxos transfer UUID.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Transfers"
        ],
        "security": [
          {
            "OAuth2": [
              "transfer:read_transfer"
            ]
          }
        ]
      }
    },
    "/tax/tax-form-revisions": {
      "get": {
        "summary": "List Tax Form Revisions",
        "description": "Used for more granular file retrieval for specific accounts that require updated tax forms.\nLists all versions of a tax form for single account and tax year. Revisions will increment up as new tax forms are issued for the same account, tax year, and form type pairing. The highest value revision is the most recent.\nTax Form URL links will expire after 60 seconds.\nSupported form types: 1099-B, 1099-MISC, and 1099-DA. If form_types is not provided, defaults to 1099-B for tax years prior to 2025, and 1099-DA from 2025 onwards.",
        "operationId": "ListTaxFormRevisions",
        "responses": {
```

Pretty-print


```
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListTaxFormRevisionsResponse"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "account_id",
            "description": "Required. Account ID",
            "in": "query",
            "required": true,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "tax_year",
            "description": "Required. Tax Year",
            "in": "query",
            "required": true,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "form_types",
            "description": "Optional. Tax form types (1099-B, 1099-MISC, 1099-DA). If not
provided, defaults to 1099-B for tax years prior to 2025, and 1099-DA from 2025 onwards.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string",
                "enum": [
                  "FORM_1099_B",
                  "FORM_1099_MISC",
                  "FORM_1099_DA"
                ]
              }
            }
          },
          {
            "name": "revision",
            "description": "Revision",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Tax Forms"
        ],
        "security": [
          {
            "OAuth2": [
```

Pretty-print


```
            ]
          }
        ]
      }
    },
    "/tax/tax-forms": {
      "get": {
        "summary": "List Tax Forms",
        "description": "Used for bulk file transfer use cases.\nList tax forms for given
account ids and tax year. The most recent revision number will be returned (revisions
increment up; highest value revision for a specific account, tax year, and form type pairing
is the most recent).\nTax Form URL links will expire after 60 seconds.\nPlease call
ListTaxFormRevisions endpoint for all versions of a single accounts tax forms.\nSupported form
types: 1099-B, 1099-MISC, and 1099-DA. If form_types is not provided, defaults to 1099-B for
tax years prior to 2025, and 1099-DA from 2025 onwards.",
        "operationId": "ListTaxForms",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListTaxFormsResponse"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "account_ids",
            "description": "Required. A list of Account IDs. Maximum 50.",
            "in": "query",
            "required": true,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "tax_year",
            "description": "Required. Tax year",
            "in": "query",
            "required": true,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "form_types",
            "description": "Optional. Tax form types (1099-B, 1099-MISC, 1099-DA). If not
provided, defaults to 1099-B for tax years prior to 2025, and 1099-DA from 2025 onwards.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string",
                "enum": [
                  "FORM_1099_B",
```

Pretty-print


```
                "FORM_1099_DA"
              ]
            }
          }
        }
      ],
      "tags": [
        "Tax Forms"
      ],
      "security": [
        {
          "OAuth2": [
            "tax:read_tax_form"
          ]
        }
      ]
    }
  },
  "/conversion/stablecoins": {
    "get": {
      "summary": "List Stablecoin Conversions",
      "description": "List all conversions, optionally filtering and paging the
results.\n\nBy default, conversions are returned in reverse chronological (descending)\norder
by creation time. If no query parameters are supplied,\nthe response will include up to the
last 100 conversions which\nwere created.\n\nThe paginated results default to display up to
100 conversions, unless\notherwise specified with the `limit` parameter. The maximum `limit`
value is 1000.\nEvery paginated response contains a `next_page_cursor` field until the last
page is reached.\n\nPass the `next_page_cursor` value into the `page_cursor` field of a
new\nrequest to retrieve the next page of results.",
      "operationId": "ListStablecoinConversions",
      "responses": {
        "200": {
          "description": "A successful response.",
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/ListStablecoinConversionsResponse"
              },
              "examples": {
                "List Stablecoin Conversions": {
                  "value": {
                    "items": [
                      {
                        "account_id": "00000000-0000-0000-0000-000000000000",
                        "amount": "100.01",
                        "created_at": "2023-09-16T02:01:15.941902Z",
                        "id": "38a2c6b4-167c-4c98-a190-406efc4121aa",
                        "identity_id": "00000000-0000-0000-0000-000000000000",
                        "metadata": {
                          "skey": "svalue"
                        },
                        "profile_id": "b821ff88-fdb4-49ba-b30f-99c40f01fcfc",
                        "ref_id": "497266c5214043a29f9854096e9a9103",
                        "settled_at": "2023-09-16T02:01:16.613995Z",
                        "source_asset": "USD",
                        "status": "SETTLED",
                        "target_asset": "USDP",
                        "updated_at": "2023-09-16T02:01:16.018493Z"
                      },
                      {
                        "account_id": "00000000-0000-0000-0000-000000000000",
                        "amount": "100.01",
                        "created_at": "2023-09-16T03:34:50.555200Z",
                        "id": "a490536f-3842-4823-8c84-056728243064",
```

Pretty-print


```
                          "metadata": {
                            "skey": "svalue"
                          },
                          "profile_id": "b821ff88-fdb4-49ba-b30f-99c40f01fcfc",
                          "ref_id": "4fecc881b73744e4a4e858017689da7d",
                          "settled_at": "2023-09-16T03:34:51.060002Z",
                          "source_asset": "USD",
                          "status": "SETTLED",
                          "target_asset": "USDP",
                          "updated_at": "2023-09-16T03:34:50.610541Z"
                        }
                      ]
                    }
                  }
                }
              }
            }
          },
          "403": {
            "description": "Forbidden",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Insufficient scopes": {
                    "value": {
                      "detail": "insufficient scopes: found
\"conversion:write_conversion_stablecoin\" required one of \"
[conversion:read_conversion_stablecoin]\"",
                      "status": 403,
                      "title": "Forbidden",
                      "type": "about:blank"
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "profile_id",
            "description": "The [Profile](#tag/Profiles) associated with a conversion.
Required in the\n[Create Stablecoin Conversion](#operation/CreateStablecoinConversion)
request.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "ref_id",
            "description": "Client provided, unique Reference ID included the\n[Create
Stablecoin Conversion](#operation/CreateStablecoinConversion) request.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
```

Pretty-print


```
            "description": "Only return records after this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.end",
            "description": "Only return records before this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "updated_at.begin",
            "description": "Only return records after this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "updated_at.end",
            "description": "Only return records before this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "order",
            "description": "Return items in ascending (ASC) or descending (DESC) order by
`created_at` timestamp.\n\nDefault order is descending (DESC).",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "DESC",
                "ASC"
              ]
            }
          },
          {
            "name": "page_cursor",
            "description": "Cursor token for fetching the next page.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
```

Pretty-print


```
          {
            "name": "limit",
            "description": "Number of results to return.\n\nDefault is 100 items. Maximum is
1000 items.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          }
        ],
        "tags": [
          "Stablecoin Conversion"
        ],
        "security": [
          {
            "OAuth2": [
              "conversion:read_conversion_stablecoin"
            ]
          }
        ]
      },
      "post": {
        "summary": "Create Stablecoin Conversion",
        "description": "Create a Conversion request to exchange assets 1:1.\n\nA request to
create a conversion can fail with one of the following\ntypes of errors:\n - [Insufficient
Funds](https://developer.paxos.com/docs/v2/problems/insufficient-funds)\n   if the Profile
(`profile_id`) has insufficient available balance to\n   fund the execution.\n - [Already
Exists](https://developer.paxos.com/docs/v2/problems/already-exists)\n   if a conversion with
the same external ID (`ref_id`) has already been created.",
        "operationId": "CreateStablecoinConversion",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/StablecoinConversion"
                },
                "examples": {
                  "Create Stablecoin Conversion": {
                    "value": {
                      "account_id'": "00000000-0000-0000-0000-000000000000",
                      "amount'": "3",
                      "created_at": "2023-10-19T15:37:18.929305155Z",
                      "id": "8dbce0e0-510f-4edc-9249-15f8c6214569",
                      "identity_id": "00000000-0000-0000-0000-000000000000",
                      "metadata": {
                        "skey": "svalue",
                        "custom_key": "custom_value"
                      },
                      "profile_id": "b821ff88-fdb4-49ba-b30f-99c40f01fcfc",
                      "ref_id": "refid-24d25de7f5bd47ab978cbbd428b74199",
                      "source_asset": "USD",
                      "status": "CREATED",
                      "target_asset": "USDP",
                      "updated_at": "2023-10-19T15:37:18.990343Z"
                    }
                  }
                }
              }
            }
          },
```

Pretty-print


```
            "description": "Bad Request",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Conversion limit exceeded": {
                    "value": {
                      "type": "about:blank",
                      "title": "Bad Request",
                      "status": 400,
                      "detail": "11000 amount is above the maximum 10000 USD"
                    }
                  }
                }
              }
            }
          },
          "403": {
            "description": "Forbidden",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "insufficient scopes": {
                    "value": {
                      "type": "about:blank",
                      "title": "Forbidden",
                      "status": 403,
                      "detail": "insufficient scopes: found
'conversion:read_conversion_stablecoin', required one of
'[conversion:write_conversion_stablecoin]'"
                    }
                  },
                  "insufficient funds": {
                    "value": {
                      "detail": "insufficient USD funds in profile b821ff88-fdb4-49ba-b30f-
99c40f01fcfc: 999 needed, 358.24 available",
                      "meta": {
                        "asset": "USD",
                        "available'": "358.24",
                        "needed": "999",
                        "profile_id": "b821ff88-fdb4-49ba-b30f-99c40f01fcfc"
                      },
                      "status": 403,
                      "title": "Insufficient Funds",
                      "type": "https://developer.paxos.com/docs/v2/problems/insufficient-
funds"
                    }
                  }
                }
              }
            }
          },
          "409": {
            "description": "Already Exists",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
```

Pretty-print


```
                "Already Exists": {
                  "value": {
                    "detail": "conversion already exists with ref_id 'refid-1'",
                    "meta": {
                      "existing": {
                        "account_id": "00000000-0000-0000-0000-000000000000",
                        "amount": "3",
                        "created_at": "2023-10-19T19:53:21.297848Z",
                        "id": "9e7a1f81-2cfa-4499-97dc-150d2a98bbd8",
                        "identity_id": "00000000-0000-0000-0000-000000000000",
                        "metadata": {
                          "skey": "svalue"
                        },
                        "profile_id": "b821ff88-fdb4-49ba-b30f-99c40f01fcfc",
                        "ref_id": "refid-1",
                        "settled_at": "2023-10-19T19:53:21.987849Z",
                        "source_asset": "USD",
                        "status": "SETTLED",
                        "target_asset": "USDP",
                        "updated_at": "2023-10-19T19:53:21.334615Z"
                      }
                    },
                    "status": 409,
                    "title": "Already Exists",
                    "type": "https://developer.paxos.com/docs/v2/problems/already-exists"
                  }
                }
              }
            }
          }
        }
      },
      "requestBody": {
        "content": {
          "application/json": {
            "schema": {
              "$ref": "#/components/schemas/CreateStablecoinConversionRequest"
            },
            "examples": {
              "Create Stablecoin Conversion": {
                "value": {
                  "amount'": "3",
                  "metadata": {
                    "skey": "svalue",
                    "custom_key": "custom_value"
                  },
                  "profile_id": "b821ff88-fdb4-49ba-b30f-99c40f01fcfc",
                  "ref_id": "refid-24d25de7f5bd47ab978cbbd428b74199",
                  "source_asset": "USD",
                  "target_asset": "USDP"
                }
              }
            }
          }
        },
        "required": true
      },
      "tags": [
        "Stablecoin Conversion"
      ],
      "security": [
        {
          "OAuth2": [
            "conversion:write_conversion_stablecoin"
```

Pretty-print


```
          }
        ]
      }
    },
    "/conversion/stablecoins/{id}": {
      "get": {
        "summary": "Get Stablecoin Conversion",
        "description": "Retrieve a single conversion using the transaction `id` from the
[Create Stablecoin Conversion](#operation/CreateStablecoinConversion) response.",
        "operationId": "GetStablecoinConversion",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/StablecoinConversion"
                },
                "examples": {
                  "Get Stablecoin Conversion": {
                    "value": {
                      "account_id": "00000000-0000-0000-0000-000000000000",
                      "amount": "3",
                      "created_at'": "2023-10-19T15:37:18.929305Z",
                      "id": "8dbce0e0-510f-4edc-9249-15f8c6214569",
                      "identity_id": "00000000-0000-0000-0000-000000000000",
                      "metadata": {
                        "skey": "svalue",
                        "custom_key": "custom_value"
                      },
                      "profile_id": "b821ff88-fdb4-49ba-b30f-99c40f01fcfc",
                      "ref_id": "refid-24d25de7f5bd47ab978cbbd428b74199",
                      "source_asset": "USD",
                      "status": "CREATED",
                      "target_asset": "USDP",
                      "updated_at": "2023-10-19T15:37:18.990343Z"
                    }
                  }
                }
              }
            }
          },
          "403": {
            "description": "Insufficient scopes",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Insufficient scopes": {
                    "value": {
                      "type": "about:blank",
                      "title": "Forbidden",
                      "status": 403,
                      "detail": "insufficient scopes: found
'conversion:write_conversion_stablecoin', required one of
'[conversion:read_conversion_stablecoin]'"
                    }
                  }
                }
              }
            }
          },
```

Pretty-print


```
            "description": "Not Found",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Not Found": {
                    "value": {
                      "detail": "conversion with id 0def57e8-c6bb-40dc-b2b8-69bb80440cc1 not
found for customer with id 4eaffe58-df0e-4559-8dec-fdae231684e1",
                      "status": 404,
                      "title": "Not Found",
                      "type": "about:blank"
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "id",
            "description": "System provided UUID for the conversion is\nprovided in the
[Create Stablecoin Conversion](#operation/CreateStablecoinConversion) response.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Stablecoin Conversion"
        ],
        "security": [
          {
            "OAuth2": [
              "conversion:read_conversion_stablecoin"
            ]
          }
        ]
      },
      "delete": {
        "summary": "Cancel Stablecoin Conversion",
        "description": "Cancel a single conversion using the `id` from the\n[Create Stablecoin
Conversion](#operation/CreateStablecoinConversion) response.",
        "operationId": "CancelStablecoinConversion",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/StablecoinConversion"
                },
                "examples": {
                  "Cancel Stablecoin Conversion": {
                    "value": {
                      "id": "e5ca4d90-dff1-488a-ac04-04540f776ae1",
                      "profile_id": "c3680989-c04e-4000-9d96-8aca09eedee1",
                      "amount": "11.1",
                      "source_asset": "USD",
```

Pretty-print


```
                      "status": "CANCELLED",
                      "identity_id": "d6aee44c-c169-405d-b14e-d78818577531",
                      "account_id": "47bb49d7-4e6c-43bf-9fd6-6ccd7d7f15d1",
                      "created_at": "2023-10-19T21:21:46.497863Z",
                      "updated_at": "2023-10-19T21:21:53.297594Z",
                      "cancelled_at": "2023-10-19T21:21:53.297594Z"
                    }
                  }
                }
              }
            }
          },
          "403": {
            "description": "Forbidden",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Insufficient scopes": {
                    "value": {
                      "detail": "insufficient scopes: found
\"conversion:read_conversion_stablecoin\" required one of \"
[conversion:write_conversion_stablecoin]\"",
                      "status": 403,
                      "title": "Forbidden",
                      "type": "about:blank"
                    }
                  }
                }
              }
            }
          },
          "404": {
            "description": "Not Found",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Not Found": {
                    "value": {
                      "detail": "conversion with id 0def57e8-c6bb-40dc-b2b8-69bb80440cc1 not
found for customer with id 4eaffe58-df0e-4559-8dec-fdae231684e1",
                      "status": 404,
                      "title": "Not Found",
                      "type": "about:blank"
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "id",
            "description": "System provided UUID for the conversion is\nprovided in the
[Create Stablecoin Conversion](#operation/CreateStablecoinConversion) response.",
            "in": "path",
            "required": true,
            "schema": {
```

Pretty-print


```
            }
          }
        ],
        "tags": [
          "Stablecoin Conversion"
        ],
        "security": [
          {
            "OAuth2": [
              "conversion:write_conversion_stablecoin"
            ]
          }
        ]
      }
    },
    "/settlement/transactions": {
      "get": {
        "summary": "List Transactions",
        "description": "This endpoint enables you to fetch a list of Settlement Transactions that you have created (own the `source_profile_id`) or have been alleged against you (own the `target_profile_id`).\nYou can use query parameters to filter the results returned by `statuses`, `source_profile_id` and `target_profile_id`.\n\nNote that this endpoint supports pagination and returns a cursor token for fetching next pages.",
        "operationId": "ListTransactions",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListTransactionsResponse"
                },
                "example": [
                  {
                    "id": "d99a03ee-6b88-4362-89da-087c2c8cd4a7",
                    "ref_id": "d840cf31-352f-4190-a476-7522bf3eafda",
                    "settlement_window_start": "2023-08-25T14:25:41.648486573Z",
                    "settlement_window_end": "2023-08-25T14:25:41.648486953Z",
                    "source_profile_id": "4fd025ab-f29f-47e6-a02e-df90a61c7ec9",
                    "target_profile_id": "47db6271-50d6-4934-8c81-c42d87bfb390",
                    "legs": [
                      {
                        "id": "ace21517-447e-4764-8733-765cb12a7fab",
                        "direction": "DELIVER",
                        "asset": "BTC",
                        "amount": "100"
                      }
                    ],
                    "status": "PENDING",
                    "created_at": "2023-08-25T14:25:41.648489333Z",
                    "updated_at": "2023-08-25T14:25:41.648489493Z"
                  },
                  {
                    "id": "738b465a-7bea-42cf-be8d-63572f5745e7",
                    "ref_id": "8f1dcf84-56e7-4e84-80aa-f01ef2eb1ab0",
                    "settlement_window_start": "2023-08-26T00:25:41.648486573Z",
                    "settlement_window_end": "2023-08-29T19:25:41.648486953Z",
                    "source_profile_id": "4fd025ab-f29f-47e6-a02e-df90a61c7ec9",
                    "target_profile_id": "47db6271-50d6-4934-8c81-c42d87bfb390",
                    "legs": [
                      {
                        "id": "ace21517-447e-4764-8733-765cb12a7fab",
                        "direction": "RECEIVE",
                        "asset": "ETH",
```

Pretty-print


```
                      }
                    ],
                    "status": "PENDING",
                    "created_at": "2023-08-24T18:29:41.648489333Z",
                    "updated_at": "2023-08-24T18:29:41.648489493Z"
                  }
                ]
              }
            }
          },
          "403": {
            "description": "Insufficient scopes",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Insufficient scopes": {
                    "value": {
                      "type": "about:blank",
                      "title": "Forbidden",
                      "status": 403,
                      "detail": "insufficient scopes: found 'settlement:write_transaction',
required one of '[settlement:read_transaction]'"
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "statuses",
            "description": "Transaction statuses to filter on\n\n - PENDING: Initial state of
a settlement transaction upon creation.\n - SETTLED: Indicates all obligations belong to the
settlement transaction have been enacted.\n - EXPIRED: Indicates the settlement transaction is
no longer eligible for settlement.\n - CANCELLED: Indicates the settlement transaction was
cancelled by the source profile.\n - AFFIRMED: Indicates the settlement transaction will be
eligible for settlement once within the window.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string",
                "enum": [
                  "PENDING",
                  "SETTLED",
                  "EXPIRED",
                  "CANCELLED",
                  "AFFIRMED"
                ]
              }
            }
          },
          {
            "name": "source_profile_id",
            "description": "The `profile_id` of the entity on the submitting side of the
transaction.",
            "in": "query",
            "required": false,
```

Pretty-print


```
              "type": "string"
            }
          },
          {
            "name": "target_profile_id",
            "description": "The `profile_id` of the entity on the receiving side of the
transaction.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return. Defaults to 100 if no limit is
provided.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int64"
            }
          },
          {
            "name": "page_cursor",
            "description": "Cursor for getting the next page of results.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Settlement"
        ],
        "security": [
          {
            "OAuth2": [
              "settlement:read_transaction"
            ]
          }
        ]
      },
      "post": {
        "summary": "Create Transaction",
        "description": "Creates a new bilateral Settlement Transaction with one or more legs.
The customer must own the\n`source_profile_id` specified in the transaction.\n\nA successful
response indicates the transaction has been accepted and will be in an initial `status` of
`\"PENDING\"`\nfor settlement, the transaction is only eligible for settlement once the
`status` is `\"AFFIRMED\"` by the\n`target_profile_id` and the current time is between the
provided `settlement_window_start` and `settlement_window_end`.\n\nSettlement will only be
enacted once both `source_profile_id` and `target_profile_id` have sufficient balances
to\nfulfill all legs specified as settlement is **atomic**.",
        "operationId": "CreateTransaction",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Transaction"
                },
```

Pretty-print


```
                "id": "d99a03ee-6b88-4362-89da-087c2c8cd4a7",
                "ref_id": "d840cf31-352f-4190-a476-7522bf3eafda",
                "settlement_window_start": "2023-08-25T14:25:41.648486573Z",
                "settlement_window_end": "2023-08-25T14:25:41.648486953Z",
                "source_profile_id": "4fd025ab-f29f-47e6-a02e-df90a61c7ec9",
                "target_profile_id": "47db6271-50d6-4934-8c81-c42d87bfb390",
                "legs": [
                  {
                    "id": "ace21517-447e-4764-8733-765cb12a7fab",
                    "direction": "DELIVER",
                    "asset": "BTC",
                    "amount": "100"
                  }
                ],
                "status": "PENDING",
                "created_at": "2023-08-25T14:25:41.648489333Z",
                "updated_at": "2023-08-25T14:25:41.648489493Z"
              }
            }
          }
        },
        "400": {
          "description": "Bad Request",
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/Problem"
              },
              "examples": {
                "Insufficient scopes": {
                  "value": {
                    "type": "about:blank",
                    "title": "Bad Request",
                    "status": 400
                  }
                }
              }
            }
          }
        },
        "403": {
          "description": "Insufficient scopes",
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/Problem"
              },
              "examples": {
                "Insufficient scopes": {
                  "value": {
                    "type": "about:blank",
                    "title": "Forbidden",
                    "status": 403,
                    "detail": "insufficient scopes: found 'settlement:read_transaction',
required one of '[settlement:write_transaction]'"
                  }
                }
              }
            }
          }
        },
        "409": {
          "description": "Already Exists",
          "content": {
```

Pretty-print


```
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Already Exists": {
                    "value": {
                      "status": 409,
                      "title": "Conflict",
                      "type": "about:blank"
                    }
                  }
                }
              }
            }
          }
        },
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/CreateTransactionRequest"
              },
              "examples": {
                "Create Transaction": {
                  "value": {
                    "ref_id": "d840cf31-352f-4190-a476-7522bf3eafda",
                    "settlement_window_start": "2023-08-25T14:25:41Z",
                    "settlement_window_end": "2023-08-25T16:25:41Z",
                    "source_profile_id": "4fd025ab-f29f-47e6-a02e-df90a61c7ec9",
                    "target_profile_id": "47db6271-50d6-4934-8c81-c42d87bfb390",
                    "legs": [
                      {
                        "direction": "DELIVER",
                        "asset": "BTC",
                        "amount": "100"
                      }
                    ]
                  }
                }
              }
            }
          },
          "description": "Request to create a bilateral settlement transaction with one or
more legs.",
          "required": true
        },
        "tags": [
          "Settlement"
        ],
        "security": [
          {
            "OAuth2": [
              "settlement:write_transaction"
            ]
          }
        ]
      }
    },
    "/settlement/transactions/{transaction_id}": {
      "get": {
        "summary": "Get Transaction",
        "description": "Get a Settlement Transaction by its (transaction) id, you must have
created the transaction (own the `source_profile_id`) or\nhave had the transaction alleged
against you (own the `target_profile_id`).",
```

Pretty-print


```
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Transaction"
                },
                "example": [
                  {
                    "id": "d99a03ee-6b88-4362-89da-087c2c8cd4a7",
                    "ref_id": "d840cf31-352f-4190-a476-7522bf3eafda",
                    "settlement_window_start": "2023-08-25T14:25:41.648486573Z",
                    "settlement_window_end": "2023-08-25T14:25:41.648486953Z",
                    "source_profile_id": "4fd025ab-f29f-47e6-a02e-df90a61c7ec9",
                    "target_profile_id": "47db6271-50d6-4934-8c81-c42d87bfb390",
                    "legs": [
                      {
                        "id": "ace21517-447e-4764-8733-765cb12a7fab",
                        "direction": "DELIVER",
                        "asset": "BTC",
                        "amount": "100"
                      }
                    ],
                    "status": "PENDING",
                    "created_at": "2023-08-25T14:25:41.648489333Z",
                    "updated_at": "2023-08-25T17:53:23.648489493Z"
                  }
                ]
              }
            }
          },
          "403": {
            "description": "Insufficient scopes",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Insufficient scopes": {
                    "value": {
                      "type": "about:blank",
                      "title": "Forbidden",
                      "status": 403,
                      "detail": "insufficient scopes: found 'settlement:write_transaction',
required one of '[settlement:read_transaction]'"
                    }
                  }
                }
              }
            }
          },
          "404": {
            "description": "Not Found",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Not Found": {
                    "value": {
                      "status": 404,
```

Pretty-print


```
                    "type": "about:blank"
                  }
                }
              }
            }
          }
        }
      },
      "parameters": [
        {
          "name": "transaction_id",
          "description": "The unique `id` in the `Transaction` object.",
          "in": "path",
          "required": true,
          "schema": {
            "type": "string"
          }
        }
      ],
      "tags": [
        "Settlement"
      ],
      "security": [
        {
          "OAuth2": [
            "settlement:read_transaction"
          ]
        }
      ]
    },
    "delete": {
      "summary": "Cancel Transaction",
      "description": "Cancels the Settlement Transaction, this action can only be done by
the customer owning the source profile (`source_profile_id`).\nThe transaction must be in a
`\"PENDING\"` status for this to take effect, you cannot cancel a transaction which\nis
`\"AFFIRMED\"`.",
      "operationId": "CancelTransaction",
      "responses": {
        "200": {
          "description": "A successful response.",
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/Transaction"
              },
              "example": {
                "id": "d99a03ee-6b88-4362-89da-087c2c8cd4a7",
                "ref_id": "d840cf31-352f-4190-a476-7522bf3eafda",
                "settlement_window_start": "2023-08-25T14:25:41.648486573Z",
                "settlement_window_end": "2023-08-25T14:25:41.648486953Z",
                "source_profile_id": "4fd025ab-f29f-47e6-a02e-df90a61c7ec9",
                "target_profile_id": "47db6271-50d6-4934-8c81-c42d87bfb390",
                "legs": [
                  {
                    "id": "ace21517-447e-4764-8733-765cb12a7fab",
                    "direction": "DELIVER",
                    "asset": "BTC",
                    "amount": "100"
                  }
                ],
                "status": "CANCELLED",
                "created_at": "2023-08-25T14:25:41.648489333Z",
                "updated_at": "2023-08-25T17:53:23.648489493Z"
              }
```

Pretty-print


```
            }
          },
          "403": {
            "description": "Insufficient scopes",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Insufficient scopes": {
                    "value": {
                      "type": "about:blank",
                      "title": "Forbidden",
                      "status": 403,
                      "detail": "insufficient scopes: found 'settlement:read_transaction',
required one of '[settlement:write_transaction]'"
                    }
                  },
                  "Forbidden": {
                    "value": {
                      "type": "about:blank",
                      "title": "Forbidden",
                      "status": 403
                    }
                  }
                }
              }
            }
          },
          "409": {
            "description": "Already Exists",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Not Found": {
                    "value": {
                      "status": 409,
                      "title": "Conflict",
                      "type": "about:blank"
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "transaction_id",
            "description": "The unique `id` in the `Transaction` object.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Settlement"
        ],
```

Pretty-print


```
          {
            "OAuth2": [
              "settlement:write_transaction"
            ]
          }
        ]
      }
    },
    "/settlement/transactions/{transaction_id}/affirm": {
      "put": {
        "summary": "Affirm Transaction",
        "description": "Affirms the Settlement Transaction for settlement, the transaction is
now eligible for settlement once the current time is\nbetween the provided
`settlement_window_start` and `settlement_window_end`. This action can only be done by
the\ncustomer owning the target profile (`target_profile_id`).\nThe transaction must be in a
`\"PENDING\"` status for this to take effect.",
        "operationId": "AffirmTransaction",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Transaction"
                },
                "example": {
                  "id": "d99a03ee-6b88-4362-89da-087c2c8cd4a7",
                  "ref_id": "d840cf31-352f-4190-a476-7522bf3eafda",
                  "settlement_window_start": "2023-08-25T14:25:41.648486573Z",
                  "settlement_window_end": "2023-08-25T14:25:41.648486953Z",
                  "source_profile_id": "4fd025ab-f29f-47e6-a02e-df90a61c7ec9",
                  "target_profile_id": "47db6271-50d6-4934-8c81-c42d87bfb390",
                  "legs": [
                    {
                      "id": "ace21517-447e-4764-8733-765cb12a7fab",
                      "direction": "DELIVER",
                      "asset": "BTC",
                      "amount": "100"
                    }
                  ],
                  "status": "AFFIRMED",
                  "created_at": "2023-08-25T14:25:41.648489333Z",
                  "updated_at": "2023-08-25T17:53:23.648489493Z"
                }
              }
            }
          },
          "400": {
            "description": "Bad Request",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Insufficient scopes": {
                    "value": {
                      "type": "about:blank",
                      "title": "Bad Request",
                      "status": 400
                    }
                  }
                }
              }
```

Pretty-print


```
          },
          "403": {
            "description": "Insufficient scopes",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Insufficient scopes": {
                    "value": {
                      "type": "about:blank",
                      "title": "Forbidden",
                      "status": 403,
                      "detail": "insufficient scopes: found 'settlement:write_transaction',
required one of '[settlement:read_transaction]'"
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "transaction_id",
            "description": "The unique `id` in the `Transaction` object.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Settlement"
        ],
        "security": [
          {
            "OAuth2": [
              "settlement:write_transaction"
            ]
          }
        ]
      }
    },
    "/rewards/monitor/address": {
      "get": {
        "summary": "List Monitoring Address",
        "description": "Retrieve a list of monitoring address\n\nFilter by network to retrieve
a list of addresses on that network, or filter by network & address to retrieve a single
record.",
        "operationId": "ListMonitoringAddress",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListMonitoringAddressResponse"
                },
                "examples": {
                  "List monitoring addresses": {
                    "value": {
```

Pretty-print


```
                        {
                          "address": "0xD6E012522DB5075694ac9907BABBDB4825A1c822",
                          "id": "6477f17d-7c17-43a5-84cc-a6a104a89d81",
                          "crypto_network": "ETHEREUM",
                          "name": "Address 1",
                          "created_at": "2025-03-21T14:45:22.682768Z"
                        },
                        {
                          "address": "0xD6E012522DB5075694ac9907BABBDB4825A1c822",
                          "id": "6477f17d-7c17-43a5-84cc-a6a104a89d81",
                          "crypto_network": "ETHEREUM",
                          "created_at": "2025-02-20T14:45:22.682768Z"
                        },
                        {
                          "address": "14grJpemFaf88c8tiVb77W7TYg2W3ir6pfkKz3YjhhZ6",
                          "id": "6477f17d-7c17-43a5-84cc-a6a104a89d81",
                          "crypto_network": "SOLANA",
                          "created_at": "2025-01-10T14:45:22.682768Z"
                        }
                      ],
                      "next_page_cursor": "CgwI-
Pr1vgYQyLLpswESJDM2NGU2MTgyLTRhZjctNDg4NC1iY2MxLTM0MThmNTA0MWYzYg"
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "address",
            "description": "On-chain address Paxos is monitoring for eligible reward activity.
Must be valid for the specified network.\nFor `SOLANA` specify the wallet account (ie: not a
derived/token account like an ATA).",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "crypto_network",
            "description": "Network the address belongs to. Supported: `ETHEREUM`, `SOLANA`,
`INK`, `XLAYER`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "BITCOIN",
                "ETHEREUM",
                "BITCOIN_CASH",
                "LITECOIN",
                "SOLANA",
                "POLYGON_POS",
                "BASE",
                "ARBITRUM_ONE",
                "STELLAR",
                "INK",
                "XLAYER"
              ]
            }
          },
```

Pretty-print


```
            "name": "limit",
            "description": "Number of results to return. Defaults to `100` if no limit is
provided. Maximum `1000`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          },
          {
            "name": "order",
            "description": "Results are ordered by `created_at`. Specify the ordering of the
results. Defaults to `DESC`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "DESC",
                "ASC"
              ]
            }
          },
          {
            "name": "page_cursor",
            "description": "Cursor for pagination",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Monitoring Addresses"
        ],
        "security": [
          {
            "OAuth2": [
              "rewards:read_monitoring_address"
            ]
          }
        ]
      },
      "post": {
        "summary": "Create Monitoring Address",
        "description": "Adds an address to be monitored for rewards tracking.\n\nCurrently
only `ETHEREUM`, `SOLANA`, `INK` & `XLAYER` addresses are supported.",
        "operationId": "CreateMonitoringAddress",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/CreateMonitoringAddressResponse"
                },
                "examples": {
                  "Setting up a new address to monitor": {
                    "value": {
                      "address": {
                        "address": "0x2D2849217C027494ae0D7Af2fC7f9b798Ddd5aB9",
                        "crypto_network": "ETHEREUM",
```

Pretty-print


```
                "created_at": "2025-03-21T15:22:05.4743832"
              }
            }
          }
        }
      }
    }
  },
  "400": {
    "description": "Bad Request",
    "content": {
      "application/json": {
        "schema": {
          "$ref": "#/components/schemas/Problem"
        },
        "examples": {
          "Trying to set up an invalid address": {
            "value": {
              "type": "about:blank",
              "title": "Bad Request",
              "status": 400,
              "detail": "invalid address"
            }
          },
          "Not setting the address": {
            "value": {
              "type": "about:blank",
              "title": "Bad Request",
              "status": 400,
              "detail": "address must be set"
            }
          },
          "Not setting the network": {
            "value": {
              "type": "about:blank",
              "title": "Bad Request",
              "status": 400,
              "detail": "network must be set"
            }
          },
          "Using an unsupported network": {
            "value": {
              "type": "about:blank",
              "title": "Bad Request",
              "status": 400,
              "detail": "invalid crypto_network"
            }
          },
          "Registering an address already claimed by another customer": {
            "value": {
              "type": "about:blank",
              "title": "Bad Request",
              "status": 400,
              "detail": "address cannot be claimed"
            }
          }
        }
      }
    }
  }
},
"requestBody": {
  "content": {
    "application/json": {
```

Pretty-print


```
                "$ref": "#/components/schemas/CreateMonitoringAddressRequest"
              },
              "examples": {
                "Add a new monitoring address with a name": {
                  "value": {
                    "crypto_network": "ETHEREUM",
                    "address": "0x2D2849217C027494ae0D7Af2fC7f9b798Ddd5aB9",
                    "name": "New Address"
                  }
                },
                "Add a new monitoring address with no name": {
                  "value": {
                    "id": "6477f17d-7c17-43a5-84cc-a6a104a89d81",
                    "crypto_network": "ETHEREUM",
                    "address": "0x2D2849217C027494ae0D7Af2fC7f9b798Ddd5aB9"
                  }
                }
              }
            }
          },
          "required": true
        },
        "tags": [
          "Monitoring Addresses"
        ],
        "security": [
          {
            "OAuth2": [
              "rewards:write_monitoring_address"
            ]
          }
        ]
      }
    },
    "/rewards/monitor/address/{id}": {
      "get": {
        "summary": "Get Monitoring Address",
        "description": "Retrieves a monitoring address by ID",
        "operationId": "GetMonitoringAddress",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/GetMonitoringAddressResponse"
                },
                "examples": {
                  "List monitoring addresses": {
                    "value": {
                      "address": "0xD6E012522DB5075694ac9907BABBDB4825A1c822",
                      "id": "6477f17d-7c17-43a5-84cc-a6a104a89d81",
                      "crypto_network": "ETHEREUM",
                      "name": "Address 1",
                      "created_at": "2025-03-21T14:45:22.682768Z"
                    }
                  }
                }
              }
            }
          },
          "404": {
            "description": "Not Found",
            "content": {
```

Pretty-print


```
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Using an unsupported network": {
                    "value": {
                      "type": "about:blank",
                      "title": "Not Found",
                      "status": 404,
                      "detail": "address not found"
                    }
                  }
                }
              }
            }
          },
          "400": {
            "description": "Bad Request",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Using an unsupported network": {
                    "value": {
                      "type": "about:blank",
                      "title": "Bad Request",
                      "status": 400,
                      "detail": "invalid address id"
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "id",
            "description": "UUID direct reference to a particular monitored address.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Monitoring Addresses"
        ],
        "security": [
          {
            "OAuth2": [
              "rewards:read_monitoring_address"
            ]
          }
        ]
      },
      "put": {
        "summary": "Update Monitoring Address",
        "description": "Updates a monitored address name",
        "operationId": "UpdateMonitoringAddress",
        "responses": {
```

Pretty-print


```
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/UpdateMonitoringAddressResponse"
                },
                "examples": {
                  "Update address name": {
                    "value": {
                      "address": {
                        "id": "6477f17d-7c17-43a5-84cc-a6a104a89d81",
                        "address": "0x2D2849217C027494ae0D7Af2fC7f9b798Ddd5aB9",
                        "crypto_network": "ETHEREUM",
                        "name": "Address name",
                        "created_at": "2025-03-21T15:22:05.474383Z"
                      }
                    }
                  }
                }
              }
            }
          },
          "400": {
            "description": "Bad Request",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Using an unsupported network": {
                    "value": {
                      "type": "about:blank",
                      "title": "Bad Request",
                      "status": 400,
                      "detail": "name must be set"
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "id",
            "description": "UUID direct reference to a particular monitored address.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/AutoRewardsPublicUpdateMonitoringAddressBody"
              },
              "examples": {
                "Update address name": {
                  "value": {
                    "name": "Address name"
```

Pretty-print


```
                }
              }
            }
          },
          "required": true
        },
        "tags": [
          "Monitoring Addresses"
        ],
        "security": [
          {
            "OAuth2": [
              "rewards:write_monitoring_address"
            ]
          }
        ]
      }
    },
    "/statements": {
      "get": {
        "summary": "List Statements",
        "description": "List statements based on the provided filters",
        "operationId": "ListStatements",
        "responses": {
          "200": {
            "description": "Successfully retrieve statements",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListStatementsResponse"
                },
                "examples": {
                  "Retrieve statements": {
                    "value": {
                      "statements": [
                        {
                          "id": "704b4e48-bbb1-4086-b6e4-6e9b2e3e5d7a",
                          "ref_id": "USDG_REWARDS-cdcbff8e-cf51-4536-ba6f-92ef6846e48a-2025-
02",
                          "customer_id": "cdcbff8e-cf51-4536-ba6f-92ef6846e48a",
                          "type": "STATEMENT_TYPE_USDG_REWARD",
                          "product": "USDG_REWARDS",
                          "status": "STATEMENT_STATUS_PAID",
                          "metadata": {
                            "total_amount": "100.5"
                          },
                          "statement_balances": [
                            {
                              "asset": "USDG",
                              "amount_paid": "100.5",
                              "total_amount_owed": "100.5"
                            }
                          ],
                          "period_start": "2025-02-01T00:00:00Z",
                          "period_end": "2025-02-28T23:59:59.999999Z",
                          "generated_at": "2025-03-18T23:11:47.840321Z",
                          "paid_at": "2025-03-19T19:21:57.172302Z",
                          "created_at": "2025-03-18T23:11:47.627302Z"
                        },
                        {
                          "id": "30ed2047-6155-4b75-b235-6600aa7f65dd",
                          "ref_id": "USDG_REWARDS-cdcbff8e-cf51-4536-ba6f-92ef6846e48a-2025-
03",
                          "customer_id": "cdcbff8e-cf51-4536-ba6f-92ef6846e48a",
```

Pretty-print


```
                        "product": "USDG_REWARDS",
                        "status": "STATEMENT_STATUS_PAID",
                        "metadata": {
                          "total_amount": "100.5"
                        },
                        "statement_balances": [
                          {
                            "asset": "USDG",
                            "amount_paid": "100.5",
                            "total_amount_owed": "100.5"
                          }
                        ],
                        "period_start": "2025-02-18T00:00:00Z",
                        "period_end": "2025-03-18T00:00:00Z",
                        "generated_at": "2025-03-18T19:11:54.606991Z",
                        "paid_at": "2025-03-20T14:26:06.649645Z",
                        "created_at": "2025-03-18T19:11:54.372336Z"
                      }
                    ]
                  }
                }
              }
            }
          }
        }
      },
      "parameters": [
        {
          "name": "customer_id",
          "description": "customer_id is a required field.",
          "in": "query",
          "required": false,
          "schema": {
            "type": "string"
          }
        },
        {
          "name": "ref_ids",
          "description": "Optionally filter by the ref_ids of the statements.",
          "in": "query",
          "required": false,
          "explode": true,
          "schema": {
            "type": "array",
            "items": {
              "type": "string"
            }
          }
        },
        {
          "name": "statement_ids",
          "description": "Optionally filter by the ids of the statements.",
          "in": "query",
          "required": false,
          "explode": true,
          "schema": {
            "type": "array",
            "items": {
              "type": "string"
            }
          }
        },
        {
          "name": "statuses",
```

Pretty-print


```
returned. Defaults to all statuses.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string",
                "enum": [
                  "STATEMENT_STATUS_UNSPECIFIED",
                  "STATEMENT_STATUS_INITIATED",
                  "STATEMENT_STATUS_GENERATED",
                  "STATEMENT_STATUS_PAID"
                ]
              }
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return. Defaults to 100.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          },
          {
            "name": "order",
            "description": "Sort order for the results by period start, defaults to DESC if
not provided.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "DESC",
                "ASC"
              ]
            }
          },
          {
            "name": "page_cursor",
            "description": "Cursor for getting the next page of results.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Statements"
        ],
        "security": [
          {
            "OAuth2": [
              "statements:read_statement"
            ]
          }
        ]
      }
    },
    "/statements/payments": {
```

Pretty-print


```
        "summary": "List Payments",
        "description": "List payments based on the provided filters",
        "operationId": "ListPayments",
        "responses": {
          "200": {
            "description": "Successfully retrieve payments",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListPaymentsResponse"
                },
                "examples": {
                  "Retrieve payments": {
                    "value": {
                      "payments": [
                        {
                          "id": "08ae7260-0967-44e4-b2e3-e9c837a3de69",
                          "customer_id": "cdcbff8e-cf51-4536-ba6f-92ef6846e48a",
                          "profile_id": "00000000-0000-0000-0000-000000000000",
                          "account_id": "00000000-0000-0000-0000-000000000000",
                          "ref_id": "cdcbff8e-cf51-4536-ba6f-92ef6846e48a-USDG_REWARDS-
cdcbff8e-cf51-4536-ba6f-92ef6846e48a-2025-02-USDG-100.5-seq#1",
                          "product": "USDG_REWARDS",
                          "payment_type": "PAYMENT_TYPE_CRYPTO_WITHDRAWAL",
                          "payment_destination": "f45b7f18-a10d-4e19-bea2-9aa91cab6b69",
                          "payment_asset": "USDG",
                          "payment_amount": "100.5",
                          "payment_status": "PAYMENT_STATUS_COMPLETED",
                          "created_at": "2025-03-19T14:00:45.589886Z",
                          "processed_at": "2025-03-19T19:21:57.172302Z"
                        },
                        {
                          "id": "b05683f7-28ac-43fa-8ed8-b332cf28051e",
                          "customer_id": "cdcbff8e-cf51-4536-ba6f-92ef6846e48a",
                          "profile_id": "00000000-0000-0000-0000-000000000000",
                          "account_id": "00000000-0000-0000-0000-000000000000",
                          "ref_id": "cdcbff8e-cf51-4536-ba6f-92ef6846e48a-USDG_REWARDS-
cdcbff8e-cf51-4536-ba6f-92ef6846e48a-2025-03-USDG-100.5-seq#1",
                          "product": "USDG_REWARDS",
                          "payment_type": "PAYMENT_TYPE_CRYPTO_WITHDRAWAL",
                          "payment_destination": "f45b7f18-a10d-4e19-bea2-9aa91cab6b69",
                          "payment_asset": "USDG",
                          "payment_amount": "100.5",
                          "payment_status": "PAYMENT_STATUS_COMPLETED",
                          "created_at": "2025-03-18T19:26:54.298637Z",
                          "processed_at": "2025-03-20T14:26:06.649645Z"
                        }
                      ],
                      "next_page_cursor": "CgwI-
Pr1vgYQyLLpswESJDM2NGU2MTgyLTRhZjctNDg4NC1iY2MxLTM0MThmNTA0MWYzYg"
                    }
                  }
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "ref_ids",
            "description": "No other parameters are allowed if ref_ids are provided",
            "in": "query",
            "required": false,
            "explode": true,
```

Pretty-print


```
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "payment_ids",
            "description": "No other parameters are allowed if payment_ids are provided",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "customer_id",
            "description": "Use together with product to list for a specific customer and
product",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "product",
            "description": "Use together with product to list for a specific customer and
product",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "USDG_REWARDS"
              ]
            }
          },
          {
            "name": "payment_status",
            "description": "Optional, filter by payment status",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "PAYMENT_STATUS_PENDING",
                "PAYMENT_STATUS_COMPLETED",
                "PAYMENT_STATUS_FAILED"
              ]
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return. Defaults to 100 if no limit is
provided.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
```

Pretty-print


```
            }
          },
          {
            "name": "order",
            "description": "Sort order for the results by created at, defaults to DESC if not
provided.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "DESC",
                "ASC"
              ]
            }
          },
          {
            "name": "page_cursor",
            "description": "Cursor for getting the next page of results.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Payments"
        ],
        "security": [
          {
            "OAuth2": [
              "statements:read_payment"
            ]
          }
        ]
      }
    },
    "/events": {
      "get": {
        "summary": "List Events",
        "description": "This endpoint enables you to fetch a list of events that have been
created by the system.\nYou can use query parameters to filter the results by the `created_at`
time using `created_at.lt`, `created_at.gt`, etc. and you can\n`limit` the number of events
returned.\n\nUsing `created_at` and `limit` together will allow you to paginate through all
events owned by you.\nEvents returned will always be order in `created_at` ascending order.",
        "operationId": "ListEvents",
        "responses": {
          "200": {
            "description": "Success",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListEventsResponse"
                },
                "example": {
                  "events": [
                    {
                      "id": "d99a03ee-6b88-4362-89da-087c2c8cd4a7",
                      "type": "identity.approved",
                      "object_type": "identity_summary_status_change",
                      "object": {
                        "id": "d840cf31-352f-4190-a476-7522bf3eafda",
                        "identity_id": "4fd025ab-f29f-47e6-a02e-df90a61c7ec9",
```

Pretty-print


```
                "old_summary_status": "PENDING"
                },
                "created_at": "2023-08-25T14:25:41.648489333Z",
                "undelivered_webhooks": 0
              },
              {
                "id": "19c0ae8e-fdfc-4b27-88af-07762af8f2a8",
                "type": "identity.documents_required",
                "object_type": "identity_required_documents",
                "object": {
                  "id": "d11aba88-39cd-4445-acbb-e4d127588def",
                  "identity_id": "fc9dcae4-5411-464c-a20e-f0911ee1c5c1",
                  "required_documents": [
                    "TAX_IDENTIFICATION",
                    "PROOF_OF_RESIDENCY",
                    "PROOF_OF_FUNDS"
                  ]
                },
                "created_at": "2023-08-24T18:29:41.648489493Z",
                "undelivered_webhooks": 0
              }
            ]
          }
        }
      }
    },
    "400": {
      "description": "Bad Request",
      "content": {
        "application/json": {
          "schema": {
            "$ref": "#/components/schemas/Problem"
          },
          "examples": {
            "Bad limit": {
              "value": {
                "type": "about:blank",
                "title": "Bad Request",
                "status": 400,
                "detail": "limit must be between 1 and 100"
              }
            }
          }
        }
      }
    },
    "403": {
      "description": "Insufficient scopes",
      "content": {
        "application/json": {
          "schema": {
            "$ref": "#/components/schemas/Problem"
          },
          "examples": {
            "Insufficient scopes": {
              "value": {
                "type": "about:blank",
                "title": "Forbidden",
                "status": 403,
                "detail": "insufficient scopes: found 'identity:read_identity', required
one of '[event:read_event]'"
              }
            }
          }
```

Pretty-print


```
            }
          }
        },
        "parameters": [
          {
            "name": "created_at.lt",
            "description": "Include timestamps strictly less than lt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.lte",
            "description": "Include timestamps less than or equal to lte. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.eq",
            "description": "Include timestamps exactly equal to eq. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.gte",
            "description": "Include timestamps greater than or equal to lte. RFC3339 format,
like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.gt",
            "description": "Include timestamps strictly greater than gt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return. Defaults to 100 if no limit is
provided.",
            "in": "query",
```

Pretty-print


```
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          },
          {
            "name": "type",
            "description": "Retrieve all (default) or optionally filter by event type.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "is_test",
            "description": "Filter for test events (true) or real events (false). Defaults to
false (real events only).",
            "in": "query",
            "required": false,
            "schema": {
              "type": "boolean"
            }
          }
        ],
        "tags": [
          "Events"
        ],
        "security": [
          {
            "OAuth2": [
              "events:read_event"
            ]
          }
        ]
      }
    },
    "/events/{id}": {
      "get": {
        "summary": "Get Event",
        "description": "Get an Event by its (event) id, the event must have been created by
the system and you must be the owner of the\nthe event, you can get an event id by either
listing events or via a webhook integration.",
        "operationId": "GetEvent",
        "responses": {
          "200": {
            "description": "Success",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Event"
                },
                "example": {
                  "id": "d99a03ee-6b88-4362-89da-087c2c8cd4a7",
                  "type": "identity.approved",
                  "object_type": "identity_summary_status_change",
                  "object": {
                    "id": "d840cf31-352f-4190-a476-7522bf3eafda",
                    "identity_id": "4fd025ab-f29f-47e6-a02e-df90a61c7ec9",
                    "new_summary_status": "APPROVED",
                    "old_summary_status": "PENDING"
                  },
                  "created_at": "2023-08-25T14:25:41.648489333Z",
                  "undelivered_webhooks": 0
```

Pretty-print


```
              }
            }
          },
          "400": {
            "description": "Bad Request",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Bad event id": {
                    "value": {
                      "type": "about:blank",
                      "title": "Bad Request",
                      "status": 400,
                      "detail": "error parsing event id"
                    }
                  }
                }
              }
            }
          },
          "403": {
            "description": "Insufficient scopes",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Insufficient scopes": {
                    "value": {
                      "type": "about:blank",
                      "title": "Forbidden",
                      "status": 403,
                      "detail": "insufficient scopes: found 'identity:read_identity', required
one of '[event:read_event]'"
                    }
                  }
                }
              }
            }
          },
          "404": {
            "description": "Not Found",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Problem"
                },
                "examples": {
                  "Not Found": {
                    "value": {
                      "status": 404,
                      "title": "Not Found",
                      "type": "about:blank"
                    }
                  }
                }
              }
            }
          }
        },
```

Pretty-print


```
          {
            "name": "id",
            "description": "The unique `id` in the `Event` object.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "is_test",
            "description": "Filter for test events (true) or real events (false). Defaults to
false (real events only).",
            "in": "query",
            "required": false,
            "schema": {
              "type": "boolean"
            }
          }
        ],
        "tags": [
          "Events"
        ],
        "security": [
          {
            "OAuth2": [
              "events:read_event"
            ]
          }
        ]
      }
    },
    "/api-creds/credentials": {
      "get": {
        "summary": "List API Credentials",
        "description": "List all API credentials that have been created.",
        "operationId": "ListApiCredentials",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListApiCredentialsResponse"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "order",
            "description": "Determines whether the items are returned in ascending (ASC), or
descending (DESC) order. Defaults to DESC.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "DESC",
                "ASC"
              ]
            }
          },
```

Pretty-print


```
            "name": "order_by",
            "description": "The specific field by which the returned results will be ordered.
Defaults to CREATED_AT.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "CREATED_AT"
              ]
            }
          },
          {
            "name": "limit",
            "description": "The maximum number of items to return. Defaults to 0 (return all
records). Max value is 1000.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          },
          {
            "name": "page_cursor",
            "description": "The page cursor for pagination. Use the next_page_cursor from the
response to get the next page.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "statuses",
            "description": "Filter for credentials with a set of statuses. Defaults to
[APPROVED].",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string",
                "enum": [
                  "APPROVED",
                  "DISABLED"
                ]
              }
            }
          },
          {
            "name": "ids",
            "description": "Optionally filter by the UUIDs of the credentials. Limit 100.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
```

Pretty-print


```
            "name": "client_ids",
            "description": "Optionally filter by the client IDs of the credentials. Limit
100.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          }
        ],
        "tags": [
          "API Credentials"
        ],
        "security": [
          {
            "OAuth2": [
              "api_creds:read_credentials"
            ]
          }
        ]
      }
    },
    "/api-creds/credentials/{client_id}": {
      "delete": {
        "summary": "Delete API Credentials",
        "description": "Delete the given API Credentials, preventing them from being used for
authentication.",
        "operationId": "DeleteApiCredentials",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/DeleteApiCredentialsResponse"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "client_id",
            "description": "The client_id of the credentials to delete.",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "API Credentials"
        ],
        "security": [
          {
            "OAuth2": [
              "api_creds:delete_credentials"
            ]
          }
```

Pretty-print


```
      }
    },
    "/orchestration/orchestrations": {
      "get": {
        "summary": "List Orchestrations",
        "description": "List all orchestrations, optionally filtering and paging the
results.\n\nBy default, orchestrations are returned in reverse chronological
(descending)\norder by creation time. If no query parameters are supplied,\nthe response will
include up to the last 100 orchestrations which\nwere created.\n\nThe paginated results
default to display up to 100 orchestrations, unless\notherwise specified with the `limit`
parameter. The maximum `limit` value is 1000.\nEvery paginated response contains a
`next_page_cursor` field until the last page is reached.\n\nPass the `next_page_cursor` value
into the `page_cursor` field of a new\nrequest to retrieve the next page of results.\n\nWhen
filtering by profile IDs using the `profile_ids` parameter, there is a limit of 100
profiles\nthat can be specified in a single request.\n\nOrchestrations are provided for
various operations including:\n- Deposits to a paxos-platform crypto address or bank
account\n- Withdrawals to a customer-owned crypto address or bank account\n- Conversions from
one asset to another\n- Orchestrated workflows involving some or all of the above\n-
Invocation of an Orchestration Rule",
        "operationId": "ListOrchestrations",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListOrchestrationsResponse"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "orchestration_rule_id",
            "description": "Optionally filter by the initiating orchestration rule ids. There
is a limit of 100 orchestration rule ids that can be specified in a single request.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "source_asset",
            "description": "Optionally filter by source assets. There is a limit of 100 source
assets that can be specified in a single request.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "destination_asset",
            "description": "Optionally filter by destination assets. There is a limit of 100
```

Pretty-print


```
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "status",
            "description": "Optionally filter by statuses. There is a limit of 100 statuses
that can be specified in a single request.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "created_at.lt",
            "description": "Include timestamps strictly less than lt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.lte",
            "description": "Include timestamps less than or equal to lte. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.eq",
            "description": "Include timestamps exactly equal to eq. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "format": "date-time"
            }
          },
          {
            "name": "created_at.gte",
            "description": "Include timestamps greater than or equal to lte. RFC3339 format,
like `2006-01-02T15:04:05Z`.",
            "in": "query",
            "required": false,
            "schema": {
```

Pretty-print


```
            "format": "date-time"
          }
        },
        {
          "name": "created_at.gt",
          "description": "Include timestamps strictly greater than gt. RFC3339 format, like
`2006-01-02T15:04:05Z`.",
          "in": "query",
          "required": false,
          "schema": {
            "type": "string",
            "format": "date-time"
          }
        },
        {
          "name": "limit",
          "description": "Number of results to return. Defaults to 100 if no limit is
provided. Maximum 1000.",
          "in": "query",
          "required": false,
          "schema": {
            "type": "integer",
            "format": "int32"
          }
        },
        {
          "name": "order",
          "description": "Sort order for the results. Defaults to DESC by created_at time.",
          "in": "query",
          "required": false,
          "schema": {
            "type": "string",
            "enum": [
              "DESC",
              "ASC"
            ]
          }
        },
        {
          "name": "page_cursor",
          "description": "Optional Cursor for getting the next page of results.",
          "in": "query",
          "required": false,
          "schema": {
            "type": "string"
          }
        },
        {
          "name": "orchestration_id",
          "description": "Optionally filter by a list of orchestration IDs. There is a limit
of 100 orchestration ids that can be specified in a single request.",
          "in": "query",
          "required": false,
          "explode": true,
          "schema": {
            "type": "array",
            "items": {
              "type": "string"
            }
          }
        },
        {
          "name": "profile_id",
          "description": "Optionally filter by the target profiles. There is a limit of 100
```

Pretty-print


```
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string"
              }
            }
          }
        ],
        "tags": [
          "Orchestrations"
        ],
        "security": [
          {
            "OAuth2": [
              "orchestration:read_orchestration"
            ]
          }
        ]
      },
      "post": {
        "summary": "Create Orchestration",
        "description": "Creates a one-time orchestration that moves assets from a source
profile to a destination.\nUse this endpoint when funds already reside on the Paxos platform
and need to be transferred or converted as part of a single workflow.\n\nA request to create
an orchestration can fail with one of the following\ntypes of errors:\n - [Insufficient Funds]
(https://developer.paxos.com/docs/v2/problems/insufficient-funds)\n   if the Profile
(`profile_id`) has insufficient available balance to\n   fund the execution.\n - [Already
Exists](https://developer.paxos.com/docs/v2/problems/already-exists)\n   if an orchestration
with the same external ID (`ref_id`) has already been created.",
        "operationId": "CreateOrchestration",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Orchestration"
                }
              }
            }
          }
        },
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/CreateOrchestrationRequest"
              }
            }
          },
          "required": true
        },
        "tags": [
          "Orchestrations"
        ],
        "security": [
          {
            "OAuth2": [
              "orchestration:write_orchestration"
            ]
          }
```

Pretty-print


```
      }
    },
    "/orchestration/orchestrations/{id}": {
      "get": {
        "summary": "Get Orchestration",
        "description": "Retreives a specific orchestration using its orchestration ID.",
        "operationId": "GetOrchestration",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/Orchestration"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "id",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Orchestrations"
        ],
        "security": [
          {
            "OAuth2": [
              "orchestration:read_orchestration"
            ]
          }
        ]
      }
    },
    "/orchestration/rules": {
      "get": {
        "summary": "List Orchestration Rules",
        "description": "List all orchestration rules, optionally filtering and paging the
results.\n\nBy default, orchestration rules are returned in reverse chronological
(descending)\norder by creation time. If no query parameters are supplied,\nthe response will
include up to the last 100 rules which were created.\n\nThe paginated results default to
display up to 100 rules, unless\notherwise specified with the `limit` parameter. The maximum
`limit` value is 1000.\nEvery paginated response contains a `next_page_cursor` field until the
last page is reached.\n\nPass the `next_page_cursor` value into the `page_cursor` field of a
new\nrequest to retrieve the next page of results.\n\nRules can be filtered by:\n- Profile ID
(`profile_id`)\n- Status (`status`)\n- Source asset (`source_asset`)\n- Destination asset
(`destination_asset`)",
        "operationId": "ListOrchestrationRules",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/ListOrchestrationRulesResponse"
                }
              }
```

Pretty-print


```
          }
        },
        "parameters": [
          {
            "name": "profile_id",
            "description": "Optional filter by profile ID",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "status",
            "description": "Optional filter by statuses\n\n - ACTIVE: The rule is active,
deposits matching the `source_asset` and `source` of this rule start a conversion
and\nsubsequent delivery of the `destination_asset` to the specified `destination`.\n -
DELETED: The rule has been deleted, newly deposited `source_assets` to the `source` of this
rule will not be converted.\nThe deposited `source_asset` is still going to be credited to the
Profile specified by `profile_id`.\n - PENDING: The rule creation is pending approval(s)
before the rule becomes ACTIVE.\n - REJECTED: The rule creation has been rejected during the
approval process.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
              "type": "array",
              "items": {
                "type": "string",
                "enum": [
                  "ACTIVE",
                  "DELETED",
                  "PENDING",
                  "REJECTED"
                ]
              }
            }
          },
          {
            "name": "source_asset",
            "description": "Optional filter by source asset",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "destination_asset",
            "description": "Optional filter by destination asset",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          },
          {
            "name": "ids",
            "description": "Optionally filter by the UUIDs of the orchestration rules. Limit
100.",
            "in": "query",
            "required": false,
            "explode": true,
            "schema": {
```

Pretty-print


```
              "items": {
                "type": "string"
              }
            }
          },
          {
            "name": "limit",
            "description": "Number of results to return. Defaults to 100 if no limit is
provided. Maximum 1000.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          },
          {
            "name": "order",
            "description": "Sort order for the results. Defaults to DESC by created_at time.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string",
              "enum": [
                "DESC",
                "ASC"
              ]
            }
          },
          {
            "name": "page_cursor",
            "description": "Optional Cursor for getting the next page of results.",
            "in": "query",
            "required": false,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
          "Orchestration Rules"
        ],
        "security": [
          {
            "OAuth2": [
              "orchestration:read_orchestration_rule"
            ]
          }
        ]
      },
      "post": {
        "summary": "Create Orchestration Rule",
        "description": "Creates a persistent orchestration rule that automatically triggers
orchestrations\nwhen matching deposits are received.\n\nThe rule will:\n1. Generate deposit
instructions associated with the rule.\n2. Continuously monitor incoming deposits to those
instructions.\n3. Automatically execute orchestrations to the specified
destination.\n\nSupported Sources:\n\n- Crypto deposit\n- Fiat deposit\n\nSupported
Destinations:\n\n- Crypto address on a supported network\n- Bank account\n- Profile
ID\n\nError conditions:\n- [Already Exists]
(https://developer.paxos.com/docs/v2/problems/already-exists): Returned if a rule with the
same ref_id already exists.",
        "operationId": "CreateOrchestrationRule",
        "responses": {
          "200": {
```

Pretty-print


```
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/CreateOrchestrationRuleResponse"
                }
              }
            }
          }
        },
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/CreateOrchestrationRuleRequest"
              }
            }
          },
          "required": true
        },
        "tags": [
          "Orchestration Rules"
        ],
        "security": [
          {
            "OAuth2": [
              "orchestration:write_orchestration_rule"
            ]
          }
        ]
      }
    },
    "/orchestration/rules/{id}": {
      "delete": {
        "summary": "Delete Orchestration Rule",
        "description": "Deactivates an orchestration rule by updating its status to
DELETED.\nOnce deleted, the rule will no longer trigger new orchestrations.\nAny
orchestrations previously created by the rule will continue to be processed.\n\nThe request
accepts a single rule ID and returns the updated rule resource\nwith its status set to DELETED
upon success.",
        "operationId": "DeleteOrchestrationRule",
        "responses": {
          "200": {
            "description": "A successful response.",
            "content": {
              "application/json": {
                "schema": {
                  "$ref": "#/components/schemas/DeleteOrchestrationRuleResponse"
                }
              }
            }
          }
        },
        "parameters": [
          {
            "name": "id",
            "description": "The ID of the orchestration rule to delete",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ],
        "tags": [
```

Pretty-print


```
        ],
        "security": [
          {
            "OAuth2": [
              "orchestration:write_orchestration_rule"
            ]
          }
        ]
      }
    }
  },
  "components": {
    "schemas": {
      "ListProfilesRequestOrderBy": {
        "type": "string",
        "enum": [
          "CREATED_AT"
        ]
      },
      "ProfilePublicUpdateProfileBody": {
        "type": "object",
        "example": {
          "profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
          "nickname": "MyProfileName"
        },
        "properties": {
          "nickname": {
            "type": "string"
          }
        },
        "required": [
          "nickname"
        ]
      },
      "CreateProfileRequest": {
        "type": "object",
        "properties": {
          "nickname": {
            "type": "string",
            "description": "The display name of the profile. Must be unique."
          },
          "description": {
            "type": "string",
            "description": "The description of the created profile."
          }
        },
        "required": [
          "nickname"
        ]
      },
      "DeactivateProfileResponse": {
        "type": "object"
      },
      "ListProfileBalancesResponse": {
        "type": "object",
        "properties": {
          "items": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/ProfileBalance"
            }
          }
        },
        "required": [
```

Pretty-print


```
        ]
      },
      "ListProfilesResponse": {
        "type": "object",
        "properties": {
          "items": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/Profile"
            }
          },
          "next_page_cursor": {
            "type": "string",
            "description": "Cursor token required for fetching the next page."
          }
        }
      },
      "Profile": {
        "type": "object",
        "example": {
          "id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
          "nickname": "MyProfileName",
          "type": "NORMAL"
        },
        "properties": {
          "id": {
            "type": "string"
          },
          "nickname": {
            "type": "string"
          },
          "type": {
            "$ref": "#/components/schemas/ProfileType"
          },
          "description": {
            "type": "string"
          },
          "account_id": {
            "type": "string",
            "title": "@hidden"
          }
        },
        "required": [
          "id",
          "nickname",
          "type"
        ]
      },
      "ProfileBalance": {
        "type": "object",
        "example": {
          "asset": "BTC",
          "available": "1.23103715",
          "trading": ".25"
        },
        "properties": {
          "asset": {
            "type": "string",
            "description": "The asset held by the profile."
          },
          "available": {
            "type": "string",
            "description": "The available asset balance for new debit requests."
          },
```

Pretty-print


```
            "type": "string",
            "description": "The asset amount committed to pending orders."
          }
        },
        "description": "A ProfileBalance represents the holdings of a particular asset within
a profile.",
        "required": [
          "asset",
          "available",
          "trading"
        ]
      },
      "ProfileType": {
        "type": "string",
        "enum": [
          "NORMAL",
          "DEFAULT"
        ],
        "description": "The profile type.\n\n - NORMAL: A client-created profile. All Profiles
created using the `CreateProfile` endpoint are of this type.\n - DEFAULT: A system-generated
profile."
      },
      "SortOrder": {
        "type": "string",
        "enum": [
          "DESC",
          "ASC"
        ]
      },
      "TimestampFilter": {
        "type": "object",
        "properties": {
          "lt": {
            "type": "string",
            "format": "date-time",
            "description": "Include timestamps strictly less than lt. RFC3339 format, like
`2006-01-02T15:04:05Z`."
          },
          "lte": {
            "type": "string",
            "format": "date-time",
            "description": "Include timestamps less than or equal to lte. RFC3339 format, like
`2006-01-02T15:04:05Z`."
          },
          "eq": {
            "type": "string",
            "format": "date-time",
            "description": "Include timestamps exactly equal to eq. RFC3339 format, like
`2006-01-02T15:04:05Z`."
          },
          "gte": {
            "type": "string",
            "format": "date-time",
            "description": "Include timestamps greater than or equal to lte. RFC3339 format,
like `2006-01-02T15:04:05Z`."
          },
          "gt": {
            "type": "string",
            "format": "date-time",
            "description": "Include timestamps strictly greater than gt. RFC3339 format, like
`2006-01-02T15:04:05Z`."
          }
        }
      },
```

Pretty-print


```
        "type": "object",
        "properties": {
          "asset": {
            "type": "string",
            "description": "The kind of asset to deposit."
          },
          "amount": {
            "type": "string",
            "description": "The amount to deposit.",
            "pattern": "^[0-9]*\\.?[0-9]+$"
          },
          "crypto_network": {
            "$ref": "#/components/schemas/CryptoNetwork"
          },
          "crypto_address": {
            "type": "string",
            "title": "The crypto address on which to deposit the asset. If not set, then a
random address is used"
          }
        },
        "title": "CreateSandboxDepositRequest",
        "required": [
          "asset",
          "amount"
        ]
      },
      "CreateSandboxDepositResponse": {
        "type": "object",
        "properties": {
          "activity_id": {
            "type": "string",
            "description": "The UUID of the customer activity created for the deposit."
          }
        }
      },
      "CryptoNetwork": {
        "type": "string",
        "enum": [
          "BITCOIN",
          "ETHEREUM",
          "BITCOIN_CASH",
          "LITECOIN",
          "SOLANA",
          "POLYGON_POS",
          "BASE",
          "ARBITRUM_ONE",
          "STELLAR",
          "INK",
          "XLAYER"
        ],
        "description": "A CryptoNetwork is a blockchain transmitting cryptocurrencies."
      },
      "CustomerDueDiligenceNetWorthRange": {
        "type": "string",
        "enum": [
          "NET_WORTH_0_TO_100K",
          "NET_WORTH_100K_TO_500K",
          "NET_WORTH_500K_TO_1M",
          "NET_WORTH_1M_TO_2_5M",
          "NET_WORTH_2_5M_TO_5M",
          "NET_WORTH_5M_TO_7_5M",
          "NET_WORTH_7_5M_TO_10M",
          "NET_WORTH_10M_TO_25M",
          "NET_WORTH_25M_TO_50M",
```

Pretty-print


```
        ]
      },
      "CustomerDueDiligenceTransferValueRange": {
        "type": "string",
        "enum": [
          "TRANSFER_VALUE_0_TO_25K",
          "TRANSFER_VALUE_25K_TO_50K",
          "TRANSFER_VALUE_50K_TO_100K",
          "TRANSFER_VALUE_100K_TO_250K",
          "TRANSFER_VALUE_250K_TO_500K",
          "TRANSFER_VALUE_500K_TO_750K",
          "TRANSFER_VALUE_750K_TO_1M",
          "TRANSFER_VALUE_1M_TO_2_5M",
          "TRANSFER_VALUE_2_5M_TO_5M",
          "TRANSFER_VALUE_ABOVE_5M"
        ]
      },
      "CustomerDueDiligenceYearlyIncomeRange": {
        "type": "string",
        "enum": [
          "INCOME_0_TO_50K",
          "INCOME_50K_TO_100K",
          "INCOME_100K_TO_250K",
          "INCOME_250K_TO_500K",
          "INCOME_500K_TO_750K",
          "INCOME_750K_TO_1M",
          "INCOME_ABOVE_1M"
        ]
      },
      "IdentityPublicDocumentUploadBody": {
        "type": "object",
        "properties": {
          "name": {
            "type": "string",
            "description": "The file name."
          },
          "document_types": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/DocumentType"
            },
            "description": "A list of document types contained within the uploaded file."
          }
        },
        "title": "DocumentUploadRequest",
        "required": [
          "name"
        ]
      },
      "IdentityPublicUpdateIdentityBody": {
        "type": "object",
        "example": {
          "id": "f190b163-208f-4d73-8deb-4fb8b24add00",
          "person_details": {
            "first_name": "John"
          }
        },
        "properties": {
          "person_details": {
            "$ref": "#/components/schemas/PersonDetails"
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
```

Pretty-print


```
            },
            "title": "API User-facing metadata"
          },
          "set_user_disabled": {
            "type": "boolean",
            "description": "`true` disables the identity. `false` re-enables it, unless it has
been disabled by a Paxos admin."
          },
          "institution_details": {
            "$ref": "#/components/schemas/InstitutionDetails"
          },
          "ref_id": {
            "type": "string",
            "description": "A user-facing ID to prevent duplicate identity creation. Unique
for all identities created by the same API user."
          },
          "tax_details": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/TaxDetail"
            },
            "title": "list of tax details associated with the identity"
          },
          "set_tax_details_not_required": {
            "type": "boolean",
            "description": "Set to true if tax details are not legally required."
          },
          "customer_due_diligence": {
            "$ref": "#/components/schemas/CustomerDueDiligence"
          },
          "is_merchant": {
            "type": "boolean",
            "description": "Set to true to indicate that this identity is a merchant."
          },
          "last_kyc_refresh_date": {
            "type": "string",
            "format": "date-time",
            "description": "Set to the timestamp the identity has last undergone a periodic
kyc refresh. If unset, the update is not for\nperiodic kyc refresh. RFC3339 format, like
`YYYY-MM-DDTHH:MM:SS.sssZ`. ex: `2006-01-02T15:04:05Z`."
          }
        },
        "title": "UpdateIdentityRequest"
      },
      "ListIdentitiesRequestOrderBy": {
        "type": "string",
        "enum": [
          "CREATED_AT"
        ]
      },
      "MerchantFundingSourceFundingSource": {
        "type": "string",
        "enum": [
          "BUSINESS_LOANS_FINANCING",
          "SALARY_SAVINGS",
          "INVESTMENT_GAINS",
          "INHERITANCE",
          "REAL_ESTATE_INCOME",
          "NON_PROFIT_SOURCES",
          "OTHER_BUSINESS_INCOME"
        ]
      },
      "PassthroughVerificationField": {
        "type": "string",
```

Pretty-print


```
          "FULL_LEGAL_NAME",
          "ADDRESS",
          "DATE_OF_BIRTH",
          "CIP_ID"
        ]
      },
      "PersonDetailsCIPIDType": {
        "type": "string",
        "enum": [
          "SSN",
          "ID_CARD",
          "ITIN",
          "PASSPORT",
          "DRIVING_LICENSE",
          "VISA"
        ],
        "title": ""
      },
      "identityprotoVerifierType": {
        "type": "string",
        "enum": [
          "PAXOS",
          "PASSTHROUGH",
          "MANUAL"
        ]
      },
      "AccountPurpose": {
        "type": "string",
        "enum": [
          "INVESTMENT_TRADING",
          "SAVINGS",
          "STABLECOIN_PURCHASE_REDEMPTION"
        ]
      },
      "CreateIdentityRequest": {
        "type": "object",
        "properties": {
          "person_details": {
            "$ref": "#/components/schemas/PersonDetails"
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "title": "API User-facing metadata"
          },
          "ref_id": {
            "type": "string",
            "description": "A user-facing ID to prevent duplicate identity creation. Unique
for all identities created by the same API user."
          },
          "institution_details": {
            "$ref": "#/components/schemas/InstitutionDetails"
          },
          "institution_members": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/InstitutionMember"
            },
            "title": "Institution members if identity type is institution"
          },
          "tax_details": {
            "type": "array",
```

Pretty-print


```
              "$ref": "#/components/schemas/TaxDetail"
            },
            "description": "List of tax details associated with the identity. Must be set if
tax_details_not_required is false or not set."
          },
          "tax_details_not_required": {
            "type": "boolean",
            "description": "Set to true if tax details are not legally required."
          },
          "customer_due_diligence": {
            "$ref": "#/components/schemas/CustomerDueDiligence"
          },
          "is_merchant": {
            "type": "boolean",
            "description": "Set to true to indicate that this identity is a merchant."
          }
        }
      },
      "CustomerDueDiligence": {
        "type": "object",
        "properties": {
          "aliases": {
            "type": "array",
            "items": {
              "type": "string"
            },
            "description": "A list of alternate names or aliases associated with the
Identity."
          },
          "estimated_net_worth": {
            "$ref": "#/components/schemas/CustomerDueDiligenceNetWorthRange"
          },
          "estimated_yearly_income": {
            "$ref": "#/components/schemas/CustomerDueDiligenceYearlyIncomeRange"
          },
          "expected_transfer_value": {
            "$ref": "#/components/schemas/CustomerDueDiligenceTransferValueRange"
          },
          "source_of_wealth": {
            "$ref": "#/components/schemas/WealthSource"
          },
          "source_of_funds": {
            "$ref": "#/components/schemas/FundsSource"
          },
          "purpose_of_account": {
            "$ref": "#/components/schemas/AccountPurpose"
          },
          "employment_status": {
            "$ref": "#/components/schemas/EmploymentStatus"
          },
          "employment_industry_sector": {
            "$ref": "#/components/schemas/InstitutionSubType"
          },
          "industry_sector": {
            "$ref": "#/components/schemas/InstitutionSubType"
          },
          "has_underlying_trust_structure": {
            "type": "boolean",
            "description": "Whether or not the institution tied to the Identity has an
underlying trust structure."
          },
          "has_nominee_shareholders": {
            "type": "boolean",
            "description": "Whether or not the institution tied to the Identity has nominee
```

Pretty-print


```
          },
          "created_at": {
            "type": "string",
            "format": "date-time",
            "title": "When the customer due diligence was created"
          },
          "is_publicly_traded": {
            "type": "boolean",
            "description": "`true` or `false` indicating whether or not the company is listed
on a public stock exchange."
          },
          "merchant_funding_source": {
            "$ref": "#/components/schemas/MerchantFundingSourceFundingSource"
          },
          "customer_regions": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/CustomerRegion"
            },
            "description": "Regions where the customer base is located."
          }
        }
      },
      "CustomerRegion": {
        "type": "string",
        "enum": [
          "US_CANADA",
          "MEXICO_CENTRAL_AMERICA",
          "SOUTH_AMERICA",
          "EUROPE",
          "ASIA",
          "AFRICA",
          "OCEANIA"
        ]
      },
      "DocumentDescription": {
        "type": "object",
        "properties": {
          "file_id": {
            "type": "string",
            "title": "The document id"
          },
          "name": {
            "type": "string",
            "title": "The file name"
          },
          "document_types": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/DocumentType"
            },
            "title": "The document types contained within the document"
          },
          "created_at": {
            "type": "string",
            "format": "date-time",
            "title": "When the document was created"
          },
          "archived_at": {
            "type": "string",
            "format": "date-time",
            "title": "When the document was archived"
          }
        }
```

Pretty-print


```
      "DocumentType": {
        "type": "string",
        "enum": [
          "OTHER_DOCUMENTS",
          "APPLICATION",
          "ORGANIZATIONAL_DOCUMENTS",
          "CERTIFICATE_OF_GOOD_STANDING",
          "TAX_IDENTIFICATION",
          "IDENTITY_VERIFICATION",
          "PROOF_OF_RESIDENCY",
          "PROOF_OF_FUNDS",
          "SAMPLE_INVOICE",
          "OPERATING_AGREEMENT",
          "TRUST_DOCUMENTS",
          "MONEY_SERVICE_DOCUMENTS",
          "INVESTMENT_DOCUMENTS",
          "CURP",
          "AML_DOCUMENTS",
          "FUND_STRUCTURE_CHART",
          "FUND_MANAGER_REGISTRATION",
          "MEMORANDUM_OF_ASSOCIATION",
          "ORGANIZATIONAL_CHART",
          "FOUNDATION_BY_LAWS",
          "APPOINTMENT_OF_GUARDIAN_EVIDENCE",
          "LEGAL_DOMICILE_OF_BENEFICIAL_OWNERS",
          "GOVERNING_BODY_MEMBER_NAMES"
        ]
      },
      "DocumentUploadResponse": {
        "type": "object",
        "properties": {
          "file_id": {
            "type": "string",
            "description": "The id assigned to the file."
          },
          "name": {
            "type": "string",
            "description": "The file name."
          },
          "upload_url": {
            "type": "string",
            "description": "The URI where we expect the file to be uploaded into."
          }
        }
      },
      "EmploymentStatus": {
        "type": "string",
        "enum": [
          "CONTRACTUAL",
          "FULL_TIME",
          "PART_TIME",
          "RETIRED",
          "SELF_EMPLOYED",
          "STUDENT",
          "UNEMPLOYED"
        ]
      },
      "FundsSource": {
        "type": "string",
        "enum": [
          "SALARY_DISBURSEMENT",
          "INHERITANCE_DISTRIBUTION",
          "INVESTMENT_RETURNS",
          "BUSINESS_DIVIDENDS_PROFITS",
```

Pretty-print


```
          "LOAN_DISBURSEMENT",
          "SAVINGS_ACCOUNT_WITHDRAWAL",
          "GOVERNMENT_BENEFITS"
        ]
      },
      "Identity": {
        "type": "object",
        "example": {
          "id": "f190b163-208f-4d73-8deb-4fb8b24add00",
          "summary_status": "PENDING"
        },
        "properties": {
          "id": {
            "type": "string",
            "title": "The id used for all other interactions with this account"
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "title": "API User-facing metadata"
          },
          "summary_status": {
            "$ref": "#/components/schemas/IdentityStatus"
          },
          "user_disabled": {
            "type": "boolean",
            "title": "true if the account has been disabled by the API user"
          },
          "admin_disabled": {
            "type": "boolean",
            "title": "true if the account has been disabled by a Paxos admin"
          },
          "person_details": {
            "$ref": "#/components/schemas/PersonDetails"
          },
          "type": {
            "$ref": "#/components/schemas/IdentityType"
          },
          "ref_id": {
            "type": "string",
            "description": "A user-facing ID to prevent duplicate account creation. Unique for
all accounts created by the same API user."
          },
          "institution_details": {
            "$ref": "#/components/schemas/InstitutionDetails"
          },
          "institution_members": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/InstitutionMember"
            },
            "title": "members associated with institution identity type"
          },
          "created_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time at which the identity is created at. RFC3339 format, like
`YYYY-MM-DDTHH:MM:SS.sssZ`. ex: `2006-01-02T15:04:05Z`."
          },
          "updated_at": {
            "type": "string",
            "format": "date-time",
```

Pretty-print


```
YYYY-MM-DDTHH:MM:SS.sssZ`. ex: `2006-01-02T15:04:05Z`."
          },
          "tax_details": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/TaxDetail"
            },
            "title": "tax payer details"
          },
          "tax_details_not_required": {
            "type": "boolean",
            "title": "whether or not tax_details are legally required"
          },
          "summary_tin_verification_status": {
            "$ref": "#/components/schemas/TINVerificationStatus"
          },
          "customer_due_diligence": {
            "$ref": "#/components/schemas/CustomerDueDiligence"
          },
          "is_merchant": {
            "type": "boolean",
            "description": "True if the identity is a merchant."
          },
          "last_kyc_refresh_date": {
            "type": "string",
            "format": "date-time",
            "description": "The last timestamp the identity has undergone a periodic kyc
refresh. RFC3339 format, like `YYYY-MM-DDTHH:MM:SS.sssZ`. ex: `2006-01-02T15:04:05Z`."
          }
        },
        "required": [
          "id"
        ]
      },
      "IdentityMailingAddress": {
        "type": "object",
        "properties": {
          "country": {
            "type": "string",
            "maxLength": 35,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]+$"
          },
          "address1": {
            "type": "string",
            "maxLength": 35,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]+$"
          },
          "address2": {
            "type": "string",
            "description": "To clear address2 (i.e. when updating an identity), set address2
to an empty string (\"\").",
            "maxLength": 35,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]+$"
          },
          "city": {
            "type": "string",
            "maxLength": 35,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]+$"
          },
          "province": {
            "type": "string",
            "maxLength": 35,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]+$"
          },
```

Pretty-print


```
            "type": "string",
            "maxLength": 35,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]+$"
          }
        },
        "description": "A mailing address.",
        "required": [
          "country",
          "address1",
          "city",
          "province"
        ]
      },
      "IdentityStatus": {
        "type": "string",
        "enum": [
          "PENDING",
          "ERROR",
          "APPROVED",
          "DENIED",
          "DISABLED"
        ],
        "title": ""
      },
      "IdentityType": {
        "type": "string",
        "enum": [
          "PERSON",
          "INSTITUTION"
        ]
      },
      "InstitutionCIPIDType": {
        "type": "string",
        "enum": [
          "EIN",
          "SSN",
          "ITIN",
          "REGISTRATION_NUMBER"
        ],
        "title": ""
      },
      "InstitutionDetails": {
        "type": "object",
        "properties": {
          "sanctions_verification_status": {
            "$ref": "#/components/schemas/IdentityStatus"
          },
          "name": {
            "type": "string",
            "title": "Allowed in create and update",
            "maxLength": 200,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]+$"
          },
          "business_address": {
            "$ref": "#/components/schemas/IdentityMailingAddress"
          },
          "phone_number": {
            "type": "string",
            "title": "Allowed in create and update"
          },
          "email": {
            "type": "string",
            "title": "Allowed in create and update"
          },
```

Pretty-print


```
            "$ref": "#/components/schemas/InstitutionType"
          },
          "institution_sub_type": {
            "$ref": "#/components/schemas/InstitutionSubType"
          },
          "cip_id": {
            "type": "string",
            "title": "Allowed in create and update\nSSN format: xxx-xx-xxxx\nITIN format: xxx-
xx-xxxx\nEIN format: xx-xxxxxxx",
            "maxLength": 200,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]+$"
          },
          "cip_id_type": {
            "$ref": "#/components/schemas/InstitutionCIPIDType"
          },
          "cip_id_country": {
            "type": "string",
            "description": "Allowed in create and update. Must be an ISO 3166-1 alpha 3 code."
          },
          "govt_registration_date": {
            "type": "string",
            "format": "date-time",
            "title": "date at which the institution is registered with govt"
          },
          "incorporation_address": {
            "$ref": "#/components/schemas/IdentityMailingAddress"
          },
          "regulation_status": {
            "$ref": "#/components/schemas/RegulationStatus"
          },
          "trading_type": {
            "$ref": "#/components/schemas/TradingType"
          },
          "listed_exchange": {
            "type": "string",
            "title": "exchange in which the institution is listed"
          },
          "ticker_symbol": {
            "type": "string",
            "description": "Ticker symbol of the institution if publicly traded or ticker
symbol of the parent institution."
          },
          "parent_institution_name": {
            "type": "string",
            "title": "name of the parent institution if the institution is a subsidiary of
parent institution"
          },
          "regulator_name": {
            "type": "string",
            "title": "name of the financial regulator"
          },
          "regulator_jurisdiction": {
            "type": "string",
            "title": "country or jurisdiction of financial regulator"
          },
          "regulator_register_number": {
            "type": "string",
            "title": "registrar number of regulator"
          },
          "document_verification_status": {
            "$ref": "#/components/schemas/IdentityStatus"
          },
          "additional_screening_status": {
            "$ref": "#/components/schemas/IdentityStatus"
```

Pretty-print


```
          "doing_business_as": {
            "type": "string",
            "title": "Allowed in create and update"
          },
          "business_description": {
            "type": "string",
            "title": "free text description of business"
          }
        }
      },
      "InstitutionMember": {
        "type": "object",
        "properties": {
          "identity_id": {
            "type": "string",
            "title": "The ID of the member identity"
          },
          "roles": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/InstitutionRoleType"
            },
            "title": "The type of membership this identity has in the institution"
          },
          "ownership": {
            "type": "string",
            "description": "Decimal number representing the percent ownership the identity has
in the company--  e.g. 5 represents 5% ownership."
          },
          "position": {
            "type": "string",
            "title": "The position the identity holds with the company"
          },
          "name": {
            "type": "string",
            "title": "Member's full name. Not writable from API"
          },
          "summary_status": {
            "$ref": "#/components/schemas/IdentityStatus"
          },
          "id": {
            "type": "string",
            "description": "Institution member ID. Note: This field is auto-generated.
Specifying an ID when creating an institution member is a client error."
          }
        }
      },
      "InstitutionRoleType": {
        "type": "string",
        "enum": [
          "BENEFICIAL_OWNER",
          "ACCOUNT_OPENER",
          "TRUSTEE",
          "AUTHORIZED_USER",
          "GRANTOR",
          "MANAGEMENT_CONTROL_PERSON",
          "BENEFICIARY"
        ],
        "title": ""
      },
      "InstitutionSubType": {
        "type": "string",
        "enum": [
          "INVESTMENT",
```

Pretty-print


```
          "MONEY_SERVICE_BUSINESS",
          "STO_ISSUER",
          "PRECIOUS_METALS",
          "NON_PROFIT",
          "REGISTERED_INVESTMENT_ADVISOR",
          "AGRICULTURE_FORESTRY_FISHING_HUNTING",
          "MINING",
          "UTILITIES",
          "CONSTRUCTION",
          "MANUFACTURING",
          "WHOLESALE_TRADE",
          "RETAIL_TRADE",
          "TRANSPORTATION_WAREHOUSING",
          "INFORMATION",
          "FINANCE_INSURANCE",
          "REAL_ESTATE_RENTAL_LEASING",
          "PROFESSIONAL_SCIENTIFIC_TECHNICAL_SERVICES",
          "MANAGEMENT_OF_COMPANIES_ENTERPRISES",
          "ADMINISTRATIVE_SUPPORT_WASTE_MANAGEMENT_REMEDIATION_SERVICES",
          "EDUCATIONAL_SERVICES",
          "HEALTH_CARE_SOCIAL_ASSISTANCE",
          "ARTS_ENTERTAINMENT_RECREATION",
          "ACCOMMODATION_FOOD_SERVICES",
          "OTHER_SERVICES",
          "PUBLIC_ADMINISTRATION",
          "NOT_CLASSIFIED",
          "ADULT_ENTERTAINMENT",
          "AUCTIONS",
          "AUTOMOBILES",
          "BLOCKCHAIN",
          "CRYPTO",
          "DRUGS",
          "EXPORT_IMPORT",
          "E_COMMERCE",
          "FINANCIAL_INSTITUTION",
          "GAMBLING",
          "INSURANCE",
          "MARKET_MAKER",
          "SHELL_BANK",
          "TRAVEL_TRANSPORT",
          "WEAPONS"
        ],
        "title": ""
      },
      "InstitutionType": {
        "type": "string",
        "enum": [
          "TRUST",
          "CORPORATION",
          "LLC",
          "PARTNERSHIP"
        ],
        "title": ""
      },
      "ListIdentitiesResponse": {
        "type": "object",
        "properties": {
          "next_page_cursor": {
            "type": "string",
            "description": "Cursor token required for fetching the next page."
          },
          "items": {
            "type": "array",
            "items": {
```

Pretty-print


```
            },
            "description": "The result list of identities."
          }
        }
      },
      "ListIdentityDocumentsResponse": {
        "type": "object",
        "properties": {
          "documents": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/DocumentDescription"
            },
            "title": "A list of documents"
          },
          "pending_documents": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/DocumentType"
            },
            "title": "The document types that are mandatory for the identity but are missing"
          }
        }
      },
      "PassthroughVerifierType": {
        "type": "string",
        "enum": [
          "JUMIO",
          "ALLOY",
          "LEXISNEXIS",
          "MITEK",
          "SUMSUB",
          "MICROBILT",
          "ONFIDO",
          "CUSTOMER",
          "EQUIFAX",
          "ID3_AUTHENTICATE",
          "FIS",
          "PROVE",
          "PERSONA",
          "PLAID",
          "DOTFILE",
          "AIPRISE"
        ]
      },
      "PersonDetails": {
        "type": "object",
        "properties": {
          "id_verification_status": {
            "$ref": "#/components/schemas/IdentityStatus"
          },
          "sanctions_verification_status": {
            "$ref": "#/components/schemas/IdentityStatus"
          },
          "first_name": {
            "type": "string",
            "title": "Allowed in create and update",
            "maxLength": 200,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]+$"
          },
          "last_name": {
            "type": "string",
            "title": "Allowed in create and update",
            "maxLength": 200,
```

Pretty-print


```
          },
          "date_of_birth": {
            "type": "string",
            "title": "Allowed in create and update",
            "pattern": "^[0-9]{4}-[0-9]{2}-[0-9]{2}$"
          },
          "govt_id": {
            "type": "string",
            "title": "DEPRECATED: use cip_id instead",
            "maxLength": 200,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]+$"
          },
          "address": {
            "$ref": "#/components/schemas/IdentityMailingAddress"
          },
          "phone_number": {
            "type": "string",
            "title": "Allowed in create and update"
          },
          "email": {
            "type": "string",
            "title": "Allowed in create and update"
          },
          "nationality": {
            "type": "string",
            "description": "Allowed in create and update. Must be an ISO 3166-1 alpha 3
code.",
            "pattern": "^[A-Z]{3}$"
          },
          "verifier_id": {
            "type": "string",
            "description": "Allowed in create and update. The id used by the external
verifier."
          },
          "verifier_type": {
            "$ref": "#/components/schemas/identityprotoVerifierType"
          },
          "id_verification_url": {
            "type": "string",
            "title": "Conditionally contains a url for ID verification"
          },
          "passthrough_verifier_type": {
            "$ref": "#/components/schemas/PassthroughVerifierType"
          },
          "passthrough_verified_at": {
            "type": "string",
            "format": "date-time",
            "title": "When PASSTHROUGH verifier is used, this specifies the time that ID
verification was completed"
          },
          "govt_id_type": {
            "$ref": "#/components/schemas/PersonDetailsCIPIDType"
          },
          "cip_id": {
            "type": "string",
            "title": "SSN or TIN, unique for each Identity object. Allowed in create and
update\nSSN format: xxx-xx-xxxx\nITIN format: xxx-xx-xxxx\nEIN format: xx-xxxxxxx",
            "maxLength": 200,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]+$"
          },
          "cip_id_type": {
            "$ref": "#/components/schemas/PersonDetailsCIPIDType"
          },
          "cip_id_country": {
```

Pretty-print


```
            "description": "Allowed in create and update. Must be an ISO 3166-1 alpha 3 code."
          },
          "additional_screening_status": {
            "$ref": "#/components/schemas/IdentityStatus"
          },
          "profession": {
            "type": "string",
            "description": "Allowed in create and update."
          },
          "middle_name": {
            "type": "string",
            "title": "Allowed in create and update",
            "maxLength": 200
          },
          "country_of_birth": {
            "type": "string",
            "description": "Allowed in create and update."
          },
          "passthrough_verification_id": {
            "type": "string",
            "description": "Unique identifier for the underlying person's ID verification
record."
          },
          "passthrough_verification_status": {
            "$ref": "#/components/schemas/IdentityStatus"
          },
          "passthrough_verification_fields": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/PassthroughVerificationField"
            },
            "description": "List of verification fields used by the external verifier to
validate the person's identity."
          }
        }
      },
      "RegulationStatus": {
        "type": "string",
        "enum": [
          "US_REGULATED",
          "INTL_REGULATED",
          "NON_REGULATED"
        ]
      },
      "TINVerificationStatus": {
        "type": "string",
        "enum": [
          "TIN_VERIFICATION_PENDING",
          "TIN_VERIFICATION_ERROR",
          "TIN_VERIFICATION_VALID"
        ],
        "description": "The TIN verification status for the associated `tax_payer_id`."
      },
      "TaxDetail": {
        "type": "object",
        "properties": {
          "tax_payer_id": {
            "type": "string",
            "title": "For U.S. citizens it is the SSN, TIN or EIN. For Brazil citizens, it is
the CPF. Allowed in create and update",
            "maxLength": 35,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]+$"
          },
          "tax_payer_country": {
```

Pretty-print


```
          "title": "Allowed in create and update. Must be an ISO 3166-1 alpha 3 code"
        },
        "tin_verification_status": {
          "$ref": "#/components/schemas/TINVerificationStatus"
        }
      }
    },
    "TradingType": {
      "type": "string",
      "enum": [
        "PRIVATE",
        "PUBLIC",
        "PUBLICLY_TRADED_SUBSIDIARY"
      ]
    },
    "WealthSource": {
      "type": "string",
      "enum": [
        "INHERITANCE",
        "INVESTMENT_GAINS",
        "BUSINESS_OWNERSHIP_DIVIDENDS",
        "EMPLOYMENT_INCOME",
        "REAL_ESTATE",
        "OTHER_SOURCE_OF_WEALTH"
      ]
    },
    "AddInstitutionMembersRequest": {
      "type": "object",
      "properties": {
        "institution_id": {
          "type": "string",
          "description": "ID of institution identity to which members will be added."
        },
        "members": {
          "type": "array",
          "items": {
            "$ref": "#/components/schemas/InstitutionMember"
          },
          "description": "A non-empty array of institution members to be added."
        }
      },
      "required": [
        "institution_id",
        "members"
      ]
    },
    "AddInstitutionMembersResponse": {
      "type": "object",
      "properties": {
        "institution_id": {
          "type": "string",
          "description": "ID of institution identity to which members were added."
        },
        "members": {
          "type": "array",
          "items": {
            "$ref": "#/components/schemas/InstitutionMember"
          },
          "description": "List of institution members that were added to the institution."
        }
      }
    },
    "DeleteInstitutionMemberResponse": {
      "type": "object"
```

Pretty-print


```
      "AccountAccountType": {
        "type": "string",
        "enum": [
          "BROKERAGE",
          "TRADITIONAL_IRA",
          "ROTH_IRA",
          "SEP_IRA",
          "FINANCIAL_ADVISOR"
        ]
      },
      "AccountMemberAccountRoleType": {
        "type": "string",
        "enum": [
          "BENEFICIAL_OWNER",
          "AUTHORIZED_USER",
          "FINANCIAL_ADVISOR"
        ]
      },
      "Account": {
        "type": "object",
        "properties": {
          "id": {
            "type": "string",
            "description": "The id used for all other interactions with this account."
          },
          "identity_id": {
            "type": "string",
            "description": "The primary identity associated with the account."
          },
          "description": {
            "type": "string",
            "description": "A free-text description of the account."
          },
          "admin_disabled": {
            "type": "boolean",
            "description": "true if the account has been disabled by a Paxos admin."
          },
          "user_disabled": {
            "type": "boolean",
            "description": "true if the account has been disabled by the API user."
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "API User-facing metadata."
          },
          "ref_id": {
            "type": "string",
            "description": "A user-facing ID to prevent duplicate account creation. Unique for
all accounts created by the same API user."
          },
          "members": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/AccountMember"
            },
            "description": "Additional Identities with varying types of access to this
account."
          },
          "created_at": {
            "type": "string",
            "format": "date-time",
```

Pretty-print


```
          },
          "summary_status": {
            "$ref": "#/components/schemas/IdentityStatus"
          },
          "updated_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time this account was updated."
          },
          "profile_id": {
            "type": "string",
            "description": "The ID of the profile created for the account when
`create_profile=true`.\nThe [Profile](#tag/Profiles) type is `NORMAL`.\nThe field is omitted
when the account has no associated [Profile](#tag/Profiles)."
          },
          "type": {
            "$ref": "#/components/schemas/AccountAccountType"
          }
        }
      },
      "AccountMember": {
        "type": "object",
        "properties": {
          "identity_id": {
            "type": "string"
          },
          "type": {
            "$ref": "#/components/schemas/AccountMemberAccountRoleType"
          },
          "roles": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/AccountMemberAccountRoleType"
            }
          },
          "id": {
            "type": "string",
            "description": "Account member ID. Note: This field is auto-generated. Specifying
an ID when creating an account member is a client error."
          }
        }
      },
      "CreateAccountRequest": {
        "type": "object",
        "properties": {
          "account": {
            "$ref": "#/components/schemas/Account"
          },
          "create_profile": {
            "type": "boolean",
            "description": "Create a new profile for this account.\nSet to `true` to track
user balances at the Profile level for this account.\nSee also [Profiles](#tag/Profiles)."
          }
        },
        "required": [
          "account"
        ],
        "example": {
          "account": {
            "identity_id": "82c338f4-3cb7-4d9b-be2a-4b077c82ee3a",
            "ref_id": "fec36070-4c23-48ac-9ee1-df338b8233fc",
            "description": "Individual account for John Doe",
            "metadata": {
              "custom_field": "custom_value"
```

Pretty-print


```
          }
        }
      },
      "ListAccountsRequestOrderBy": {
        "type": "string",
        "enum": [
          "CREATED_AT"
        ]
      },
      "ListAccountsResponse": {
        "type": "object",
        "properties": {
          "next_page_cursor": {
            "type": "string",
            "description": "Cursor token required for fetching the next page."
          },
          "items": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/Account"
            },
            "description": "The result list of accounts."
          }
        }
      },
      "UpdateAccountRequest": {
        "type": "object",
        "properties": {
          "account": {
            "$ref": "#/components/schemas/Account"
          },
          "set_user_disabled": {
            "type": "boolean",
            "description": "true if the account is required to be disabled by the API user."
          }
        },
        "required": [
          "account"
        ]
      },
      "AddAccountMembersRequest": {
        "type": "object",
        "properties": {
          "account_id": {
            "type": "string",
            "description": "ID of account to which members will be added."
          },
          "members": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/AccountMember"
            },
            "description": "A non-empty array of account members to be added."
          }
        },
        "required": [
          "account_id",
          "members"
        ]
      },
      "AddAccountMembersResponse": {
        "type": "object",
        "properties": {
          "account_id": {
```

Pretty-print


```
          "description": "ID of account to which members were added."
        },
        "members": {
          "type": "array",
          "items": {
            "$ref": "#/components/schemas/AccountMember"
          },
          "description": "List of account members that were added to the account."
        }
      }
    },
    "DeleteAccountMemberResponse": {
      "type": "object"
    },
    "IdentitySandboxSandboxSetIdentityStatusBody": {
      "type": "object",
      "example": {
        "id": "f190b163-208f-4d73-8deb-4fb8b24add00",
        "id_verification_status": "APPROVED",
        "sanctions_verification_status": "APPROVED"
      },
      "properties": {
        "id_verification_status": {
          "$ref": "#/components/schemas/IdentityStatus"
        },
        "sanctions_verification_status": {
          "$ref": "#/components/schemas/IdentityStatus"
        },
        "user_disabled": {
          "$ref": "#/components/schemas/SetDisable"
        },
        "admin_disabled": {
          "$ref": "#/components/schemas/SetDisable"
        },
        "document_verification_status": {
          "$ref": "#/components/schemas/IdentityStatus"
        },
        "additional_screening_status": {
          "$ref": "#/components/schemas/IdentityStatus"
        }
      },
      "title": "SandboxSetIdentityStatusRequest"
    },
    "SandboxSetIdentityResponse": {
      "type": "object"
    },
    "SetDisable": {
      "type": "object",
      "properties": {
        "disabled": {
          "type": "boolean"
        }
      }
    },
    "ExchangePublicCreateIssuerQuoteExecutionBody": {
      "type": "object",
      "properties": {
        "profile_id": {
          "type": "string",
          "description": "The profile ID under which to execute this order."
        }
      },
      "required": [
        "profile_id"
```

Pretty-print


```
      },
      "ExchangePublicCreateOrderBody": {
        "type": "object",
        "example": {
          "side": "BUY",
          "market": "ETHUSD",
          "type": "LIMIT",
          "price": "190.23",
          "base_amount": "2.35781498",
          "metadata": {
            "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339"
          }
        },
        "properties": {
          "ref_id": {
            "type": "string",
            "description": "The idempotence ID for order creation. Can be reused if the order
has been closed for more than 24 hours."
          },
          "side": {
            "$ref": "#/components/schemas/OrderSide"
          },
          "market": {
            "$ref": "#/components/schemas/Market"
          },
          "type": {
            "$ref": "#/components/schemas/OrderType"
          },
          "base_amount": {
            "type": "string",
            "description": "The base currency amount for any limit order or the exact amount
to sell for a market sell order.",
            "pattern": "^[0-9]*\\.?[0-9]+$"
          },
          "price": {
            "type": "string",
            "description": "The quote price."
          },
          "quote_amount": {
            "type": "string",
            "description": "The quote currency amount of purchase for a market buy order.",
            "pattern": "^[0-9]*\\.?[0-9]+$"
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Metadata to store on the quote and created order.\nUp to 6
key/value pairs may be stored, with each key and value at most 100 characters."
          },
          "await_fill_millis": {
            "type": "integer",
            "format": "int64",
            "description": "The amount of time to wait for the order to fill, in
milliseconds.\nWhen `await_fill_millis` is set to a non-zero value, the Create Order call does
not return immediately on order creation. Instead, the call blocks until either:\n  1. The
order has filled completely\n  2. The time `await_fill_millis` has elapsed\nThe maximum wait
timeout is 10 seconds (10000 milliseconds).",
            "maximum": 10000
          },
          "time_in_force": {
            "$ref": "#/components/schemas/TimeInForce"
          },
```

Pretty-print


```
            "type": "string",
            "format": "uint64",
            "description": "The date the order will expire if not completed when specified
time in force is GTT.\nFormat is a unix timestamp in milliseconds (13-digits) UTC (total
milliseconds that have elapsed since January 1st, 1970 UTC)."
          },
          "identity_id": {
            "type": "string",
            "description": "The end user that requests the trade. This field must be used in
conjunction with `identity_account_id`, otherwise the order is rejected. Depending on your
integration type, `identity_id` and `identity_account_id` may be required."
          },
          "identity_account_id": {
            "type": "string",
            "description": "The account under which this order is placed. The provided
identity must be allowed to trade on behalf of this account. This field must be used in
conjunction with `identity_id`, otherwise the order is rejected. Depending on your integration
type, `identity_account_id` and `identity_id` may be required."
          },
          "stop_price": {
            "type": "string",
            "title": "The stop price at which a stop order will trigger"
          },
          "recipient_profile_id": {
            "type": "string",
            "description": "The profileId that will receive settled currency (base for buy
orders, quote for sell orders)."
          },
          "self_match_prevention_id": {
            "type": "string",
            "description": "The string field used to prevent matching against an opposite side
order submitted by the same Crypto Brokerage customer. If this field is not submitted, an
order that matches against another order submitted by the same customer will cancel the
original resting order. Up to 36 characters are supported.\nThis field requires additional
permissions only available to certain accounts. Reach out to your Paxos Representative for
more information."
          }
        },
        "title": "Create Order Request",
        "required": [
          "side",
          "market",
          "type"
        ]
      },
      "ExchangePublicCreateQuoteExecutionBody": {
        "type": "object",
        "example": {
          "quote_id": "366a26d2-3098-4226-a520-4bb43ae4d922",
          "quote_amount": "14102.82",
          "metadata": {
            "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339"
          }
        },
        "properties": {
          "quote_id": {
            "type": "string",
            "description": "The ID of the held Quote for buying or selling some asset."
          },
          "ref_id": {
            "type": "string",
            "description": "A unique identifier for the quote execution (for idempotence)."
          },
          "base_amount": {
```

Pretty-print


```
            "description": "The amount of the base asset (crypto) to buy or sell using the
specified quote. The maximum precision is 8 decimals.",
            "pattern": "^[0-9]*\\.?[0-9]+$"
          },
          "quote_amount": {
            "type": "string",
            "description": "The amount of the quote asset (fiat) to spend or acquire using the
specified quote. The maximum precision is 2 decimals.",
            "pattern": "^[0-9]*\\.?[0-9]+$"
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Metadata to store on the quote execution.\nUp to 6 key/value pairs
may be stored, with each key and value at most 100 characters."
          },
          "identity_id": {
            "type": "string",
            "description": "The end user that requests the quote execution."
          },
          "account_id": {
            "type": "string",
            "description": "The account under which this quote execution is placed. The
provided identity must be allowed to trade on behalf of this account."
          },
          "recipient_profile_id": {
            "type": "string",
            "description": "The ID of the profile under which to deposit the funds."
          }
        },
        "title": "Create Quote Execution Request",
        "required": [
          "quote_id"
        ]
      },
      "PricePriceMarket": {
        "type": "string",
        "enum": [
          "ETHUSD",
          "BTCUSD",
          "PAXGUSD",
          "BCHUSD",
          "LTCUSD",
          "USDPUSD",
          "LINKUSD",
          "MATICUSD",
          "AAVEUSD",
          "UNIUSD"
        ],
        "description": "",
        "title": "Market"
      },
      "apiHttpBody": {
        "type": "object",
        "properties": {
          "content_type": {
            "type": "string",
            "description": "The HTTP Content-Type header value specifying the content type of
the body."
          },
          "data": {
            "type": "string",
```

Pretty-print


```
            "description": "The HTTP request/response body as raw binary."
          },
          "extensions": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/bufAny"
            },
            "description": "Application specific response metadata. Must be set in the first
response\nfor streaming APIs."
          }
        },
        "description": "Message that represents an arbitrary HTTP body. It should only be used
for\npayload formats that can't be represented as JSON, such as raw binary or\nan HTML
page.\n\n\nThis message can be used both in streaming and non-streaming API methods in\nthe
request as well as the response.\n\nIt can be used as a top-level request field, which is
convenient if one\nwants to extract parameters from either the URL or HTTP template into
the\nrequest fields and also want access to the raw HTTP body.\n\nExample:\n\n    message
GetResourceRequest {\n      // A unique request id.\n      string request_id = 1;\n\n      //
The raw HTTP body is bound to this field.\n      google.api.HttpBody http_body = 2;\n\n
}\n\n    service ResourceService {\n      rpc GetResource(GetResourceRequest)\n        returns
(google.api.HttpBody);\n      rpc UpdateResource(google.api.HttpBody)\n        returns
(google.protobuf.Empty);\n\n    }\n\nExample with streaming methods:\n\n    service
CaldavService {\n      rpc GetCalendar(stream google.api.HttpBody)\n        returns (stream
google.api.HttpBody);\n      rpc UpdateCalendar(stream google.api.HttpBody)\n        returns
(stream google.api.HttpBody);\n\n    }\n\nUse of this type only changes how the request and
response bodies are\nhandled, all other features will continue to work unchanged."
      },
      "BookLevel": {
        "type": "object",
        "properties": {
          "price": {
            "type": "string",
            "description": "Price at level."
          },
          "amount": {
            "type": "string",
            "description": "Amount of orders at pricing level."
          }
        }
      },
      "CancelOrderResponse": {
        "type": "object"
      },
      "CreateIssuerQuoteExecutionResponse": {
        "type": "object",
        "properties": {
          "id": {
            "type": "string",
            "description": "The UUID of the issuer quote execution."
          }
        },
        "required": [
          "id"
        ]
      },
      "CreateIssuerQuoteRequest": {
        "type": "object",
        "properties": {
          "profile_id": {
            "type": "string",
            "description": "The profile ID under which to execute this order."
          },
          "market": {
            "type": "string",
```

Pretty-print


```
supported."
          },
          "side": {
            "$ref": "#/components/schemas/OrderSide"
          },
          "base_amount": {
            "type": "string",
            "description": "The amount of assets (crypto) to mint or redeem."
          }
        },
        "required": [
          "profile_id",
          "market",
          "side",
          "base_amount"
        ]
      },
      "CreateIssuerQuoteResponse": {
        "type": "object",
        "properties": {
          "quote_id": {
            "type": "string",
            "description": "The ID of the held issuer quote for buying or selling an asset."
          },
          "market": {
            "type": "string",
            "description": "Trading pair for the issuer quote."
          },
          "side": {
            "$ref": "#/components/schemas/OrderSide"
          },
          "quantity": {
            "type": "string",
            "description": "Amount of asset (crypto) in the issuer quote."
          },
          "price": {
            "type": "string",
            "description": "Cost per unit of the asset."
          },
          "fee": {
            "type": "string",
            "description": "Fee to pay for the transaction."
          },
          "quote_amount": {
            "type": "string",
            "description": "Amount of fiat to spend or acquire using the issuer quote,
excluding fees."
          },
          "expires_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time at which the issuer quote expires."
          }
        },
        "required": [
          "quote_id",
          "market",
          "side",
          "quantity",
          "price",
          "fee",
          "quote_amount",
          "expires_at"
        ]
```

Pretty-print


```
      "ExchangeStats": {
        "type": "object",
        "properties": {
          "high": {
            "type": "string",
            "description": "Highest price in range."
          },
          "low": {
            "type": "string",
            "description": "Lowest price in range."
          },
          "open": {
            "type": "string",
            "description": "First price in range."
          },
          "volume": {
            "type": "string",
            "title": "Total Volume in Time Period"
          },
          "volume_weighted_average_price": {
            "type": "string",
            "description": "Volume-Weighted Average Price over Time Period."
          },
          "range": {
            "$ref": "#/components/schemas/TimestampRange"
          }
        }
      },
      "Execution": {
        "type": "object",
        "properties": {
          "execution_id": {
            "type": "string",
            "format": "uint64",
            "title": "Unique Execution id"
          },
          "order_id": {
            "type": "string",
            "description": "The UUID of the order associated with the execution."
          },
          "executed_at": {
            "type": "string",
            "format": "date-time",
            "description": "Timestamp of the execution."
          },
          "market": {
            "$ref": "#/components/schemas/Market"
          },
          "side": {
            "$ref": "#/components/schemas/OrderSide"
          },
          "amount": {
            "type": "string",
            "description": "Execution amount."
          },
          "price": {
            "type": "string",
            "description": "Execution price."
          },
          "commission": {
            "type": "string",
            "description": "Amount of commission paid."
          },
          "commission_asset": {
```

Pretty-print


```
            "description": "Currency of commission payment. Fiat Only (USD, EUR, SGD)."
          },
          "rebate": {
            "type": "string",
            "description": "Amount of rebate applied."
          },
          "rebate_asset": {
            "type": "string",
            "description": "Currency of the rebate. Fiat Only (USD, EUR, SGD)."
          },
          "account_id": {
            "type": "string",
            "description": "Account ID associated with the execution."
          },
          "gross_trade_amount": {
            "type": "string",
            "description": "The total asset traded (asset amount multiplied by price paid)."
          }
        }
      },
      "HistoricalPrice": {
        "type": "object",
        "properties": {
          "average_price": {
            "type": "string",
            "description": "Time-weighted average price over the specified time period,
beginning at the defined timestamp.\nFor example, if `increment` is set to `ONE_HOUR`, then
`average_price` is the time-weighted average for an hour.\nThe entire time period must be
completed to display results."
          },
          "timestamp": {
            "type": "string",
            "format": "date-time",
            "description": "Timestamp at the beginning of an increment."
          }
        }
      },
      "Increment": {
        "type": "string",
        "enum": [
          "ONE_MINUTE",
          "FIVE_MINUTES",
          "FIFTEEN_MINUTES",
          "THIRTY_MINUTES",
          "ONE_HOUR",
          "TWO_HOURS",
          "TWELVE_HOURS",
          "ONE_DAY",
          "ONE_WEEK",
          "TWO_WEEKS",
          "FOUR_WEEKS"
        ]
      },
      "IssuerQuoteExecution": {
        "type": "object",
        "properties": {
          "id": {
            "type": "string",
            "description": "The UUID of the issuer quote execution."
          },
          "created_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time at which the issuer quote execution was created."
```

Pretty-print


```
          "asset_type": {
            "type": "string",
            "description": "The crypto asset bought or sold with the issuer quote execution."
          },
          "principal": {
            "type": "string",
            "description": "The notional amount of the issuer quote execution."
          },
          "fee": {
            "type": "string",
            "description": "The fee charged for the issuer quote execution."
          },
          "status": {
            "$ref": "#/components/schemas/IssuerQuoteExecutionStatus"
          },
          "ref_id": {
            "type": "string",
            "description": "A unique identifier for the quote execution (for idempotence)."
          },
          "token_fee": {
            "type": "string",
            "description": "The creation or destruction fee, denominated in crypto units."
          },
          "token_price": {
            "type": "string",
            "description": "The price of the crypto asset at the time of the transaction."
          },
          "token_principal": {
            "type": "string",
            "description": "The net amount of the crypto asset received. Can be negative."
          },
          "profile_id": {
            "type": "string",
            "description": "The profile ID under which the issuer quote is executed."
          }
        },
        "required": [
          "id",
          "created_at",
          "asset_type",
          "principal",
          "fee",
          "status",
          "token_fee",
          "token_price",
          "token_principal",
          "profile_id"
        ]
      },
      "IssuerQuoteExecutionStatus": {
        "type": "string",
        "enum": [
          "PENDING",
          "COMPLETE",
          "FAILED"
        ]
      },
      "ListExecutionsResponse": {
        "type": "object",
        "properties": {
          "items": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/Execution"
```

Pretty-print


```
          },
          "next_page_cursor": {
            "type": "string",
            "description": "Cursor token required for fetching the next page."
          }
        }
      },
      "ListHistoricalPricesResponse": {
        "type": "object",
        "properties": {
          "total_count": {
            "type": "integer",
            "format": "int32"
          },
          "items": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/HistoricalPrice"
            },
            "description": "List of historical prices."
          }
        }
      },
      "ListIssuerQuoteExecutionsRequestStatus": {
        "type": "string",
        "enum": [
          "PENDING",
          "COMPLETE",
          "FAILED"
        ]
      },
      "ListIssuerQuoteExecutionsResponse": {
        "type": "object",
        "properties": {
          "issuer_quote_executions": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/IssuerQuoteExecution"
            }
          },
          "next_page_cursor": {
            "type": "string"
          }
        }
      },
      "ListMarketsResponse": {
        "type": "object",
        "properties": {
          "markets": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/MarketDetails"
            }
          }
        }
      },
      "ListOrdersResponse": {
        "type": "object",
        "properties": {
          "items": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/Order"
            }
```

Pretty-print


```
          "next_page_cursor": {
            "type": "string",
            "description": "Cursor token required for fetching the next page."
          }
        }
      },
      "ListPricesResponse": {
        "type": "object",
        "properties": {
          "items": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/Pricing"
            }
          }
        }
      },
      "ListQuoteExecutionsResponse": {
        "type": "object",
        "properties": {
          "total_count": {
            "type": "integer",
            "format": "int32"
          },
          "items": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/QuoteExecution"
            }
          },
          "next_page_cursor": {
            "type": "string",
            "description": "Cursor token required for fetching the next page."
          }
        }
      },
      "ListQuotesResponse": {
        "type": "object",
        "properties": {
          "items": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/Quote"
            }
          }
        }
      },
      "ListRecentExecutionsResponse": {
        "type": "object",
        "properties": {
          "items": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/RecentExecution"
            },
            "description": "Recent Executions."
          }
        }
      },
      "ListTickersResponse": {
        "type": "object",
        "properties": {
          "tickers": {
            "type": "array",
```

Pretty-print


```
            "$ref": "#/components/schemas/TickerRecord"
          }
        }
      }
    },
    "Market": {
      "type": "string",
      "enum": [
        "ETHEUR",
        "ETHSGD",
        "ETHUSD",
        "BTCEUR",
        "BTCSGD",
        "BTCUSD",
        "PAXGUSD",
        "BCHUSD",
        "LTCUSD",
        "USDPUSD",
        "LINKUSD",
        "MATICUSD",
        "AAVEUSD",
        "UNIUSD"
      ],
      "title": ""
    },
    "MarketDetails": {
      "type": "object",
      "properties": {
        "market": {
          "$ref": "#/components/schemas/Market"
        },
        "base_asset": {
          "type": "string",
          "title": "Base asset. Crypto Only (BTC, ETH, PAXG)"
        },
        "quote_asset": {
          "type": "string",
          "description": "Quote asset. Fiat Only (USD, EUR, SGD)."
        },
        "tick_rate": {
          "type": "string",
          "title": "Tick rate for market"
        }
      }
    },
    "Order": {
      "type": "object",
      "properties": {
        "id": {
          "type": "string",
          "description": "The UUID of the order."
        },
        "profile_id": {
          "type": "string",
          "description": "The profile ID the order is associated with."
        },
        "ref_id": {
          "type": "string",
          "description": "The idempotence ID for order creation. Can be reused if the order
has been closed for more than 24 hours."
        },
        "status": {
          "$ref": "#/components/schemas/OrderStatus"
        },
```

Pretty-print


```
            "$ref": "#/components/schemas/OrderSide"
          },
          "market": {
            "$ref": "#/components/schemas/Market"
          },
          "type": {
            "$ref": "#/components/schemas/OrderType"
          },
          "base_amount": {
            "type": "string",
            "description": "The base amount or purchase amount for a market sell order."
          },
          "price": {
            "type": "string",
            "description": "The quote price."
          },
          "quote_amount": {
            "type": "string",
            "description": "The quote amount of purchase for a market buy order."
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Client-specified metadata."
          },
          "created_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time at which the order was created."
          },
          "modified_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time at which the order was last modified."
          },
          "amount_filled": {
            "type": "string",
            "description": "The amount that was filled."
          },
          "volume_weighted_average_price": {
            "type": "string",
            "description": "The volume-weighted average price."
          },
          "time_in_force": {
            "$ref": "#/components/schemas/TimeInForce"
          },
          "expiration_date": {
            "type": "string",
            "format": "date-time",
            "description": "The date the order will expire if not completed when specified
time in force is GTT."
          },
          "identity_id": {
            "type": "string",
            "description": "The end user that requests the trade. This field must be used in
conjunction with `identity_account_id`, otherwise the order is rejected. Depending on your
integration type, `identity_id` and `identity_account_id` may be required."
          },
          "identity_account_id": {
            "type": "string",
            "description": "The account under which this order is placed. The provided
identity must be allowed to trade on behalf of this account. This field must be used in
```

Pretty-print


```
type, "identity_account_id" and "identity_id" may be required."
          },
          "stop_price": {
            "type": "string",
            "title": "The stop price for a stop order"
          },
          "recipient_profile_id": {
            "type": "string",
            "description": "The profileId that will receive settled currency (base for buy
orders, quote for sell orders)."
          },
          "is_triggered": {
            "type": "boolean",
            "description": "Returns `true` when a stop order has been triggered."
          }
        }
      },
      "OrderBy": {
        "type": "string",
        "enum": [
          "CREATED_AT"
        ]
      },
      "OrderSide": {
        "type": "string",
        "enum": [
          "BUY",
          "SELL"
        ],
        "description": "Trade side."
      },
      "OrderStatus": {
        "type": "string",
        "enum": [
          "PENDING_SUBMISSION",
          "SUBMITTED",
          "OPEN",
          "FILLED",
          "CANCELLED",
          "REJECTED"
        ]
      },
      "OrderType": {
        "type": "string",
        "enum": [
          "LIMIT",
          "MARKET",
          "POST_ONLY_LIMIT",
          "STOP_MARKET",
          "STOP_LIMIT"
        ],
        "description": "Trade type."
      },
      "Pagination": {
        "type": "object",
        "properties": {
          "limit": {
            "type": "integer",
            "format": "int32",
            "title": "Number of results to return"
          },
          "offset": {
            "type": "integer",
            "format": "int32",
```

Pretty-print


```
          }
        }
      },
      "Pricing": {
        "type": "object",
        "properties": {
          "market": {
            "$ref": "#/components/schemas/PricePriceMarket"
          },
          "current_price": {
            "type": "string",
            "description": "The current price for the given market."
          },
          "yesterday_price": {
            "type": "string",
            "description": "The one-minute average price from 24 hours ago. Updates once per
minute."
          },
          "snapshot_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time when the price was generated. RFC3339 format, like `2023-
01-03T18:27:40.294528Z`."
          }
        }
      },
      "Quote": {
        "type": "object",
        "example": {
          "id": "366a26d2-3098-4226-a520-4bb43ae4d922",
          "market": "BTCUSD",
          "side": "BUY",
          "price": "6001.2",
          "base_asset": "BTC",
          "quote_asset": "USD",
          "created_at": "2020-01-17T18:36:08Z",
          "expires_at": "2020-01-17T18:36:38Z"
        },
        "properties": {
          "id": {
            "type": "string",
            "description": "The UUID of the quote."
          },
          "market": {
            "$ref": "#/components/schemas/Market"
          },
          "side": {
            "$ref": "#/components/schemas/OrderSide"
          },
          "price": {
            "type": "string",
            "description": "The guaranteed price, held until expires_at."
          },
          "base_asset": {
            "type": "string",
            "description": "The \"base\" side of the trading pair (crypto - like BTC, ETH,
PAXG)."
          },
          "quote_asset": {
            "type": "string",
            "description": "The \"quote\" side of the trading pair (fiat - like USD, EUR,
SGD)."
          },
          "created_at": {
```

Pretty-print


```
            "format": "date-time",
            "description": "The time at which the quote was first offered."
          },
          "expires_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time at which the quote expires."
          }
        },
        "description": "A Quote is a guaranteed price to buy or sell on a particular market
for a\nlimited period of time (a \"held rate\").",
        "required": [
          "id",
          "market",
          "side",
          "price",
          "base_asset",
          "quote_asset",
          "created_at",
          "expires_at"
        ]
      },
      "QuoteExecution": {
        "type": "object",
        "example": {
          "id": "43a59965-be3a-45ab-841d-c55386e0ff90",
          "profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
          "quote_id": "366a26d2-3098-4226-a520-4bb43ae4d922",
          "status": "SETTLED",
          "market": "BTCUSD",
          "side": "BUY",
          "price": "6001.2",
          "base_amount": "2.35",
          "base_asset": "BTC",
          "quote_amount": "14102.82",
          "quote_asset": "USD",
          "created_at": "2020-01-17T18:36:31.345Z",
          "settled_at": "2020-01-17T18:36:32.123Z",
          "metadata": {
            "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339"
          }
        },
        "properties": {
          "id": {
            "type": "string",
            "description": "The UUID of the quote execution."
          },
          "profile_id": {
            "type": "string",
            "description": "The ID of the profile under which this order executed."
          },
          "quote_id": {
            "type": "string",
            "description": "The ID of the quote used to create this quote execution."
          },
          "ref_id": {
            "type": "string",
            "description": "A unique identifier for the quote execution creation (for
idempotence)."
          },
          "status": {
            "$ref": "#/components/schemas/QuoteExecutionStatus"
          },
          "market": {
```

Pretty-print


```
          },
          "side": {
            "$ref": "#/components/schemas/OrderSide"
          },
          "price": {
            "type": "string",
            "description": "The guaranteed price of the quote."
          },
          "base_amount": {
            "type": "string",
            "description": "The amount of assets (crypto) in the transaction."
          },
          "base_asset": {
            "type": "string",
            "description": "The \"base\" side of the trading pair (crypto - like BTC, ETH,
PAXG)."
          },
          "quote_amount": {
            "type": "string",
            "description": "The amount of quote currency (cash) in the transaction."
          },
          "quote_asset": {
            "type": "string",
            "description": "The \"quote\" side of the trading pair (fiat - like USD, EUR,
SGD)."
          },
          "created_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time at which the quote execution was created."
          },
          "settled_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time at which the quote execution was settled, completing its
lifecycle."
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Client-specified metadata."
          },
          "identity_id": {
            "type": "string",
            "description": "The identity under which this quote execution is placed."
          },
          "account_id": {
            "type": "string",
            "description": "The account under which this quote execution is placed."
          },
          "recipient_profile_id": {
            "type": "string",
            "description": "The ID of the profile under which to deposit the funds."
          }
        },
        "description": "A QuoteExecution is an order to buy or sell an asset at a particular
held Quote.",
        "required": [
          "id",
          "profile_id",
          "quote_id",
          "status",
```

Pretty-print


```
          "side",
          "price",
          "base_amount",
          "base_asset",
          "quote_amount",
          "quote_asset",
          "created_at"
        ]
      },
      "QuoteExecutionStatus": {
        "type": "string",
        "enum": [
          "CREATED",
          "SETTLED"
        ],
        "description": "A QuoteExecution begins in state `CREATED` and transitions to end
state `SETTLED`\nwhen all accounting movements are complete."
      },
      "RecentExecution": {
        "type": "object",
        "properties": {
          "match_number": {
            "type": "string",
            "description": "Unique execution match number."
          },
          "price": {
            "type": "string",
            "description": "Price of the execution."
          },
          "amount": {
            "type": "string",
            "description": "Amount of the execution."
          },
          "executed_at": {
            "type": "string",
            "description": "Execution timestamp."
          }
        }
      },
      "TickerRecord": {
        "type": "object",
        "properties": {
          "market": {
            "$ref": "#/components/schemas/PricePriceMarket"
          },
          "best_bid": {
            "$ref": "#/components/schemas/BookLevel"
          },
          "best_ask": {
            "$ref": "#/components/schemas/BookLevel"
          },
          "last_execution": {
            "$ref": "#/components/schemas/BookLevel"
          },
          "last_day": {
            "$ref": "#/components/schemas/ExchangeStats"
          },
          "today": {
            "$ref": "#/components/schemas/ExchangeStats"
          },
          "snapshot_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time at which this data was retrieved."
```

Pretty-print


```
        }
      },
      "TimeInForce": {
        "type": "string",
        "enum": [
          "GTC",
          "FOK",
          "IOC",
          "GTT"
        ],
        "description": "How long an order will remain active before it expires.\n- Immediate-
or-Cancel (IOC): Cancel if not executed immediately, partial fills allowed.\n- Good-Til-
Canceled (GTC): Order can be canceled at any point until executed.\n- Good-Til-Time (GTT):
Expires if not executed by a specified time. GTT must be greater than 10 seconds after the
order is placed, otherwise the order will be rejected.\n- Fill-or-Kill (FOK): Fill entire
order only or cancel entire order, does not allow for partial filling.\n\n**Time in Force
validity for Order Types**\n\n| Order type      | Immediate or Cancel (IOC) | Good Til
Canceled (GTC) | Good Til Time (GTT) | Fill or Kill (FOK) |\n| --------------- | -------------
------------ | ----------------------- | ------------------- | ------------------ |\n| Market
Order    | Default                   |  -                      |  -                  |  -
|\n| Limit Order     | Valid                     | Default                | Valid
| Valid              |\n| Post Only Limit | Valid                     | Default
| Valid               | Valid             |\n| Stop Market     |  -                      |
Default                | Valid              |  -                |\n| Stop Limit      |  -
| Default                | Valid              |  -                |"
      },
      "TimestampRange": {
        "type": "object",
        "properties": {
          "begin": {
            "type": "string",
            "format": "date-time",
            "description": "Only return records after this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`."
          },
          "end": {
            "type": "string",
            "format": "date-time",
            "description": "Only return records before this timestamp, inclusive. RFC3339
format, like `2006-01-02T15:04:05Z`."
          }
        }
      },
      "bufAny": {
        "type": "object",
        "properties": {
          "@type": {
            "type": "string",
            "description": "A URL/resource name that uniquely identifies the type of the
serialized\nprotocol buffer message. This string must contain at least\none \"/\" character.
The last segment of the URL's path must represent\nthe fully qualified name of the type (as
in\n`path/google.protobuf.Duration`). The name should be in a canonical form\n(e.g., leading
\".\" is not accepted).\n\nIn practice, teams usually precompile into the binary all types
that they\nexpect it to use in the context of Any. However, for URLs which use the\nscheme
`http`, `https`, or no scheme, one can optionally set up a type\nserver that maps type URLs to
message definitions as follows:\n\n* If no scheme is provided, `https` is assumed.\n* An HTTP
GET on the URL must yield a [google.protobuf.Type][]\n  value in binary format, or produce an
error.\n* Applications are allowed to cache lookup results based on the\n  URL, or have them
precompiled into a binary to avoid any\n  lookup. Therefore, binary compatibility needs to be
preserved\n  on changes to types. (Use versioned type names to manage\n  breaking
changes.)\n\nNote: this functionality is not currently available in the official\nprotobuf
release, and it is not used for type URLs beginning with\ntype.googleapis.com. As of May 2023,
there are no widely used type server\nimplementations and no plans to implement
one.\n\nSchemes other than `http`, `https` (or the empty scheme) might be\nused with
```

Pretty-print


```
          }
        },
        "additionalProperties": {

        },
        "description": "`Any` contains an arbitrary serialized protocol buffer message along
with a\nURL that describes the type of the serialized message.\n\nProtobuf library provides
support to pack/unpack Any values in the form\nof utility functions or additional generated
methods of the Any type.\n\nExample 1: Pack and unpack a message in C++.\n\n    Foo foo =
...;\n    Any any;\n    any.PackFrom(foo);\n    ...\n    if (any.UnpackTo(&foo)) {\n
...\n    }\n\nExample 2: Pack and unpack a message in Java.\n\n    Foo foo = ...;\n    Any any
= Any.pack(foo);\n    ...\n    if (any.is(Foo.class)) {\n      foo = any.unpack(Foo.class);\n
}\n    // or ...\n    if (any.isSameTypeAs(Foo.getDefaultInstance())) {\n      foo =
any.unpack(Foo.getDefaultInstance());\n    }\n\n Example 3: Pack and unpack a message in
Python.\n\n    foo = Foo(...)\n    any = Any()\n    any.Pack(foo)\n    ...\n    if
any.Is(Foo.DESCRIPTOR):\n      any.Unpack(foo)\n      ...\n\n Example 4: Pack and unpack a
message in Go\n\n     foo := &pb.Foo{...}\n     any, err := anypb.New(foo)\n     if err != nil
{\n       ...\n     }\n     ...\n     foo := &pb.Foo{}\n     if err := any.UnmarshalTo(foo);
err != nil {\n       ...\n     }\n\nThe pack methods provided by protobuf library will by
default use\n'type.googleapis.com/full.type.name' as the type URL and the unpack\nmethods only
use the fully qualified type name after the last '/'\nin the type URL, for example
\"foo.bar.com/x/y.z\" will yield type\nname \"y.z\".\n\nJSON\n====\nThe JSON representation of
an `Any` value uses the regular\nrepresentation of the deserialized, embedded message, with
an\nadditional field `@type` which contains the type URL. Example:\n\n    package
google.profile;\n    message Person {\n      string first_name = 1;\n      string last_name =
2;\n    }\n\n    {\n      \"@type\": \"type.googleapis.com/google.profile.Person\",\n
\"firstName\": \u003Cstring\u003E,\n      \"lastName\": \u003Cstring\u003E\n    }\n\nIf the
embedded message type is well-known and has a custom JSON\nrepresentation, that representation
will be embedded adding a field\n`value` which holds the custom JSON in addition to the
`@type`\nfield. Example (for message [google.protobuf.Duration][]):\n\n    {\n      \"@type\":
\"type.googleapis.com/google.protobuf.Duration\",\n      \"value\": \"1.212s\"\n    }"
      },
      "DepositAddressConversionTargetAsset": {
        "type": "string",
        "enum": [
          "NO_CONVERSION",
          "USD"
        ],
        "description": "Asset to credit for deposits of Paxos-minted USD stablecoin."
      },
      "FiatAccountOwnerInstitutionDetails": {
        "type": "object",
        "properties": {
          "name": {
            "type": "string"
          }
        },
        "required": [
          "name"
        ]
      },
      "FiatAccountOwnerPersonDetails": {
        "type": "object",
        "properties": {
          "first_name": {
            "type": "string"
          },
          "last_name": {
            "type": "string"
          }
        },
        "required": [
          "first_name",
          "last_name"
```

Pretty-print


```
      },
      "FiatNetworkInstructionsCbit": {
        "type": "object",
        "properties": {
          "wallet_address": {
            "type": "string",
            "description": "The wallet address of the CBIT account."
          }
        },
        "required": [
          "wallet_address"
        ]
      },
      "FiatNetworkInstructionsCubix": {
        "type": "object",
        "properties": {
          "account_id": {
            "type": "string",
            "description": "The uuid account id of the CUBIX account."
          }
        },
        "required": [
          "account_id"
        ]
      },
      "FiatNetworkInstructionsDbsAct": {
        "type": "object",
        "properties": {
          "account_number": {
            "type": "string",
            "description": "The account number of the DBS account."
          }
        },
        "required": [
          "account_number"
        ]
      },
      "FiatNetworkInstructionsScb": {
        "type": "object",
        "properties": {
          "account_number": {
            "type": "string",
            "description": "The account number of the StandChart account."
          }
        },
        "required": [
          "account_number"
        ]
      },
      "FiatNetworkInstructionsWire": {
        "type": "object",
        "properties": {
          "account_number": {
            "type": "string",
            "description": "The FiatAccount owner's bank account number."
          },
          "fiat_account_owner_address": {
            "$ref": "#/components/schemas/MailingAddress"
          },
          "routing_details": {
            "$ref": "#/components/schemas/FiatNetworkInstructionsWireRoutingDetails"
          },
          "intermediary_routing_details": {
            "$ref": "#/components/schemas/FiatNetworkInstructionsWireRoutingDetails"
```

Pretty-print


```
        },
        "required": [
          "account_number",
          "fiat_account_owner_address",
          "routing_details"
        ]
      },
      "FiatNetworkInstructionsWireRoutingDetails": {
        "type": "object",
        "properties": {
          "routing_number_type": {
            "$ref": "#/components/schemas/FiatWireAccountType"
          },
          "routing_number": {
            "type": "string",
            "description": "The routing number."
          },
          "bank_name": {
            "type": "string",
            "description": "The name of the bank."
          },
          "bank_address": {
            "$ref": "#/components/schemas/MailingAddress"
          }
        },
        "required": [
          "routing_number_type",
          "routing_number",
          "bank_name",
          "bank_address"
        ]
      },
      "TransferDirection": {
        "type": "string",
        "enum": [
          "CREDIT",
          "DEBIT"
        ],
        "description": "Direction of the transfer."
      },
      "TransferPublicRejectCryptoDepositBody": {
        "type": "object",
        "example": {
          "identity_id": "54385e67-d7ef-40d1-b488-ceda6dd9b264"
        },
        "properties": {
          "identity_id": {
            "type": "string",
            "description": "The Identity (`identity_id`) of the end user that requests to
reject the deposit."
          }
        },
        "title": "RejectCryptoDepositRequest",
        "required": [
          "identity_id"
        ]
      },
      "TransferPublicUpdateCryptoDepositBody": {
        "type": "object",
        "example": {
          "identity_id": "54385e67-d7ef-40d1-b488-ceda6dd9b264",
          "originator_address_info": {
            "first_name": "John",
            "last_name": "Doe"
```

Pretty-print


```
        },
        "properties": {
          "identity_id": {
            "type": "string",
            "description": "The Identity (`identity_id`) of the end user updating the
deposit."
          },
          "originator_address_info": {
            "$ref": "#/components/schemas/AddressInfo"
          }
        },
        "title": "UpdateCryptoDepositRequest",
        "required": [
          "identity_id",
          "originator_address_info"
        ]
      },
      "TransferPublicUpdateFiatAccountBody": {
        "type": "object",
        "properties": {
          "fiat_account_owner": {
            "$ref": "#/components/schemas/FiatAccountOwner"
          },
          "fiat_network_instructions": {
            "$ref":
"#/components/schemas/UpdateFiatAccountRequestUpdateFiatNetworkInstructions"
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Optional client-specified metadata.\nUp to 6 key/value pairs may
be provided.\nEach key and value must be less than or equal to 100 characters."
          }
        },
        "title": "UpdateFiatAccountRequest"
      },
      "UpdateFiatAccountRequestUpdateFiatNetworkInstructions": {
        "type": "object",
        "properties": {
          "wire": {
            "$ref": "#/components/schemas/UpdateFiatNetworkInstructionsUpdateWire"
          }
        },
        "title": "FiatNetworkInstructions"
      },
      "UpdateFiatNetworkInstructionsUpdateWire": {
        "type": "object",
        "properties": {
          "fiat_account_owner_address": {
            "$ref": "#/components/schemas/MailingAddress"
          },
          "routing_details": {
            "$ref": "#/components/schemas/UpdateWireUpdateRoutingDetails"
          },
          "intermediary_routing_details": {
            "$ref": "#/components/schemas/UpdateWireUpdateRoutingDetails"
          }
        },
        "title": "Wire"
      },
      "UpdateWireUpdateRoutingDetails": {
        "type": "object",
```

Pretty-print


```
          "bank_name": {
            "type": "string",
            "description": "The name of the bank."
          },
          "bank_address": {
            "$ref": "#/components/schemas/MailingAddress"
          }
        },
        "title": "RoutingDetails"
      },
      "AddressInfo": {
        "type": "object",
        "properties": {
          "individual_info": {
            "$ref": "#/components/schemas/IndividualInfo"
          },
          "institution_info": {
            "$ref": "#/components/schemas/InstitutionInfo"
          }
        },
        "required": [
          "originator_info"
        ]
      },
      "AutoConversion": {
        "type": "object",
        "properties": {
          "from_transfer_id": {
            "type": "string",
            "title": "Transfer Id of the deposit triggering this transfer (only on withdrawal
transfers)"
          },
          "to_transfer_id": {
            "type": "string",
            "title": "Transfer Id of the withdrawal triggered by this deposit(only on deposit
transfers)"
          }
        }
      },
      "Beneficiary": {
        "type": "object",
        "properties": {
          "person_details": {
            "$ref": "#/components/schemas/BeneficiaryPerson"
          },
          "institution_details": {
            "$ref": "#/components/schemas/BeneficiaryInstitution"
          }
        }
      },
      "BeneficiaryInstitution": {
        "type": "object",
        "properties": {
          "name": {
            "type": "string"
          }
        },
        "required": [
          "name"
        ]
      },
      "BeneficiaryPerson": {
        "type": "object",
        "properties": {
```

Pretty-print


```
            "type": "string"
          },
          "last_name": {
            "type": "string"
          }
        },
        "required": [
          "firstName",
          "lastName"
        ]
      },
      "CreateCryptoWithdrawalFeeRequest": {
        "type": "object",
        "example": {
          "asset": "ETH",
          "amount": "0.00005",
          "destination_address": "0xF0Aa84466e353E5390be37FE2934301c07c19a55",
          "crypto_network": "ETHEREUM"
        },
        "properties": {
          "asset": {
            "type": "string",
            "description": "The currency to withdraw."
          },
          "destination_address": {
            "type": "string",
            "description": "The destination address."
          },
          "crypto_network": {
            "$ref": "#/components/schemas/CryptoNetwork"
          },
          "amount": {
            "type": "string",
            "description": "The amount to withdraw. Must be greater than `0`.\nSpecify exactly
one of `amount` or `total`, otherwise an error is returned.",
            "pattern": "^[0-9]*\\.?[0-9]+$"
          },
          "total": {
            "type": "string",
            "description": "Total amount to withdraw, including fees. Must be greater than
`0`.\nSpecify exactly one of `total ` or `amount`, otherwise an error is returned.",
            "pattern": "^[0-9]*\\.?[0-9]+$"
          }
        },
        "required": [
          "asset",
          "destination_address",
          "crypto_network"
        ]
      },
      "CreateCryptoWithdrawalRequest": {
        "type": "object",
        "example": {
          "ref_id": "idempotence_id",
          "profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
          "asset": "BTC",
          "amount": "0.05",
          "destination_address": "1BvBMSEYstWetqTFn5Au4m4GFg7xJaNVN2",
          "metadata": {
            "my_id": "4024ee50-eefb-4f2e-85c7-e7899c0b7da5"
          },
          "crypto_network": "BITCOIN"
        },
        "properties": {
```

Pretty-print


```
            "type": "string",
            "description": "Client-specified ID for replay protection and lookup."
          },
          "profile_id": {
            "type": "string",
            "description": "The profile from which to withdraw."
          },
          "identity_id": {
            "type": "string",
            "description": "The Identity of the user making the withdrawal."
          },
          "destination_address": {
            "type": "string",
            "description": "The destination address."
          },
          "asset": {
            "type": "string",
            "description": "The asset to withdraw, e.g. \"BTC\" , \"ETH\". Always specify the
`crypto_network` for all withdrawals."
          },
          "balance_asset": {
            "type": "string",
            "description": "The asset's balance to debit for withdrawals of Paxos-minted USD
stablecoin."
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Optional client-specified metadata.\nUp to 6 key/value pairs may
be provided.\nEach key and value must be less than or equal to 100 characters."
          },
          "account_id": {
            "type": "string",
            "description": "The Account associated to the identity of the user making the
withdrawal."
          },
          "fee_id": {
            "type": "string",
            "description": "Optional id of the guaranteed fee."
          },
          "crypto_network": {
            "$ref": "#/components/schemas/CryptoNetwork"
          },
          "amount": {
            "type": "string",
            "description": "The amount to withdraw.\nSpecify exactly one of `amount` or
`total`, otherwise an error is returned.",
            "pattern": "^[0-9]*\\.?[0-9]+$"
          },
          "total": {
            "type": "string",
            "description": "Total amount to withdraw, including fees.\nSpecify exactly one of
`amount` or `total`, otherwise an error is returned.",
            "pattern": "^[0-9]*\\.?[0-9]+$"
          },
          "beneficiary": {
            "$ref": "#/components/schemas/Beneficiary"
          },
          "memo": {
            "type": "string",
            "description": "Optional additional memo to be included with the withdrawal as an
identifier."
```

Pretty-print


```
        },
        "required": [
          "profile_id",
          "asset",
          "destination_address",
          "crypto_network"
        ]
      },
      "CreateDepositAddressRequest": {
        "type": "object",
        "example": {
          "profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
          "crypto_network": "ETHEREUM",
          "identity_id": "54385e67-d7ef-40d1-b488-ceda6dd9b264",
          "ref_id": "deposit_address_0",
          "metadata": {
            "my_id": "4024ee50-eefb-4f2e-85c7-e7899c0b7da5"
          }
        },
        "properties": {
          "profile_id": {
            "type": "string",
            "description": "The target profile for deposit crediting."
          },
          "crypto_network": {
            "$ref": "#/components/schemas/CryptoNetwork"
          },
          "identity_id": {
            "type": "string",
            "description": "The Identity of the end user who will make deposits to the created
address."
          },
          "ref_id": {
            "type": "string",
            "description": "Client-specified ID for replay protection and lookup."
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Optional client-specified metadata, which will be added to both
the deposit address itself and transfers to the created address.\nUp to 6 key/value pairs may
be provided.\nEach key and value must be less than or equal to 100 characters."
          },
          "account_id": {
            "type": "string",
            "description": "The Account associated to the identity of the user that will be
linked to the created address."
          },
          "conversion_target_asset": {
            "$ref": "#/components/schemas/DepositAddressConversionTargetAsset"
          }
        },
        "required": [
          "profile_id",
          "crypto_network"
        ]
      },
      "CreateFiatAccountRequest": {
        "type": "object",
        "example": {
          "identity_id": "54385e67-d7ef-40d1-b488-ceda6dd9b264",
          "fiat_network_instructions": {
```

Pretty-print


```
              "account_number": "12345678",
              "routing_details": {
                "routing_number": "031302971",
                "bank_name": "Customers Bank",
                "bank_address": {
                  "country": "USA"
                }
              },
              "fiat_account_owner_address": {
                "address1": "456 Main Street",
                "city": "NY",
                "country": "USA"
              }
            }
          },
          "fiat_account_owner": {
            "person_details": {
              "first_name": "Jane",
              "last_name": "Doe"
            }
          }
        },
        "properties": {
          "ref_id": {
            "type": "string",
            "description": "The optional client-specified ID (for idempotence)."
          },
          "identity_id": {
            "type": "string",
            "description": "The Paxos Identity (`identity_id`) of the user's
FiatAccount.\nRequired only for customers with [3rd-Party integrations]
(https://docs.paxos.com/crypto-brokerage/ledger-type#fiat-and-crypto-subledger) initiating
transfers on behalf of their end users."
          },
          "account_id": {
            "type": "string",
            "description": "The Paxos Account (`account_id`) of the user's
FiatAccount.\nRequired only for customers with [3rd-Party integrations]
(https://docs.paxos.com/crypto-brokerage/ledger-type#fiat-and-crypto-subledger) initiating
transfers on behalf of their end users."
          },
          "fiat_account_owner": {
            "$ref": "#/components/schemas/FiatAccountOwner"
          },
          "fiat_network_instructions": {
            "$ref": "#/components/schemas/FiatNetworkInstructions"
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Optional client-specified metadata.\nUp to 6 key/value pairs may
be provided.\nEach key and value must be less than or equal to 100 characters."
          }
        },
        "required": [
          "fiat_network_instructions",
          "fiat_account_owner"
        ]
      },
      "CreateFiatDepositInstructionsRequest": {
        "type": "object",
        "properties": {
```

Pretty-print


```
            "type": "string",
            "description": "The optional client-specified ID (for idempotence)."
          },
          "profile_id": {
            "type": "string",
            "description": "The Profile (`profile_id`) to deposit to."
          },
          "identity_id": {
            "type": "string",
            "description": "The Identity (`identity_id`) of the user making the
deposit.\nRequired only for customers with [3rd-Party integrations]
(https://docs.paxos.com/crypto-brokerage/ledger-type#fiat-and-crypto-subledger) making
deposits on behalf of their end users."
          },
          "account_id": {
            "type": "string",
            "description": "The Account (`account_id`) associated with the Identity of the
user making the deposit.\nRequired only for customers with [3rd-Party integrations]
(https://docs.paxos.com/crypto-brokerage/ledger-type#fiat-and-crypto-subledger) making
deposits on behalf of their end users."
          },
          "fiat_network": {
            "$ref": "#/components/schemas/FiatNetwork"
          },
          "routing_number_type": {
            "$ref": "#/components/schemas/FiatWireAccountType"
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Optional client-specified metadata.\nUp to 6 key/value pairs may
be provided.\nEach key and value must be less than or equal to 100 characters."
          }
        },
        "required": [
          "profile_id",
          "fiat_network"
        ]
      },
      "CreateFiatWithdrawalRequest": {
        "type": "object",
        "example": {
          "amount": "12.34",
          "asset": "USD",
          "fiat_account_id": "caa82b32-8abd-4899-afdc-f9d4bf9b4e98",
          "profile_id": "5fc6d191-193c-4e28-94fa-656bbdbdfaad",
          "identity_id": "54385e67-d7ef-40d1-b488-ceda6dd9b264"
        },
        "properties": {
          "ref_id": {
            "type": "string",
            "description": "The optional client-specified ID (for idempotence)."
          },
          "amount": {
            "type": "string",
            "description": "Amount to withdraw, excluding fees. Specify exactly one of
`amount` or `total`. When `amount` is specified, Paxos initiates the withdrawal for `amount`
and then charges fees.",
            "pattern": "^[0-9]*\\.?[0-9]{1,2}$"
          },
          "asset": {
            "type": "string",
```

Pretty-print


```
          },
          "fiat_account_id": {
            "type": "string",
            "description": "The fiat account (`fiat_account_id`) destination."
          },
          "profile_id": {
            "type": "string",
            "description": "The Profile (`profile_id`) to withdraw from."
          },
          "identity_id": {
            "type": "string",
            "description": "The Identity (`identity_id`) of the user making the
withdrawal.\nRequired only for customers with [3rd-Party integrations]
(https://docs.paxos.com/crypto-brokerage/ledger-type#fiat-and-crypto-subledger) initiating
transfers on behalf of their end users."
          },
          "account_id": {
            "type": "string",
            "description": "The Account (`account_id`) associated with the Identity of the
user making the withdrawal.\nRequired only for customers with [3rd-Party integrations]
(https://docs.paxos.com/crypto-brokerage/ledger-type#fiat-and-crypto-subledger) initiating
transfers on behalf of their end users."
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Optional client-specified metadata.\nUp to 6 key/value pairs may
be provided.\nEach key and value must be less than or equal to 100 characters."
          },
          "memo": {
            "type": "string",
            "description": "Optional additional memo to be set on the outgoing
withdrawal.\nFor wire withdrawals the character limit is 100.\nFor CUBIX intrabank
withdrawals, the character limit is 40.\nFor DBS intrabank withdrawals, the character limit is
100.\nFor SCB intrabank withdrawals, the character limit is 140.",
            "maxLength": 500,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]*$"
          },
          "total": {
            "type": "string",
            "description": "Total to withdraw, including fees. Specify exactly one of `amount`
or `total`. When `total` is specified, Paxos initiates the withdrawal for `total` minus the
fee."
          }
        },
        "required": [
          "asset",
          "fiat_account_id",
          "profile_id"
        ]
      },
      "CreateInternalTransferRequest": {
        "type": "object",
        "example": {
          "ref_id": "idempotence_id",
          "from_profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
          "to_profile_id": "37867177-f88c-45cc-b9b5-d786e7079609",
          "asset": "BTC",
          "amount": "0.05",
          "metadata": {
            "my_id": "4024ee50-eefb-4f2e-85c7-e7899c0b7da5"
          },
```

Pretty-print


```
            "your_id": "43ab8d28-be1e-4729-8731-37fd976b167b"
          }
        },
        "properties": {
          "ref_id": {
            "type": "string",
            "description": "Client-specified ID for replay protection and lookup."
          },
          "from_profile_id": {
            "type": "string",
            "description": "The profile from which to send funds."
          },
          "to_profile_id": {
            "type": "string",
            "description": "The destination profile."
          },
          "amount": {
            "type": "string",
            "description": "The amount to transfer.",
            "pattern": "^[0-9]*\\.?[0-9]+$"
          },
          "asset": {
            "type": "string",
            "description": "The asset to transfer, e.g. \"USD\", \"BTC\", \"ETH\"."
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Optional client-specified metadata for the sender side of the
transaction.\nUp to 6 key/value pairs may be provided.\nEach key and value must be less than
or equal to 100 characters."
          },
          "from_identity_id": {
            "type": "string",
            "description": "The Paxos Identity (`identity_id`) of the sending user."
          },
          "from_account_id": {
            "type": "string",
            "description": "The Paxos Account (`account_id`) of the sending user.\nRequired
only for customers with [3rd-Party integrations](https://docs.paxos.com/crypto-
brokerage/ledger-type#fiat-and-crypto-subledger) initiating transfers on behalf of their end
users."
          },
          "to_identity_id": {
            "type": "string",
            "description": "The Paxos Identity (`identity_id`) of the destination user."
          },
          "to_account_id": {
            "type": "string",
            "description": "The Paxos Account (`account_id`) of the destination
user.\nRequired only for customers with [3rd-Party integrations]
(https://docs.paxos.com/crypto-brokerage/ledger-type#fiat-and-crypto-subledger) initiating
transfers on behalf of their end users."
          },
          "recipient_metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Optional client-specified metadata for the recipient side of the
transaction.\nUp to 6 key/value pairs may be provided.\nEach key and value must be less than
or equal to 100 characters."
```

Pretty-print


```
        },
        "required": [
          "from_profile_id",
          "to_profile_id",
          "amount",
          "asset"
        ]
      },
      "CreatePaxosTransferRequest": {
        "type": "object",
        "example": {
          "ref_id": "idempotence_id",
          "from_profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
          "to_profile_id": "37867177-f88c-45cc-b9b5-d786e7079609",
          "asset": "BTC",
          "amount": "0.05",
          "metadata": {
            "my_id": "4024ee50-eefb-4f2e-85c7-e7899c0b7da5"
          },
          "recipient_metadata": {
            "your_id": "43ab8d28-be1e-4729-8731-37fd976b167b"
          }
        },
        "properties": {
          "ref_id": {
            "type": "string",
            "description": "Client-specified ID for replay protection and lookup."
          },
          "from_profile_id": {
            "type": "string",
            "description": "The profile from which to send funds."
          },
          "to_profile_id": {
            "type": "string",
            "description": "The destination profile."
          },
          "amount": {
            "type": "string",
            "description": "The amount to transfer."
          },
          "asset": {
            "type": "string",
            "description": "The asset to transfer, e.g. \"USD\", \"BTC\", \"ETH\"."
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Optional client-specified metadata on the sender side of the
transaction.\nUp to 6 key/value pairs may be provided.\nEach key and value must be less than
or equal to 100 characters."
          },
          "recipient_metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Optional client-specified metadata for the recipient side of the
transaction.\nUp to 6 key/value pairs may be provided.\nEach key and value must be less than
or equal to 100 characters."
          },
          "from_identity_id": {
            "type": "string",
```

Pretty-print


```
          },
          "from_account_id": {
            "type": "string",
            "description": "The Paxos Account (`account_id`) of the sending user.\nRequired
only for customers with [3rd-Party integrations](https://docs.paxos.com/crypto-
brokerage/ledger-type#fiat-and-crypto-subledger) initiating transfers on behalf of their end
users."
          },
          "to_identity_id": {
            "type": "string",
            "description": "The Paxos Identity (`identity_id`) of the destination user."
          },
          "to_account_id": {
            "type": "string",
            "description": "The Paxos Account (`account_id`) of the destination
user.\nRequired only for customers with [3rd-Party integrations]
(https://docs.paxos.com/crypto-brokerage/ledger-type#fiat-and-crypto-subledger) initiating
transfers on behalf of their end users."
          }
        },
        "required": [
          "from_profile_id",
          "to_profile_id",
          "amount",
          "asset"
        ]
      },
      "CryptoDestinationAddress": {
        "type": "object",
        "example": {
          "id": "31f20a34-c1eb-4c86-adad-1e46bc271e1a",
          "crypto_network": "ETHEREUM",
          "address": "0xe4B0aCA9FB669817775274775b20e52118595515",
          "nickname": "my_new_address",
          "status": "APPROVED",
          "created_at": "2024-01-01T00:00:00Z",
          "bookmarked": true
        },
        "properties": {
          "id": {
            "type": "string"
          },
          "crypto_network": {
            "$ref": "#/components/schemas/CryptoNetwork"
          },
          "address": {
            "type": "string"
          },
          "nickname": {
            "type": "string"
          },
          "status": {
            "$ref": "#/components/schemas/CryptoDestinationAddressStatus"
          },
          "created_at": {
            "type": "string",
            "format": "date-time"
          },
          "bookmarked": {
            "type": "boolean"
          },
          "policy_execution_id": {
            "type": "string"
          },
```

Pretty-print


```
          "$ref": "#/components/schemas/CryptoDestinationAddressTravelruleMetadata"
        }
      },
      "required": [
        "id",
        "crypto_network",
        "address"
      ]
    },
    "CryptoDestinationAddressStatus": {
      "type": "string",
      "enum": [
        "PENDING",
        "APPROVED",
        "REJECTED"
      ]
    },
    "CryptoDestinationAddressTravelruleMetadata": {
      "type": "object",
      "properties": {
        "beneficiary": {
          "$ref": "#/components/schemas/Beneficiary"
        },
        "vasp": {
          "$ref": "#/components/schemas/CryptoDestinationAddressVasp"
        },
        "custodian_type": {
          "$ref": "#/components/schemas/CustodianType"
        }
      }
    },
    "CryptoDestinationAddressVasp": {
      "type": "object",
      "properties": {
        "id": {
          "type": "string"
        },
        "name": {
          "type": "string"
        }
      }
    },
    "CryptoWithdrawalFee": {
      "type": "object",
      "example": {
        "id": "34bd61ed-cf0a-4012-8be4-d347667b6154",
        "fee": "0.00005",
        "asset": "ETH",
        "amount": "0.001",
        "expires_at": "2021-02-10T23:00:00Z",
        "destination_address": "0xF0Aa84466e353E5390be37FE2934301c07c19a55",
        "crypto_network": "ETHEREUM"
      },
      "properties": {
        "id": {
          "type": "string",
          "description": "The id of the guaranteed fee."
        },
        "fee": {
          "type": "string",
          "description": "The guaranteed fee value, in the same currency.",
          "pattern": "^[0-9]*\\.?[0-9]+$"
        },
        "asset": {
```

Pretty-print


```
            "description": "The currency to withdraw."
          },
          "expires_at": {
            "type": "string",
            "format": "date-time",
            "description": "The expiration timestamp of the created fee."
          },
          "destination_address": {
            "type": "string",
            "description": "The destination address."
          },
          "crypto_network": {
            "$ref": "#/components/schemas/CryptoNetwork"
          },
          "amount": {
            "type": "string",
            "description": "The quoted amount to withdraw for which the fee is valid.\nSpecify
exactly one of `amount` or `total`, otherwise an error is returned.",
            "pattern": "^[0-9]*\\.?[0-9]+$"
          },
          "total": {
            "type": "string",
            "description": "Total amount to withdraw, including fees.\nSpecify exactly one of
`amount` or `total`, otherwise an error is returned.",
            "pattern": "^[0-9]*\\.?[0-9]+$"
          }
        },
        "required": [
          "id",
          "fee",
          "asset",
          "expires_at",
          "destination_address",
          "crypto_network"
        ]
      },
      "CustodianType": {
        "type": "string",
        "enum": [
          "VASP",
          "PRIVATE"
        ]
      },
      "DeleteFiatAccountResponse": {
        "type": "object"
      },
      "DepositAddress": {
        "type": "object",
        "example": {
          "id": "34bd61ed-cf0a-4012-8be4-d347667b6154",
          "profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
          "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339",
          "identity_id": "54385e67-d7ef-40d1-b488-ceda6dd9b264",
          "ref_id": "deposit_address_0",
          "crypto_network": "ETHEREUM",
          "address": "0x89205A3A3b2A69De6Dbf7f01ED13B2108B2c43e7",
          "conversion_target_asset": "USD",
          "compatible_crypto_networks": [
            "ETHEREUM"
          ],
          "metadata": {
            "my_id": "4024ee50-eefb-4f2e-85c7-e7899c0b7da5"
          },
          "created_at": "2020-01-17T18:36:08.737Z"
```

Pretty-print


```
        "properties": {
          "id": {
            "type": "string",
            "description": "The UUID of the deposit address."
          },
          "profile_id": {
            "type": "string",
            "description": "The ID of the profile that will be credited when a deposit arrives
with this address."
          },
          "customer_id": {
            "type": "string",
            "description": "The Paxos Customer to which the profile belongs."
          },
          "crypto_network": {
            "$ref": "#/components/schemas/CryptoNetwork"
          },
          "identity_id": {
            "type": "string",
            "description": "The Identity of the end user who will make deposits to this
address."
          },
          "ref_id": {
            "type": "string",
            "description": "Client-specified ID for replay protection and lookup."
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Optional client-specified metadata, which is set on deposit
address creation.\nUp to 6 key/value pairs may be returned.\nEach key and value must be less
than or equal to 100 characters."
          },
          "address": {
            "type": "string",
            "description": "The crypto address to send to for deposits."
          },
          "account_id": {
            "type": "string",
            "description": "The Account associated to the identity of the user that will be
linked to the created address."
          },
          "conversion_target_asset": {
            "$ref": "#/components/schemas/DepositAddressConversionTargetAsset"
          },
          "compatible_crypto_networks": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/CryptoNetwork"
            },
            "description": "List of networks compatible with the created address. Any of these
networks can be used to deposit to the address."
          },
          "created_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time at which this address was created."
          }
        },
        "required": [
          "id",
          "profile_id",
```

Pretty-print


```
          "crypto_network",
          "address",
          "conversion_target_asset",
          "created_at"
        ]
      },
      "FiatAccount": {
        "type": "object",
        "properties": {
          "id": {
            "type": "string",
            "description": "The Paxos FiatAccount ID (UUID)."
          },
          "ref_id": {
            "type": "string",
            "description": "The optional client-specified ID (for idempotence)."
          },
          "identity_id": {
            "type": "string",
            "description": "The Paxos Identity (`identity_id`) of the user's FiatAccount."
          },
          "account_id": {
            "type": "string",
            "description": "The Paxos Account (`account_id`) of the user's
FiatAccount.\nRequired only for customers with [3rd-Party integrations]
(https://docs.paxos.com/crypto-brokerage/ledger-type#fiat-and-crypto-subledger) initiating
transfers on behalf of their end users."
          },
          "fiat_account_owner": {
            "$ref": "#/components/schemas/FiatAccountOwner"
          },
          "fiat_network_instructions": {
            "$ref": "#/components/schemas/FiatNetworkInstructions"
          },
          "status": {
            "$ref": "#/components/schemas/FiatAccountStatus"
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Optional client-specified metadata.\nUp to 6 key/value pairs may
be returned.\nEach key and value must be less than or equal to 100 characters."
          },
          "created_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time at which this FiatAccount was created."
          },
          "updated_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time at which this FiatAccount record was most recently
updated."
          }
        },
        "required": [
          "id",
          "status",
          "fiat_network_instructions",
          "created_at"
        ]
      },
```

Pretty-print


```
        "type": "object",
        "properties": {
          "person_details": {
            "$ref": "#/components/schemas/FiatAccountOwnerPersonDetails"
          },
          "institution_details": {
            "$ref": "#/components/schemas/FiatAccountOwnerInstitutionDetails"
          }
        }
      },
      "FiatAccountStatus": {
        "type": "string",
        "enum": [
          "PENDING",
          "APPROVED",
          "REJECTED"
        ]
      },
      "FiatDepositInstructions": {
        "type": "object",
        "properties": {
          "id": {
            "type": "string",
            "description": "The Fiat Deposit Instructions ID (`id`) is provided in the
response of the [Create Fiat Deposit Instructions]
(#operation/CreateFiatDepositInstructions).\nUse this ID to retrieve the instructions using
[Get Fiat Deposit Instructions](#operation/GetFiatDepositInstructions) & [List Fiat Deposit
Instructions](#operation/ListFiatDepositInstructions)."
          },
          "profile_id": {
            "type": "string",
            "description": "The Profile (`profile_id`) to deposit to."
          },
          "identity_id": {
            "type": "string",
            "description": "The Identity (`identity_id`) of the user making the deposit."
          },
          "account_id": {
            "type": "string",
            "description": "The Account (`account_id`) associated with the Identity of the
user making the deposit.\nRequired only for customers with [3rd-Party integrations]
(https://docs.paxos.com/crypto-brokerage/ledger-type#fiat-and-crypto-subledger) making
deposits on behalf of their end users."
          },
          "ref_id": {
            "type": "string",
            "description": "The optional client-specified ID (for idempotence)."
          },
          "status": {
            "$ref": "#/components/schemas/FiatDepositInstructionsStatus"
          },
          "memo_id": {
            "type": "string",
            "description": "The string, unique to the request.\nTo deposit funds into an
account, the memo ID must be provided when initiating a `WIRE` transfer to Paxos.\nThis is
provided after creating [Fiat Deposit Instructions]
(#/operation/CreateFiatDepositInstructions)\nThe `memo_id` can also be found from either [Get
Fiat Deposit Instructions](#operation/GetFiatDepositInstructions) or [List Fiat Deposit
Instructions](#operation/ListFiatDepositInstructions) for the corresponding ID (Fiat Deposit
Instructions ID)."
          },
          "fiat_network_instructions": {
            "$ref": "#/components/schemas/FiatNetworkInstructions"
          },
```

Pretty-print


```
          "$ref": "#/components/schemas/FiatAccountOwner"
        },
        "metadata": {
          "type": "object",
          "additionalProperties": {
            "type": "string"
          },
          "description": "Optional client-specified metadata."
        },
        "created_at": {
          "type": "string",
          "format": "date-time",
          "description": "The time at which these instructions were created."
        }
      },
      "required": [
        "id",
        "profile_id",
        "identity_id",
        "status",
        "memo_id",
        "fiat_network_instructions",
        "created_at"
      ]
    },
    "FiatDepositInstructionsStatus": {
      "type": "string",
      "enum": [
        "VALID",
        "DEPRECATED"
      ]
    },
    "FiatNetwork": {
      "type": "string",
      "enum": [
        "WIRE",
        "DBS_ACT",
        "CUBIX",
        "SCB"
      ]
    },
    "FiatNetworkInstructions": {
      "type": "object",
      "properties": {
        "wire": {
          "$ref": "#/components/schemas/FiatNetworkInstructionsWire"
        },
        "cbit": {
          "$ref": "#/components/schemas/FiatNetworkInstructionsCbit"
        },
        "dbs_act": {
          "$ref": "#/components/schemas/FiatNetworkInstructionsDbsAct"
        },
        "cubix": {
          "$ref": "#/components/schemas/FiatNetworkInstructionsCubix"
        },
        "scb": {
          "$ref": "#/components/schemas/FiatNetworkInstructionsScb"
        }
      }
    },
    "FiatWireAccountType": {
      "type": "string",
      "enum": [
```

Pretty-print


```
          "SWIFT"
        ]
      },
      "IndividualInfo": {
        "type": "object",
        "properties": {
          "first_name": {
            "type": "string"
          },
          "last_name": {
            "type": "string"
          }
        },
        "required": [
          "first_name",
          "last_name"
        ]
      },
      "InitiateSandboxFiatDepositRequest": {
        "type": "object",
        "properties": {
          "amount": {
            "type": "string",
            "description": "The amount to deposit.",
            "pattern": "^[0-9]*\\.?[0-9]{1,2}$"
          },
          "asset": {
            "type": "string",
            "description": "The asset to deposit. Current supported asset: \"USD\"."
          },
          "memo_id": {
            "type": "string",
            "description": "The string that the client must provide in the memo field on their
deposit to credit their Paxos platform balance."
          },
          "fiat_network_instructions": {
            "$ref": "#/components/schemas/FiatNetworkInstructions"
          },
          "fiat_account_owner": {
            "$ref": "#/components/schemas/FiatAccountOwner"
          }
        },
        "required": [
          "amount",
          "asset",
          "memo_id",
          "fiat_network_instructions"
        ]
      },
      "InitiateSandboxFiatDepositResponse": {
        "type": "object"
      },
      "InstitutionInfo": {
        "type": "object",
        "properties": {
          "institution_name": {
            "type": "string"
          }
        },
        "required": [
          "institution_name"
        ]
      },
      "ListCryptoDestinationAddressesRequestOrderBy": {
```

Pretty-print


```
        "enum": [
          "CREATED_AT"
        ],
        "description": "Query filter order."
      },
      "ListCryptoDestinationAddressesResponse": {
        "type": "object",
        "properties": {
          "addresses": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/CryptoDestinationAddress"
            }
          },
          "next_page_cursor": {
            "type": "string"
          }
        }
      },
      "ListDepositAddressesRequestOrderBy": {
        "type": "string",
        "enum": [
          "CREATED_AT"
        ],
        "description": "Query filter order."
      },
      "ListDepositAddressesResponse": {
        "type": "object",
        "properties": {
          "items": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/DepositAddress"
            }
          },
          "next_page_cursor": {
            "type": "string"
          }
        }
      },
      "ListFiatAccountsRequestOrderBy": {
        "type": "string",
        "enum": [
          "CREATED_AT"
        ],
        "description": "Query filter order."
      },
      "ListFiatAccountsResponse": {
        "type": "object",
        "properties": {
          "items": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/FiatAccount"
            }
          },
          "next_page_cursor": {
            "type": "string"
          }
        }
      },
      "ListFiatDepositInstructionsResponse": {
        "type": "object",
        "properties": {
```

Pretty-print


```
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/FiatDepositInstructions"
            }
          },
          "next_page_cursor": {
            "type": "string"
          }
        }
      },
      "ListTransferLimitsResponse": {
        "type": "object",
        "properties": {
          "items": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/TransferLimit"
            }
          },
          "next_page_cursor": {
            "type": "string"
          }
        }
      },
      "ListTransfersRequestOrderBy": {
        "type": "string",
        "enum": [
          "CREATED_AT",
          "UPDATED_AT"
        ],
        "description": "Query filter order."
      },
      "ListTransfersResponse": {
        "type": "object",
        "properties": {
          "items": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/Transfer"
            }
          },
          "next_page_cursor": {
            "type": "string"
          }
        }
      },
      "MailingAddress": {
        "type": "object",
        "properties": {
          "country": {
            "type": "string",
            "maxLength": 35,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]+$"
          },
          "address1": {
            "type": "string",
            "maxLength": 35,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]+$"
          },
          "address2": {
            "type": "string",
            "maxLength": 35,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]+$"
          },
```

Pretty-print


```
            "type": "string",
            "maxLength": 35,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]+$"
          },
          "province": {
            "type": "string",
            "maxLength": 35,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]+$"
          },
          "zip_code": {
            "type": "string",
            "maxLength": 35,
            "pattern": "^[0-9A-Za-z /?:().,&'+-]+$"
          }
        },
        "description": "A mailing address.",
        "required": [
          "country"
        ]
      },
      "MaxRentExceeded": {
        "type": "object",
        "properties": {
          "message": {
            "type": "string",
            "title": "Human-readable explanation of the error"
          },
          "destination_address": {
            "type": "string",
            "title": "The destination account address that triggered the check"
          }
        },
        "description": "MaxRentExceeded represents a failed transfer that was flagged for
system abuse.\nWhen a withdrawal's rent calculation for the destination account exceeds
the\nmaximum allowed rent threshold, it may indicate malicious behavior. This status\ndetail
is set when such transfers are automatically cancelled."
      },
      "MissingTrustline": {
        "type": "object",
        "properties": {
          "message": {
            "type": "string",
            "title": "Human-readable explanation of the error"
          },
          "destination_address": {
            "type": "string",
            "title": "The destination account address that is missing the trustline"
          },
          "asset": {
            "type": "string",
            "title": "The asset that requires a trustline"
          }
        },
        "description": "MissingTrustline represents a failed transfer where the destination
account\nlacks the required asset trustline."
      },
      "PendingCustomerApproval": {
        "type": "object",
        "properties": {
          "message": {
            "type": "string",
            "title": "Human-readable explanation"
          }
        },
```

Pretty-print


```
customer approval."
      },
      "PutCryptoDestinationAddressRequest": {
        "type": "object",
        "properties": {
          "id": {
            "type": "string",
            "description": "Optional field to specify the crypto destination address to
update. Only one of (id) or (network, address) must be specified."
          },
          "crypto_network": {
            "$ref": "#/components/schemas/CryptoNetwork"
          },
          "address": {
            "type": "string",
            "description": "Specify the address of the crypto destination address to
create/update. Only one of (id) or (network, address) must be specified."
          },
          "nickname": {
            "type": "string",
            "description": "Optional field to update the nickname of the crypto destination
address. Defaults to an auto-generated nickname if not specified on creation."
          },
          "bookmarked_status": {
            "type": "boolean",
            "description": "Optional field to update the bookmarked status of the crypto
destination address. Defaults to false if not specified on creation."
          },
          "travelrule_metadata": {
            "$ref":
"#/components/schemas/PutCryptoDestinationAddressRequestTravelruleMetadata"
          }
        }
      },
      "PutCryptoDestinationAddressRequestTravelruleMetadata": {
        "type": "object",
        "properties": {
          "beneficiary": {
            "$ref": "#/components/schemas/Beneficiary"
          },
          "vasp": {
            "$ref": "#/components/schemas/PutCryptoDestinationAddressRequestVasp"
          },
          "custodian_type": {
            "$ref": "#/components/schemas/CustodianType"
          }
        }
      },
      "PutCryptoDestinationAddressRequestVasp": {
        "type": "object",
        "properties": {
          "id": {
            "type": "string",
            "description": "Specify the id of the vasp."
          }
        }
      },
      "PutCryptoDestinationAddressResponse": {
        "type": "object",
        "properties": {
          "address": {
            "$ref": "#/components/schemas/CryptoDestinationAddress"
          }
        }
```

Pretty-print


```
      "RejectCryptoDepositResponse": {
        "type": "object"
      },
      "SecondaryStatus": {
        "type": "object",
        "properties": {
          "name": {
            "$ref": "#/components/schemas/SecondaryStatusName"
          },
          "detail": {
            "type": "string",
            "description": "Additional information about the current status of the transfer
(e.g. if information is missing)."
          }
        },
        "description": "Secondary status for the transfer, used for more granular explanation
of the transfer status."
      },
      "SecondaryStatusName": {
        "type": "string",
        "enum": [
          "TRAVEL_RULE_INFO_REQUESTED",
          "TRAVEL_RULE_REJECTED",
          "CUSTOMER_REJECTED",
          "PENDING_CUSTOMER_APPROVAL"
        ],
        "description": "Identifier for secondary status.\n\n - TRAVEL_RULE_INFO_REQUESTED:
Travel rule information is required to continue processing the transfer.\n -
TRAVEL_RULE_REJECTED: Transfer has been terminally rejected due to failing travel rule
checks.\n - CUSTOMER_REJECTED: Transfer was rejected by a customer.\n -
PENDING_CUSTOMER_APPROVAL: Transfer is pending customer approval."
      },
      "Transfer": {
        "type": "object",
        "example": {
          "id": "f190b163-208f-4d73-8deb-4fb8b24add00",
          "ref_id": "idempotence_id",
          "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339",
          "profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
          "amount": "0.10000000",
          "total": "0.10000023",
          "fee": "0.00000023",
          "asset": "BTC",
          "balance_asset": "BTC",
          "direction": "WITHDRAWAL",
          "type": "CRYPTO_WITHDRAWAL",
          "status": "COMPLETED",
          "created_at": "2020-01-17T18:36:08.737Z",
          "updated_at": "2020-01-17T18:37:08.737Z",
          "crypto_network": "BITCOIN",
          "crypto_tx_hash":
"f4184fc596403b9d638783cf57adfe4c75c605f6356fbc91338530e9831e9e16",
          "crypto_tx_index": "0",
          "destination_address": "1BvBMSEYstWetqTFn5Au4m4GFg7xJaNVN2",
          "notional_value": "1.02",
          "metadata": {
            "my_id": "4024ee50-eefb-4f2e-85c7-e7899c0b7da5"
          }
        },
        "properties": {
          "id": {
            "type": "string",
            "description": "The Paxos transfer ID."
          },
```

Pretty-print


```
            "type": "string",
            "description": "The Paxos customer ID."
          },
          "profile_id": {
            "type": "string",
            "description": "The target Profile of the transfer. The profile asset balance is
debited or credited by the transfer."
          },
          "identity_id": {
            "type": "string",
            "description": "The Paxos ID of the Identity associated with the transfer."
          },
          "ref_id": {
            "type": "string",
            "description": "The optional client-specified ID for replay protection and
lookup."
          },
          "amount": {
            "type": "string",
            "description": "The amount sent in the transfer.",
            "pattern": "^[0-9]*\\.?[0-9]+$"
          },
          "total": {
            "type": "string",
            "description": "The balance change from this transfer: amount - fee for deposits,
and amount + fee for withdrawals. Unsigned.",
            "pattern": "^[0-9]*\\.?[0-9]+$"
          },
          "fee": {
            "type": "string",
            "description": "The fee paid for the transfer.",
            "pattern": "^[0-9]*\\.?[0-9]+$"
          },
          "asset": {
            "type": "string",
            "description": "The asset for this transfer. This profile's balance of this asset
will be debited or credited."
          },
          "balance_asset": {
            "type": "string",
            "description": "The balance_asset represents what asset's balance was affected at
Paxos with this transfer. It only differs from Asset when the transfer includes conversion."
          },
          "direction": {
            "$ref": "#/components/schemas/TransferDirection"
          },
          "type": {
            "$ref": "#/components/schemas/TransferType"
          },
          "status": {
            "$ref": "#/components/schemas/TransferStatus"
          },
          "secondary_status": {
            "$ref": "#/components/schemas/SecondaryStatus"
          },
          "status_details": {
            "$ref": "#/components/schemas/TransferStatusDetails"
          },
          "created_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time at which this transfer record was created."
          },
          "updated_at": {
```

Pretty-print


```
            "format": "date-time",
            "description": "The time at which this transfer record was most recently updated."
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Optional client-specified stored metadata. For deposit event
transfers\nthis metadata is copied from the crypto deposit address or fiat deposit\nmemo used
for attribution.\nUp to 6 key/value pairs may be returned.\nEach key and value must be less
than or equal to 100 characters."
          },
          "destination_address": {
            "type": "string",
            "description": "The destination crypto address."
          },
          "crypto_network": {
            "$ref": "#/components/schemas/CryptoNetwork"
          },
          "crypto_tx_hash": {
            "type": "string",
            "description": "For crypto transactions, the on-chain transaction hash."
          },
          "crypto_tx_index": {
            "type": "string",
            "description": "For crypto transactions, the output index or output address."
          },
          "account_id": {
            "type": "string",
            "description": "The Paxos ID of the Account associated with the transfer."
          },
          "auto_conversion": {
            "$ref": "#/components/schemas/AutoConversion"
          },
          "group_id": {
            "type": "string",
            "description": "Unique identifier linking the debit and credit sides of an
internal or Paxos transfer."
          },
          "fiat_account_id": {
            "type": "string",
            "description": "For fiat withdrawals, the Paxos ID of the owner's fiat account
(UUID)."
          },
          "notional_value": {
            "type": "string",
            "description": "For crypto withdrawals and deposits, the USD value of the combined
amount and fee at the time of the transfer."
          },
          "memo": {
            "type": "string",
            "description": "An optional memo to be included with the transfer as an
identifier."
          }
        },
        "required": [
          "id",
          "customer_id",
          "profile_id",
          "amount",
          "total",
          "fee",
          "created_at",
```

Pretty-print


```
          "asset",
          "status",
          "direction",
          "type"
        ]
      },
      "TransferLimit": {
        "type": "object",
        "properties": {
          "id": {
            "type": "string",
            "description": "The ID of the limit. Single-transaction limits will not have an
id, but only a rule id."
          },
          "rule_id": {
            "type": "string",
            "description": "The limit rule this limit applies to."
          },
          "transfer_types": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/TransferType"
            },
            "description": "One or more transfer types that the limit applies to, ordered
alphabetically."
          },
          "period_seconds": {
            "type": "string",
            "description": "The number of seconds that the limit is measured over. Single-
transaction limits have period 0."
          },
          "limit": {
            "type": "string",
            "description": "The limit."
          },
          "remaining": {
            "type": "string",
            "description": "The limit, minus any transactions that have been done in the
period. Single-transaction limits always have remaining set to the limit."
          },
          "limit_asset": {
            "type": "string",
            "description": "The asset that limit and remaining are given in, e.g. \"USD\",
\"BTC\", \"ETH\"."
          }
        }
      },
      "TransferStatus": {
        "type": "string",
        "enum": [
          "PENDING",
          "COMPLETED",
          "FAILED"
        ]
      },
      "TransferStatusDetails": {
        "type": "object",
        "properties": {
          "missing_trustline": {
            "$ref": "#/components/schemas/MissingTrustline"
          },
          "max_rent_exceeded": {
            "$ref": "#/components/schemas/MaxRentExceeded"
          },
```

Pretty-print


```
            "$ref": "#/components/schemas/PendingCustomerApproval"
          }
        },
        "description": "TransferStatusDetails provides additional information about why a
transfer\nis in its current state. This field is only populated when a transfer\nencounters
specific error conditions or requires additional context."
      },
      "TransferType": {
        "type": "string",
        "enum": [
          "INTERNAL_TRANSFER_DEBIT",
          "INTERNAL_TRANSFER_CREDIT",
          "CRYPTO_DEPOSIT",
          "CRYPTO_WITHDRAWAL",
          "WIRE_DEPOSIT",
          "WIRE_WITHDRAWAL",
          "SEN_DEPOSIT",
          "SEN_WITHDRAWAL",
          "BANK_DEPOSIT",
          "BANK_WITHDRAWAL",
          "PAXOS_TRANSFER_DEBIT",
          "PAXOS_TRANSFER_CREDIT",
          "SIGNET_DEPOSIT",
          "SIGNET_WITHDRAWAL",
          "CBIT_WITHDRAWAL",
          "CBIT_DEPOSIT",
          "CUBIX_DEPOSIT",
          "CUBIX_WITHDRAWAL"
        ],
        "description": "Type of transfer."
      },
      "UpdateCryptoDepositResponse": {
        "type": "object"
      },
      "ListTaxFormRevisionsResponse": {
        "type": "object",
        "properties": {
          "tax_form_urls": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/TaxFormURL"
            },
            "title": "List of tax form urls"
          }
        }
      },
      "ListTaxFormsResponse": {
        "type": "object",
        "properties": {
          "tax_form_urls": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/TaxFormURL"
            },
            "description": "List of tax form URLs. The size shall not exceed `users_limit`
times `form_types`."
          }
        }
      },
      "TaxFormType": {
        "type": "string",
        "enum": [
          "FORM_1099_B",
          "FORM_1099_MISC",
```

Pretty-print


```
        ]
      },
      "TaxFormURL": {
        "type": "object",
        "properties": {
          "account_id": {
            "type": "string"
          },
          "type": {
            "$ref": "#/components/schemas/TaxFormType"
          },
          "tax_year": {
            "type": "string"
          },
          "revision": {
            "type": "string"
          },
          "url": {
            "type": "string"
          }
        }
      },
      "CreateStablecoinConversionRequest": {
        "type": "object",
        "properties": {
          "profile_id": {
            "type": "string",
            "description": "The Profile associated with a conversion."
          },
          "amount": {
            "type": "string",
            "description": "Asset amount to convert. [Details]
(https://docs.paxos.com/developer/convert#assets).",
            "pattern": "^[0-9]*\\.?[0-9]+$"
          },
          "source_asset": {
            "type": "string",
            "description": "The asset to convert from. [Details]
(https://docs.paxos.com/developer/convert#assets)."
          },
          "target_asset": {
            "type": "string",
            "description": "The asset to convert to. [Details]
(https://docs.paxos.com/developer/convert#assets)."
          },
          "ref_id": {
            "type": "string",
            "description": "Client provided, unique Reference ID for lookup and replay
protection."
          },
          "identity_id": {
            "type": "string",
            "description": "The Identity ID associated with the user requesting the
conversion.\nRequired only for customers with [3rd-Party integrations](/crypto-
brokerage/ledger-type#fiat-and-crypto-subledger)."
          },
          "account_id": {
            "type": "string",
            "description": "The Account ID associated with the user requesting the
conversion.\nRequired only for customers with [3rd-Party integrations](/crypto-
brokerage/ledger-type#fiat-and-crypto-subledger)."
          },
          "metadata": {
            "type": "object",
```

Pretty-print


```
            "type": "string"
          },
          "description": "Optional client-specified stored metadata."
        },
        "recipient_profile_id": {
          "type": "string",
          "description": "For directed settlement, the receiving side `profile_id`."
        }
      },
      "required": [
        "profile_id",
        "amount",
        "source_asset",
        "target_asset"
      ]
    },
    "ListStablecoinConversionsResponse": {
      "type": "object",
      "properties": {
        "items": {
          "type": "array",
          "items": {
            "$ref": "#/components/schemas/StablecoinConversion"
          }
        },
        "next_page_cursor": {
          "type": "string",
          "description": "Cursor token required for fetching the next page."
        }
      }
    },
    "StablecoinConversion": {
      "type": "object",
      "properties": {
        "id": {
          "type": "string",
          "description": "System provided UUID for the conversion is\nprovided in the
[Create Stablecoin Conversion](#operation/CreateStablecoinConversion) response.\n\nRequired
parameter for the\n[Get Stablecoin Conversion](#operation/GetStablecoinConversion) request."
        },
        "profile_id": {
          "type": "string",
          "description": "The Profile associated with a conversion. Required in the\n[Create
Stablecoin Conversion](#operation/CreateStablecoinConversion) request."
        },
        "amount": {
          "type": "string",
          "description": "Asset amount to convert. [Details]
(https://docs.paxos.com/developer/convert#assets)."
        },
        "source_asset": {
          "type": "string",
          "description": "The asset to convert from. [Details]
(https://docs.paxos.com/developer/convert#assets)."
        },
        "target_asset": {
          "type": "string",
          "description": "The asset to convert to. [Details]
(https://docs.paxos.com/developer/convert#assets)."
        },
        "status": {
          "type": "string",
          "description": "The current status of the conversion. [Details]
(https://docs.paxos.com/developer/convert#stablecoin-conversion-statuses)."
```

Pretty-print


```
          "ref_id": {
            "type": "string",
            "description": "Client provided, unique Reference ID included the\n[Create
Stablecoin Conversion](#operation/CreateStablecoinConversion) request."
          },
          "identity_id": {
            "type": "string",
            "description": "The Identity ID associated with the user requesting the
conversion.\nRequired only for customers with [3rd-Party integrations](/crypto-
brokerage/ledger-type#fiat-and-crypto-subledger)."
          },
          "account_id": {
            "type": "string",
            "description": "The Account ID associated with the user requesting the
conversion.\nRequired only for customers with [3rd-Party integrations](/crypto-
brokerage/ledger-type#fiat-and-crypto-subledger)."
          },
          "created_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time at which the conversion was requested.\nSee RFC3339
format, like `2006-01-02T15:04:05Z`."
          },
          "updated_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time at which the conversion was last updated.\nRFC3339
format, like `2006-01-02T15:04:05Z`."
          },
          "settled_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time at which the conversion was settled.\n[Details]
(https://docs.paxos.com/developer/convert#stablecoin-conversion-statuses).\nRFC3339 format,
like `2006-01-02T15:04:05Z`."
          },
          "cancelled_at": {
            "type": "string",
            "format": "date-time",
            "description": "The time at which the conversion has been cancelled.\n[Details]
(https://docs.paxos.com/developer/convert#stablecoin-conversion-statuses).\nRFC3339 format,
like `2006-01-02T15:04:05Z`."
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Optional client-specified stored metadata."
          },
          "recipient_profile_id": {
            "type": "string",
            "description": "For directed settlement, the receiving side `profile_id`."
          }
        }
      },
      "CreateObligationRequest": {
        "type": "object",
        "properties": {
          "direction": {
            "$ref": "#/components/schemas/ObligationDirection"
          },
          "asset": {
            "type": "string",
```

Pretty-print


```
          },
          "amount": {
            "type": "string",
            "description": "Amount of the asset which is obliged."
          }
        },
        "description": "Request to create a obligation."
      },
      "CreateTransactionRequest": {
        "type": "object",
        "properties": {
          "ref_id": {
            "type": "string",
            "description": "Idempotency key."
          },
          "settlement_window_start": {
            "type": "string",
            "format": "date-time",
            "description": "The start of the window which the transaction is eligible for
settlement.\nIf omitted, transactions are immediately eligible for settlement upon
success.\nRFC3339 format, like `2006-01-02T15:04:05Z`."
          },
          "settlement_window_end": {
            "type": "string",
            "format": "date-time",
            "description": "The end of the window which the transaction is eligible for
settlement.\nTransactions which are not cancelled or settled by this time will
expire.\nRFC3339 format, like `2006-01-02T15:04:05Z`."
          },
          "source_profile_id": {
            "type": "string",
            "description": "The `profile_id` of the entity submitting the transaction."
          },
          "target_profile_id": {
            "type": "string",
            "description": "The `profile_id` of the entity receiving the transaction."
          },
          "legs": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/CreateObligationRequest"
            },
            "description": "The obligations (representing one-way asset movements) to be
settled atomically."
          }
        },
        "description": "Request to create a bilateral settlement transaction with one or more
legs."
      },
      "ListTransactionsResponse": {
        "type": "object",
        "properties": {
          "items": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/Transaction"
            }
          },
          "next_page_cursor": {
            "type": "string"
          }
        }
      },
      "Obligation": {
```

Pretty-print


```
        "example": {
          "id": "e7b6892a-00f7-40fb-8871-bdd1eefb6192",
          "direction": "DELIVER",
          "asset": "BTC",
          "amount": "0.10000000"
        },
        "properties": {
          "id": {
            "type": "string"
          },
          "direction": {
            "$ref": "#/components/schemas/ObligationDirection"
          },
          "asset": {
            "type": "string",
            "description": "Asset which is obliged."
          },
          "amount": {
            "type": "string",
            "description": "Amount of the asset which is obliged.",
            "pattern": "^[0-9]*\\.?[0-9]+$"
          }
        },
        "required": [
          "id",
          "direction",
          "asset",
          "amount"
        ]
      },
      "ObligationDirection": {
        "type": "string",
        "enum": [
          "DELIVER",
          "RECEIVE"
        ],
        "description": "Direction of asset delivery for an obligation.\n\n - DELIVER: Assets
are delivered from the source profile to the target profile.\n - RECEIVE: Assets are delivered
from the target profile to the source profile."
      },
      "Transaction": {
        "type": "object",
        "example": {
          "id": "d99a03ee-6b88-4362-89da-087c2c8cd4a7",
          "ref_id": "d840cf31-352f-4190-a476-7522bf3eafda",
          "settlement_window_start": "2023-08-25T14:25:41.648486573Z",
          "settlement_window_end": "2023-08-25T14:25:41.648486953Z",
          "source_profile_id": "4fd025ab-f29f-47e6-a02e-df90a61c7ec9",
          "target_profile_id": "47db6271-50d6-4934-8c81-c42d87bfb390",
          "legs": [
            {
              "id": "ace21517-447e-4764-8733-765cb12a7fab",
              "direction": "DELIVER",
              "asset": "BTC",
              "amount": "100"
            }
          ],
          "status": "PENDING",
          "created_at": "2023-08-25T14:25:41.648489333Z",
          "updated_at": "2023-08-25T14:25:41.648489493Z"
        },
        "properties": {
          "id": {
            "type": "string",
```

Pretty-print


```
transaction."
          },
          "ref_id": {
            "type": "string",
            "description": "Idempotency key."
          },
          "settlement_window_start": {
            "type": "string",
            "format": "date-time",
            "description": "The start of the window which the transaction is eligible for
settlement.\nIf omitted, transactions are immediately eligible for settlement upon
success.\nRFC3339 format, like `YYYY-MM-DDTHH:MM:SS.sssZ`. ex: `2006-01-02T15:04:05Z`."
          },
          "settlement_window_end": {
            "type": "string",
            "format": "date-time",
            "description": "The end of the window which the transaction is eligible for
settlement.\nTransactions which are not cancelled or settled by this time will
expire.\nRFC3339 format, like `YYYY-MM-DDTHH:MM:SS.sssZ`. ex: `2006-01-02T15:04:05Z`."
          },
          "source_profile_id": {
            "type": "string",
            "description": "The Profile ID (profile_id) of the entity submitting the
transaction."
          },
          "target_profile_id": {
            "type": "string",
            "description": "The Profile ID (profile_id) of the entity receiving the
transaction."
          },
          "legs": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/Obligation"
            },
            "description": "The obligations (representing one-way asset movements) to be
settled atomically."
          },
          "status": {
            "$ref": "#/components/schemas/TransactionStatus"
          },
          "created_at": {
            "type": "string",
            "format": "date-time",
            "description": "The timestamp when the transaction was first created, RFC3339
format, like `YYYY-MM-DDTHH:MM:SS.sssZ`."
          },
          "updated_at": {
            "type": "string",
            "format": "date-time",
            "description": "The timestamp when the transaction was last updated, RFC3339
format, like `YYYY-MM-DDTHH:MM:SS.sssZ`."
          }
        },
        "description": "Transaction returned on create (Create Transaction), list (List
Transactions) and get (Get Transaction) requests.",
        "required": [
          "id",
          "ref_id",
          "settlement_window_start",
          "settlement_window_end",
          "source_profile_id",
          "target_profile_id",
          "legs",
```

Pretty-print


```
          "created_at",
          "updated_at"
        ]
      },
      "TransactionStatus": {
        "type": "string",
        "enum": [
          "PENDING",
          "SETTLED",
          "EXPIRED",
          "CANCELLED",
          "AFFIRMED"
        ],
        "description": "- PENDING: Initial state of a settlement transaction upon creation.\n
- SETTLED: Indicates all obligations belong to the settlement transaction have been enacted.\n
- EXPIRED: Indicates the settlement transaction is no longer eligible for settlement.\n -
CANCELLED: Indicates the settlement transaction was cancelled by the source profile.\n -
AFFIRMED: Indicates the settlement transaction will be eligible for settlement once within the
window.",
        "title": "Status of the transaction"
      },
      "AutoRewardsPublicUpdateMonitoringAddressBody": {
        "type": "object",
        "properties": {
          "name": {
            "type": "string",
            "description": "Optional display name. Useful for grouping or reporting."
          }
        }
      },
      "CreateMonitoringAddressRequest": {
        "type": "object",
        "properties": {
          "crypto_network": {
            "$ref": "#/components/schemas/CryptoNetwork"
          },
          "address": {
            "type": "string",
            "description": "On-chain address Paxos will monitor for eligible reward activity.
Must be valid for the specified network and not be registered to another customer.\nFor
`SOLANA` specify the wallet account (ie: not a derived/token account like an ATA)."
          },
          "name": {
            "type": "string",
            "description": "Optional display name. Useful for grouping or reporting."
          }
        }
      },
      "CreateMonitoringAddressResponse": {
        "type": "object",
        "properties": {
          "address": {
            "$ref": "#/components/schemas/MonitoringAddress"
          }
        }
      },
      "DeleteMonitoringAddressResponse": {
        "type": "object",
        "properties": {
          "address": {
            "$ref": "#/components/schemas/MonitoringAddress"
          }
        }
      },
```

Pretty-print


```
        "type": "object",
        "properties": {
          "address": {
            "$ref": "#/components/schemas/MonitoringAddress"
          }
        }
      },
      "GetRewardAccessResponse": {
        "type": "object",
        "properties": {
          "is_gdn_partner": {
            "type": "boolean",
            "title": "Indicate the caller is part of the Global Network"
          }
        }
      },
      "ListMonitoringAddressResponse": {
        "type": "object",
        "properties": {
          "addresses": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/MonitoringAddress"
            }
          },
          "next_page_cursor": {
            "type": "string",
            "title": "Value to use as `page_cursor` in subsequent request"
          }
        }
      },
      "MonitoringAddress": {
        "type": "object",
        "properties": {
          "address": {
            "type": "string",
            "description": "On-chain address Paxos will monitor for eligible reward activity."
          },
          "crypto_network": {
            "$ref": "#/components/schemas/CryptoNetwork"
          },
          "name": {
            "type": "string",
            "description": "Optional display name. Useful for grouping or reporting."
          },
          "created_at": {
            "type": "string",
            "format": "date-time",
            "description": "When the address was registered."
          },
          "id": {
            "type": "string",
            "description": "UUID direct reference to the created address (to be used for
updates)."
          }
        },
        "required": [
          "id",
          "address",
          "crypto_network",
          "created_at"
        ]
      },
      "UpdateMonitoringAddressResponse": {
```

Pretty-print


```
        "properties": {
          "address": {
            "$ref": "#/components/schemas/MonitoringAddress"
          }
        }
      },
      "ListPaymentsResponse": {
        "type": "object",
        "properties": {
          "payments": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/Payment"
            }
          },
          "next_page_cursor": {
            "type": "string"
          }
        }
      },
      "ListStatementsResponse": {
        "type": "object",
        "properties": {
          "statements": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/Statement"
            }
          },
          "next_page_cursor": {
            "type": "string"
          }
        }
      },
      "Payment": {
        "type": "object",
        "properties": {
          "id": {
            "type": "string",
            "description": "Unique identifier for the payment."
          },
          "customer_id": {
            "type": "string",
            "description": "UUID of the customer."
          },
          "profile_id": {
            "type": "string",
            "title": "Optional, can be specified if payment is at profile level"
          },
          "account_id": {
            "type": "string",
            "title": "Optional, can be specified if payment is at account level"
          },
          "ref_id": {
            "type": "string",
            "description": "Statement reference string this payment resolves."
          },
          "product": {
            "$ref": "#/components/schemas/Product"
          },
          "payment_type": {
            "$ref": "#/components/schemas/PaymentType"
          },
          "payment_source": {
```

Pretty-print


```
            "title": "Payment source does not have information for USDG reward payments"
          },
          "payment_destination": {
            "type": "string",
            "description": "UUID of the payout address used."
          },
          "payment_asset": {
            "type": "string",
            "description": "Should be `USDG`."
          },
          "payment_amount": {
            "type": "string",
            "description": "Total amount paid."
          },
          "payment_status": {
            "$ref": "#/components/schemas/PaymentStatus"
          },
          "payment_tx_id": {
            "type": "string",
            "description": "The transaction id returned by the internal service which
processes the payment requested."
          },
          "description": {
            "type": "string",
            "title": "Description of the payment, will show in the payment dashboard (TBD)"
          },
          "metadata": {
            "type": "string",
            "description": "Metadata associated with the payment, for client usage or future
expansion."
          },
          "created_at": {
            "type": "string",
            "format": "date-time",
            "description": "Lifecycle field for tracking transfer status."
          },
          "processed_at": {
            "type": "string",
            "format": "date-time",
            "description": "Lifecycle field for tracking transfer status."
          }
        }
      },
      "PaymentStatus": {
        "type": "string",
        "enum": [
          "PAYMENT_STATUS_PENDING",
          "PAYMENT_STATUS_COMPLETED",
          "PAYMENT_STATUS_FAILED"
        ]
      },
      "PaymentType": {
        "type": "string",
        "enum": [
          "PAYMENT_TYPE_CRYPTO_WITHDRAWAL"
        ],
        "title": "Payment types supported by payment service\nCrypto Withdrawal: Withdrawal of
crypto assets"
      },
      "Product": {
        "type": "string",
        "enum": [
          "USDG_REWARDS"
        ]
```

Pretty-print


```
      "Statement": {
        "type": "object",
        "properties": {
          "id": {
            "type": "string",
            "description": "Unique statement ID."
          },
          "ref_id": {
            "type": "string",
            "description": "Must be unique per customer."
          },
          "customer_id": {
            "type": "string",
            "description": "UUID of the associated customer."
          },
          "type": {
            "$ref": "#/components/schemas/StatementType"
          },
          "product": {
            "$ref": "#/components/schemas/Product"
          },
          "status": {
            "$ref": "#/components/schemas/StatementStatus"
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "description": "Custom fields (e.g., `total_amount`)."
          },
          "statement_balances": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/StatementBalance"
            },
            "description": "Breakdown of owed vs. paid balances."
          },
          "period_start": {
            "type": "string",
            "format": "date-time",
            "description": "The time range this statement covers."
          },
          "period_end": {
            "type": "string",
            "format": "date-time",
            "description": "The time range this statement covers."
          },
          "generated_at": {
            "type": "string",
            "format": "date-time",
            "description": "Lifecycle tracking fields."
          },
          "paid_at": {
            "type": "string",
            "format": "date-time",
            "description": "Lifecycle tracking fields."
          },
          "created_at": {
            "type": "string",
            "format": "date-time",
            "description": "Lifecycle tracking fields."
          },
          "statement_group_id": {
```

Pretty-print


```
            "description": "statement_group_id is used to group multiple statements together.
Multiple versions of a statement may belong to a single statement group."
          },
          "version": {
            "type": "integer",
            "format": "int64",
            "description": "Version number of the statement."
          },
          "files": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/StatementFile"
            },
            "title": "Generated files for the statement"
          },
          "data": {
            "$ref": "#/components/schemas/bufAny"
          }
        }
      },
      "StatementBalance": {
        "type": "object",
        "properties": {
          "asset": {
            "type": "string"
          },
          "amount_paid": {
            "type": "string"
          },
          "total_amount_owed": {
            "type": "string"
          },
          "next_payment_ref_id": {
            "type": "string",
            "description": "next_payment_ref_id should be used by clients as the ref_id when
processing payments for statements.\nThis is unique to for each payment that should be
submitted. If the amount_paid == total_amount_owed, then this field will be empty."
          }
        }
      },
      "StatementFile": {
        "type": "object",
        "properties": {
          "format": {
            "type": "string",
            "title": "The format type (e.g., \"PDF\" or \"CSV\")"
          },
          "url": {
            "type": "string",
            "title": "The S3 presigned URL for the file"
          },
          "expires_at": {
            "type": "string",
            "format": "date-time",
            "title": "When the S3 presigned URL expires"
          },
          "generated_at": {
            "type": "string",
            "format": "date-time",
            "title": "Timestamp when this specific file was generated"
          }
        },
        "description": "Represents a generated file for a specific statement version."
      },
```

Pretty-print


```
        "type": "string",
        "enum": [
          "STATEMENT_STATUS_UNSPECIFIED",
          "STATEMENT_STATUS_INITIATED",
          "STATEMENT_STATUS_GENERATED",
          "STATEMENT_STATUS_PAID"
        ]
      },
      "StatementType": {
        "type": "string",
        "enum": [
          "STATEMENT_TYPE_UNSPECIFIED",
          "STATEMENT_TYPE_USDG_REWARD"
        ]
      },
      "Event": {
        "type": "object",
        "properties": {
          "id": {
            "type": "string",
            "title": "The event identifier used to query or refer to a specific event"
          },
          "type": {
            "type": "string",
            "title": "The type of event representing an action in the system"
          },
          "object_type": {
            "type": "string",
            "title": "The type of the `object` associated with the event"
          },
          "object": {
            "type": "object",
            "title": "The structured payload of type `object_type` associated with the event"
          },
          "created_at": {
            "type": "string",
            "format": "date-time",
            "description": "The timestamp when the event was first created, RFC3339 format,
like `YYYY-MM-DDTHH:MM:SS.sssZ`."
          },
          "undelivered_webhooks": {
            "type": "integer",
            "format": "int32",
            "title": "The number of undelivered webhooks"
          }
        }
      },
      "ListEventsResponse": {
        "type": "object",
        "properties": {
          "events": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/Event"
            },
            "description": "Events in ascending order of `created_at` timestamp."
          }
        }
      },
      "bufNullValue": {
        "type": "string",
        "enum": [
          "NULL_VALUE"
        ],
```

Pretty-print


```
the\n value  type union.\n\nThe JSON representation for  NullValue  is JSON  null .\n\n -
NULL_VALUE: Null value."
      },
      "ListApiCredentialsRequestOrderBy": {
        "type": "string",
        "enum": [
          "CREATED_AT"
        ]
      },
      "ClientPublicKey": {
        "type": "object",
        "properties": {
          "id": {
            "type": "string"
          },
          "client_id": {
            "type": "string"
          },
          "algorithm": {
            "type": "string"
          },
          "public_key": {
            "type": "string"
          },
          "active": {
            "type": "boolean"
          },
          "nickname": {
            "type": "string"
          }
        },
        "required": [
          "nickname",
          "algorithm",
          "public_key"
        ]
      },
      "DeleteApiCredentialsResponse": {
        "type": "object",
        "properties": {
          "credentials": {
            "$ref": "#/components/schemas/FirstPartyClient"
          }
        }
      },
      "FirstPartyClient": {
        "type": "object",
        "properties": {
          "id": {
            "type": "string"
          },
          "customer_id": {
            "type": "string"
          },
          "client_id": {
            "type": "string"
          },
          "client_public_keys": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/ClientPublicKey"
            }
          },
          "status": {
```

Pretty-print


```
          },
          "created_at": {
            "type": "string",
            "format": "date-time"
          },
          "updated_at": {
            "type": "string",
            "format": "date-time"
          },
          "nickname": {
            "type": "string"
          },
          "ip_allowlist": {
            "type": "array",
            "items": {
              "type": "string"
            }
          },
          "enforce_request_signing": {
            "type": "boolean"
          },
          "client_scopes": {
            "type": "array",
            "items": {
              "type": "string"
            }
          },
          "created_by": {
            "type": "string"
          }
        }
      },
      "FirstPartyClientStatus": {
        "type": "string",
        "enum": [
          "APPROVED",
          "DISABLED"
        ]
      },
      "ListApiCredentialsResponse": {
        "type": "object",
        "properties": {
          "items": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/FirstPartyClient"
            }
          },
          "next_page_cursor": {
            "type": "string",
            "description": "The page cursor for the next page of results. Empty if this is the
last page."
          }
        }
      },
      "TransferDetailsTransferStatus": {
        "type": "string",
        "enum": [
          "PENDING",
          "PROCESSING",
          "COMPLETED",
          "FAILED"
        ],
        "description": " - PENDING: PENDING: a transfer is planned, but its resource_id is not
```

Pretty-print

resource_id is\nguaranteed to be set if the status is PROCESSING.\n - COMPLETED: COMPLETED: a transfer with `resource_id` has successfully completed.\n - FAILED: FAILED: a transfer with `resource_id` has failed."
      },
      "CreateOrchestrationRequest": {
        "type": "object",
        "properties": {
          "identity_id": {
            "type": "string"
          },
          "account_id": {
            "type": "string"
          },
          "ref_id": {
            "type": "string",
            "description": "A client or system-specified unique identifier for the orchestration - used for idempotency\nprotection. Retries of a request should use the same ref_id to avoid duplicate transactions."
          },
          "source_asset": {
            "type": "string"
          },
          "destination_asset": {
            "type": "string"
          },
          "source_amount": {
            "type": "string",
            "title": "The available amount in the source profile"
          },
          "source": {
            "$ref": "#/components/schemas/CreateOrchestrationRequestSource"
          },
          "destination": {
            "$ref": "#/components/schemas/CreateOrchestrationRequestDestination"
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "title": "Metadata associated with the orchestration"
          }
        },
        "required": [
          "ref_id",
          "source_asset",
          "destination_asset",
          "source_amount"
        ]
      },
      "CreateOrchestrationRequestCryptoDestination": {
        "type": "object",
        "properties": {
          "address_id": {
            "type": "string",
            "description": "The ID of a pre-approved crypto destination address.\n\nValid crypto addresses can be retrieved using:\n- ListCryptoDestinationAddresses endpoint (/transfer/crypto-destination-addresses)\n- PutCryptoDestinationAddress endpoint (/transfer/crypto-destination-address)"
          }
        }
      },
      "CreateOrchestrationRequestDestination": {
        "type": "object",

Pretty-print


```
          "crypto": {
            "$ref": "#/components/schemas/CreateOrchestrationRequestCryptoDestination"
          },
          "fiat": {
            "$ref": "#/components/schemas/CreateOrchestrationRequestFiatDestination"
          },
          "profile": {
            "$ref": "#/components/schemas/CreateOrchestrationRequestProfileDestination"
          }
        }
      },
      "CreateOrchestrationRequestFiatDestination": {
        "type": "object",
        "properties": {
          "bank_account_id": {
            "type": "string"
          },
          "memo": {
            "type": "string"
          }
        }
      },
      "CreateOrchestrationRequestProfileDestination": {
        "type": "object",
        "properties": {
          "profile_id": {
            "type": "string"
          }
        }
      },
      "CreateOrchestrationRequestProfileSource": {
        "type": "object",
        "properties": {
          "profile_id": {
            "type": "string"
          }
        }
      },
      "CreateOrchestrationRequestSource": {
        "type": "object",
        "properties": {
          "profile": {
            "$ref": "#/components/schemas/CreateOrchestrationRequestProfileSource"
          }
        }
      },
      "CreateOrchestrationRuleRequest": {
        "type": "object",
        "example": {
          "ref_id": "my-rule-001",
          "nickname": "ETH to USD conversion",
          "profile_id": "e8ea8b1c-4e8d-4c59-9e7a-c985194ba2e8",
          "source_asset": "ETH",
          "destination_asset": "USD",
          "source": {
            "crypto": {
              "network": "ETHEREUM"
            }
          },
          "destination": {
            "profile": {
              "profile_id": "e8ea8b1c-4e8d-4c59-9e7a-c985194ba2e8"
            }
          }
```

Pretty-print


```
        "properties": {
          "ref_id": {
            "type": "string",
            "description": "Client-provided unique reference ID for the rule."
          },
          "nickname": {
            "type": "string",
            "description": "Optional human-readable nickname for the rule."
          },
          "profile_id": {
            "type": "string",
            "description": "Profile ID of the account owner."
          },
          "identity_id": {
            "type": "string",
            "description": "Identity ID of the account owner."
          },
          "account_id": {
            "type": "string",
            "description": "Account ID where the rule applies."
          },
          "source_asset": {
            "type": "string",
            "description": "Asset being converted from.\n\nValid values: USDG, PYUSD, USDP,
USDC, USD"
          },
          "destination_asset": {
            "type": "string",
            "description": "Asset being converted to.\n\nValid values: USDG, PYUSD, USDP,
USDC, USD"
          },
          "source": {
            "$ref": "#/components/schemas/CreateOrchestrationRuleRequestSource"
          },
          "destination": {
            "$ref": "#/components/schemas/CreateOrchestrationRuleRequestDestination"
          }
        },
        "required": [
          "ref_id",
          "profile_id",
          "source_asset",
          "destination_asset",
          "source"
        ]
      },
      "CreateOrchestrationRuleRequestCryptoDestination": {
        "type": "object",
        "properties": {
          "crypto_address_id": {
            "type": "string",
            "description": "The ID of a pre-approved crypto destination address.\n\nValid
crypto addresses can be retrieved using:\n- ListCryptoDestinationAddresses endpoint
(/transfer/crypto-destination-addresses)\n- PutCryptoDestinationAddress endpoint
(/transfer/crypto-destination-address)"
          }
        }
      },
      "CreateOrchestrationRuleRequestCryptoSource": {
        "type": "object",
        "properties": {
          "network": {
            "type": "string",
            "description": "The blockchain network for the crypto source.\n\nValid values:
```

Pretty-print


```
          }
        }
      },
      "CreateOrchestrationRuleRequestDestination": {
        "type": "object",
        "properties": {
          "crypto": {
            "$ref": "#/components/schemas/CreateOrchestrationRuleRequestCryptoDestination"
          },
          "fiat": {
            "$ref": "#/components/schemas/CreateOrchestrationRuleRequestFiatDestination"
          },
          "profile": {
            "$ref": "#/components/schemas/CreateOrchestrationRuleRequestProfileDestination"
          }
        }
      },
      "CreateOrchestrationRuleRequestFiatDestination": {
        "type": "object",
        "properties": {
          "fiat_account_id": {
            "type": "string",
            "description": "The ID of a pre-approved fiat account.\n\nValid fiat account IDs
can be retrieved using:\n- CreateFiatAccount endpoint (/transfer/fiat-accounts)\n-
GetFiatAccount endpoint (/transfer/fiat-accounts/{id})\n- ListFiatAccounts endpoint
(/transfer/fiat-accounts)"
          },
          "memo": {
            "type": "string"
          }
        }
      },
      "CreateOrchestrationRuleRequestFiatSource": {
        "type": "object",
        "properties": {
          "network": {
            "type": "string",
            "description": "The fiat network for the source.\n\nValid values: WIRE, CUBIX"
          },
          "account_type": {
            "type": "string",
            "description": "The account type for the fiat source.\n\nValid values: SWIFT, ABA"
          }
        }
      },
      "CreateOrchestrationRuleRequestProfileDestination": {
        "type": "object",
        "properties": {
          "profile_id": {
            "type": "string"
          }
        }
      },
      "CreateOrchestrationRuleRequestSource": {
        "type": "object",
        "properties": {
          "crypto": {
            "$ref": "#/components/schemas/CreateOrchestrationRuleRequestCryptoSource"
          },
          "fiat": {
            "$ref": "#/components/schemas/CreateOrchestrationRuleRequestFiatSource"
          }
        }
      },
```

Pretty-print


```
        "type": "object",
        "properties": {
          "rule": {
            "$ref": "#/components/schemas/OrchestrationRule"
          }
        }
      },
      "DeleteOrchestrationRuleResponse": {
        "type": "object",
        "properties": {
          "rule": {
            "$ref": "#/components/schemas/OrchestrationRule"
          }
        }
      },
      "FailReason": {
        "type": "object",
        "properties": {
          "detail": {
            "type": "string"
          }
        }
      },
      "ListOrchestrationRulesResponse": {
        "type": "object",
        "properties": {
          "rules": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/OrchestrationRule"
            }
          },
          "next_page_cursor": {
            "type": "string"
          }
        }
      },
      "ListOrchestrationsResponse": {
        "type": "object",
        "properties": {
          "orchestrations": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/Orchestration"
            }
          },
          "next_page_cursor": {
            "type": "string"
          }
        }
      },
      "Orchestration": {
        "type": "object",
        "properties": {
          "id": {
            "type": "string"
          },
          "profile_id": {
            "type": "string"
          },
          "identity_id": {
            "type": "string"
          },
          "account_id": {
```

Pretty-print


```
          },
          "customer_id": {
            "type": "string"
          },
          "ref_id": {
            "type": "string",
            "description": "A client or system-specified unique identifier for the
orchestration - used for idempotency\nprotection. Retries of a request should use the same
ref_id to avoid duplicate transactions.\nFor system-initiated orchestrations generated by
invocation of an orchestration rule, the\nref_id is generated the system."
          },
          "source_asset": {
            "type": "string"
          },
          "destination_asset": {
            "type": "string"
          },
          "source_amount": {
            "type": "string",
            "title": "Amount in source asset"
          },
          "source_transfer": {
            "$ref": "#/components/schemas/TransferDetails"
          },
          "destination_transfer": {
            "$ref": "#/components/schemas/TransferDetails"
          },
          "status": {
            "$ref": "#/components/schemas/OrchestrationStatus"
          },
          "fail_reason": {
            "$ref": "#/components/schemas/FailReason"
          },
          "source": {
            "$ref": "#/components/schemas/OrchestrationSource"
          },
          "destination": {
            "$ref": "#/components/schemas/OrchestrationDestination"
          },
          "orchestration_rule_id": {
            "type": "string",
            "description": "The ID of the orchestration rule which triggered this
orchestration. Can be empty for\nad-hoc orchestrations."
          },
          "created_at": {
            "type": "string",
            "format": "date-time"
          },
          "updated_at": {
            "type": "string",
            "format": "date-time"
          },
          "metadata": {
            "type": "object",
            "additionalProperties": {
              "type": "string"
            },
            "title": "Metadata associated with the orchestration"
          }
        },
        "description": "Orchestrations can be created directly via the CreateOrchestration
endpoint, or indirectly\nby an incoming deposit which matches an OrchestrationRule previously
defined with the\nCreateOrchestrationRule endpoint."
      },
```

Pretty-print


```
        "type": "object",
        "properties": {
          "address": {
            "type": "string"
          },
          "network": {
            "type": "string"
          },
          "address_id": {
            "type": "string"
          }
        }
      },
      "OrchestrationCryptoSource": {
        "type": "object",
        "properties": {
          "address_id": {
            "type": "string"
          },
          "address": {
            "type": "string"
          },
          "network": {
            "type": "string"
          }
        }
      },
      "OrchestrationDestination": {
        "type": "object",
        "properties": {
          "crypto": {
            "$ref": "#/components/schemas/OrchestrationCryptoDestination"
          },
          "fiat": {
            "$ref": "#/components/schemas/OrchestrationFiatDestination"
          },
          "profile": {
            "$ref": "#/components/schemas/OrchestrationProfileDestination"
          }
        }
      },
      "OrchestrationFiatDestination": {
        "type": "object",
        "properties": {
          "bank_account_id": {
            "type": "string"
          },
          "memo": {
            "type": "string"
          }
        }
      },
      "OrchestrationFiatSource": {
        "type": "object",
        "properties": {
          "deposit_instructions_id": {
            "type": "string"
          },
          "memo": {
            "type": "string"
          }
        }
      },
      "OrchestrationProfileDestination": {
```

Pretty-print


```
        "properties": {
          "profile_id": {
            "type": "string"
          }
        }
      },
      "OrchestrationProfileSource": {
        "type": "object",
        "properties": {
          "profile_id": {
            "type": "string"
          }
        }
      },
      "OrchestrationRule": {
        "type": "object",
        "properties": {
          "id": {
            "type": "string",
            "description": "Unique identifier for the orchestration rule."
          },
          "ref_id": {
            "type": "string",
            "description": "Unique reference ID for the rule."
          },
          "nickname": {
            "type": "string",
            "description": "Optional human-readable nickname for the rule."
          },
          "profile_id": {
            "type": "string",
            "description": "Profile ID of the account owner."
          },
          "identity_id": {
            "type": "string",
            "description": "Identity ID of the account owner."
          },
          "account_id": {
            "type": "string",
            "description": "Account ID where the rule applies."
          },
          "status": {
            "$ref": "#/components/schemas/OrchestrationRuleStatus"
          },
          "source_asset": {
            "type": "string",
            "description": "Asset being converted from."
          },
          "destination_asset": {
            "type": "string",
            "description": "Asset being converted to."
          },
          "source": {
            "$ref": "#/components/schemas/OrchestrationRuleSource"
          },
          "destination": {
            "$ref": "#/components/schemas/OrchestrationRuleDestination"
          },
          "created_at": {
            "type": "string",
            "format": "date-time",
            "description": "Timestamp when the rule was created."
          }
        }
```

Pretty-print


```
      "OrchestrationRuleCryptoDestination": {
        "type": "object",
        "properties": {
          "address": {
            "type": "string"
          },
          "network": {
            "type": "string"
          }
        }
      },
      "OrchestrationRuleCryptoSource": {
        "type": "object",
        "properties": {
          "address_id": {
            "type": "string"
          },
          "address": {
            "type": "string"
          },
          "network": {
            "type": "string"
          }
        }
      },
      "OrchestrationRuleDestination": {
        "type": "object",
        "properties": {
          "crypto": {
            "$ref": "#/components/schemas/OrchestrationRuleCryptoDestination"
          },
          "fiat": {
            "$ref": "#/components/schemas/OrchestrationRuleFiatDestination"
          },
          "profile": {
            "$ref": "#/components/schemas/OrchestrationRuleProfileDestination"
          }
        }
      },
      "OrchestrationRuleFiatDestination": {
        "type": "object",
        "properties": {
          "fiat_account_id": {
            "type": "string"
          },
          "memo": {
            "type": "string"
          }
        }
      },
      "OrchestrationRuleFiatSource": {
        "type": "object",
        "properties": {
          "deposit_instructions_id": {
            "type": "string"
          },
          "network": {
            "type": "string"
          },
          "account_type": {
            "type": "string"
          },
          "memo_id": {
            "type": "string"
```

Pretty-print


```
        }
      },
      "OrchestrationRuleProfileDestination": {
        "type": "object",
        "properties": {
          "profile_id": {
            "type": "string"
          }
        }
      },
      "OrchestrationRuleProfileSource": {
        "type": "object",
        "properties": {
          "profile_id": {
            "type": "string"
          }
        }
      },
      "OrchestrationRuleSource": {
        "type": "object",
        "properties": {
          "crypto": {
            "$ref": "#/components/schemas/OrchestrationRuleCryptoSource"
          },
          "fiat": {
            "$ref": "#/components/schemas/OrchestrationRuleFiatSource"
          },
          "profile": {
            "$ref": "#/components/schemas/OrchestrationRuleProfileSource"
          }
        }
      },
      "OrchestrationRuleStatus": {
        "type": "string",
        "enum": [
          "ACTIVE",
          "DELETED",
          "PENDING",
          "REJECTED"
        ],
        "description": " - ACTIVE: The rule is active, deposits matching the `source_asset`
and `source` of this rule start a conversion and\nsubsequent delivery of the
`destination_asset` to the specified `destination`.\n - DELETED: The rule has been deleted,
newly deposited `source_assets` to the `source` of this rule will not be converted.\nThe
deposited `source_asset` is still going to be credited to the Profile specified by
`profile_id`.\n - PENDING: The rule creation is pending approval(s) before the rule becomes
ACTIVE.\n - REJECTED: The rule creation has been rejected during the approval process."
      },
      "OrchestrationSource": {
        "type": "object",
        "properties": {
          "crypto": {
            "$ref": "#/components/schemas/OrchestrationCryptoSource"
          },
          "fiat": {
            "$ref": "#/components/schemas/OrchestrationFiatSource"
          },
          "profile": {
            "$ref": "#/components/schemas/OrchestrationProfileSource"
          }
        }
      },
      "OrchestrationStatus": {
        "type": "string",
```

Pretty-print


```
          "PROCESSING",
          "COMPLETED",
          "FAILED"
        ],
        "description": "Status represents the current state of an orchestration."
      },
      "TransferDetails": {
        "type": "object",
        "properties": {
          "transfer_id": {
            "type": "string"
          },
          "status": {
            "$ref": "#/components/schemas/TransferDetailsTransferStatus"
          }
        },
        "description": "TransferDetails refers to a specific Transfer and encodes its current
status."
      },
      "GetOrderBookResponse": {
        "properties": {
          "asks": {
            "description": "All Asks.",
            "items": {
              "$ref": "#/components/schemas/BookLevel"
            },
            "type": "array"
          },
          "bids": {
            "description": "All Bids.",
            "items": {
              "$ref": "#/components/schemas/BookLevel"
            },
            "type": "array"
          },
          "market": {
            "$ref": "#/components/schemas/Market"
          }
        },
        "type": "object"
      },
      "Problem": {
        "type": "object",
        "properties": {
          "type": {
            "type": "string",
            "format": "uri",
            "description": "An absolute URI that identifies the problem type.  When
dereferenced,\nit SHOULD provide human-readable documentation for the problem type\n(e.g.,
using HTML).\n",
            "default": "about:blank",
            "example": "https://api.paxos.com/v2/problems/insufficient_funds"
          },
          "title": {
            "type": "string",
            "description": "A short, summary of the problem type. Written in english and
readable\nfor engineers (usually not suited for non technical stakeholders and\nnot
localized); example: Service Unavailable\n",
            "example": "Insufficient Funds"
          },
          "status": {
            "type": "integer",
            "format": "int32",
            "description": "The HTTP status code generated by the origin server for this
```

Pretty-print


```
            "minimum": 100,
            "maximum": 600,
            "exclusiveMaximum": true,
            "example": 403
          },
          "detail": {
            "type": "string",
            "description": "A human readable explanation specific to this occurrence of
the\nproblem.\n",
            "example": "Not enough funds in account."
          },
          "meta": {
            "type": "object",
            "description": "Additional structured metadata about the error.\n"
          }
        }
      }
    },
    "responses": {
      "bad_request_trade": {
        "description": "Bad Request",
        "content": {
          "application/problem+json": {
            "schema": {
              "$ref": "#/components/schemas/Problem"
            },
            "examples": {
              "Invalid Base Amount": {
                "$ref": "#/components/examples/Problem_bad_request"
              }
            }
          }
        }
      }
    },
    "examples": {
      "Problem_already_exists": {
        "value": {
          "type": "https://developer.paxos.com/docs/v2/problems/already-exists",
          "title": "Already Exists",
          "status": 409,
          "detail": "nickname already exists",
          "meta": {
            "existing": {
              "id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
              "nickname": "existing nickname",
              "type": "NORMAL"
            }
          }
        }
      },
      "Problem_already_exists_crypto_withdrawal": {
        "value": {
          "type": "https://developer.paxos.com/docs/v2/problems/already-exists",
          "title": "Already Exists",
          "status": 409,
          "detail": "transfer already exists with ref_id 'already_used_ref_id'",
          "meta": {
            "existing": {
              "id": "f190b163-208f-4d73-8deb-4fb8b24add00",
              "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339",
              "profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
              "ref_id": "already_used_ref_id",
              "amount": "0.10000000",
```

Pretty-print


```
              "fee": "0.00000023",
              "asset": "BTC",
              "balance_asset": "BTC",
              "direction": "DEBIT",
              "type": "CRYPTO_WITHDRAWAL",
              "status": "COMPLETED",
              "created_at": "2020-01-17T18:36:08.737Z",
              "updated_at": "2020-01-17T18:37:08.737Z",
              "metadata": {
                "my_id": "4024ee50-eefb-4f2e-85c7-e7899c0b7da5"
              },
              "destination_address": "1BvBMSEYstWetqTFn5Au4m4GFg7xJaNVN2",
              "crypto_network": "BITCOIN",
              "crypto_tx_hash":
"f4184fc596403b9d638783cf57adfe4c75c605f6356fbc91338530e9831e9e16"
            }
          }
        }
      },
      "Problem_already_exists_deposit_address": {
        "value": {
          "type": "https://developer.paxos.com/docs/v2/problems/already-exists",
          "title": "Already Exists",
          "status": 409,
          "detail": "deposit address already exists with ref_id 'already_used_ref_id'",
          "meta": {
            "existing": {
              "id": "34bd61ed-cf0a-4012-8be4-d347667b6154",
              "profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
              "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339",
              "crypto_network": "ETHEREUM",
              "identity_id": "54385e67-d7ef-40d1-b488-ceda6dd9b264",
              "ref_id": "already_used_ref_id",
              "metadata": {
                "my_id": "4024ee50-eefb-4f2e-85c7-e7899c0b7da5"
              },
              "address": "0x89205A3A3b2A69De6Dbf7f01ED13B2108B2c43e7"
            }
          }
        }
      },
      "Problem_already_exists_fiat_withdrawal": {
        "value": {
          "type": "https://developer.paxos.com/docs/v2/problems/already-exists",
          "title": "Already Exists",
          "status": 409,
          "detail": "activity with external id already_used_ref_id already exists",
          "meta": {
            "existing": {
              "id": "f190b163-208f-4d73-8deb-4fb8b24add00",
              "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339",
              "profile_id": "5fc6d191-193c-4e28-94fa-656bbdbdfaad",
              "identity_id": "54385e67-d7ef-40d1-b488-ceda6dd9b264",
              "amount": "10.00",
              "total": "10.00",
              "fee": "0.0000000",
              "asset": "USD",
              "balance_asset": "USD",
              "direction": "DEBIT",
              "type": "CUBIX_WITHDRAWAL",
              "status": "PENDING",
              "created_at": "2023-07-13T18:36:08.737Z",
              "updated_at": "2023-07-13T18:36:08.737Z",
              "fiat_account_id": "caa82b32-8abd-4899-afdc-f9d4bf9b4e98"
```

Pretty-print


```
        }
      }
    },
    "Problem_already_exists_order": {
      "value": {
        "type": "https://developer.paxos.com/docs/v2/problems/already-exists",
        "title": "Already Exists",
        "status": 409,
        "detail": "order already exists with ref_id 'already_used_ref_id'",
        "meta": {
          "existing": {
            "id": "f190b163-208f-4d73-8deb-4fb8b24add00",
            "profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
            "ref_id": "already_used_ref_id",
            "status": "SUBMITTED",
            "side": "BUY",
            "market": "BTCUSD",
            "quote_amount": "100.00"
          }
        }
      }
    },
    "Problem_already_exists_quote_execution": {
      "value": {
        "type": "https://developer.paxos.com/docs/v2/problems/already-exists",
        "title": "Already Exists",
        "status": 409,
        "detail": "quote execution already exists with ref_id 'already_used_ref_id'",
        "meta": {
          "existing": {
            "id": "f190b163-208f-4d73-8deb-4fb8b24add00",
            "profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
            "quote_id": "366a26d2-3098-4226-a520-4bb43ae4d922",
            "ref_id": "already_used_ref_id",
            "status": "CREATED",
            "market": "BTCUSD",
            "side": "BUY",
            "price": "6001.2",
            "base_amount": "0.016663334",
            "base_asset": "BTC",
            "quote_amount": "100.00",
            "quote_asset": "USD",
            "created_at": "2020-01-17T18:36:31.345Z",
            "metadata": {
              "customer_id": "9b8c9cba-801e-4418-adc0-ede709df6339"
            }
          }
        }
      }
    },
    "Problem_bad_request": {
      "value": {
        "type": "about:blank",
        "title": "Bad Request",
        "status": 400,
        "detail": "base_amount invalid: invalid amount '-10': must be positive decimal"
      }
    },
    "Problem_below_min_withdraw_limit": {
      "value": {
        "type": "https://developer.paxos.com/docs/v2/problems/below-min-withdraw-limit",
        "title": "Withdrawal Amount Too Small",
        "status": 400,
        "detail": "amount too small for network NETWORK_BTC minimum amount is 0.00001",
```

Pretty-print


```
            "limit": "0.00001",
            "amount": "0.0000001"
          }
        }
      },
      "Problem_exceed_max_withdraw_limit": {
        "value": {
          "type": "https://developer.paxos.com/docs/v2/problems/exceed-max-withdraw-limit",
          "title": "Withdrawal Amount Too Large",
          "status": 400,
          "detail": "withdrawal amount 0.3 exceeds withdrawal limit for this asset BTC",
          "meta": {
            "limit": "0.1",
            "amount": "0.3"
          }
        }
      },
      "Problem_exceed_precision": {
        "value": {
          "type": "https://developer.paxos.com/docs/v2/problems/exceed-precision",
          "title": "Exceeds Maximum Precision Allowed",
          "status": 400,
          "detail": "max precision allowed for asset ETH is 18"
        }
      },
      "Problem_expired": {
        "value": {
          "type": "https://developer.paxos.com/docs/v2/problems/expired",
          "title": "Expired",
          "status": 403,
          "detail": "offer expired at 0001-01-01T00:00:00Z",
          "meta": {
            "expired_at": "0001-01-01T00:00:00Z"
          }
        }
      },
      "Problem_expired_quote": {
        "value": {
          "type": "https://developer.paxos.com/docs/v2/problems/expired",
          "title": "Expired",
          "status": 403,
          "detail": "quote 366a26d2-3098-4226-a520-4bb43ae4d922 expired at 2020-01-
17T18:36:38Z",
          "meta": {
            "expired_at": "2020-01-17T18:36:38Z"
          }
        }
      },
      "Problem_fee_expired_crypto_withdrawal": {
        "value": {
          "type": "https://developer.paxos.com/docs/v2/problems/expired",
          "title": "Expired",
          "status": 403,
          "detail": "fee 9e5828e2-0a10-4273-aa9c-f50bd0eaf344 expired at 2020-01-
17T18:36:08.737Z",
          "meta": {
            "expired_at": "2020-01-17T18:36:08.737Z"
          }
        }
      },
      "Problem_fee_not_found_crypto_withdrawal": {
        "value": {
          "type": "about:blank",
          "title": "Not Found",
```

Pretty-print


```
          "detail": "fee not found with id 9e5828e2-0a10-4273-aa9c-f50bd0eaf344"
        }
      },
      "Problem_forbidden": {
        "value": {
          "type": "about:blank",
          "title": "Forbidden",
          "status": 403,
          "detail": "user account is disabled"
        }
      },
      "Problem_forbidden_order_cancel": {
        "value": {
          "type": "about:blank",
          "title": "Forbidden",
          "status": 403,
          "detail": "order is not in cancellable state"
        }
      },
      "Problem_gateway_timeout": {
        "value": {
          "type": "about:blank",
          "title": "Gateway Timeout",
          "status": 504,
          "detail": "timeout reached while creating the order"
        }
      },
      "Problem_insufficient_funds": {
        "value": {
          "type": "https://developer.paxos.com/docs/v2/problems/insufficient-funds",
          "title": "Insufficient Funds",
          "status": 403,
          "detail": "insufficient USD funds in profile b7b77d82-e6a7-4ae9-9904-36231aedf985:
100 needed, 50 available",
          "meta": {
            "profile_id": "b7b77d82-e6a7-4ae9-9904-36231aedf985",
            "asset": "USD",
            "available": "50",
            "needed": "100"
          }
        }
      },
      "Problem_internal_server_error": {
        "value": {
          "type": "about:blank",
          "title": "Internal Server Error",
          "status": 500
        }
      },
      "Problem_market_conditions_prevented_execution": {
        "value": {
          "type": "https://developer.paxos.com/docs/v2/problems/market-conditions-prevented-
execution",
          "title": "Market Conditions Prevented Execution",
          "status": 403,
          "detail": "market conditions have invalidated this order"
        }
      },
      "Problem_minimum_commission_exceeds_notional": {
        "value": {
          "type": "https://developer.paxos.com/docs/v2/problems/minimum-commission-exceeds-
notional",
          "title": "Order notional value must exceed minimum commission",
          "status": 400,
```

Pretty-print


```
        }
      },
      "Problem_not_found": {
        "value": {
          "type": "about:blank",
          "title": "Not Found",
          "status": 404,
          "detail": "profile not found: b7b77d82-e6a7-4ae9-9904-36231aedf985"
        }
      },
      "Problem_not_found_quote": {
        "value": {
          "type": "about:blank",
          "title": "Not Found",
          "status": 404,
          "detail": "quote not found with id 366a26d2-3098-4226-a520-4bb43ae4d922"
        }
      },
      "Problem_not_implemented": {
        "value": {
          "type": "about:blank",
          "title": "Method Not Allowed",
          "status": 405,
          "detail": "Not implemented"
        }
      },
      "Problem_notional_value_too_large": {
        "value": {
          "type": "https://developer.paxos.com/docs/v2/problems/notional-value-too-large",
          "title": "Notional Value Too Large",
          "status": 403,
          "detail": "notional value too large for BTCUSD LIMIT order: order had notional value
1501234.56, but maximum allowed notional value is 1500000",
          "meta": {
            "market": "BTCUSD",
            "order_type": "LIMIT",
            "order_notional_value": "1501234.56",
            "max_notional_value": "1500000"
          }
        }
      },
      "Problem_rejected": {
        "value": {
          "type": "https://developer.paxos.com/docs/v2/problems/rejected",
          "title": "Rejected",
          "status": 403,
          "detail": "extreme market conditions have invalidated this quote execution",
          "meta": {

          }
        }
      },
      "Problem_service_unavailable": {
        "value": {
          "type": "about:blank",
          "title": "Service Unavailable",
          "status": 503,
          "detail": "quotes disabled"
        }
      },
      "Problem_too_many_requests": {
        "value": {
          "type": "about:blank",
          "title": "Too Many Requests",
```

Pretty-print


```
          "detail": "too many requests"
        }
      },
      "Problem_unauthenticated": {
        "value": {
          "type": "about:blank",
          "title": "Unauthorized",
          "status": 401,
          "detail": "no authorization header set"
        }
      },
      "Problem_unavailable_market": {
        "value": {
          "type": "https://developer.paxos.com/docs/v2/problems/unavailable-market",
          "title": "Planned Market Outage",
          "status": 403,
          "detail": "no marketable orders may be submitted at this time"
        }
      }
    },
    "securitySchemes": {
      "OAuth2": {
        "type": "oauth2",
        "description": "Paxos APIs use [OAuth 2](https://tools.ietf.org/html/rfc6749) with the
[client credentials](https://tools.ietf.org/html/rfc6749#section-4.4) grant flow.\n\n**Token
URLs:**\n- Production: https://oauth.paxos.com/oauth2/token\n- Sandbox:
https://oauth.sandbox.paxos.com/oauth2/token\n\nLearn more in the [API credentials guide →]
(https://docs.paxos.com/developer/credentials)\n",
        "flows": {
          "clientCredentials": {
            "tokenUrl": "https://oauth.paxos.com/oauth2/token",
            "scopes": {
              "conversion:read_conversion_stablecoin": "Retrieve stablecoin conversion
details",
              "conversion:write_conversion_stablecoin": "Create or cancel a stablecoin
conversion",
              "exchange:historical_prices": "Retrieve marketnaverage prices at a certain time
increment",
              "exchange:read_order": "Retrieve order or order execution details",
              "exchange:read_quote": "Retrieve quote details for buying or selling an asset",
              "exchange:read_quote_execution": "Retrieve quote execution details",
              "exchange:write_quote_execution": "Create a quote execution for buying or
selling an asset",
              "exchange:write_order": "Create or cancel an order for buying or selling an
asset",
              "fee:write_crypto_withdrawal_fee": "Create a guaranteed fee for crypto
withdrawal",
              "funding:read_profile": "Retrieve Profile details and deposit funds in Sandbox",
              "funding:write_profile": "Create a Profile",
              "identity:read_account": "Retrieve Account details",
              "identity:read_identity": "Retrieve Identity details or documents",
              "identity:write_account": "Create or update Account and Account Members",
              "identity:write_identity": "Create or update Identity details and set Sandbox
Identify Status",
              "settlement:read_transaction": "Retrieve settlement transaction details",
              "settlement:write_transaction": "Create, affirm or cancel a settlement
transaction",
              "tax:read_tax_form": "Retrieve tax details",
              "tax:read_tax_lot": "Retrieve tax lot details",
              "tax:write_tax_lot": "Update the given tax-lot ID",
              "transfer:read_deposit_address": "Retrieve deposit address details",
              "transfer:read_fiat_account": "Retrieve Fiat Account details",
              "transfer:read_fiat_deposit_instructions": "Retrieve fiat deposit instruction
details",
```

Pretty-print


```
              "transfer:read_transfer_limit": "Retrieve limits for the given transaction
type",
              "transfer:reject_crypto_deposit": "Reject a crypto deposit (travel rule)",
              "transfer:update_crypto_deposit": "Provide required travel-rule details",
              "transfer:write_crypto_withdrawal": "Withdraw asset to a specified destination
address",
              "transfer:write_deposit_address": "Create an deposit address on a blockchain
network",
              "transfer:write_fiat_account": "Create, update or delete a Fiat Account",
              "transfer:write_fiat_deposit_instructions": "Create, update or delete fiat
deposit instructions",
              "transfer:write_internal_transfer": "Transfer assets between two Profiles",
              "transfer:write_sandbox_fiat_deposit": "Initiate a test fiat deposit in the
Sandbox environment",
              "transfer:write_fiat_withdrawal": "Withdraw fiat to the given destination",
              "events:read_event": "Retrieve events"
            }
          }
        }
      }
    }
  },
  "x-tagGroups": [
    {
      "name": "Deposits and Withdrawals",
      "tags": [
        "Transfers",
        "Fiat Transfers",
        "Deposit Addresses",
        "Crypto Deposits",
        "Crypto Withdrawals",
        "Fees",
        "Internal Transfers",
        "Paxos Transfers",
        "Limits"
      ]
    },
    {
      "name": "Identity",
      "tags": [
        "Identity",
        "Institution Members",
        "Accounts",
        "Account Members",
        "Identity Documents"
      ]
    },
    {
      "name": "API Credentials",
      "tags": [
        "API Credentials"
      ]
    },
    {
      "name": "Profiles",
      "tags": [
        "Profiles"
      ]
    },
    {
      "name": "Sandbox",
      "tags": [
        "Sandbox Deposits",
        "Sandbox Identity",
```

Pretty-print


```
      ]
    },
    {
      "name": "Settlements",
      "tags": [
        "Settlement"
      ]
    },
    {
      "name": "Stablecoin Conversion",
      "tags": [
        "Stablecoin Conversion"
      ]
    },
    {
      "name": "Taxes",
      "tags": [
        "Tax Forms"
      ]
    },
    {
      "name": "Trading",
      "tags": [
        "Market Data",
        "Orders",
        "Quotes",
        "Quote Executions",
        "Pricing",
        "Issuer Quotes"
      ]
    },
    {
      "name": "Rewards",
      "tags": [
        "Monitoring Addresses",
        "Statements",
        "Payments"
      ]
    },
    {
      "name": "Events",
      "tags": [
        "Events",
        "Event Types",
        "Event Objects"
      ]
    }
  ],
  "servers": [
    {
      "url": "https://api.paxos.com/v2",
      "description": "Production"
    },
    {
      "url": "https://api.sandbox.paxos.com/v2",
      "description": "Sandbox"
    }
  ]
}
```