

Github组织权限设置

一.Member privileges

- Organization Settings --> Member privileges

General

Policies

Access

Billing and licensing

Organization roles

Repository roles

Member privileges

Import/Export

Moderation

Code, planning, and automation

Repository

Codespaces

Sandboxes

Planning

Actions

Webhooks

Discussions

Packages

Pages

Hosted compute networking

Security and quality

Authentication security

Advanced Security

Member privileges

Base permissions

Repository creation

Repository forking

Repository comments

Base permissions

Base permissions to the organization's repositories apply to all members and excludes outside collaborators. Since organization members can have permissions from multiple sources, members and collaborators who have been granted a higher level of access than the base permission: will retain their higher permission privileges.

No permission

Repository creation

Members will be able to create only selected repository types. Outside collaborators can never create repositories.

Public

Members will be able to create public repositories, visible to anyone.

Private

Members will be able to create private repositories, visible to organization members with permission.

Save

Repository forking

Allow forking of private repositories

If enabled, forking is allowed on private and public repositories. If disabled, forking is only allowed on public repositories. This setting is also configurable per-repository.

Save

Repository comments

Allow members to see comment author's profile name in private repositories

If enabled, members will be able to see comment author's profile name in pull requests for private repositories.

Save

 Hosted compute networking

Security and quality

-  Authentication security
-  Advanced Security 
-  Code quality
-  Deploy keys
-  Compliance
-  Verified and approved domains
-  Secrets and variables 

Third-party Access

-  GitHub Apps 
-  OAuth app policy
-  Personal access tokens 

Integrations

-  Scheduled reminders

Archive

-  Logs 
-  Deleted repositories

-  Developer settings 

Repository comments

- ☐ **Allow members to see comment author's profile name in private repositories**
If enabled, members will be able to see comment author's profile name in pull requests for private repositories.

Save

Repository discussions

- ☐ **Allow users with read access to create discussions**
If enabled, all users with read access can create and comment on discussions in SwallowedStarX's repositories.
If disabled, discussion creation is limited to users with at least triage permission. Users with read access can still comment on discussions.

Save

Projects base permissions

Projects created by members will default to the selected role below.

Write 

Pages creation

Members will be able to publish sites with only the selected access controls.

- ☐ **Public**
Members will be able to create public sites, visible to anyone.
- ☐ **Private**
Members will be able to create private sites, visible to anyone with permission. [Why is this option disabled?](#)

Save

App access requests

Choose who can request GitHub or OAuth apps to use with resources in this organization

- ☐ **Members and outside collaborators**
Both members and outside collaborators can request apps for this organization.
- ☒ **Members only**
Members can request apps, while outside collaborators cannot.
- ☐ **Disable app access requests**
Neither members nor outside collaborators can request apps.

External members and external collaborators can request apps.

Save

GitHub Apps

☒ Allow repository admins to install GitHub Apps for their repositories.

Repository admins will be able to install and configure GitHub Apps on their repositories without requesting first, if the app doesn't require organization or repository administration permissions.

Save

Admin repository permissions

Repository visibility change

☐ Allow members to change repository visibilities for this organization

If enabled, members with admin permissions for the repository will be able to change its visibility. If disabled, only organization owners can change repository visibilities.

Save

Repository deletion and transfer

☐ Allow members to delete or transfer repositories for this organization

If enabled, members with admin permissions for the repository will be able to delete or transfer **public** and **private** repositories. If disabled, only organization owners can delete or transfer repositories.

Save

Issue deletion

☐ Allow repository administrators to delete issues for this organization

If enabled, members with admin permissions for the repository will be able to delete issues. If disabled, only organization owners can delete issues. [Learn more about allowing people to delete issues in your organization.](#)

Save

☐ Allow repository administrators to delete issues for this organization

Save

☐ Allow repository administrators to rename branches protected by organization rules

Save

☐ **Allow members to create teams**

Save

- Organization Settings --> Repository --> Rulesets

[illegible]

Security and quality

Authentication security

Advanced Security

Code quality

Deploy keys

Compliance

Verified and approved domains

Secrets and variables

Third-party Access

GitHub Apps

OAuth app policy

Personal access tokens

Integrations

Scheduled reminders

Archive

Logs

Deleted repositories

Developer settings

Branch rules

Restrict creations

Only allow users with bypass permission to create matching refs.

Restrict updates

Only allow users with bypass permission to update matching refs.

Restrict deletions

Only allow users with bypass permissions to delete matching refs.

Require linear history

Prevent merge commits from being pushed to matching refs.

Require signed commits

Commits pushed to matching refs must have verified signatures.

Require a pull request before merging

Require all commits be made to a non-target branch and submitted via a pull request before they can be merged.

Hide additional settings ^

Required approvals

1

The number of approving reviews that are required before a pull request can be merged.

Dismiss stale pull request approvals when new commits are pushed

New, reviewable commits pushed will dismiss previous pull request review approvals.

Require review from specific teams

A collection of reviewers and associated file patterns. Each reviewer has a list of file patterns which determine the files that reviewer is required to review.

Require review from Code Owners

Require an approving review in pull requests that modify files that have a designated code owner.

Require approval of the most recent reviewable push

Whether the most recent reviewable push must be approved by someone other than the person who pushed it.

Require conversation resolution before merging

All conversations on code must be resolved before a pull request can be merged.

Allowed merge methods

Merge, Squash, Rebase

-
- ☐ **Require status checks to pass**
Choose which status checks must pass before the ref is updated. When enabled, commits must first be pushed to another ref where the checks pass.
-
- ☒ **Block force pushes**
Prevent users with push access from force pushing to refs.
-
- ☐ **Require workflows to pass before merging**
Require all changes made to a targeted branch to pass the specified workflows before they can be merged.
-
- ☐ **Require code scanning results**
Choose which tools must provide code scanning results before the reference is updated. When configured, code scanning must be enabled and have results for both the commit and the reference being updated.
-
- ☐ **Require code quality results**
Choose which severity levels of code quality results should block pull request merges. When configured, a code quality analysis must be done on the pull request before the changes can be merged.
-
- ☐ **Restrict code coverage**
Enforce minimum code coverage thresholds on pull requests. When configured, uploaded coverage data must meet the specified criteria before changes can be merged.
-
- ☐ **Automatically request Copilot code review**
Request Copilot code review for new pull requests automatically if the author has access to Copilot code review and their premium requests quota has not reached the limit.

Restrictions Enterprise

- ☐ **Restrict commit metadata**
Restrict commit author email addresses, committer email addresses, commit message content, and other metadata
-
- ☐ **Restrict branch names**
Restrict branch names

Save changes

Revert changes