Capital I versus lowercase I

Ia-Iz and Ia-Iz: 9 nominal weights, upright and italic, at equal x-height.

Regular upright: horizontal edge gap as % of x-height

Following letter	Lato26: lower l	Lato26: capital I	Fira: lower l	Fira: capital I
a	6.2%	21.5%	11.4%	26.6%
c	5.2%	23.3%	14.6%	29.8%
e	5.2%	23.2%	14.6%	29.8%
h	15.0%	30.5%	22.2%	36.4%
k	15.0%	30.5%	22.2%	36.4%
l	15.9%	31.1%	21.1%	35.3%
o	5.2%	23.3%	14.6%	29.8%
w	1.6%	19.6%	8.5%	22.8%
y	-2.5%	17.8%	4.7%	20.9%

Same x-height, same baseline

Lato26 Regular

le le
lh lh
ll ll

Fira Sans Regular

le Ie
lh Ih
ll Il

Regular capital-I gaps are wider than lowercase-l gaps in both uprights.

Capital-I pairs help separate each font's general spacing rhythm from its l bowl.

Bold changes the comparison: Lato26 Ie is slightly wider than Fira Ie.

Fira has zero capital-I kerning across all 26 pairs and 18 styles in this audit.

Lato26 upright uses modest I-pair kerning; its italic I-pair kerning is zero.







An edge gap is not a minimum contour distance, especially in italic and diagonals.

The detailed pages show l and I side by side within each family.

K = kerning per 1,000 em. G = horizontal edge gap as % of x-height.

Hairline Upright

Lato26 Hairline / Fira Sans Thin. Within each family: lowercase l, then capital I.

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
a				
	K -5/-19.5 G 12.4/30.1		K -5/0 G 21.4/35.6	
b				
	K 0/-8 G 21.8/40.8		K 0/0 G 32.9/46.2	
c				
	K -7/-16 G 14.1/32.9		K -5/0 G 23.3/37.6	
d				
	K -2.5/-15.5 G 15.1/33.1		K -5/0 G 23.3/37.6	
e				
	K -7/-16 G 14.1/32.9		K -5/0 G 23.3/37.6	
f				
	K 0/-14 G 9.3/27.0		K 0/0 G 16.2/29.5	
g				
	K 0/-17 G 12.2/29.4		K 0/0 G 18.7/32.0	
h				
	K 0/-8 G 21.8/40.8		K 0/0 G 32.9/46.2	
i				
	K 0/-8 G 18.6/37.6		K 0/0 G 31.2/44.5	
j				
	K 0/-8 G -3.1/15.9		K 0/0 G 14.5/27.7	
k				
	K 0/-8 G 21.8/40.8		K 0/0 G 32.9/46.2	
l				
	K 1.5/-8 G 23.4/42.0		K 0/0 G 32.0/45.3	
m				
	K 0/-8 G 21.8/40.8		K 0/0 G 32.9/46.2	

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
n				
	K 0/-8 G 21.8/40.8		K 0/0 G 32.9/46.2	
o				
	K -7/-16 G 14.1/32.9		K -5/0 G 23.3/37.6	
p				
	K 0/-8 G 21.8/40.8		K 0/0 G 32.9/46.2	
q				
	K -2.5/-15.5 G 15.1/33.1		K -5/0 G 23.3/37.6	
r				
	K 0/-8 G 21.8/40.8		K 0/0 G 32.9/46.2	
s				
	K -5/-19.5 G 13.1/30.7		K 0/0 G 19.5/32.8	
t				
	K 0/-15.5 G 9.5/26.9		K 0/0 G 15.6/28.9	
u				
	K 0/-8 G 20.7/39.7		K 0/0 G 32.0/45.3	
v				
	K -20/-14.5 G 4.5/26.2		K -10/0 G 12.7/27.9	
w				
	K -8.5/-11.5 G 8.0/28.0		K 0/0 G 16.6/29.9	
x				
	K 17/-8 G 12.8/28.3		K 0/0 G 13.7/27.0	
y				
	K -18/-13 G 5.0/26.6		K -10/0 G 12.7/27.9	
z				
	K 0/-12.5 G 10.4/28.5		K 0/0 G 16.2/29.5	

Each value is lowercase l / capital I. K: adjustment per 1,000 em. G: gap as % of x-height.

All specimens have the same x-height. Negative G means overlapping x extents, not a collision.

Thin Upright

Lato26 Thin / Fira Sans UltraLight. Within each family: lowercase l, then capital I.

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
a				
	K -5/-18.5 G 11.3/28.4		K -5/0 G 19.6/34.2	
b				
	K 0/-8 G 20.5/38.8		K 0/0 G 31.2/44.8	
c				
	K -9.5/-16 G 12.4/31.0		K -5/0 G 21.5/36.2	
d				
	K -5/-15.5 G 13.4/31.2		K -5/0 G 21.5/36.2	
e				
	K -9.5/-16 G 12.4/31.0		K -5/0 G 21.5/36.2	
f				
	K 0/-14 G 8.6/25.7		K 0/0 G 14.8/28.5	
g				
	K 2/-17 G 11.7/27.7		K 0/0 G 16.7/30.4	
h				
	K 0/-8 G 20.5/38.8		K 0/0 G 31.2/44.8	
i				
	K 0/-8 G 17.4/35.6		K 0/0 G 28.8/42.5	
j				
	K 0/-8 G -3.7/14.6		K 0/0 G 12.5/26.2	
k				
	K 0/-8 G 20.5/38.8		K 0/0 G 31.2/44.8	
l				
	K 1.5/-8 G 21.9/39.9		K 0/0 G 30.0/43.7	
m				
	K 0/-8 G 20.5/38.8		K 0/0 G 31.2/44.8	

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
n				
	K 0/-8 G 20.5/38.8		K 0/0 G 31.2/44.8	
o				
	K -9.5/-16 G 12.4/31.0		K -5/0 G 21.5/36.2	
p				
	K 0/-8 G 20.5/38.8		K 0/0 G 31.2/44.8	
q				
	K -5/-15.5 G 13.4/31.2		K -5/0 G 21.5/36.2	
r				
	K 0/-8 G 20.5/38.8		K 0/0 G 31.2/44.8	
s				
	K -5.5/-18.5 G 11.8/29.0		K 0/0 G 17.7/31.3	
t				
	K 0/-15.5 G 8.6/25.4		K 0/0 G 13.8/27.5	
u				
	K 0/-8 G 19.4/37.7		K 0/0 G 30.0/43.7	
v				
	K -21.5/-14 G 3.1/24.6		K -10/0 G 11.0/26.5	
w				
	K -9.5/-11 G 6.7/26.3		K 0/0 G 14.8/28.5	
x				
	K 15/-7 G 11.2/26.6		K 0/0 G 11.9/25.6	
y				
	K -20/-12.5 G 3.6/25.0		K -10/0 G 11.0/26.5	
z				
	K 0/-12 G 9.6/27.1		K 0/0 G 15.0/28.7	

Each value is lowercase l / capital I. K: adjustment per 1,000 em. G: gap as % of x-height.

All specimens have the same x-height. Negative G means overlapping x extents, not a collision.

Light Upright

Lato26 Light / Fira Sans Light. Within each family: lowercase l, then capital I.

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
a	la	Ia	la	Ia
	K -5/-17.5 G 9.6/26.2		K -5/0 G 16.3/31.0	
b	lb	Ib	lb	Ib
	K 0/-8 G 18.5/36.0		K 0/0 G 27.5/41.3	
c	lc	Ic	lc	Ic
	K -12.5/-16 G 10.0/28.4		K -5/0 G 18.7/33.5	
d	ld	Id	ld	Id
	K -9/-15.5 G 10.9/28.7		K -5/0 G 18.7/33.5	
e	le	Ie	le	Ie
	K -12.5/-16 G 10.0/28.4		K -5/0 G 18.7/33.5	
f	lf	If	lf	If
	K 0/-14.5 G 7.5/23.7		K 0/0 G 11.5/25.2	
g	lg	Ig	lg	Ig
	K 6/-17 G 11.0/25.5		K 0/0 G 13.8/27.5	
h	lh	Ih	lh	Ih
	K 0/-8 G 18.5/36.0		K 0/0 G 27.5/41.3	
i	li	Ii	li	Ii
	K 0/-8 G 15.5/33.0		K 0/0 G 24.7/38.4	
j	lj	Ij	lj	Ij
	K 0/-8 G -4.5/13.0		K 0/0 G 8.6/22.4	
k	lk	Ik	lk	Ik
	K 0/-8 G 18.5/36.0		K 0/0 G 27.5/41.3	
l	ll	Il	ll	Il
	K 2/-8 G 19.8/36.9		K 0/0 G 26.4/40.2	
m	lm	Im	lm	Im
	K 0/-8 G 18.5/36.0		K 0/0 G 27.5/41.3	

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
n	ln	In	ln	In
	K 0/-8 G 18.5/36.0		K 0/0 G 27.5/41.3	
o	lo	Io	lo	Io
	K -12.5/-16 G 10.0/28.4		K -5/0 G 18.7/33.5	
p	lp	Ip	lp	Ip
	K 0/-8 G 18.5/36.0		K 0/0 G 27.5/41.3	
q	lq	Iq	lq	Iq
	K -9/-15.5 G 10.9/28.7		K -5/0 G 18.7/33.5	
r	lr	Ir	lr	Ir
	K 0/-8 G 18.5/36.0		K 0/0 G 27.5/41.3	
s	ls	Is	ls	Is
	K -6/-17.5 G 9.8/26.6		K 0/0 G 14.3/28.1	
t	lt	It	lt	It
	K 0/-15 G 7.4/23.5		K 0/0 G 10.9/24.7	
u	lu	Iu	lu	Iu
	K 0/-8.5 G 17.5/34.9		K 0/0 G 26.4/40.2	
v	lv	Iv	lv	Iv
	K -23/-13.5 G 1.4/22.4		K -10/0 G 8.4/24.1	
w	lw	Iw	lw	Iw
	K -10.5/-10 G 4.9/24.1		K 0/0 G 12.2/26.0	
x	lx	Ix	lx	Ix
	K 12.5/-6 G 9.0/24.3		K 0/0 G 9.4/23.1	
y	ly	Iy	ly	Iy
	K -22.5/-12.5 G 1.4/22.5		K -10/0 G 8.4/24.1	
z	lz	Iz	lz	Iz
	K 0/-12 G 8.7/25.4		K 0/0 G 12.8/26.6	

Each value is lowercase l / capital I. K: adjustment per 1,000 em. G: gap as % of x-height.

All specimens have the same x-height. Negative G means overlapping x extents, not a collision.

Regular Upright

Lato26 Regular / Fira Sans Regular. Within each family: lowercase l, then capital I.

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
a	la	Ia	la	Ia
	K -6/-15 G 6.2/21.5		K -5/0 G 11.4/26.6	
b	lb	Ib	lb	Ib
	K 0/-7.5 G 15.0/30.5		K 0/0 G 22.2/36.4	
c	lc	Ic	lc	Ic
	K -20.5/-15.5 G 5.2/23.3		K -5/0 G 14.6/29.8	
d	ld	Id	ld	Id
	K -17.5/-15 G 6.0/23.6		K -5/0 G 14.6/29.8	
e	le	Ie	le	Ie
	K -20/-15.5 G 5.2/23.2		K -5/0 G 14.6/29.8	
f	lf	If	lf	If
	K 0/-15 G 5.6/19.7		K 0/0 G 6.6/20.9	
g	lg	Ig	lg	Ig
	K 11.5/-16.5 G 9.4/20.9		K 0/0 G 9.5/23.7	
h	lh	Ih	lh	Ih
	K 0/-7.5 G 15.0/30.5		K 0/0 G 22.2/36.4	
i	li	Ii	li	Ii
	K 0/-7.5 G 12.2/27.7		K 0/0 G 18.6/32.8	
j	lj	Ij	lj	Ij
	K 0/-7.5 G -5.9/9.6		K 0/0 G 3.0/17.3	
k	lk	Ik	lk	Ik
	K 0/-7.5 G 15.0/30.5		K 0/0 G 22.2/36.4	
l	ll	Il	ll	Il
	K 2/-7.5 G 15.9/31.1		K 0/0 G 21.1/35.3	
m	lm	Im	lm	Im
	K 0/-7.5 G 15.0/30.5		K 0/0 G 22.2/36.4	

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
n	ln	In	ln	In
	K 0/-7.5 G 15.0/30.5		K 0/0 G 22.2/36.4	
o	lo	Io	lo	Io
	K -20.5/-15.5 G 5.2/23.3		K -5/0 G 14.6/29.8	
p	lp	Ip	lp	Ip
	K 0/-7.5 G 15.0/30.5		K 0/0 G 22.2/36.4	
q	lq	Iq	lq	Iq
	K -17.5/-15 G 6.0/23.6		K -5/0 G 14.6/29.8	
r	lr	Ir	lr	Ir
	K 0/-7.5 G 15.0/30.5		K 0/0 G 22.2/36.4	
s	ls	Is	ls	Is
	K -8/-15 G 6.0/21.7		K 0/0 G 9.5/23.7	
t	lt	It	lt	It
	K 0/-14.5 G 5.2/19.4		K 0/0 G 6.5/20.7	
u	lu	Iu	lu	Iu
	K 0/-9 G 14.0/29.2		K 0/0 G 21.1/35.3	
v	lv	Iv	lv	Iv
	K -27.5/-12 G -2.2/17.9		K -10/0 G 4.7/20.9	
w	lw	Iw	lw	Iw
	K -13.5/-8.5 G 1.6/19.6		K 0/0 G 8.5/22.8	
x	lx	Ix	lx	Ix
	K 7/-3.5 G 4.7/19.6		K 0/0 G 5.7/19.9	
y	ly	Iy	ly	Iy
	K -28/-11.5 G -2.5/17.8		K -10/0 G 4.7/20.9	
z	lz	Iz	lz	Iz
	K 0/-11 G 6.7/21.6		K 0/0 G 9.5/23.7	

Each value is lowercase l / capital I. K: adjustment per 1,000 em. G: gap as % of x-height.

All specimens have the same x-height. Negative G means overlapping x extents, not a collision.

Medium Upright

Lato26 Medium / Fira Sans Medium. Within each family: lowercase l, then capital I.

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
a	la	Ia	la	Ia
	K -3/-14.5 G 6.2/20.6		K -5/0 G 7.6/21.4	
b	lb	Ib	lb	Ib
	K 0/-7.5 G 14.3/29.5		K 0/0 G 16.6/29.5	
c	lc	Ic	lc	Ic
	K -18/-15.5 G 5.0/22.2		K -5/0 G 9.6/23.4	
d	ld	Id	ld	Id
	K -16/-15 G 5.7/22.6		K -5/0 G 9.6/23.4	
e	le	Ie	le	Ie
	K -17.5/-15.5 G 5.1/22.2		K -5/0 G 9.6/23.4	
f	lf	If	lf	If
	K 0/-15 G 5.3/19.0		K 0/0 G 3.6/16.4	
g	lg	Ig	lg	Ig
	K 9/-16.5 G 8.4/20.0		K 0/0 G 5.3/18.1	
h	lh	Ih	lh	Ih
	K 0/-7.5 G 14.3/29.5		K 0/0 G 16.6/29.5	
i	li	Ii	li	Ii
	K 0/-7.5 G 11.5/26.7		K 0/0 G 13.4/26.3	
j	lj	Ij	lj	Ij
	K 0/-7.5 G -6.3/8.9		K 0/0 G -3.2/9.6	
k	lk	Ik	lk	Ik
	K 0/-7.5 G 14.3/29.5		K 0/0 G 16.6/29.5	
l	ll	Il	ll	Il
	K 2/-7.5 G 15.1/29.9		K 0/0 G 15.5/28.4	
m	lm	Im	lm	Im
	K 0/-7.5 G 14.3/29.5		K 0/0 G 16.6/29.5	

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
n	ln	In	ln	In
	K 0/-7.5 G 14.3/29.5		K 0/0 G 16.6/29.5	
o	lo	Io	lo	Io
	K -18/-15.5 G 5.0/22.2		K -5/0 G 9.6/23.4	
p	lp	Ip	lp	Ip
	K 0/-7.5 G 14.3/29.5		K 0/0 G 16.6/29.5	
q	lq	Iq	lq	Iq
	K -16/-15 G 5.7/22.6		K -5/0 G 9.6/23.4	
r	lr	Ir	lr	Ir
	K 0/-7.5 G 14.3/29.5		K 0/0 G 16.6/29.5	
s	ls	Is	ls	Is
	K -3.5/-14.5 G 6.2/20.7		K 0/0 G 5.3/18.1	
t	lt	It	lt	It
	K 0/-14.5 G 4.8/18.6		K 0/0 G 3.4/16.3	
u	lu	Iu	lu	Iu
	K 0/-9 G 13.2/28.1		K 0/0 G 15.5/28.4	
v	lv	Iv	lv	Iv
	K -25.5/-11.5 G -2.4/17.1		K -10/0 G 0.9/15.7	
w	lw	Iw	lw	Iw
	K -11.5/-8 G 1.4/18.7		K 0/0 G 4.7/17.6	
x	lx	Ix	lx	Ix
	K 9.5/-3 G 4.5/18.7		K 0/0 G 1.9/14.7	
y	ly	Iy	ly	Iy
	K -25.5/-11 G -2.6/17.0		K -10/0 G 0.9/15.7	
z	lz	Iz	lz	Iz
	K 0/-10.5 G 6.3/20.9		K 3/0 G 6.4/18.7	

Each value is lowercase l / capital I. K: adjustment per 1,000 em. G: gap as % of x-height.

All specimens have the same x-height. Negative G means overlapping x extents, not a collision.

Semibold Upright

Lato26 Semibold / Fira Sans SemiBold. Within each family: lowercase l, then capital I.

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
a	la	Ia	la	Ia
	K 0.5/-14 G 6.3/19.8		K -5/0 G 5.8/19.2	
b	lb	Ib	lb	Ib
	K 0/-7.5 G 13.5/28.3		K 0/0 G 14.3/26.8	
c	lc	Ic	lc	Ic
	K -15/-15.5 G 5.0/21.2		K -5/0 G 7.7/21.1	
d	ld	Id	ld	Id
	K -14.5/-15 G 5.3/21.5		K -5/0 G 7.7/21.1	
e	le	Ie	le	Ie
	K -14.5/-15.5 G 5.0/21.1		K -5/0 G 7.7/21.1	
f	lf	If	lf	If
	K 0/-15.5 G 4.9/18.2		K 0/0 G 2.3/14.7	
g	lg	Ig	lg	Ig
	K 6/-16.5 G 7.2/19.1		K 0/0 G 3.6/16.0	
h	lh	Ih	lh	Ih
	K 0/-7.5 G 13.5/28.3		K 0/0 G 14.3/26.8	
i	li	Ii	li	Ii
	K 0/-7.5 G 10.8/25.7		K 0/0 G 11.5/24.0	
j	lj	Ij	lj	Ij
	K 0/-7.5 G -6.6/8.3		K 0/0 G -5.7/6.8	
k	lk	Ik	lk	Ik
	K 0/-7.5 G 13.5/28.3		K 0/0 G 14.3/26.8	
l	ll	Il	ll	Il
	K 2/-7.5 G 14.3/28.7		K 0/0 G 13.2/25.7	
m	lm	Im	lm	Im
	K 0/-7.5 G 13.5/28.3		K 0/0 G 14.3/26.8	

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
n	ln	In	ln	In
	K 0/-7.5 G 13.5/28.3		K 0/0 G 14.3/26.8	
o	lo	Io	lo	Io
	K -15/-15.5 G 5.0/21.2		K -5/0 G 7.7/21.1	
p	lp	Ip	lp	Ip
	K 0/-7.5 G 13.5/28.3		K 0/0 G 14.3/26.8	
q	lq	Iq	lq	Iq
	K -14.5/-15 G 5.3/21.5		K -5/0 G 7.7/21.1	
r	lr	Ir	lr	Ir
	K 0/-7.5 G 13.5/28.3		K 0/0 G 14.3/26.8	
s	ls	Is	ls	Is
	K 1/-14 G 6.4/19.8		K 0/0 G 3.6/16.0	
t	lt	It	lt	It
	K 0/-14 G 4.3/17.9		K 0/0 G 2.3/14.7	
u	lu	Iu	lu	Iu
	K 0/-9.5 G 12.5/26.9		K 0/0 G 13.2/25.7	
v	lv	Iv	lv	Iv
	K -23/-11 G -2.5/16.2		K -10/0 G -0.8/13.6	
w	lw	Iw	lw	Iw
	K -9/-7.5 G 1.3/17.9		K 0/0 G 3.0/15.5	
x	lx	Ix	lx	Ix
	K 12/-2.5 G 4.3/17.8		K 0/0 G 0.2/12.6	
y	ly	Iy	ly	Iy
	K -22/-11 G -2.5/16.0		K -10/0 G -0.8/13.6	
z	lz	Iz	lz	Iz
	K 0/-10.5 G 6.0/20.3		K 5/0 G 5.5/17.0	

Each value is lowercase l / capital I. K: adjustment per 1,000 em. G: gap as % of x-height.

All specimens have the same x-height. Negative G means overlapping x extents, not a collision.

Bold Upright

Lato26 Bold / Fira Sans Bold. Within each family: lowercase l, then capital I.

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
a	la	Ia	la	Ia
	K 6/-13 G 6.2/18.1		K -5/0 G 4.3/16.6	
b	lb	Ib	lb	Ib
	K 0/-7.5 G 12.1/26.3		K 0/0 G 12.2/23.5	
c	lc	Ic	lc	Ic
	K -10/-15.5 G 4.8/19.3		K -5/0 G 5.8/18.1	
d	ld	Id	ld	Id
	K -11.5/-14.5 G 4.7/19.7		K -5/0 G 5.8/18.1	
e	le	Ie	le	Ie
	K -9.5/-15.5 G 4.8/19.2		K -5/0 G 5.8/18.1	
f	lf	If	lf	If
	K 0/-15.5 G 4.2/16.8		K 0/0 G 1.3/12.6	
g	lg	Ig	lg	Ig
	K 1/-16.5 G 5.2/17.4		K 0/0 G 1.9/13.2	
h	lh	Ih	lh	Ih
	K 0/-7.5 G 12.1/26.3		K 0/0 G 12.2/23.5	
i	li	Ii	li	Ii
	K 0/-7 G 9.5/23.7		K 0/0 G 9.4/20.7	
j	lj	Ij	lj	Ij
	K 0/-7 G -7.2/7.0		K 0/0 G -8.1/3.2	
k	lk	Ik	lk	Ik
	K 0/-7.5 G 12.1/26.3		K 0/0 G 12.2/23.5	
l	ll	Il	ll	Il
	K 2.5/-7.5 G 12.9/26.6		K 0/0 G 10.9/22.2	
m	lm	Im	lm	Im
	K 0/-7.5 G 12.1/26.3		K 0/0 G 12.2/23.5	

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
n	ln	In	ln	In
	K 0/-7.5 G 12.1/26.3		K 0/0 G 12.2/23.5	
o	lo	Io	lo	Io
	K -10/-15.5 G 4.8/19.3		K -5/0 G 5.8/18.1	
p	lp	Ip	lp	Ip
	K 0/-7.5 G 12.1/26.3		K 0/0 G 12.2/23.5	
q	lq	Iq	lq	Iq
	K -11.5/-14.5 G 4.7/19.7		K -5/0 G 5.8/18.1	
r	lr	Ir	lr	Ir
	K 0/-7.5 G 12.1/26.3		K 0/0 G 12.2/23.5	
s	ls	Is	ls	Is
	K 9/-13 G 6.6/18.0		K 0/0 G 1.9/13.2	
t	lt	It	lt	It
	K 0/-14 G 3.5/16.4		K 0/0 G 1.1/12.4	
u	lu	Iu	lu	Iu
	K 0/-9.5 G 11.1/24.9		K 0/0 G 10.9/22.2	
v	lv	Iv	lv	Iv
	K -19/-10.5 G -2.6/14.6		K -10/0 G -2.3/10.9	
w	lw	Iw	lw	Iw
	K -5/-7 G 1.0/16.2		K 0/0 G 1.5/12.8	
x	lx	Ix	lx	Ix
	K 17/-2 G 4.1/16.0		K 0/0 G -1.3/10.0	
y	ly	Iy	ly	Iy
	K -17/-10.5 G -2.5/14.4		K -10/0 G -2.3/10.9	
z	lz	Iz	lz	Iz
	K 0/-10 G 5.3/18.9		K 6/0 G 4.3/14.5	

Each value is lowercase l / capital I. K: adjustment per 1,000 em. G: gap as % of x-height.

All specimens have the same x-height. Negative G means overlapping x extents, not a collision.

Heavy Upright

Lato26 Heavy / Fira Sans ExtraBold. Within each family: lowercase l, then capital I.

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
a	la	la	la	la
	K 9.5/-12 G 5.7/16.5		K -5/0 G 2.1/13.9	
b	lb	lb	lb	lb
	K 0/-7.5 G 10.9/24.4		K 0/0 G 8.8/19.7	
c	lc	lc	lc	lc
	K -8.5/-15.5 G 4.0/17.6		K -5/0 G 3.0/14.8	
d	ld	ld	ld	ld
	K -9.5/-14.5 G 4.0/18.0		K -5/0 G 3.0/14.8	
e	le	le	le	le
	K -8/-15.5 G 4.0/17.5		K -5/0 G 3.0/14.8	
f	lf	lf	lf	lf
	K 0/-16 G 3.6/15.4		K 0/0 G -0.8/10.1	
g	lg	lg	lg	lg
	K 3/-16.5 G 4.7/15.8		K 0/0 G -0.6/10.3	
h	lh	lh	lh	lh
	K 0/-7.5 G 10.9/24.4		K 0/0 G 8.8/19.7	
i	li	li	li	li
	K 0/-7 G 8.4/22.0		K 0/0 G 6.4/17.3	
j	lj	lj	lj	lj
	K 0/-7 G -7.8/5.8		K 0/0 G -11.6/-0.8	
k	lk	lk	lk	lk
	K 0/-7.5 G 10.9/24.4		K 0/0 G 8.8/19.7	
l	ll	ll	ll	ll
	K 3/-7.5 G 11.7/24.6		K 0/0 G 7.7/18.6	
m	lm	lm	lm	lm
	K 0/-7.5 G 10.9/24.4		K 0/0 G 8.8/19.7	

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
n	ln	ln	ln	ln
	K 0/-7.5 G 10.9/24.4		K 0/0 G 8.8/19.7	
o	lo	lo	lo	lo
	K -8.5/-15.5 G 4.0/17.6		K -5/0 G 3.0/14.8	
p	lp	lp	lp	lp
	K 0/-7.5 G 10.9/24.4		K 0/0 G 8.8/19.7	
q	lq	lq	lq	lq
	K -9.5/-14.5 G 4.0/18.0		K -5/0 G 3.0/14.8	
r	lr	lr	lr	lr
	K 0/-7.5 G 10.9/24.4		K 0/0 G 8.8/19.7	
s	ls	ls	ls	ls
	K 12/-12 G 6.1/16.4		K 0/0 G -0.6/10.3	
t	lt	lt	lt	lt
	K 0/-13.5 G 2.7/15.0		K 0/0 G -0.8/10.1	
u	lu	lu	lu	lu
	K 0/-10 G 9.9/22.9		K 0/0 G 7.7/18.6	
v	lv	lv	lv	lv
	K -15.5/-10 G -2.9/13.1		K -10/0 G -4.5/8.3	
w	lw	lw	lw	lw
	K -5/-6 G 0.0/14.8		K 0/0 G -0.8/10.1	
x	lx	lx	lx	lx
	K 17.5/-1 G 3.1/14.5		K 0/0 G -3.6/7.3	
y	ly	ly	ly	ly
	K -13.5/-10.5 G -2.8/12.7		K -10/0 G -4.5/8.3	
z	lz	lz	lz	lz
	K 0/-10 G 4.6/17.6		K 8/0 G 2.4/11.8	

Each value is lowercase l / capital I. K: adjustment per 1,000 em. G: gap as % of x-height.

All specimens have the same x-height. Negative G means overlapping x extents, not a collision.

Black Upright

Lato26 Black / Fira Sans Heavy. Within each family: lowercase l, then capital I.

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
a	la	la	la	la
	K 12.5/-11 G 5.1/14.8		K -5/0 G 0.0/10.9	
b	lb	lb	lb	lb
	K 0/-7.5 G 9.5/22.3		K 0/0 G 6.0/15.9	
c	lc	lc	lc	lc
	K -7/-15.5 G 3.0/15.5		K -5/0 G 0.4/11.2	
d	ld	ld	ld	ld
	K -8/-14.5 G 3.1/16.0		K -5/0 G 0.4/11.2	
e	le	le	le	le
	K -6.5/-15.5 G 3.0/15.4		K -5/0 G 0.4/11.2	
f	lf	lf	lf	lf
	K 0/-16 G 2.9/14.0		K 0/0 G -2.2/7.7	
g	lg	lg	lg	lg
	K 5/-16.5 G 4.1/14.1		K 0/0 G -2.8/7.1	
h	lh	lh	lh	lh
	K 0/-7.5 G 9.5/22.3		K 0/0 G 6.0/15.9	
i	li	li	li	li
	K 0/-7 G 7.1/20.0		K 0/0 G 3.7/13.7	
j	lj	lj	lj	lj
	K 0/-7 G -8.3/4.5		K 0/0 G -15.0/-5.1	
k	lk	lk	lk	lk
	K 0/-7.5 G 9.5/22.3		K 0/0 G 6.0/15.9	
l	ll	ll	ll	ll
	K 2.5/-7.5 G 10.0/22.3		K 0/0 G 4.7/14.6	
m	lm	lm	lm	lm
	K 0/-7.5 G 9.5/22.3		K 0/0 G 6.0/15.9	

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
n	ln	ln	ln	ln
	K 0/-7.5 G 9.5/22.3		K 0/0 G 6.0/15.9	
o	lo	lo	lo	lo
	K -7/-15.5 G 3.0/15.5		K -5/0 G 0.4/11.2	
p	lp	lp	lp	lp
	K 0/-7.5 G 9.5/22.3		K 0/0 G 6.0/15.9	
q	lq	lq	lq	lq
	K -8/-14.5 G 3.1/16.0		K -5/0 G 0.4/11.2	
r	lr	lr	lr	lr
	K 0/-7.5 G 9.5/22.3		K 0/0 G 6.0/15.9	
s	ls	ls	ls	ls
	K 15/-11 G 5.4/14.6		K 0/0 G -2.8/7.1	
t	lt	lt	lt	lt
	K 0/-13.5 G 1.9/13.5		K 0/0 G -2.2/7.7	
u	lu	lu	lu	lu
	K 0/-10 G 8.6/20.8		K 0/0 G 4.7/14.6	
v	lv	lv	lv	lv
	K -13/-9.5 G -3.5/11.4		K -10/0 G -6.6/5.2	
w	lw	lw	lw	lw
	K -6.5/-5.5 G -1.4/13.0		K 0/0 G -2.8/7.1	
x	lx	lx	lx	lx
	K 17/0 G 1.8/12.7		K 0/0 G -5.6/4.3	
y	ly	ly	ly	ly
	K -11/-10 G -3.5/10.9		K -10/0 G -6.6/5.2	
z	lz	lz	lz	lz
	K 0/-9.5 G 3.9/16.2		K 10/0 G 0.9/9.0	

Each value is lowercase l / capital I. K: adjustment per 1,000 em. G: gap as % of x-height.

All specimens have the same x-height. Negative G means overlapping x extents, not a collision.

Hairline Italic

Lato26 Hairline / Fira Sans Thin. Within each family: lowercase l, then capital I.

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
a				
	K 1/0 G 19.6/20.7		K -5/0 G 26.4/25.2	
b				
	K 0/0 G 21.2/22.6		K 0/0 G 30.6/28.5	
c				
	K -3/0 G 19.6/21.5		K -5/0 G 26.6/25.4	
d				
	K -9/0 G 18.0/21.1		K -5/0 G 26.4/25.2	
e				
	K -3/0 G 19.6/21.5		K -5/0 G 26.4/25.2	
f				
	K 0/0 G 20.9/22.2		K 0/0 G 6.7/4.6	
g				
	K -8/0 G 5.3/8.3		K -5/0 G 22.2/21.0	
h				
	K 0/0 G 21.2/22.6		K 0/0 G 29.9/27.7	
i				
	K 0/0 G 22.3/23.7		K 0/0 G 29.9/27.7	
j				
	K 0/0 G -6.0/-4.7		K 0/0 G 6.4/4.2	
k				
	K 0/0 G 21.1/22.4		K 0/0 G 29.9/27.7	
l				
	K 2.5/0 G 25.4/26.3		K 0/0 G 30.6/28.5	
m				
	K 0/0 G 21.2/22.6		K 0/0 G 29.9/27.7	

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
n				
	K 0/0 G 21.2/22.6		K 0/0 G 29.9/27.7	
o				
	K -4.5/0 G 19.6/21.8		K -5/0 G 26.6/25.4	
p				
	K 0/0 G 16.6/18.0		K 0/0 G 24.7/22.5	
q				
	K -9/0 G 17.6/20.7		K -5/0 G 26.4/25.2	
r				
	K 0/0 G 21.2/22.6		K 0/0 G 29.9/27.7	
s				
	K -9/0 G 12.9/16.0		K 0/0 G 18.3/16.2	
t				
	K 0/0 G 20.6/21.9		K 0/0 G 25.8/23.7	
u				
	K 0/0 G 24.0/25.3		K 0/0 G 32.6/30.4	
v				
	K -19/0 G 17.0/22.2		K -10/0 G 23.9/23.7	
w				
	K -7.5/0 G 20.6/23.5		K 0/0 G 27.7/25.6	
x				
	K 4/0 G 9.1/9.6		K 0/0 G 10.6/8.5	
y				
	K -19.5/0 G 17.2/22.6		K -10/0 G 11.2/11.0	
z				
	K 0/0 G 10.6/11.9		K 10/0 G 15.2/11.2	

Each value is lowercase l / capital I. K: adjustment per 1,000 em. G: gap as % of x-height.

All specimens have the same x-height. Negative G means overlapping x extents, not a collision.

Thin Italic

Lato26 Thin / Fira Sans UltraLight. Within each family: lowercase l, then capital I.

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
a				
	K -1/0 G 18.3/19.1		K -5/0 G 24.4/23.7	
b				
	K 0/0 G 20.1/20.7		K 0/0 G 28.7/26.9	
c				
	K -6/0 G 18.1/19.9		K -5/0 G 24.6/23.8	
d				
	K -11/0 G 16.6/19.5		K -5/0 G 24.4/23.7	
e				
	K -6/0 G 18.1/19.9		K -5/0 G 24.4/23.7	
f				
	K 0/0 G 20.3/20.9		K 0/0 G 4.8/3.1	
g				
	K -5.5/0 G 5.3/7.0		K -5/0 G 20.2/19.4	
h				
	K 0/0 G 20.1/20.7		K 0/0 G 27.9/26.2	
i				
	K 0/0 G 21.2/21.8		K 0/0 G 27.9/26.2	
j				
	K 0/0 G -6.4/-5.8		K 0/0 G 4.2/2.5	
k				
	K 0/0 G 20.0/20.6		K 0/0 G 27.9/26.2	
l				
	K 1.5/0 G 24.2/24.5		K 0/0 G 28.8/27.1	
m				
	K 0/0 G 20.1/20.7		K 0/0 G 27.9/26.2	

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
n				
	K 0/0 G 20.1/20.7		K 0/0 G 27.9/26.2	
o				
	K -7.5/0 G 18.1/20.2		K -5/0 G 24.6/23.8	
p				
	K 0/0 G 15.6/16.2		K 0/0 G 22.3/20.6	
q				
	K -11/0 G 16.2/19.1		K -5/0 G 24.4/23.7	
r				
	K 0/0 G 20.1/20.7		K 0/0 G 27.9/26.2	
s				
	K -8/0 G 12.1/14.3		K 0/0 G 16.3/14.6	
t				
	K 0/0 G 19.9/20.5		K 0/0 G 23.8/22.1	
u				
	K 0/0 G 22.8/23.5		K 0/0 G 30.6/28.8	
v				
	K -21/0 G 15.8/20.7		K -10/0 G 21.9/22.1	
w				
	K -10/0 G 19.2/21.8		K 0/0 G 25.8/24.0	
x				
	K 3.5/0 G 8.0/7.9		K 0/0 G 8.7/6.9	
y				
	K -21.5/0 G 16.0/21.0		K -10/0 G 9.6/9.8	
z				
	K 0/0 G 10.0/10.6		K 10/0 G 13.7/10.0	

Each value is lowercase l / capital I. K: adjustment per 1,000 em. G: gap as % of x-height.

All specimens have the same x-height. Negative G means overlapping x extents, not a collision.

Light Italic

Lato26 Light / Fira Sans Light. Within each family: lowercase l, then capital I.

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
a				
	K -2/0 G 16.6/16.7		K -5/0 G 20.8/20.8	
b				
	K 0/0 G 18.4/18.1		K 0/0 G 24.5/23.5	
c				
	K -9/0 G 16.0/17.5		K -5/0 G 21.2/21.2	
d				
	K -13/0 G 14.8/17.1		K -5/0 G 21.0/21.0	
e				
	K -9/0 G 16.0/17.5		K -5/0 G 21.0/21.0	
f				
	K 0/0 G 19.3/19.0		K 0/0 G 0.8/-0.2	
g				
	K 0.5/0 G 5.5/5.1		K -5/0 G 16.6/16.6	
h				
	K 0/0 G 18.4/18.1		K 0/0 G 23.7/22.8	
i				
	K 0/0 G 19.4/19.1		K 0/0 G 23.7/22.8	
j				
	K 0/0 G -7.0/-7.3		K 0/0 G 0.0/-1.0	
k				
	K 0/0 G 18.2/17.9		K 0/0 G 23.7/22.8	
l				
	K 2/0 G 22.8/22.1		K 0/0 G 25.2/24.3	
m				
	K 0/0 G 18.4/18.1		K 0/0 G 23.7/22.8	

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
n				
	K 0/0 G 18.4/18.1		K 0/0 G 23.7/22.8	
o				
	K -10/0 G 16.0/17.7		K -5/0 G 21.2/21.2	
p				
	K 0/0 G 14.0/13.7		K 0/0 G 18.2/17.2	
q				
	K -12/0 G 14.6/16.7		K -5/0 G 20.8/20.8	
r				
	K 0/0 G 18.4/18.1		K 0/0 G 23.7/22.8	
s				
	K -6/0 G 11.0/11.9		K 0/0 G 12.4/11.5	
t				
	K 0/0 G 18.7/18.4		K 0/0 G 19.7/18.7	
u				
	K 0/0 G 21.2/20.9		K 0/0 G 26.4/25.4	
v				
	K -22.5/0 G 14.2/18.4		K -10/0 G 18.7/19.7	
w				
	K -12/0 G 17.3/19.4		K 0/0 G 22.8/21.8	
x				
	K 3/0 G 6.4/5.5		K 0/0 G 5.5/4.6	
y				
	K -23/0 G 14.4/18.7		K -10/0 G 7.3/8.2	
z				
	K 0/0 G 9.1/8.8		K 10/0 G 10.7/7.8	

Each value is lowercase l / capital I. K: adjustment per 1,000 em. G: gap as % of x-height.

All specimens have the same x-height. Negative G means overlapping x extents, not a collision.

Regular Italic

Lato26 Regular / Fira Sans Regular. Within each family: lowercase l, then capital I.

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
a				
	K -7.5/0 G 12.8/12.1		K -5/0 G 15.9/16.9	
b				
	K 0/0 G 15.2/12.9		K 0/0 G 18.8/18.8	
c				
	K -17.5/0 G 11.7/12.8		K -5/0 G 16.3/17.3	
d				
	K -19.5/0 G 11.0/12.5		K -5/0 G 16.1/17.1	
e				
	K -17/0 G 11.8/12.8		K -5/0 G 16.3/17.3	
f				
	K 0/0 G 17.6/15.3		K 0/0 G -4.6/-4.6	
g				
	K 8/0 G 5.4/1.6		K -5/0 G 11.6/12.5	
h				
	K 0/0 G 15.2/12.9		K 0/0 G 18.2/18.2	
i				
	K 0/0 G 16.2/13.9		K 0/0 G 18.2/18.2	
j				
	K 0/0 G -8.1/-10.4		K 0/0 G -6.1/-6.1	
k				
	K 0/0 G 15.0/12.7		K 0/0 G 18.2/18.2	
l				
	K 2/0 G 19.4/16.7		K 0/0 G 20.1/20.1	
m				
	K 0/0 G 15.2/12.9		K 0/0 G 18.2/18.2	

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
n				
	K 0/0 G 15.2/12.9		K 0/0 G 18.2/18.2	
o				
	K -18/0 G 11.7/12.9		K -5/0 G 16.3/17.3	
p				
	K 0/0 G 11.1/8.8		K 0/0 G 12.5/12.5	
q				
	K -18/0 G 10.8/12.1		K -5/0 G 15.9/16.9	
r				
	K 0/0 G 15.2/12.9		K 0/0 G 18.2/18.2	
s				
	K -4.5/0 G 8.4/7.0		K 0/0 G 7.0/7.0	
t				
	K 0/0 G 16.8/14.5		K 0/0 G 14.0/14.0	
u				
	K 0/0 G 18.2/15.9		K 0/0 G 20.7/20.7	
v				
	K -28.5/0 G 10.7/14.0		K -10/0 G 14.4/16.3	
w				
	K -19.5/0 G 13.2/14.8		K 0/0 G 18.4/18.4	
x				
	K -0.5/0 G 3.1/0.9		K 0/0 G 1.3/1.3	
y				
	K -29/0 G 10.8/14.2		K -10/0 G 3.8/5.7	
z				
	K 0/0 G 7.6/5.3		K 10/0 G 6.8/4.9	

Each value is lowercase l / capital I. K: adjustment per 1,000 em. G: gap as % of x-height.

All specimens have the same x-height. Negative G means overlapping x extents, not a collision.

Medium Italic

Lato26 Medium / Fira Sans Medium. Within each family: lowercase l, then capital I.

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
a				
	K -9/0 G 12.0/11.0		K -5/0 G 10.2/10.8	
b				
	K 0/0 G 14.6/11.8		K 0/0 G 12.1/11.7	
c				
	K -15.5/0 G 11.5/11.8		K -5/0 G 10.4/11.0	
d				
	K -19.5/0 G 10.5/11.6		K -5/0 G 10.2/10.8	
e				
	K -15/0 G 11.6/11.8		K -5/0 G 10.4/11.0	
f				
	K 0/0 G 17.3/14.5		K 0/0 G -9.6/-10.0	
g				
	K 6.5/0 G 4.8/0.8		K -5/0 G 6.4/7.0	
h				
	K 0/0 G 14.6/11.8		K 0/0 G 11.5/11.2	
i				
	K 0/0 G 15.6/12.8		K 0/0 G 11.5/11.2	
j				
	K 0/0 G -8.4/-11.1		K 0/0 G -12.3/-12.7	
k				
	K 0/0 G 14.5/11.7		K 0/0 G 11.5/11.2	
l				
	K 2/0 G 18.7/15.6		K 0/0 G 13.6/13.2	
m				
	K 0/0 G 14.6/11.8		K 0/0 G 11.5/11.2	


	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
n				
	K 0/0 G 14.7/11.9		K 0/0 G 11.5/11.2	
o				
	K -16/0 G 11.6/12.0		K -5/0 G 10.6/11.2	
p				
	K 0/0 G 10.4/7.7		K 0/0 G 5.7/5.3	
q				
	K -17.5/0 G 10.3/11.0		K -5/0 G 10.2/10.8	
r				
	K 0/0 G 14.6/11.8		K 0/0 G 11.5/11.2	
s				
	K -4.5/0 G 7.9/6.0		K 0/0 G 2.3/1.9	
t				
	K 0/0 G 16.4/13.6		K 0/0 G 9.5/9.1	
u				
	K 0/0 G 17.6/14.8		K 0/0 G 14.0/13.6	
v				
	K -27.5/0 G 10.4/13.1		K -10/0 G 9.6/11.2	
w				
	K -19/0 G 12.9/13.9		K 0/0 G 13.6/13.2	
x				
	K 3.5/0 G 3.3/-0.1		K 0/0 G -3.4/-3.8	
y				
	K -28/0 G 10.5/13.3		K -10/0 G -0.2/1.3	
z				
	K 0/0 G 7.3/4.5		K 10/0 G 2.3/0.0	

Each value is lowercase l / capital I. K: adjustment per 1,000 em. G: gap as % of x-height.

All specimens have the same x-height. Negative G means overlapping x extents, not a collision.

Semibold Italic

Lato26 Semibold / Fira Sans SemiBold. Within each family: lowercase l, then capital I.

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
a				
	K -10.5/0 G 11.0/10.0		K -5/0 G 7.9/8.3	
b				
	K 0/0 G 13.7/10.7		K 0/0 G 9.6/9.1	
c				
	K -13/0 G 11.3/10.8		K -5/0 G 8.3/8.7	
d				
	K -20/0 G 9.7/10.6		K -5/0 G 8.1/8.5	
e				
	K -12.5/0 G 11.4/10.8		K -5/0 G 8.3/8.7	
f				
	K 0/0 G 16.7/13.6		K 0/0 G -11.3/-11.9	
g				
	K 5/0 G 4.0/0.0		K -5/0 G 4.5/4.9	
h				
	K 0/0 G 13.7/10.7		K 0/0 G 8.9/8.3	
i				
	K 0/0 G 14.7/11.7		K 0/0 G 9.1/8.5	
j				
	K 0/0 G -8.7/-11.8		K 0/0 G -14.5/-15.1	
k				
	K 0/0 G 13.5/10.5		K 0/0 G 8.9/8.3	
l				
	K 2/0 G 18.0/14.6		K 0/0 G 10.9/10.4	
m				
	K 0/0 G 13.7/10.7		K 0/0 G 9.1/8.5	

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
n				
	K 0/0 G 13.8/10.8		K 0/0 G 9.1/8.5	
o				
	K -13.5/0 G 11.3/10.9		K -5/0 G 8.3/8.7	
p				
	K 0/0 G 9.6/6.6		K 0/0 G 3.2/2.6	
q				
	K -17.5/0 G 9.6/10.0		K -5/0 G 7.9/8.3	
r				
	K 0/0 G 13.7/10.7		K 0/0 G 9.1/8.5	
s				
	K -4.5/0 G 7.1/4.9		K 0/0 G 0.4/-0.2	
t				
	K 0/0 G 15.7/12.7		K 0/0 G 7.7/7.2	
u				
	K 0/0 G 16.8/13.7		K 0/0 G 11.3/10.8	
v				
	K -26/0 G 10.1/12.2		K -10/0 G 7.7/9.1	
w				
	K -18.5/0 G 12.3/12.9		K 0/0 G 11.9/11.3	
x				
	K 6.5/0 G 3.1/-1.2		K 0/0 G -5.3/-5.8	
y				
	K -26.5/0 G 10.2/12.4		K -10/0 G -1.7/-0.4	
z				
	K 0/0 G 6.8/3.7		K 10/0 G 0.6/-1.9	

Each value is lowercase l / capital I. K: adjustment per 1,000 em. G: gap as % of x-height.

All specimens have the same x-height. Negative G means overlapping x extents, not a collision.

Bold Italic

Lato26 Bold / Fira Sans Bold. Within each family: lowercase l, then capital I.

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
a				
	K -15/0 G 8.8/8.3		K -5/0 G 5.6/5.8	
b				
	K 0/0 G 12.2/8.8		K 0/0 G 6.8/6.0	
c				
	K -10/0 G 10.5/9.1		K -5/0 G 5.8/6.0	
d				
	K -20.5/0 G 8.3/8.9		K -5/0 G 5.6/5.8	
e				
	K -9.5/0 G 10.6/9.1		K -5/0 G 5.8/6.0	
f				
	K 0/0 G 15.5/12.1		K 0/0 G -13.4/-14.1	
g				
	K 1/0 G 2.3/-1.3		K -5/0 G 2.3/2.4	
h				
	K 0/0 G 12.2/8.8		K 0/0 G 6.0/5.3	
i				
	K 0/0 G 13.2/9.7		K 0/0 G 6.2/5.5	
j				
	K 0/0 G -9.5/-12.9		K 0/0 G -17.1/-17.9	
k				
	K 0/0 G 12.0/8.6		K 0/0 G 6.0/5.3	
l				
	K 2.5/0 G 16.5/12.6		K 0/0 G 8.3/7.5	
m				
	K 0/0 G 12.2/8.8		K 0/0 G 6.2/5.5	

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
n				
	K 0/0 G 12.3/8.9		K 0/0 G 6.2/5.5	
o				
	K -10/0 G 10.6/9.2		K -5/0 G 6.0/6.2	
p				
	K 0/0 G 8.2/4.8		K 0/0 G 0.4/-0.4	
q				
	K -18/0 G 8.2/8.3		K -5/0 G 5.6/5.8	
r				
	K 0/0 G 12.2/8.8		K 0/0 G 6.2/5.5	
s				
	K -5.5/0 G 5.5/3.1		K 0/0 G -1.7/-2.4	
t				
	K 0/0 G 14.6/11.2		K 0/0 G 6.0/5.3	
u				
	K 0/0 G 15.2/11.8		K 0/0 G 8.5/7.7	
v				
	K -25/0 G 9.1/10.5		K -10/0 G 5.6/6.8	
w				
	K -18.5/0 G 10.9/11.1		K 0/0 G 10.0/9.2	
x				
	K 12/0 G 2.8/-2.9		K 0/0 G -7.3/-8.1	
y				
	K -25.5/0 G 9.2/10.7		K -10/0 G -3.2/-2.1	
z				
	K 0/0 G 5.8/2.4		K 10/0 G -1.3/-4.0	

Each value is lowercase l / capital I. K: adjustment per 1,000 em. G: gap as % of x-height.

All specimens have the same x-height. Negative G means overlapping x extents, not a collision.

Heavy Italic

Lato26 Heavy / Fira Sans ExtraBold. Within each family: lowercase l, then capital I.

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
a				
	K -9.5/0 G 8.1/6.7		K -5/0 G 2.3/2.4	
b				
	K 0/0 G 10.4/7.1		K 0/0 G 3.0/2.3	
c				
	K -6/0 G 9.7/7.6		K -5/0 G 2.4/2.6	
d				
	K -14/0 G 7.9/7.4		K -5/0 G 2.3/2.4	
e				
	K -5.5/0 G 9.7/7.5		K -5/0 G 2.4/2.6	
f				
	K 0/0 G 14.0/10.7		K 0/0 G -16.3/-17.1	
g				
	K 9.5/0 G 2.7/-2.4		K -5/0 G -0.6/-0.4	
h				
	K 0/0 G 10.4/7.1		K 0/0 G 2.3/1.5	
i				
	K 0/0 G 11.3/8.0		K 0/0 G 2.4/1.7	
j				
	K 0/0 G -10.6/-13.9		K 0/0 G -20.6/-21.4	
k				
	K 0/0 G 10.2/6.9		K 0/0 G 2.3/1.5	
l				
	K 7/0 G 15.7/11.1		K 0/0 G 4.5/3.8	
m				
	K 0/0 G 10.4/7.1		K 0/0 G 2.4/1.7	

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
n				
	K 0/0 G 10.5/7.2		K 0/0 G 2.4/1.7	
o				
	K -6/0 G 9.8/7.7		K -5/0 G 2.6/2.8	
p				
	K 0/0 G 6.5/3.2		K 0/0 G -3.6/-4.3	
q				
	K -10.5/0 G 8.0/6.8		K -5/0 G 2.3/2.4	
r				
	K 0/0 G 10.4/7.1		K 0/0 G 2.4/1.7	
s				
	K 1.5/0 G 5.1/1.6		K 0/0 G -4.3/-5.1	
t				
	K 0/0 G 13.2/9.9		K 0/0 G 3.4/2.6	
u				
	K 0/0 G 13.5/10.2		K 0/0 G 4.7/3.9	
v				
	K -21/0 G 8.3/9.1		K -10/0 G 3.0/4.1	
w				
	K -14.5/0 G 10.1/9.6		K 0/0 G 7.1/6.4	
x				
	K 19/0 G 2.5/-4.5		K 0/0 G -9.9/-10.7	
y				
	K -20.5/0 G 8.5/9.2		K -10/0 G -5.6/-4.5	
z				
	K 0/0 G 4.6/1.3		K 10/0 G -3.9/-6.6	

Each value is lowercase l / capital I. K: adjustment per 1,000 em. G: gap as % of x-height.

All specimens have the same x-height. Negative G means overlapping x extents, not a collision.

Black Italic

Lato26 Black / Fira Sans Heavy. Within each family: lowercase l, then capital I.

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
a				
	K -4.5/0 G 7.4/4.9		K -5/0 G -0.7/-0.9	
b				
	K 0/0 G 8.5/5.1		K 0/0 G -0.6/-1.7	
c				
	K -3.5/0 G 8.5/5.8		K -5/0 G -0.6/-0.7	
d				
	K -8.5/0 G 7.3/5.6		K -5/0 G -0.7/-0.9	
e				
	K -3/0 G 8.5/5.7		K -5/0 G -0.6/-0.7	
f				
	K 0/0 G 12.3/8.9		K 0/0 G -18.9/-20.0	
g				
	K 16.5/0 G 2.7/-3.8		K -5/0 G -3.4/-3.6	
h				
	K 0/0 G 8.5/5.1		K 0/0 G -1.3/-2.4	
i				
	K 0/0 G 9.3/6.0		K 0/0 G -1.1/-2.2	
j				
	K 0/0 G -11.7/-15.1		K 0/0 G -23.8/-24.9	
k				
	K 0/0 G 8.3/4.9		K 0/0 G -1.3/-2.4	
l				
	K 9/0 G 14.2/9.1		K 0/0 G 1.1/0.0	
m				
	K 0/0 G 8.5/5.1		K 0/0 G -1.1/-2.2	

	Lato26		Fira Sans	
	lowercase l	capital I	lowercase l	capital I
n				
	K 0/0 G 8.6/5.2		K 0/0 G -1.1/-2.2	
o				
	K -3.5/0 G 8.5/5.8		K -5/0 G -0.4/-0.6	
p				
	K 0/0 G 4.6/1.2		K 0/0 G -7.1/-8.2	
q				
	K -5/0 G 7.4/5.0		K -5/0 G -0.7/-0.9	
r				
	K 0/0 G 8.5/5.1		K 0/0 G -1.1/-2.2	
s				
	K 8/0 G 4.6/-0.3		K 0/0 G -6.9/-8.1	
t				
	K 0/0 G 11.7/8.3		K 0/0 G 0.9/-0.2	
u				
	K 0/0 G 11.6/8.2		K 0/0 G 1.1/0.0	
v				
	K -18.5/0 G 7.2/7.4		K -10/0 G 0.4/1.1	
w				
	K -12/0 G 8.8/7.8		K 0/0 G 4.7/3.6	
x				
	K 25/0 G 1.9/-6.2		K 0/0 G -12.5/-13.7	
y				
	K -16.5/0 G 7.7/7.5		K -10/0 G -7.7/-6.9	
z				
	K 0/0 G 3.3/-0.1		K 10/0 G -6.4/-9.4	

Each value is lowercase l / capital I. K: adjustment per 1,000 em. G: gap as % of x-height.

All specimens have the same x-height. Negative G means overlapping x extents, not a collision.

Blur comparison and method

Regular upright: compare each left letter's rhythm relative to its own e pair.

Following letter	Lato26: lower l	Lato26: capital I	Fira: lower l	Fira: capital I
a	1.59	0.93	2.81	1.39
e	1.00	1.00	1.00	1.00
h	0.96	0.42	1.00	0.36
k	0.98	0.43	1.02	0.36
l	0.60	0.34	0.93	0.46
w	0.38	0.68	0.88	1.91
y	0.59	0.72	1.33	2.03

Each lowercase-l column uses Ie = 1; each capital-I column uses Ie = 1.

Higher values mean stronger blurred ink interaction, not better spacing.

These ratios compare the pattern across pairs, not absolute I-versus-l closeness.

The JSON also records capital-I overlap relative to Ie in the same font.

Unhinted FreeType masks at about 256 pixels per x-height; equal-sized specimens.

Gaussian blur radii: 6%, 12%, 24% of x-height. Band: baseline to x-height.

HarfBuzz kerning checked against GPOS and independent Pillow/RAQM shaping.

936 new capital-I measurements; 936 lowercase-l measurements reused by font hash.

Selected Regular/Bold upright measurements repeated at 512 pixels per x-height.

Nominal weight matching is unchanged; it does not imply equal stroke thickness.

Hairline/Thin map to Fira Thin/UltraLight; Heavy/Black map to ExtraBold/Heavy.

No font outlines, metrics, kerning, or hinting were modified.

Maximum change in checked blur indices at double resolution: 0.53%.

Data: build/proofs/fira-capital-i-comparison.json and .csv

Zero interaction is possible where the truncated blur fields do not meet.

Official Fira Sans 4.301 reference: https://github.com/bBoxType/FiraSans

Pinned commit: f54eeb3124c63fe9b5bcd36d09d1cd46788cd15e