Lowercase l spacing

All 26 pairs, 9 nominal weights, upright and italic. Equal x-height.

Regular upright: horizontal edge gaps

Percent of x-height; lower values mean less horizontal separation.

Pair	Lato26	Fira Sans	Lato26	Fira Sans
la	6.2%	11.4%	la	la
lc	5.2%	14.6%	lc	lc
le	5.2%	14.6%	le	le
lh	15.0%	22.2%	lh	lh
lk	15.0%	22.2%	lk	lk
ll	15.9%	21.1%	ll	ll
lo	5.2%	14.6%	lo	lo
lw	1.6%	8.5%	lw	lw
ly	-2.5%	4.7%	ly	ly

Interpretation

Compare each shape against the vertical-left lh anchor, as well as the absolute gap.

Against le = 1, lh/ll indices: Lato26 0.96/0.60; Fira 1.00/0.93.

The index describes the spacing pattern; equality is not a target.

Both Regular uprights give lh and lk identical spacing; Lato26 tightens ll.

Weight matters: Fira Bold has tighter lh and ll gaps than Lato26 Bold.

Negative diagonal gaps mean overlapping x extents, not intersecting outlines.

Reading the detailed pages

K = pair adjustment per 1,000 em (negative tightens). G = gap as % of x-height.

B = geometric mean of ink-overlap ratios at blur radii 6%, 12%, 24% of x-height.

B is normalized to le = 1 in each font. Higher B means more ink interaction.

B is a shape-sensitive diagnostic, not a perceptual score or a target to copy.

All numbers are Lato26 / Fira Sans. Unhinted raster audit; vector specimens.

Hairline Upright

Lato26 Hairline / Fira Sans Thin - matched nominal weight, equal x-height

Lato26	Fira Sans
la	 
K -5/-5 G 12.4/21.4 B 3.09/2.81	
lb	 
K 0/0 G 21.8/32.9 B 1.54/0.67	
lc	 
K -7/-5 G 14.1/23.3 B 1.00/0.85	
ld	 
K -2.5/-5 G 15.1/23.3 B 1.02/0.95	
le	 
K -7/-5 G 14.1/23.3 B 1.00/1.00	
lf	 
K 0/0 G 9.3/16.2 B 0.57/0.78	
lg	 
K 0/0 G 12.2/18.7 B 3.15/1.65	
lh	 
K 0/0 G 21.8/32.9 B 1.44/0.61	
li	 
K 0/0 G 18.6/31.2 B 1.06/0.58	
lj	 
K 0/0 G -3.1/14.5 B 1.29/0.66	
lk	 
K 0/0 G 21.8/32.9 B 1.52/0.68	
ll	 
K 1.5/0 G 23.4/32.0 B 0.86/0.64	
lm	 
K 0/0 G 21.8/32.9 B 1.38/0.64	

Lato26	Fira Sans
ln	 
K 0/0 G 21.8/32.9 B 1.38/0.59	
lo	 
K -7/-5 G 14.1/23.3 B 0.98/0.92	
lp	 
K 0/0 G 21.8/32.9 B 1.80/0.76	
lq	 
K -2.5/-5 G 15.1/23.3 B 1.02/0.95	
lr	 
K 0/0 G 21.8/32.9 B 1.40/0.61	
ls	 
K -5/0 G 13.1/19.5 B 2.08/3.32	
lt	 
K 0/0 G 9.5/15.6 B 0.43/0.85	
lu	 
K 0/0 G 20.7/32.0 B 0.66/0.28	
lv	 
K -20/-10 G 4.5/12.7 B 0.79/1.61	
lw	 
K -8.5/0 G 8.0/16.6 B 0.45/0.82	
lx	 
K 17/0 G 12.8/13.7 B 2.03/8.31	
ly	 
K -18/-10 G 5.0/12.7 B 0.73/1.64	
lz	 
K 0/0 G 10.4/16.2 B 3.41/8.27	

K: adjustment / 1,000 em. G: horizontal edge gap / x-height %. B: blur index (le = 1).

Values: Lato26 / Fira Sans. Specimens: equal 15 pt x-height; no fl ligatures.

Thin Upright

Lato26 Thin / Fira Sans UltraLight - matched nominal weight, equal x-height

	Lato26	Fira Sans
la		
	K -5/-5 G 11.3/19.6 B 2.64/2.81	
lb		
	K 0/0 G 20.5/31.2 B 1.44/0.70	
lc		
	K -9.5/-5 G 12.4/21.5 B 1.04/0.90	
ld		
	K -5/-5 G 13.4/21.5 B 1.08/1.00	
le		
	K -9.5/-5 G 12.4/21.5 B 1.00/1.00	
lf		
	K 0/0 G 8.6/14.8 B 0.53/0.81	
lg		
	K 2/0 G 11.7/16.7 B 2.43/1.65	
lh		
	K 0/0 G 20.5/31.2 B 1.38/0.65	
li		
	K 0/0 G 17.4/28.8 B 1.03/0.62	
lj		
	K 0/0 G -3.7/12.5 B 1.24/0.71	
lk		
	K 0/0 G 20.5/31.2 B 1.45/0.71	
ll		
	K 1.5/0 G 21.9/30.0 B 0.82/0.70	
lm		
	K 0/0 G 20.5/31.2 B 1.32/0.63	

	Lato26	Fira Sans
ln		
	K 0/0 G 20.5/31.2 B 1.32/0.61	
lo		
	K -9.5/-5 G 12.4/21.5 B 1.00/0.93	
lp		
	K 0/0 G 20.5/31.2 B 1.66/0.79	
lq		
	K -5/-5 G 13.4/21.5 B 1.08/1.02	
lr		
	K 0/0 G 20.5/31.2 B 1.33/0.64	
ls		
	K -5.5/0 G 11.8/17.7 B 1.94/3.27	
lt		
	K 0/0 G 8.6/13.8 B 0.41/0.88	
lu		
	K 0/0 G 19.4/30.0 B 0.64/0.38	
lv		
	K -21.5/-10 G 3.1/11.0 B 0.75/1.51	
lw		
	K -9.5/0 G 6.7/14.8 B 0.43/0.81	
lx		
	K 15/0 G 11.2/11.9 B 1.87/7.79	
ly		
	K -20/-10 G 3.6/11.0 B 0.70/1.56	
lz		
	K 0/0 G 9.6/15.0 B 3.00/7.55	

K: adjustment / 1,000 em. G: horizontal edge gap / x-height %. B: blur index (le = 1).

Values: Lato26 / Fira Sans. Specimens: equal 15 pt x-height; no fl ligatures.

Light Upright

Lato26 Light / Fira Sans Light - matched nominal weight, equal x-height

	Lato26	Fira Sans		Lato26	Fira Sans
la	la	la	ln	ln	ln
	K -5/-5 G 9.6/16.3 B 2.22/2.87			K 0/0 G 18.5/27.5 B 1.19/0.77	
lb	lb	lb	lo	lo	lo
	K 0/0 G 18.5/27.5 B 1.29/0.82			K -12.5/-5 G 10.0/18.7 B 1.02/0.94	
lc	lc	lc	lp	lp	lp
	K -12.5/-5 G 10.0/18.7 B 1.04/0.91			K 0/0 G 18.5/27.5 B 1.46/0.93	
ld	ld	ld	lq	lq	lq
	K -9/-5 G 10.9/18.7 B 1.12/1.04			K -9/-5 G 10.9/18.7 B 1.12/1.05	
le	le	le	lr	lr	lr
	K -12.5/-5 G 10.0/18.7 B 1.00/1.00			K 0/0 G 18.5/27.5 B 1.20/0.77	
lf	lf	lf	ls	ls	ls
	K 0/0 G 7.5/11.5 B 0.49/1.00			K -6/0 G 9.8/14.3 B 1.77/3.27	
lg	lg	lg	lt	lt	lt
	K 6/0 G 11.0/13.8 B 1.73/1.48			K 0/0 G 7.4/10.9 B 0.38/1.05	
lh	lh	lh	lu	lu	lu
	K 0/0 G 18.5/27.5 B 1.25/0.80			K 0/0 G 17.5/26.4 B 0.60/0.51	
li	li	li	lv	lv	lv
	K 0/0 G 15.5/24.7 B 0.96/0.74			K -23/-10 G 1.4/8.4 B 0.66/1.40	
lj	lj	lj	lw	lw	lw
	K 0/0 G -4.5/8.6 B 1.15/0.86			K -10.5/0 G 4.9/12.2 B 0.40/0.83	
lk	lk	lk	lx	lx	lx
	K 0/0 G 18.5/27.5 B 1.30/0.83			K 12.5/0 G 9.0/9.4 B 1.63/6.09	
ll	ll	ll	ly	ly	ly
	K 2/0 G 19.8/26.4 B 0.75/0.80			K -22.5/-10 G 1.4/8.4 B 0.65/1.46	
lm	lm	lm	lz	lz	lz
	K 0/0 G 18.5/27.5 B 1.20/0.77			K 0/0 G 8.7/12.8 B 2.47/6.26	

K: adjustment / 1,000 em. G: horizontal edge gap / x-height %. B: blur index (le = 1).

Values: Lato26 / Fira Sans. Specimens: equal 15 pt x-height; no fl ligatures.

Regular Upright

Lato26 Regular / Fira Sans Regular - matched nominal weight, equal x-height

	Lato26	Fira Sans		Lato26	Fira Sans
la	la	la	ln	ln	ln
	K -6/-5 G 6.2/11.4 B 1.59/2.81			K 0/0 G 15.0/22.2 B 0.91/0.95	
lb	lb	lb	lo	lo	lo
	K 0/0 G 15.0/22.2 B 0.98/1.01			K -20.5/-5 G 5.2/14.6 B 1.00/0.93	
lc	lc	lc	lp	lp	lp
	K -20.5/-5 G 5.2/14.6 B 1.04/0.97			K 0/0 G 15.0/22.2 B 1.08/1.12	
ld	ld	ld	lq	lq	lq
	K -17.5/-5 G 6.0/14.6 B 1.14/1.08			K -17.5/-5 G 6.0/14.6 B 1.14/1.08	
le	le	le	lr	lr	lr
	K -20/-5 G 5.2/14.6 B 1.00/1.00			K 0/0 G 15.0/22.2 B 0.92/0.95	
lf	lf	lf	ls	ls	ls
	K 0/0 G 5.6/6.6 B 0.38/1.32			K -8/0 G 6.0/9.5 B 1.38/3.03	
lg	lg	lg	lt	lt	lt
	K 11.5/0 G 9.4/9.5 B 0.93/1.30			K 0/0 G 5.2/6.5 B 0.32/1.28	
lh	lh	lh	lu	lu	lu
	K 0/0 G 15.0/22.2 B 0.96/1.00			K 0/0 G 14.0/21.1 B 0.51/0.69	
li	li	li	lv	lv	lv
	K 0/0 G 12.2/18.6 B 0.77/0.94			K -27.5/-10 G -2.2/4.7 B 0.59/1.27	
lj	lj	lj	lw	lw	lw
	K 0/0 G -5.9/3.0 B 0.91/1.09			K -13.5/0 G 1.6/8.5 B 0.38/0.88	
lk	lk	lk	lx	lx	lx
	K 0/0 G 15.0/22.2 B 0.98/1.02			K 7/0 G 4.7/5.7 B 1.22/4.15	
ll	ll	ll	ly	ly	ly
	K 2/0 G 15.9/21.1 B 0.60/0.93			K -28/-10 G -2.5/4.7 B 0.59/1.33	
lm	lm	lm	lz	lz	lz
	K 0/0 G 15.0/22.2 B 0.92/0.95			K 0/0 G 6.7/9.5 B 1.59/4.74	

K: adjustment / 1,000 em. G: horizontal edge gap / x-height %. B: blur index (le = 1).

Values: Lato26 / Fira Sans. Specimens: equal 15 pt x-height; no fl ligatures.

Medium Upright

Lato26 Medium / Fira Sans Medium - matched nominal weight, equal x-height

	Lato26	Fira Sans		Lato26	Fira Sans
la	la	la	ln	ln	ln
	K -3/-5 G 6.2/7.6 B 1.54/2.04			K 0/0 G 14.3/16.6 B 0.97/1.02	
lb	lb	lb	lo	lo	lo
	K 0/0 G 14.3/16.6 B 1.03/1.08			K -18/-5 G 5.0/9.6 B 1.01/0.97	
lc	lc	lc	lp	lp	lp
	K -18/-5 G 5.0/9.6 B 1.06/0.96			K 0/0 G 14.3/16.6 B 1.14/1.17	
ld	ld	ld	lq	lq	lq
	K -16/-5 G 5.7/9.6 B 1.16/1.14			K -16/-5 G 5.7/9.6 B 1.16/1.14	
le	le	le	lr	lr	lr
	K -17.5/-5 G 5.1/9.6 B 1.00/1.00			K 0/0 G 14.3/16.6 B 0.97/1.02	
lf	lf	lf	ls	ls	ls
	K 0/0 G 5.3/3.6 B 0.41/1.13			K -3.5/0 G 6.2/5.3 B 1.31/2.12	
lg	lg	lg	lt	lt	lt
	K 9/0 G 8.4/5.3 B 1.03/1.07			K 0/0 G 4.8/3.4 B 0.35/1.07	
lh	lh	lh	lu	lu	lu
	K 0/0 G 14.3/16.6 B 1.01/1.06			K 0/0 G 13.2/15.5 B 0.56/0.82	
li	li	li	lv	lv	lv
	K 0/0 G 11.5/13.4 B 0.84/1.01			K -25.5/-10 G -2.4/0.9 B 0.60/1.04	
lj	lj	lj	lw	lw	lw
	K 0/0 G -6.3/-3.2 B 0.98/1.19			K -11.5/0 G 1.4/4.7 B 0.39/0.80	
lk	lk	lk	lx	lx	lx
	K 0/0 G 14.3/16.6 B 1.04/1.08			K 9.5/0 G 4.5/1.9 B 1.18/2.64	
ll	ll	ll	ly	ly	ly
	K 2/0 G 15.1/15.5 B 0.65/0.97			K -25.5/-10 G -2.6/0.9 B 0.59/1.11	
lm	lm	lm	lz	lz	lz
	K 0/0 G 14.3/16.6 B 0.97/1.02			K 0/3 G 6.3/6.4 B 1.64/2.99	

K: adjustment / 1,000 em. G: horizontal edge gap / x-height %. B: blur index (le = 1).

Values: Lato26 / Fira Sans. Specimens: equal 15 pt x-height; no fl ligatures.

Semibold Upright

Lato26 Semibold / Fira Sans SemiBold - matched nominal weight, equal x-height

	Lato26	Fira Sans		Lato26	Fira Sans
la	la	la	ln	ln	ln
	K 0.5/-5 G 6.3/5.8 B 1.50/1.89			K 0/0 G 13.5/14.3 B 1.06/1.07	
lb	lb	lb	lo	lo	lo
	K 0/0 G 13.5/14.3 B 1.12/1.12			K -15/-5 G 5.0/7.7 B 1.01/0.98	
lc	lc	lc	lp	lp	lp
	K -15/-5 G 5.0/7.7 B 1.04/0.96			K 0/0 G 13.5/14.3 B 1.23/1.22	
ld	ld	ld	lq	lq	lq
	K -14.5/-5 G 5.3/7.7 B 1.22/1.16			K -14.5/-5 G 5.3/7.7 B 1.22/1.16	
le	le	le	lr	lr	lr
	K -14.5/-5 G 5.0/7.7 B 1.00/1.00			K 0/0 G 13.5/14.3 B 1.06/1.06	
lf	lf	lf	ls	ls	ls
	K 0/0 G 4.9/2.3 B 0.45/1.06			K 1/0 G 6.4/3.6 B 1.24/1.91	
lg	lg	lg	lt	lt	lt
	K 6/0 G 7.2/3.6 B 1.17/1.01			K 0/0 G 4.3/2.3 B 0.39/0.99	
lh	lh	lh	lu	lu	lu
	K 0/0 G 13.5/14.3 B 1.10/1.11			K 0/0 G 12.5/13.2 B 0.63/0.89	
li	li	li	lv	lv	lv
	K 0/0 G 10.8/11.5 B 0.92/1.06			K -23/-10 G -2.5/-0.8 B 0.60/0.98	
lj	lj	lj	lw	lw	lw
	K 0/0 G -6.6/-5.7 B 1.08/1.25			K -9/0 G 1.3/3.0 B 0.39/0.79	
lk	lk	lk	lx	lx	lx
	K 0/0 G 13.5/14.3 B 1.13/1.12			K 12/0 G 4.3/0.2 B 1.15/2.30	
ll	ll	ll	ly	ly	ly
	K 2/0 G 14.3/13.2 B 0.71/1.01			K -22/-10 G -2.5/-0.8 B 0.56/1.06	
lm	lm	lm	lz	lz	lz
	K 0/0 G 13.5/14.3 B 1.06/1.07			K 0/5 G 6.0/5.5 B 1.69/2.49	

K: adjustment / 1,000 em. G: horizontal edge gap / x-height %. B: blur index (le = 1).

Values: Lato26 / Fira Sans. Specimens: equal 15 pt x-height; no fl ligatures.

Bold Upright

Lato26 Bold / Fira Sans Bold - matched nominal weight, equal x-height

	Lato26	Fira Sans		Lato26	Fira Sans
la	la	la	ln	ln	ln
	K 6/-5 G 6.2/4.3 B 1.46/1.70			K 0/0 G 12.1/12.2 B 1.21/1.07	
lb	lb	lb	lo	lo	lo
	K 0/0 G 12.1/12.2 B 1.28/1.13			K -10/-5 G 4.8/5.8 B 1.00/1.00	
lc	lc	lc	lp	lp	lp
	K -10/-5 G 4.8/5.8 B 1.04/0.96			K 0/0 G 12.1/12.2 B 1.38/1.21	
ld	ld	ld	lq	lq	lq
	K -11.5/-5 G 4.7/5.8 B 1.29/1.17			K -11.5/-5 G 4.7/5.8 B 1.29/1.17	
le	le	le	lr	lr	lr
	K -9.5/-5 G 4.8/5.8 B 1.00/1.00			K 0/0 G 12.1/12.2 B 1.20/1.07	
lf	lf	lf	ls	ls	ls
	K 0/0 G 4.2/1.3 B 0.52/1.00			K 9/0 G 6.6/1.9 B 1.13/1.71	
lg	lg	lg	lt	lt	lt
	K 1/0 G 5.2/1.9 B 1.43/0.95			K 0/0 G 3.5/1.1 B 0.47/0.94	
lh	lh	lh	lu	lu	lu
	K 0/0 G 12.1/12.2 B 1.26/1.12			K 0/0 G 11.1/10.9 B 0.75/0.96	
li	li	li	lv	lv	lv
	K 0/0 G 9.5/9.4 B 1.07/1.06			K -19/-10 G -2.6/-2.3 B 0.60/0.93	
lj	lj	lj	lw	lw	lw
	K 0/0 G -7.2/-8.1 B 1.25/1.31			K -5/0 G 1.0/1.5 B 0.41/0.79	
lk	lk	lk	lx	lx	lx
	K 0/0 G 12.1/12.2 B 1.28/1.13			K 17/0 G 4.1/-1.3 B 1.08/1.98	
ll	ll	ll	ly	ly	ly
	K 2.5/0 G 12.9/10.9 B 0.83/1.04			K -17/-10 G -2.5/-2.3 B 0.55/1.01	
lm	lm	lm	lz	lz	lz
	K 0/0 G 12.1/12.2 B 1.21/1.07			K 0/6 G 5.3/4.3 B 1.79/2.12	

K: adjustment / 1,000 em. G: horizontal edge gap / x-height %. B: blur index (le = 1).

Values: Lato26 / Fira Sans. Specimens: equal 15 pt x-height; no fl ligatures.

Heavy Upright

Lato26 Heavy / Fira Sans ExtraBold - matched nominal weight, equal x-height

	Lato26	Fira Sans		Lato26	Fira Sans
la	la	la	ln	ln	ln
	K 9.5/-5 G 5.7/2.1 B 1.33/1.45			K 0/0 G 10.9/8.8 B 1.23/1.11	
lb	lb	lb	lo	lo	lo
	K 0/0 G 10.9/8.8 B 1.30/1.17			K -8.5/-5 G 4.0/3.0 B 1.01/1.00	
lc	lc	lc	lp	lp	lp
	K -8.5/-5 G 4.0/3.0 B 1.04/0.95			K 0/0 G 10.9/8.8 B 1.39/1.25	
ld	ld	ld	lq	lq	lq
	K -9.5/-5 G 4.0/3.0 B 1.26/1.17			K -9.5/-5 G 4.0/3.0 B 1.26/1.17	
le	le	le	lr	lr	lr
	K -8/-5 G 4.0/3.0 B 1.00/1.00			K 0/0 G 10.9/8.8 B 1.22/1.10	
lf	lf	lf	ls	ls	ls
	K 0/0 G 3.6/-0.8 B 0.53/0.97			K 12/0 G 6.1/-0.6 B 1.04/1.44	
lg	lg	lg	lt	lt	lt
	K 3/0 G 4.7/-0.6 B 1.31/0.91			K 0/0 G 2.7/-0.8 B 0.50/0.90	
lh	lh	lh	lu	lu	lu
	K 0/0 G 10.9/8.8 B 1.28/1.16			K 0/0 G 9.9/7.7 B 0.79/1.01	
li	li	li	lv	lv	lv
	K 0/0 G 8.4/6.4 B 1.10/1.10			K -15.5/-10 G -2.9/-4.5 B 0.56/0.87	
lj	lj	lj	lw	lw	lw
	K 0/0 G -7.8/-11.6 B 1.28/1.33			K -5/0 G 0.0/-0.8 B 0.44/0.77	
lk	lk	lk	lx	lx	lx
	K 0/0 G 10.9/8.8 B 1.30/1.16			K 17.5/0 G 3.1/-3.6 B 1.03/1.60	
ll	ll	ll	ly	ly	ly
	K 3/0 G 11.7/7.7 B 0.85/1.05			K -13.5/-10 G -2.8/-4.5 B 0.51/0.96	
lm	lm	lm	lz	lz	lz
	K 0/0 G 10.9/8.8 B 1.23/1.11			K 0/8 G 4.6/2.4 B 1.71/1.72	

K: adjustment / 1,000 em. G: horizontal edge gap / x-height %. B: blur index (le = 1).

Values: Lato26 / Fira Sans. Specimens: equal 15 pt x-height; no fl ligatures.

Black Upright

Lato26 Black / Fira Sans Heavy - matched nominal weight, equal x-height

	Lato26	Fira Sans
la	la	la
	K 12.5/-5 G 5.1/0.0 B 1.22/1.29	
lb	lb	lb
	K 0/0 G 9.5/6.0 B 1.29/1.16	
lc	lc	lc
	K -7/-5 G 3.0/0.4 B 1.04/0.97	
ld	ld	ld
	K -8/-5 G 3.1/0.4 B 1.23/1.18	
le	le	le
	K -6.5/-5 G 3.0/0.4 B 1.00/1.00	
lf	lf	lf
	K 0/0 G 2.9/-2.2 B 0.55/0.90	
lg	lg	lg
	K 5/0 G 4.1/-2.8 B 1.18/0.86	
lh	lh	lh
	K 0/0 G 9.5/6.0 B 1.27/1.16	
li	li	li
	K 0/0 G 7.1/3.7 B 1.12/1.10	
lj	lj	lj
	K 0/0 G -8.3/-15.0 B 1.31/1.38	
lk	lk	lk
	K 0/0 G 9.5/6.0 B 1.29/1.16	
ll	ll	ll
	K 2.5/0 G 10.0/4.7 B 0.89/1.07	
lm	lm	lm
	K 0/0 G 9.5/6.0 B 1.22/1.11	

	Lato26	Fira Sans
ln	ln	ln
	K 0/0 G 9.5/6.0 B 1.22/1.10	
lo	lo	lo
	K -7/-5 G 3.0/0.4 B 1.01/1.02	
lp	lp	lp
	K 0/0 G 9.5/6.0 B 1.37/1.23	
lq	lq	lq
	K -8/-5 G 3.1/0.4 B 1.23/1.18	
lr	lr	lr
	K 0/0 G 9.5/6.0 B 1.22/1.10	
ls	ls	ls
	K 15/0 G 5.4/-2.8 B 0.95/1.27	
lt	lt	lt
	K 0/0 G 1.9/-2.2 B 0.53/0.84	
lu	lu	lu
	K 0/0 G 8.6/4.7 B 0.83/1.07	
lv	lv	lv
	K -13/-10 G -3.5/-6.6 B 0.54/0.82	
lw	lw	lw
	K -6.5/0 G -1.4/-2.8 B 0.50/0.76	
lx	lx	lx
	K 17/0 G 1.8/-5.6 B 0.98/1.36	
ly	ly	ly
	K -11/-10 G -3.5/-6.6 B 0.49/0.91	
lz	lz	lz
	K 0/10 G 3.9/0.9 B 1.60/1.43	

K: adjustment / 1,000 em. G: horizontal edge gap / x-height %. B: blur index (le = 1).

Values: Lato26 / Fira Sans. Specimens: equal 15 pt x-height; no fl ligatures.

Hairline Italic

Lato26 Hairline / Fira Sans Thin - matched nominal weight, equal x-height

	Lato26	Fira Sans
la		
	K 1/-5 G 19.6/26.4 B 1.13/0.96	
lb		
	K 0/0 G 21.2/30.6 B 1.44/0.73	
lc		
	K -3/-5 G 19.6/26.6 B 0.91/0.86	
ld		
	K -9/-5 G 18.0/26.4 B 1.41/1.03	
le		
	K -3/-5 G 19.6/26.4 B 1.00/1.00	
lf		
	K 0/0 G 20.9/6.7 B 0.83/1.21	
lg		
	K -8/-5 G 5.3/22.2 B 4.90/0.82	
lh		
	K 0/0 G 21.2/29.9 B 1.47/0.85	
li		
	K 0/0 G 22.3/29.9 B 1.04/0.77	
lj		
	K 0/0 G -6.0/6.4 B 1.36/1.04	
lk		
	K 0/0 G 21.1/29.9 B 1.51/0.87	
ll		
	K 2.5/0 G 25.4/30.6 B 0.63/0.78	
lm		
	K 0/0 G 21.2/29.9 B 1.38/0.82	



	Lato26	Fira Sans
ln		
	K 0/0 G 21.2/29.9 B 1.39/0.81	
lo		
	K -4.5/-5 G 19.6/26.6 B 0.84/0.89	
lp		
	K 0/0 G 16.6/24.7 B 1.96/1.08	
lq		
	K -9/-5 G 17.6/26.4 B 1.64/0.95	
lr		
	K 0/0 G 21.2/29.9 B 1.37/0.81	
ls		
	K -9/0 G 12.9/18.3 B 2.20/3.41	
lt		
	K 0/0 G 20.6/25.8 B 0.52/1.11	
lu		
	K 0/0 G 24.0/32.6 B 0.68/0.35	
lv		
	K -19/-10 G 17.0/23.9 B 0.98/2.08	
lw		
	K -7.5/0 G 20.6/27.7 B 0.56/1.14	
lx		
	K 4/0 G 9.1/10.6 B 3.16/10.30	
ly		
	K -19.5/-10 G 17.2/11.2 B 0.96/2.22	
lz		
	K 0/10 G 10.6/15.2 B 3.25/7.31	




K: adjustment / 1,000 em. G: horizontal edge gap / x-height %. B: blur index (le = 1).

Values: Lato26 / Fira Sans. Specimens: equal 15 pt x-height; no fl ligatures.

Thin Italic

Lato26 Thin / Fira Sans UltraLight - matched nominal weight, equal x-height

	Lato26	Fira Sans
la		
	K -1/-5 G 18.3/24.4 B 1.10/0.99	
lb		
	K 0/0 G 20.1/28.7 B 1.40/0.71	
lc		
	K -6/-5 G 18.1/24.6 B 0.94/0.87	
ld		
	K -11/-5 G 16.6/24.4 B 1.44/1.01	
le		
	K -6/-5 G 18.1/24.4 B 1.00/1.00	
lf		
	K 0/0 G 20.3/4.8 B 0.78/1.25	
lg		
	K -5.5/-5 G 5.3/20.2 B 3.94/0.86	
lh		
	K 0/0 G 20.1/27.9 B 1.39/0.85	
li		
	K 0/0 G 21.2/27.9 B 1.02/0.77	
lj		
	K 0/0 G -6.4/4.2 B 1.30/1.00	
lk		
	K 0/0 G 20.0/27.9 B 1.44/0.85	
ll		
	K 1.5/0 G 24.2/28.8 B 0.64/0.76	
lm		
	K 0/0 G 20.1/27.9 B 1.32/0.81	









	Lato26	Fira Sans
ln		
	K 0/0 G 20.1/27.9 B 1.32/0.81	
lo		
	K -7.5/-5 G 18.1/24.6 B 0.86/0.90	
lp		
	K 0/0 G 15.6/22.3 B 1.76/1.12	
lq		
	K -11/-5 G 16.2/24.4 B 1.60/0.99	
lr		
	K 0/0 G 20.1/27.9 B 1.31/0.81	
ls		
	K -8/0 G 12.1/16.3 B 1.99/3.31	
lt		
	K 0/0 G 19.9/23.8 B 0.48/1.12	
lu		
	K 0/0 G 22.8/30.6 B 0.65/0.37	
lv		
	K -21/-10 G 15.8/21.9 B 0.94/1.99	
lw		
	K -10/0 G 19.2/25.8 B 0.59/1.13	
lx		
	K 3.5/0 G 8.0/8.7 B 2.77/9.28	
ly		
	K -21.5/-10 G 16.0/9.6 B 0.91/2.13	
lz		
	K 0/10 G 10.0/13.7 B 2.86/6.74	










K: adjustment / 1,000 em. G: horizontal edge gap / x-height %. B: blur index (le = 1).

Values: Lato26 / Fira Sans. Specimens: equal 15 pt x-height; no fl ligatures.

Light Italic

Lato26 Light / Fira Sans Light - matched nominal weight, equal x-height

	Lato26	Fira Sans
la		
	K -2/-5 G 16.6/20.8 B 1.03/1.07	
lb		
	K 0/0 G 18.4/24.5 B 1.29/0.83	
lc		
	K -9/-5 G 16.0/21.2 B 0.95/0.90	
ld		
	K -13/-5 G 14.8/21.0 B 1.42/1.05	
le		
	K -9/-5 G 16.0/21.0 B 1.00/1.00	
lf		
	K 0/0 G 19.3/0.8 B 0.70/1.51	
lg		
	K 0.5/-5 G 5.5/16.6 B 2.86/0.92	
lh		
	K 0/0 G 18.4/23.7 B 1.27/0.96	
li		
	K 0/0 G 19.4/23.7 B 0.97/0.90	
lj		
	K 0/0 G -7.0/0.0 B 1.24/1.16	
lk		
	K 0/0 G 18.2/23.7 B 1.34/0.98	
ll		
	K 2/0 G 22.8/25.2 B 0.58/0.77	
lm		
	K 0/0 G 18.4/23.7 B 1.21/0.93	










	Lato26	Fira Sans
ln		
	K 0/0 G 18.4/23.7 B 1.22/0.92	
lo		
	K -10/-5 G 16.0/21.2 B 0.89/0.91	
lp		
	K 0/0 G 14.0/18.2 B 1.58/1.20	
lq		
	K -12/-5 G 14.6/20.8 B 1.47/1.07	
lr		
	K 0/0 G 18.4/23.7 B 1.20/0.93	
ls		
	K -6/0 G 11.0/12.4 B 1.75/3.23	
lt		
	K 0/0 G 18.7/19.7 B 0.45/1.30	
lu		
	K 0/0 G 21.2/26.4 B 0.62/0.48	
lv		
	K -22.5/-10 G 14.2/18.7 B 0.87/1.73	
lw		
	K -12/0 G 17.3/22.8 B 0.59/1.03	
lx		
	K 3/0 G 6.4/5.5 B 2.39/6.98	
ly		
	K -23/-10 G 14.4/7.3 B 0.84/1.84	
lz		
	K 0/10 G 9.1/10.7 B 2.46/5.49	

K: adjustment / 1,000 em. G: horizontal edge gap / x-height %. B: blur index (le = 1).

Values: Lato26 / Fira Sans. Specimens: equal 15 pt x-height; no fl ligatures.

Regular Italic

Lato26 Regular / Fira Sans Regular - matched nominal weight, equal x-height

	Lato26	Fira Sans
la		
	K -7.5/-5 G 12.8/15.9 B 0.96/1.10	
lb		
	K 0/0 G 15.2/18.8 B 0.99/0.92	
lc		
	K -17.5/-5 G 11.7/16.3 B 1.00/0.96	
ld		
	K -19.5/-5 G 11.0/16.1 B 1.35/1.09	
le		
	K -17/-5 G 11.8/16.3 B 1.00/1.00	
lf		
	K 0/0 G 17.6/-4.6 B 0.51/1.78	
lg		
	K 8/-5 G 5.4/11.6 B 1.50/1.01	
lh		
	K 0/0 G 15.2/18.2 B 0.98/1.01	
li		
	K 0/0 G 16.2/18.2 B 0.78/0.96	
lj		
	K 0/0 G -8.1/-6.1 B 0.97/1.28	
lk		
	K 0/0 G 15.0/18.2 B 1.02/1.03	
ll		
	K 2/0 G 19.4/20.1 B 0.50/0.78	
lm		
	K 0/0 G 15.2/18.2 B 0.94/0.98	








	Lato26	Fira Sans
ln		
	K 0/0 G 15.2/18.2 B 0.94/0.98	
lo		
	K -18/-5 G 11.7/16.3 B 0.96/0.94	
lp		
	K 0/0 G 11.1/12.5 B 1.15/1.22	
lq		
	K -18/-5 G 10.8/15.9 B 1.34/1.10	
lr		
	K 0/0 G 15.2/18.2 B 0.93/0.98	
ls		
	K -4.5/0 G 8.4/7.0 B 1.30/2.97	
lt		
	K 0/0 G 16.8/14.0 B 0.36/1.48	
lu		
	K 0/0 G 18.2/20.7 B 0.51/0.60	
lv		
	K -28.5/-10 G 10.7/14.4 B 0.76/1.48	
lw		
	K -19.5/0 G 13.2/18.4 B 0.63/1.01	
lx		
	K -0.5/0 G 3.1/1.3 B 1.70/4.54	
ly		
	K -29/-10 G 10.8/3.8 B 0.74/1.57	
lz		
	K 0/10 G 7.6/6.8 B 1.62/4.05	











K: adjustment / 1,000 em. G: horizontal edge gap / x-height %. B: blur index (le = 1).

Values: Lato26 / Fira Sans. Specimens: equal 15 pt x-height; no fl ligatures.

Medium Italic

Lato26 Medium / Fira Sans Medium - matched nominal weight, equal x-height

	Lato26	Fira Sans
la		
	K -9/-5 G 12.0/10.2 B 1.07/1.08	
lb		
	K 0/0 G 14.6/12.1 B 1.06/0.99	
lc		
	K -15.5/-5 G 11.5/10.4 B 1.01/0.96	
ld		
	K -19.5/-5 G 10.5/10.2 B 1.41/1.13	
le		
	K -15/-5 G 11.6/10.4 B 1.00/1.00	
lf		
	K 0/0 G 17.3/-9.6 B 0.54/1.44	
lg		
	K 6.5/-5 G 4.8/6.4 B 1.58/1.00	
lh		
	K 0/0 G 14.6/11.5 B 1.04/1.06	
li		
	K 0/0 G 15.6/11.5 B 0.84/1.01	
lj		
	K 0/0 G -8.4/-12.3 B 1.03/1.34	
lk		
	K 0/0 G 14.5/11.5 B 1.07/1.07	
ll		
	K 2/0 G 18.7/13.6 B 0.54/0.86	
lm		
	K 0/0 G 14.6/11.5 B 1.00/1.03	























	Lato26	Fira Sans
ln		
	K 0/0 G 14.7/11.5 B 0.99/1.03	
lo		
	K -16/-5 G 11.6/10.6 B 0.95/0.95	
lp		
	K 0/0 G 10.4/5.7 B 1.22/1.25	
lq		
	K -17.5/-5 G 10.3/10.2 B 1.40/1.09	
lr		
	K 0/0 G 14.6/11.5 B 0.99/1.02	
ls		
	K -4.5/0 G 7.9/2.3 B 1.36/2.00	
lt		
	K 0/0 G 16.4/9.5 B 0.39/1.17	
lu		
	K 0/0 G 17.6/14.0 B 0.56/0.75	
lv		
	K -27.5/-10 G 10.4/9.6 B 0.78/1.12	
lw		
	K -19/0 G 12.9/13.6 B 0.66/0.86	
lx		
	K 3.5/0 G 3.3/-3.4 B 1.57/2.72	
ly		
	K -28/-10 G 10.5/-0.2 B 0.76/1.21	
lz		
	K 0/10 G 7.3/2.3 B 1.66/2.65	

K: adjustment / 1,000 em. G: horizontal edge gap / x-height %. B: blur index (le = 1).

Values: Lato26 / Fira Sans. Specimens: equal 15 pt x-height; no fl ligatures.

Semibold Italic

Lato26 Semibold / Fira Sans SemiBold - matched nominal weight, equal x-height

	Lato26	Fira Sans		Lato26	Fira Sans
la			ln		
	K -10.5/-5 G 11.0/7.9 B 1.22/1.12			K 0/0 G 13.8/9.1 B 1.07/1.05	
lb			lo		
	K 0/0 G 13.7/9.6 B 1.14/1.03			K -13.5/-5 G 11.3/8.3 B 0.98/0.99	
lc			lp		
	K -13/-5 G 11.3/8.3 B 1.01/0.96			K 0/0 G 9.6/3.2 B 1.30/1.26	
ld			lq		
	K -20/-5 G 9.7/8.1 B 1.56/1.14			K -17.5/-5 G 9.6/7.9 B 1.50/1.13	
le			lr		
	K -12.5/-5 G 11.4/8.3 B 1.00/1.00			K 0/0 G 13.7/9.1 B 1.07/1.05	
lf			ls		
	K 0/0 G 16.7/-11.3 B 0.58/1.36			K -4.5/0 G 7.1/0.4 B 1.46/1.79	
lg			lt		
	K 5/-5 G 4.0/4.5 B 1.69/1.04			K 0/0 G 15.7/7.7 B 0.44/1.09	
lh			lu		
	K 0/0 G 13.7/8.9 B 1.12/1.12			K 0/0 G 16.8/11.3 B 0.62/0.83	
li			lv		
	K 0/0 G 14.7/9.1 B 0.91/1.04			K -26/-10 G 10.1/7.7 B 0.79/1.05	
lj			lw		
	K 0/0 G -8.7/-14.5 B 1.12/1.36			K -18.5/0 G 12.3/11.9 B 0.71/0.81	
lk			lx		
	K 0/0 G 13.5/8.9 B 1.17/1.13			K 6.5/0 G 3.1/-5.3 B 1.51/2.33	
ll			ly		
	K 2/0 G 18.0/10.9 B 0.59/0.93			K -26.5/-10 G 10.2/-1.7 B 0.76/1.14	
lm			lz		
	K 0/0 G 13.7/9.1 B 1.08/1.05			K 0/10 G 6.8/0.6 B 1.72/2.33	

K: adjustment / 1,000 em. G: horizontal edge gap / x-height %. B: blur index (le = 1).

Values: Lato26 / Fira Sans. Specimens: equal 15 pt x-height; no fl ligatures.

Bold Italic

Lato26 Bold / Fira Sans Bold - matched nominal weight, equal x-height

	Lato26	Fira Sans
la	*la*	*la*
	K -15/-5 G 8.8/5.6 B 1.51/1.10	
lb	*lb*	*lb*
	K 0/0 G 12.2/6.8 B 1.23/1.05	
lc	*lc*	*lc*
	K -10/-5 G 10.5/5.8 B 1.01/0.96	
ld	*ld*	*ld*
	K -20.5/-5 G 8.3/5.6 B 1.71/1.14	
le	*le*	*le*
	K -9.5/-5 G 10.6/5.8 B 1.00/1.00	
lf	*lf*	*lf*
	K 0/0 G 15.5/-13.4 B 0.61/1.27	
lg	*lg*	*lg*
	K 1/-5 G 2.3/2.3 B 1.85/1.02	
lh	*lh*	*lh*
	K 0/0 G 12.2/6.0 B 1.22/1.14	
li	*li*	*li*
	K 0/0 G 13.2/6.2 B 1.00/1.06	
lj	*lj*	*lj*
	K 0/0 G -9.5/-17.1 B 1.22/1.36	
lk	*lk*	*lk*
	K 0/0 G 12.0/6.0 B 1.26/1.14	
ll	*ll*	*ll*
	K 2.5/0 G 16.5/8.3 B 0.65/0.95	
lm	*lm*	*lm*
	K 0/0 G 12.2/6.2 B 1.17/1.07	












	Lato26	Fira Sans
ln	*ln*	*ln*
	K 0/0 G 12.3/6.2 B 1.16/1.07	
lo	*lo*	*lo*
	K -10/-5 G 10.6/6.0 B 0.98/0.98	
lp	*lp*	*lp*
	K 0/0 G 8.2/0.4 B 1.38/1.26	
lq	*lq*	*lq*
	K -18/-5 G 8.2/5.6 B 1.65/1.11	
lr	*lr*	*lr*
	K 0/0 G 12.2/6.2 B 1.16/1.07	
ls	*ls*	*ls*
	K -5.5/0 G 5.5/-1.7 B 1.59/1.57	
lt	*lt*	*lt*
	K 0/0 G 14.6/6.0 B 0.48/0.99	
lu	*lu*	*lu*
	K 0/0 G 15.2/8.5 B 0.70/0.89	
lv	*lv*	*lv*
	K -25/-10 G 9.1/5.6 B 0.82/0.98	
lw	*lw*	*lw*
	K -18.5/0 G 10.9/10.0 B 0.79/0.77	
lx	*lx*	*lx*
	K 12/0 G 2.8/-7.3 B 1.34/1.95	
ly	*ly*	*ly*
	K -25.5/-10 G 9.2/-3.2 B 0.79/1.07	
lz	*lz*	*lz*
	K 0/10 G 5.8/-1.3 B 1.74/1.99	

K: adjustment / 1,000 em. G: horizontal edge gap / x-height %. B: blur index (le = 1).

Values: Lato26 / Fira Sans. Specimens: equal 15 pt x-height; no fl ligatures.

Heavy Italic

Lato26 Heavy / Fira Sans ExtraBold - matched nominal weight, equal x-height







	Lato26	Fira Sans		Lato26	Fira Sans
la			ln		
	K -9.5/-5 G 8.1/2.3 B 1.45/1.10			K 0/0 G 10.5/2.4 B 1.28/1.07	
lb			lo		
	K 0/0 G 10.4/3.0 B 1.36/1.06			K -6/-5 G 9.8/2.6 B 0.98/1.00	
lc			lp		
	K -6/-5 G 9.7/2.4 B 1.02/0.96			K 0/0 G 6.5/-3.6 B 1.50/1.25	
ld			lq		
	K -14/-5 G 7.9/2.3 B 1.58/1.15			K -10.5/-5 G 8.0/2.3 B 1.47/1.11	
le			lr		
	K -5.5/-5 G 9.7/2.4 B 1.00/1.00			K 0/0 G 10.4/2.4 B 1.28/1.06	
lf			ls		
	K 0/0 G 14.0/-16.3 B 0.68/1.18			K 1.5/0 G 5.1/-4.3 B 1.44/1.32	
lg			lt		
	K 9.5/-5 G 2.7/-0.6 B 1.55/1.02			K 0/0 G 13.2/3.4 B 0.55/0.92	
lh			lu		
	K 0/0 G 10.4/2.3 B 1.34/1.14			K 0/0 G 13.5/4.7 B 0.81/0.95	
li			lv		
	K 0/0 G 11.3/2.4 B 1.11/1.06			K -21/-10 G 8.3/3.0 B 0.80/0.88	
lj			lw		
	K 0/0 G -10.6/-20.6 B 1.37/1.37			K -14.5/0 G 10.1/7.1 B 0.79/0.75	
lk			lx		
	K 0/0 G 10.2/2.3 B 1.39/1.14			K 19/0 G 2.5/-9.9 B 1.17/1.55	
ll			ly		
	K 7/0 G 15.7/4.5 B 0.63/1.00			K -20.5/-10 G 8.5/-5.6 B 0.76/0.98	
lm			lz		
	K 0/0 G 10.4/2.4 B 1.29/1.07			K 0/10 G 4.6/-3.9 B 1.81/1.65	




K: adjustment / 1,000 em. G: horizontal edge gap / x-height %. B: blur index (le = 1).

Values: Lato26 / Fira Sans. Specimens: equal 15 pt x-height; no fl ligatures.

Black Italic

Lato26 Black / Fira Sans Heavy - matched nominal weight, equal x-height

	Lato26	Fira Sans
la		
	K -4.5/-5 G 7.4/-0.7 B 1.32/1.09	
lb		
	K 0/0 G 8.5/-0.6 B 1.42/1.10	
lc		
	K -3.5/-5 G 8.5/-0.6 B 1.02/0.97	
ld		
	K -8.5/-5 G 7.3/-0.7 B 1.43/1.15	
le		
	K -3/-5 G 8.5/-0.6 B 1.00/1.00	
lf		
	K 0/0 G 12.3/-18.9 B 0.71/1.12	
lg		
	K 16.5/-5 G 2.7/-3.4 B 1.29/1.03	
lh		
	K 0/0 G 8.5/-1.3 B 1.41/1.16	
li		
	K 0/0 G 9.3/-1.1 B 1.20/1.08	
lj		
	K 0/0 G -11.7/-23.8 B 1.47/1.38	
lk		
	K 0/0 G 8.3/-1.3 B 1.45/1.16	
ll		
	K 9/0 G 14.2/1.1 B 0.65/1.04	
lm		
	K 0/0 G 8.5/-1.1 B 1.36/1.10	

	Lato26	Fira Sans
ln		
	K 0/0 G 8.6/-1.1 B 1.35/1.10	
lo		
	K -3.5/-5 G 8.5/-0.4 B 1.00/1.01	
lp		
	K 0/0 G 4.6/-7.1 B 1.56/1.25	
lq		
	K -5/-5 G 7.4/-0.7 B 1.33/1.11	
lr		
	K 0/0 G 8.5/-1.1 B 1.35/1.09	
ls		
	K 8/0 G 4.6/-6.9 B 1.26/1.16	
lt		
	K 0/0 G 11.7/0.9 B 0.61/0.87	
lu		
	K 0/0 G 11.6/1.1 B 0.90/1.03	
lv		
	K -18.5/-10 G 7.2/0.4 B 0.79/0.84	
lw		
	K -12/0 G 8.8/4.7 B 0.81/0.73	
lx		
	K 25/0 G 1.9/-12.5 B 1.00/1.31	
ly		
	K -16.5/-10 G 7.7/-7.7 B 0.71/0.94	
lz		
	K 0/10 G 3.3/-6.4 B 1.77/1.43	

K: adjustment / 1,000 em. G: horizontal edge gap / x-height %. B: blur index (le = 1).

Values: Lato26 / Fira Sans. Specimens: equal 15 pt x-height; no fl ligatures.

Method and reference files

Reproducible measurements; no outlines, spacing, or hints were changed.

Scope: 936 pairs = 26 letters x 18 styles x 2 families.

HarfBuzz default Latin shaping; validated against Pillow/RAQM and GPOS.

K is the difference between the shaped pair advance and unkerned advances.

G = origin of second glyph + its xMin - rightmost xMax of l.

G compares horizontal extents; curves and diagonals can approach at other heights.

Blur uses unhinted FreeType coverage at about 256 pixels per x-height.

It measures ink-field overlap from baseline to x-height at three blur radii.

Resolution checks repeat selected Regular/Bold upright pairs at 512 pixels.

Equal nominal weight does not guarantee equal darkness or stroke thickness.

Hairline is paired with Fira Thin (100); Thin with UltraLight (200).

Heavy is paired with Fira ExtraBold (800); Black with Heavy (900).

Other weights match their nominal 300-700 classes directly.

The comparison uses default glyph forms and excludes fl ligatures.

Reference: official bBox Type Fira Sans 4.301, normal width TTFs.

https://github.com/bBoxType/FiraSans

Pinned upstream commit: f54eeb3124c63fe9b5bcd36d09d1cd46788cd15e

Font hashes, weight mapping and all measurements: fira-spacing-comparison.json

Maximum blur-index change when doubling raster resolution: 0.36%.

Reference fonts are cached separately under their original OFL license.