PT. Mandalika Global Alkesindo

Medical Equipment Sales And Service

PRODUCT CATALOGUE

Alat Kesehatan 2026

www.mga.my.id

BOSKA • **VINNO** • **BISOND**

Jalan Mawar 6 No. 4 Unitex, Kec. Bogor Timur, Kel. Sindangrasa, Kota Bogor

Contact :

087828503881

ICU/PICU/NICU ROOM

22 produk



PENDANT 7 Outlet

BISOND Type DENKI

Specification :

- Double Arm Mechanical
- Net Load Weight <60kg
- Stable and Steady
- High-strength alumunium alloy
- 7 Outlet Gas



PENDANT 10 Outlet

BISOND Type DENKI

Specification :

- Double Arm Mechanical
- Net Load Weight <60kg
- Stable and Steady
- High-strength alumunium alloy
- 10 Outlet Gas



Syringe Pump

BISOND BSP-03

Specification :

- Syringe size : 5ml-60ml
- Accuracy : ±2%
- Weight : 2.5kg
- up to 7 hours battery



Infusion Pump

BISOND IP200

Specification :

- Flowrate 0.1 - 10.000ml
- Accuracy : ±2%
- Weight 1.4kg
- up to 5 hours battery



Patient Monitor 5/7 Parameter

BOSKA BOS-168

Specification :

- 12 inch touch screen
- 5/7 Standard Parameters
- SPO2, NIBP, ECG, RESP, TEMP, IBP, ETCO2
- Up to 2 hours backup battery




Patient Monitor 5/7 Parameter

BISOND M90

Specification :

- 11.6 inch touch screen
- 5/7 Standard Parameters
- SPO2, NIBP, ECG, RESP, TEMP, IBP, ETCO2
- Up to 2 hours backup battery



Infusion Pump

BISOND IP-168

Specification :

- Flow Rate : 0.1 ~ 2300 mL/h
- Accuracy : ±5%
- up to 5 hours battery



Infusion Pump

BISOND IP03

Specification :

- Accuracy : ±2%
- Weight : 2.5kg
- up to 5 hours battery



Patient Monitor 5 Parameter

BISOND AMBU 007

Specification :

- 2.8 inch screen
- 5 Standard Parameters
- SPO2, NIBP, ECG, RESP, TEMP
- Up to 2 hours backup battery
- Support Transport



Patient Monitor 5 Parameter

BISOND AMBU 80

Specification :

- 8 inch screen
- 5 Standard Parameters
- SPO2, NIBP, ECG, RESP, TEMP
- Up to 2 hours backup battery
- Support Transport



4 in 1 Ventilator

BISOND BOSKA K9

Specification :

- Support Neonate 400gr
- Neonate, Infant, Pediatric, Adult
- 10.4 inch colour touchscreen
- Advanced Turbine Technology
- ICU/Transport Ventilator
- SUDAH BAHASA INDONESIA



Blanket Warmer

BISOND BS-2000

Specification :

- Airflow Modes : High, Med, Low
- Temp. Modes : 32C, 35C, 38C, 43C,
- Ambient Air
- Noise : <52db (high fan setting)



Central Monitoring System

Specification :

- up to 64 bedside monitor
- 10.000 history patinent
- Alarm



Syringe Pump

BISOND HK-70

Specification :

- Syringe size : 10ml-60ml
- Accuracy : ±2%
- Weight : 2.5kg
- up to 7 hours battery



Turbine Transport Ventilator

BISOND BS-95

Specification :

- Adult, Pediatric, Neonate
- LCD 10.4 Inci
- Ventilasi Invasif dan Non-Invasif
- Baterai berkapasitas besar



Ventilator ICU

BISOND BS-300

Specification :

- Support Neonate dari 5kg
- Bayi, Anak, Dewasa
- Layar TFT 10,4 inci
- Ventilasi Invasif dan Non-Invasif
- Dengan Kompressor



Infusion Pump

BISOND HK-80

Specification :

- Adult, Neonate
- Flow Rate : 0.01 - 1500ml/h
- Accuracy : ±3%
- Weight : 2.5kg
- up to 5 hours battery



Syringe Pump

BISOND BOSKA-01

Specification :

- Flow Rate : 0.1 ~ 2300 mL/h
- Accuracy : ±1,8%
- Compatible with 1ml syringe



Ventilator

BISOND VT-700

Specification :

- Adult, Pediatric, Neonate
- Touchscreen 15.6 Inci
- Ventilasi Invasif dan Non-Invasif
- 12 Mode Ventilasi



NCPAP - CPAP

BOSKA NeoVenT

Specification :

- CPAP dengan Turbin
- bayi prematur, neonatus, dan pediatrik



Video Endoscopy

BISOND BS ENDO 87

Specification :

- Video Processor
- Auto AWB
- Vascular Enhancement
- Light Source
- LED Lamp, 35000 hours lifetime
- Gastroscope
- Insertion Tube : 9.6mm
- FOV : 145 degree
- Colonoscope
- Insertion Tube : 12.5mm
- FOV : 145 degree
- Include Endoscopy Reporting System



All in One Endoscopy

BISOND

Specification :

- Hysteroscopy
- Urology
- Atroscopy
- Laparoscopy
- ENT / THT

ULTRASOUND SERIES

10 produk



USG 4D

VINNO A5

Specification :

- 15.6” LED Monitor
- Bluetooth, Wi-Fi
- Modern Design from Italy
- User Friendly
- 2 Active Probe Connector
- Live Scanning
- Remote Maintenance
- Only 4Kg
- DICOM System
- Internal Battery 2-3 Hours



USG 2D CD

VINNO A3

Specification :

- 15.6” LED Monitor
- Bluetooth, Wi-Fi
- Modern Design from Italy
- User Friendly
- 2 Active Probe Connector
- Live Scanning
- Remote Maintenance
- Only 4Kg
- DICOM System
- Internal Battery 2-3 Hours



2D Premium Mobile Ultrasound

Z9 PREMIUM

Specification :

- Layar LED HD Medical 21,5 inci
- 3 konektor transduser aktif
- SSD 128GB
- Fungsi 2D Resolusi Tinggi



Premium Mobile Ultrasound

BOSKA PREMIUM

Specification :

- Layar LED HD 21,5 inci
- Layar sentuh besar 13,3 inci
- 4 konektor transduser aktif
- Fungsi 5D D-Live untuk gambar yang sangat jernih
- SSD 256GB



Handheld Ultrasound

BISOND BS-1000

Specification :

- Hanya 182 gram,
- Desain Anti-Selip
- Desain Anti-Air (IP68)
- Didukung baterai Lithium, dengan Wireless Charging
- 3 in 1 (Convex, Linear / Cardiac)



USG 2D CD

BISOND Z50

Specification :

- 15" LED Monitor
- Color Blood Flow, PW, TDI
- DICOM 3.0
- User Friendly
- 2 Active Probe Connector
- Internal Battery 2-3 Hours



USG 2D Colour Doppler

PROSOND

Specification :

- Layar LED HD Medical 15 inci
- 2 Konektor Probe
- SSD 128GB
- Battery power supply: ≥1.5 hours (4.5 hours battery is optional)



Premium Portable Ultrasound

BS-80

Specification :

- Berat 6.5 kg
- Layar LED HD 15,6 inci
- SSD 256GB
- Baterai lithium bawaan yang tahan lama (>3 jam)
- 2 konektor transduser aktif
- Fungsi 4D D-Live untuk gambar yang sangat jernih



USG 4D

VINNO G65

Specification :

- 21,5" LED Monitor
- 10.4" Touchscreen
- Bluetooth, Wi-Fi
- TEE Support
- TVI
- TDI
- Auto PW
- Strain Imaging
- Live Tele Scanning
- Live Tutorial / Scan assistant
- DICOM Telemedicine



USG 4D 5D

VINNO X2

Specification :

- 21,5" LED Monitor
- 10.4" Touchscreen
- Bluetooth, Wi-Fi
- HD Live
- Auto IMT
- TDI (Tissue Doppler Imaging)
- Live-Scanning
- Scan-Assistant
- SSD
- DICOM Supported

OPERATING ROOM

17 produk



Anesthesia Ventilator

BISOND AN-8000

Specification :

- Layar Sentuh 12 inci
- Volume Tidal 20-1500ml
- 2 Vaporizer
- 3 Gas
- with Heating System



Anesthesia Ventilator

BISOND AN-5000

Specification :

- Layar TFT 7 inci
- Volume Tidal 20-1500ml
- A/C, Standby, SIMV, MAN
- 2 Vaporizer



Laparascopy

BISOND BS800

Specification :

- Full HD Camera
- Waterproof Camera Head
- LED Light Source



Video Bronchoscope System

BISOND BS800

Specification :

- Hasil Gambar HD
- Reusable
- Ringan dan Portable



Operating Lamp Ceiling

BISOND BS-9090

Specification :

- Lux : 160.000
- Temp : 4000-5000K (adjustable)



Operating Lamp Ceiling

BISOND BS 900/900

Specification :

- Lux : 40.000-180.000Lx
- Temp : 4000-5000K (adjustable)




Operating Lamp Ceiling

BISOND BS-80SC

Specification :

- Lampu LED Osram Jerman, dapat bertahan > 50.000 jam
- Lux : 110.000 lux



Operating Lamp Ceiling

BISOND BS-8080

Specification :

- Lampu LED Osram Jerman, dapat bertahan > 50.000 jam
- Lux : 110.000 lux



Operating Lamp Ceiling

LIQIAN LQLED 700/500

Specification :

- Lux : 160.000Lx
- Temp : 4000-5000K (adjustable)



Operating Lamp Mobile

BISOND BS-80MB

Specification :

- Lampu LED Osram Jerman, dapat bertahan > 50.000 jam
- Lux : 110.000 lux



Operating Lamp Mobile

BISOND BS-25

Specification :

- Lampu LED Osram Jerman, dapat bertahan > 50.000 jam
- Lux : 40.000 lux



Gynaecology Table

BOSKA OT-87

Specification :

- Baterai standar mendukung 80 operasi, tahan sekitar satu minggu.



Electric Operating Table

BOSKA OT-5000

Specification :

- 5 Fungsi
- Sliding 30cm
- Lumbar / Kidney Bridge
- Baterai standar mendukung 80 operasi, tahan sekitar satu minggu.



Electrosurgical Unit 200W

TAKTVOLL ES-200PK

Specification :

- Up to 200w Cutting Power
- 3 Cut Mode
- 3 Coag Mode
- 2 Bipolar Mode



Electrosurgical Unit 300W

TAKTVOLL ES-300D

Specification :

- Up to 300w Cutting Power
- 5 Cut Mode
- 3 Coag Mode
- 3 Bipolar Mode



Electrosurgical Unit 300W

BISOND ECO-300

Specification :

- Up to 300w Cutting Power
- 5 Cut Mode
- 4 Coag Mode



Electrosurgical Unit 400W

BISOND ECO-400

Specification :

- Up to 400w Cutting Power
- 5 Cut Mode
- 4 Coag Mode

EMERGENCY

7 produk



Defibrilator Basic/Advance

BOSKA i9

Specification :

- 4 in 1 Function
- Light and Portable
- Biphasic truncated exponential waveform
- 25Ω - 200Ω Impedance Range
- Basic Accessories / with ETCO2



Defibrilator

BISOND D9

Specification :

- ECG, SPO2 ,NIBP, CO2, AED
- Layar 8 Inch
- Dewasa- Anak
- Baterai tahan lama
- SUDAH BAHASA INDONESIA



AED

DENKI D1

Specification :

- Biphasic truncated eksponential Shockwave form
- Deliver 200J shock to adult and 50J shock to pediatric
- High capacity and long-life lithium battery
- SUDAH BAHASA INDONESIA



AED

BISOND D3

Specification :

- Biphasic truncated eksponential Shockwave form
- Deliver 100J - 360J shock to adult and 10J - 100J shock to pediatric
- High capacity and long-life lithium battery
- SUDAH BAHASA INDONESIA



Transport Ventilator

BOSKA A2

Specification :

- Compact and lightweight
- Simple operation
- TFT color LCD screen
- Air mixing function
- IPPV, Assist, and CPR modes



Transport Ventilator

BISOND BOSKA 30

Specification :

- 5.6” color touchscreen
- Volume Tidal : 20 - 2000ml
- Adult - Pediatric
- Backup Battery 3 hours



CPR System

BISOND CPR 7

Specification :

- Kompak & ringan (3.5kg)
- Teknik kompresi dada 30:2 & kompresi terus menerus
- Ditenagai oleh baterai tanpa memerlukan pasokan gas
- Kedalaman kompresi dapat disesuaikan secara kontinu dari 30 hingga 55 mm

DIAGNOSTIC

2 produk



Handheld Oximeter

BISOND BS-08

Specification :

- Layar TFT 1,77 Inci
- Baterai Li-ion bawaan dengan daya tahan hingga 8 jam kerja terus-menerus
- Pengukuran SPO2 dan Denyut Nadi
- Alarm audio dan visual yang dapat disesuaikan



Bladder Volume Tester

BISOND BS-3000

Specification :

- 5.7"Color LED touch screen.
- More accurate measurement, scan time< 4s.
- Built-in thermal printer for easy printing.
- Working time with Li-battery about 7 hours.
- USB port support massive data storage and software update.

CARDIAC TOOLS

6 produk



ECG 3 Channel

BOSKA BOS 73

Specification :

- 3 channels realtime print
- 12 leads ECG
- Rechargable lithium battery
- Weight : 2.0kg



ECG 12 Channel

BOSKA BOS 12CH

Specification :

- 12 channels realtime print
- 12 leads ECG
- Rechargable lithium battery
- Weight : 3.9kg



ECG 12 Channel

BOSKA BS 12CH

Specification :

- 12 channels realtime print
- 12 leads ECG
- Rechargable lithium battery
- Weight : 3.9kg



ECG 6 Channel

BISOND BS-60CH

Specification :

- 12 channels realtime print
- 12 leads ECG
- Rechargable lithium battery
- Weight : 3.9kg



Treadmill with Wireless ECG Kit

DMS TM18

Specification :

- Modulated AC Motor
- Durable
- Lesser maintenance required
- StressTest 4.0 Software



CTG - Fetal Monitor

BISOND FM07

Specification :

- 7" LED Screen
- Special high sensitivity probe
- DSP Technology
- Real time identifying and measurement for FHR
- Accurate and reliable result

RADIOLOGY

1 produk



Wireless Flat Panel Detector

DENKI CELV-1717

Specification :

- 17 x 17 inch image size
- a-Si detector Technology
- IPX3 Water tightness
- Free 2 Battery

CSSD

2 produk



Autoclave 250L

BISOND WG-250L

Specification :

- Stainless Steel
- Komponen Impor Jerman
- Layar sentuh berwarna
- Kapasitas 250L



Autoclave 200L

BISOND DK-200L

Specification :

- Touchscreen 7 Inci
- Sterilisasi Efisien dan Otomatis
- Pembangkit Uap Internal
- Kapasitas 200L

DIAGNOSTIC

3 produk



Video Colposcope

BISOND BS-800

Specification :

- Dilengkapi dengan warna Sony HD Sensor CCD, fitur kamera 2,1 juta piksel.
- dilengkapi panel pengoperasian intuitif
- Software Colposcopes Original



Medical Scale

MINSTON

Specification :

- Dimension : 62 x 29.5 x 106 cm
- LCD Displayer with Blue Backlight
- High Meter From: 60 to 210 cm (Hideable)
- With Rechargeable Battery (Included) With BMI function



Laryngoscope

BISOND HK-37

Specification :

- Type C Interface
- 3,5 Inch Display
- Ergonomic Design
- HD Camera

PT. Mandalika Global Alkesindo

Medical Equipment Sales And Service

ALAMAT

Jalan Mawar 6 No. 4 Unitex, Kec. Bogor Timur, Kel. Sindangrasa, Kota Bogor

WEBSITE

www.mga.my.id

Contact :

087828503881



BOSKA • VINNO • BISOND