



CE & ISO 9001 : 2015 Certified Company


## Mats Portfolio

- RUBBER GYM MATS
- RUBBER HOLLOW MATS
- RUBBER STABLE MATS
- RUBBER ANTI-FATIGUE MATS

IJARO®

CE & ISO 9001 : 2015 Certified Company

# RUBBER GYM MATS





## Discover the numerous advantages of Ijarō Gym Mats

- **Exceptional Shock Absorption:** Our gym mats provide a resilient surface that effectively absorbs shock, minimizing the risk of injuries during workouts.
- **Anti-Fatigue Comfort:** Crafted from superior rubber materials, our mats offer anti-fatigue properties, ensuring comfort and support for prolonged standing and exercise sessions.
- **Enhanced Slip Resistance:** Designed with a non-slip surface, Ijarō Gym Mats prioritize safety by promoting stability and preventing slips or falls, especially in areas prone to moisture.
- **Floor Protection:** Protect your gym floor from damage caused by heavy equipment, weights, and rigorous workouts with our durable and reliable gym mats.
- **Noise Reduction:** Experience a quieter workout environment as our gym mats help dampen sound and vibrations, making them ideal for shared fitness spaces.
- **Hygienic and Easy Maintenance:** Easy to clean and resistant to moisture, our gym mats maintain a hygienic surface, minimizing the risk of bacterial growth.
- **Customizable Options:** Choose from a variety of sizes, thicknesses, and colors to customize Ijarō Gym Mats according to your specific needs and aesthetic preferences.
- **Versatility at Its Best:** Our gym mats are versatile, suitable for various exercises including yoga, stretching, weightlifting, and more, ensuring a well-rounded fitness experience.
- **Durability Assured:** Utilizing high-quality rubber, our gym mats boast durability, resisting wear and tear even under heavy usage.
- **Professional Aesthetics:** Elevate the appearance of your gym with Ijarō Gym Mats, contributing to a professional and well-maintained atmosphere that leaves a positive impression on clients and fitness enthusiasts alike.

Choose Ijarō Gym Mats for a combination of quality, functionality, and style in your fitness space.

# Rubber Gym Mats

Model No: 5100VD




Design No	Top Surfaces	Bottom Surface	Thickness	Color	Size In CM	Side Pattern	Weight Per Pcs (Kg)	Strength (Mpa)	Hardness
5100VD1	Amoebic	Groove	16 mm	Black	100 X 100 cm	Regular	12 Kg	3 tensile	60
5100VD2	Amoebic	Groove	16 mm	Black	100 X 100 cm	Interlock	12 Kg	3 tensile	60



CE & ISO 9001 : 2015 Certified Company

# Rubber Gym Mats


Model No: 5200VD



Design No	Top Surfaces	Bottom Surface	Thickness	Color	Size In CM	Side Pattern	Weight Per Pcs (Kg)	Strength (Mpa)	Hardness
5200VD1	Penny Coin	Groove	16 mm	Black	100 X 100 cm	Regular	12 Kg	3 tensile	60
5200VD2	Penny Coin	Groove	16 mm	Black	100 X 100 cm	Interlock	12 Kg	3 tensile	60

# Rubber Gym Mats


Model No: 5300VD



Design No	Top Surfaces	Bottom Surface	Thickness	Color	Size In CM	Side Pattern	Weight Per Pcs (kg)	Strength (Mpa)	Hardness
5300VD1	Penny Coin	Plain	16 mm	Black	100 X 100 cm	Regular		3 tensile	60
5300VD2	Penny Coin	Plain	16 mm	Black	100 X 100 cm	Interlock		3 tensile	60

# Rubber Gym Mats

Model No: 5400VD



Design No	Top Surfaces	Bottom Surface	Thickness	Color	Size In CM	Side Pattern	Weight Per Pcs (Kg)	Strength (Mpa)	Hardness
5400VD1	Amoebic	Groove	12 mm	Black, Blue, Green, Red	60 X 60 cm	Regular	3.7 Kg	3 tensile	60
5400VD2	Amoebic	Groove	12 mm	Black, Blue, Green, Red	60 X 60 cm	Interlock	3.7 Kg	3 tensile	60

Special Note: A minimum order quantity of 2000 pieces is required for Color GymMats






CE & ISO 9001 : 2015 Certified Company

# Rubber Gym Mats

Model No: 5500VD




Design No	Top Surfaces	Bottom Surface	Thickness	Color	Size In CM	Side Pattern	Weight Per Pcs (Kg)	Strength (Mpa)	Hardness
5500VD1	Amoebic	Groove	12 mm	Body Black + Color Sparkles	60 X 60 cm	Regular	3.7 Kg	3 tensile	60
5500VD2	Amoebic	Groove	12 mm	Body Black + Color Sparkles	60 X 60 cm	Interlock	3.7 Kg	3 tensile	60



CE & ISO 9001 : 2015 Certified Company

# **RUBBER HOLLOW MATS**





CE & ISO 9001 : 2015 Certified Company

Welcome to Ijaro Rubber Hollow Mats, a proud offering from the esteemed 'Ijaro Group of Companies.' As a premier manufacturer and exporter based in India, we specialize in delivering top-quality rubber products, and our Rubber Hollow Mats stand as a testament to our commitment to excellence.

At Ijaro Rubber Hollow Mats, we take pride in providing innovative solutions for a variety of applications. Here's what sets us apart:

- **Comfortable and Hollow Design:** Our mats feature a unique hollow design that enhances comfort and support, making them ideal for various settings, including gyms, industrial spaces, and more.
- **Versatile Usage:** Ijaro Rubber Hollow Mats are versatile and can be used in a wide range of environments, offering a reliable solution for anti-fatigue needs, floor protection, and slip resistance.
- **Durable Construction:** Crafted from high-quality rubber, our mats are designed to withstand heavy usage and provide long-lasting durability, ensuring a reliable solution for your flooring needs.
- **Safety First:** The non-slip surface of our Rubber Hollow Mats prioritizes safety, minimizing the risk of slips and falls, even in areas prone to moisture.
- **Easy Maintenance:** We understand the importance of hassle-free upkeep. Our mats are easy to clean, contributing to a hygienic environment.
- **Customization Options:** Ijaro Rubber Hollow Mats come in various sizes and can be customized to suit your specific requirements, ensuring a perfect fit for your space.
- **Export-Quality Assurance:** Committed to global standards, our mats undergo rigorous quality checks to meet and exceed international export standards.


Choose Ijaro Rubber Hollow Mats for a reliable, comfortable, and durable flooring solution. Experience the difference in quality and innovation that defines the Ijaro brand.

# Rubber Hollow Mats

Model No: 4100ZN



## Top Surfaces

HoneyComb Hollow



## Bottom Surfaces

Plain




Design No	Top Surfaces	Bottom Surface	Thickness	Sizes	Size In CM	Side Pattern	Weight Per Pcs (kg)	Strength (Mpa)	Hardness
4100ZN	Hollow	Plain	16mm	5ft X 3.33ft	150X100 cm	Regular Side Pattern	11	-	-

# Rubber Hollow Mats

Model No: 4200ZN


## Top Surfaces

HoneyComb Hollow



## Bottom Surfaces

Stud



Design No	Top Surfaces	Bottom Surface	Thickness	Sizes	Size In CM	Side Pattern	Weight Per Pcs (kg)	Strength (Mpa)	Hardness
4200ZN	Hollow	Stud	22mm	5ft X 3.33ft	150X100 cm	Regular Side Pattern	12	-	-

IJARO®

CE & ISO 9001 : 2015 Certified Company

# RUBBER STABLE MATS





we specialize in delivering premium rubber products, and our Rubber Stable Mats, also known as Cow Mats, exemplify our dedication to quality and innovation.

### **Key Features of Ijaroo Rubber Stable Mats:**

- **Optimized Comfort for Livestock:** Our Rubber Stable Mats are specifically designed to provide optimum comfort and support for livestock, ensuring a conducive environment for cows and other animals in stables.
- **Durable and Resilient:** Crafted from high-quality rubber, these mats boast exceptional durability and resilience, withstanding the demands of heavy-duty use in agricultural and farming settings.
- **Anti-Slip Surface:** Prioritizing safety, our Cow Mats feature a non-slip surface, reducing the risk of injuries for both animals and handlers, especially in areas prone to moisture.
- **Insulation and Cushioning:** Ijaroo Rubber Stable Mats provide insulation against cold and damp surfaces, offering a comfortable and cushioned flooring solution that promotes the well-being of livestock.
- **Easy to Clean and Maintain:** Recognizing the importance of hygiene, our mats are designed for easy cleaning and maintenance, contributing to a healthier and more sanitary environment in the stable.
- **Customizable Options:** Tailor the size and specifications of our Rubber Stable Mats to suit the unique requirements of your stable, ensuring a perfect fit for your livestock facilities.
- **Export-Quality Assurance:** Committed to international standards, our Rubber Stable Mats undergo stringent quality checks, meeting and surpassing global export requirements.

Choose Ijaroo Rubber Stable Mats for a reliable and animal-friendly flooring solution. Experience the superior quality and innovation that defines the Ijaroo brand.

# Rubber CowMats

Model No: 1100ZN


## Top Surfaces

Diamond Amoeba



## Bottom Surfaces

Groove



Design No	Top Surfaces	Bottom Surface	Thickness	Sizes	Size In CM	Side Pattern	Weight Per Pcs (kg)	Strength (Mpa)	Hardness
1100ZN1	Diamond Amoeba	Groove	12mm	4ft X 6ft	120X180 cm	Regular Side Pattern	29	3 Min.	65 (+/-5)
1100ZN2	Diamond Amoeba	Groove	12mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	29	3 Min.	65 (+/-5)
1100ZN3	Diamond Amoeba	Groove	17mm	4ft X 6ft	120X180 cm	Regular Side Pattern	37	3 Min.	65 (+/-5)
1100ZN4	Diamond Amoeba	Groove	17mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	37	3 Min.	65 (+/-5)
1100ZN5	Diamond Amoeba	Groove	22mm	4ft X 6ft	120X180 cm	Regular Side Pattern	44	3 Min.	65 (+/-5)
1100ZN6	Diamond Amoeba	Groove	22mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	44	3 Min.	65 (+/-5)
1100ZN7	Diamond Amoeba	Groove	12mm	4ft X 6.5ft	120X195 cm	Regular Side Pattern	31	3 Min.	65 (+/-5)
1100ZN8	Diamond Amoeba	Groove	12mm	4ft X 6.5ft	120X195 cm	2 Side Interlock Pattern	31	3 Min.	65 (+/-5)
1100ZN9	Diamond Amoeba	Groove	17mm	4ft X 6.5ft	120X195 cm	Regular Side Pattern	39	3 Min.	65 (+/-5)
1100ZN10	Diamond Amoeba	Groove	17mm	4ft X 6.5ft	120X195 cm	2 Side Interlock Pattern	39	3 Min.	65 (+/-5)
1100ZN11	Diamond Amoeba	Groove	22mm	4ft X 6.5ft	120X195 cm	Regular Side Pattern	46	3 Min.	65 (+/-5)
1100ZN12	Diamond Amoeba	Groove	22mm	4ft X 6.5ft	120X195 cm	2 Side Interlock Pattern	46	3 Min.	65 (+/-5)
1100ZN13	Diamond Amoeba	Groove	17mm	4ft X 7ft	120X210 cm	Regular Side Pattern	50	3 Min.	65 (+/-5)
1100ZN14	Diamond Amoeba	Groove	17mm	4ft X 7ft	120X210 cm	2 Side Interlock Pattern	50	3 Min.	65 (+/-5)

# Rubber CowMats

Model No: 1200ZN


## Top Surfaces

Diamond Liner



## Bottom Surfaces

Groove



Design No	Top Surfaces	Bottom Surface	Thickness	Sizes	Size In CM	Side Pattern	Weight Per Pcs (kg)	Strength (Mpa)	Hardness
1200ZN1	Diamond Liner	Groove	12mm	4ft X 6ft	120X180 cm	Regular Side Pattern	29	3 Min.	65 (+/-5)
1200ZN2	Diamond Liner	Groove	12mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	29	3 Min.	65 (+/-5)
1200ZN3	Diamond Liner	Groove	17mm	4ft X 6ft	120X180 cm	Regular Side Pattern	37	3 Min.	65 (+/-5)
1200ZN4	Diamond Liner	Groove	17mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	37	3 Min.	65 (+/-5)
1200ZN5	Diamond Liner	Groove	22mm	4ft X 6ft	120X180 cm	Regular Side Pattern	44	3 Min.	65 (+/-5)
1200ZN6	Diamond Liner	Groove	22mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	44	3 Min.	65 (+/-5)
1200ZN7	Diamond Liner	Groove	12mm	4ft X 6.5ft	120X195 cm	Regular Side Pattern	31	3 Min.	65 (+/-5)
1200ZN8	Diamond Liner	Groove	12mm	4ft X 6.5ft	120X195 cm	2 Side Interlock Pattern	31	3 Min.	65 (+/-5)
1200ZN9	Diamond Liner	Groove	17mm	4ft X 6.5ft	120X195 cm	Regular Side Pattern	39	3 Min.	65 (+/-5)
1200ZN10	Diamond Liner	Groove	17mm	4ft X 6.5ft	120X195 cm	2 Side Interlock Pattern	39	3 Min.	65 (+/-5)
1200ZN11	Diamond Liner	Groove	22mm	4ft X 6.5ft	120X195 cm	Regular Side Pattern	46	3 Min.	65 (+/-5)
1200ZN12	Diamond Liner	Groove	22mm	4ft X 6.5ft	120X195 cm	2 Side Interlock Pattern	46	3 Min.	65 (+/-5)
1200ZN13	Diamond Liner	Groove	17mm	4ft X 7ft	120X210 cm	Regular Side Pattern	50	3 Min.	65 (+/-5)
1200ZN14	Diamond Liner	Groove	17mm	4ft X 7ft	120X210 cm	2 Side Interlock Pattern	50	3 Min.	65 (+/-5)

# Rubber CowMats

Model No: 1300ZN


## Top Surfaces

Diamond Amoeba



## Bottom Surfaces

Stud



Design No	Top Surfaces	Bottom Surface	Thickness	Sizes	Size In CM	Side Pattern	Weight Per Pcs (kg)	Strength (Mpa)	Hardness
1300ZN1	Diamond Amoeba	Stud	17mm	4ft X 6ft	120X180 cm	Regular Side Pattern	28	3 Min.	65 (+/-5)
1300ZN2	Diamond Amoeba	Stud	17mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	28	3 Min.	65 (+/-5)
1300ZN3	Diamond Amoeba	Stud	22mm	4ft X 6ft	120X180 cm	Regular Side Pattern	36	3 Min.	65 (+/-5)
1300ZN4	Diamond Amoeba	Stud	22mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	36	3 Min.	65 (+/-5)
1300ZN5	Diamond Amoeba	Stud	17mm	4ft X 6.5ft	120X195 cm	Regular Side Pattern	32	3 Min.	65 (+/-5)
1300ZN6	Diamond Amoeba	Stud	17mm	4ft X 6.5ft	120X195 cm	2 Side Interlock Pattern	32	3 Min.	65 (+/-5)
1300ZN7	Diamond Amoeba	Stud	22mm	4ft X 6.5ft	120X195 cm	Regular Side Pattern	39	3 Min.	65 (+/-5)
1300ZN8	Diamond Amoeba	Stud	22mm	4ft X 6.5ft	120X195 cm	2 Side Interlock Pattern	39	3 Min.	65 (+/-5)
1300ZN9	Diamond Amoeba	Stud	17mm	4ft X 7ft	120X210 cm	Regular Side Pattern	34	3 Min.	65 (+/-5)
1300ZN10	Diamond Amoeba	Stud	17mm	4ft X 7ft	120X210 cm	2 Side Interlock Pattern	34	3 Min.	65 (+/-5)

# Rubber CowMats

Model No: 1400ZN


## Top Surfaces

Diamond Liner



## Bottom Surfaces

Stud




Design No	Top Surfaces	Bottom Surface	Thickness	Sizes	Size In CM	Side Pattern	Weight Per Pcs (kg)	Strength (Mpa)	Hardness
1400ZN1	Diamond Liner	Stud	17mm	4ft X 6ft	120X180 cm	Regular Side Pattern	28	3 Min.	65 (+/-5)
1400ZN2	Diamond Liner	Stud	17mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	28	3 Min.	65 (+/-5)
1400ZN3	Diamond Liner	Stud	22mm	4ft X 6ft	120X180 cm	Regular Side Pattern	36	3 Min.	65 (+/-5)
1400ZN4	Diamond Liner	Stud	22mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	36	3 Min.	65 (+/-5)
1400ZN5	Diamond Liner	Stud	17mm	4ft X 6.5ft	120X195 cm	Regular Side Pattern	32	3 Min.	65 (+/-5)
1400ZN6	Diamond Liner	Stud	17mm	4ft X 6.5ft	120X195 cm	2 Side Interlock Pattern	32	3 Min.	65 (+/-5)
1400ZN7	Diamond Liner	Stud	22mm	4ft X 6.5ft	120X195 cm	Regular Side Pattern	39	3 Min.	65 (+/-5)
1400ZN8	Diamond Liner	Stud	22mm	4ft X 6.5ft	120X195 cm	2 Side Interlock Pattern	39	3 Min.	65 (+/-5)
1400ZN9	Diamond Liner	Stud	17mm	4ft X 7ft	120X210 cm	Regular Side Pattern	34	3 Min.	65 (+/-5)
1400ZN10	Diamond Liner	Stud	17mm	4ft X 7ft	120X210 cm	2 Side Interlock Pattern	34	3 Min.	65 (+/-5)

# Rubber CowMats

Model No: 1500ZN

## Top Surfaces

HammerTop



## Bottom Surfaces

HoneyComb



Design No	Top Surfaces	Bottom Surface	Thickness	Sizes	Size In CM	Side Pattern	Weight Per Pcs (kg)	Strength (Mpa)	Hardness
1500ZN1	HammerTop	HoneyComb	23mm	3.83ft X 6ft	115X180 cm	Regular Side Pattern	40	4 Min.	65 (+/-5)
1500ZN2	HammerTop	HoneyComb	23mm	3.83ft X 6ft	115X180 cm	2 Side Interlock Pattern	38	4 Min.	65 (+/-5)

# Rubber CowMats

Model No: 1600ZN


## Top Surfaces

Button



## Bottom Surfaces

HoneyComb




Design No	Top Surfaces	Bottom Surface	Thickness	Sizes	Size In CM	Side Pattern	Weight Per Pcs (kg)	Strength (Mpa)	Hardness
1600ZN1	Button	HoneyComb	26mm	3.83ft X 6ft	115X180 cm	2 Side Interlock Pattern	43	4 Min.	65 (+/-5)

# Rubber CowMats

Model No: 1700ZN


## Top Surfaces

HammerTop



## Bottom Surfaces

Groove



Design No	Top Surfaces	Bottom Surface	Thickness	Sizes	Size In CM	Side Pattern	Weight Per Pcs (kg)	Strength (Mpa)	Hardness
1700ZN1	HammerTop	Groove	12mm	4ft X 6ft	120X180 cm	Regular Side Pattern	29	3 Min.	65 (+/-5)
1700ZN2	HammerTop	Groove	12mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	29	3 Min.	65 (+/-5)
1700ZN3	HammerTop	Groove	16-17mm	4ft X 6ft	120X180 cm	Regular Side Pattern	37	3 Min.	65 (+/-5)
1700ZN4	HammerTop	Groove	16-17mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	37	3 Min.	65 (+/-5)
1700ZN5	HammerTop	Groove	22 mm	4ft X 6ft	120X180 cm	Regular Side Pattern	44	3 Min.	65 (+/-5)
1700ZN6	HammerTop	Groove	22 mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	44	3 Min.	65 (+/-5)
1700ZN7	HammerTop	Groove	12mm	4ft X 6.5ft	120X195 cm	Regular Side Pattern	31	3 Min.	65 (+/-5)
1700ZN8	HammerTop	Groove	12mm	4ft X 6.5ft	120X195 cm	2 Side Interlock Pattern	31	3 Min.	65 (+/-5)
1700ZN9	HammerTop	Groove	16-17mm	4ft X 6.5ft	120X195 cm	Regular Side Pattern	39	3 Min.	65 (+/-5)
1700ZN10	HammerTop	Groove	16-17mm	4ft X 6.5ft	120X195 cm	2 Side Interlock Pattern	39	3 Min.	65 (+/-5)
1700ZN11	HammerTop	Groove	22 mm	4ft X 6.5ft	120X195 cm	Regular Side Pattern	46	3 Min.	65 (+/-5)
1700ZN12	HammerTop	Groove	22 mm	4ft X 6.5ft	120X195 cm	2 Side Interlock Pattern	46	3 Min.	65 (+/-5)

# Rubber CowMats

Model No: 1800ZN


## Top Surfaces

Bubbles



## Bottom Surfaces

Groove



Design No	Top Surfaces	Bottom Surface	Thickness	Sizes	Size In CM	Side Pattern	Weight Per Pcs (kg)	Strength (Mpa)	Hardness
1800ZN1	Bubbles	Groove	12mm	4ft X 6ft	120X180 cm	Regular Side Pattern	29	3 Min.	65 (+/-5)
1800ZN2	Bubbles	Groove	12mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	29	3 Min.	65 (+/-5)
1800ZN3	Bubbles	Groove	16-17mm	4ft X 6ft	120X180 cm	Regular Side Pattern	37	3 Min.	65 (+/-5)
1800ZN4	Bubbles	Groove	16-17mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	37	3 Min.	65 (+/-5)
1800ZN5	Bubbles	Groove	22 mm	4ft X 6ft	120X180 cm	Regular Side Pattern	44	3 Min.	65 (+/-5)
1800ZN6	Bubbles	Groove	22 mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	44	3 Min.	65 (+/-5)

# Rubber CowMats

Model No: 1900ZN


## Top Surfaces

Amoebic



## Bottom Surfaces

Groove



Design No	Top Surfaces	Bottom Surface	Thickness	Sizes	Size In CM	Side Pattern	Weight Per Pcs (kg)	Strength (Mpa)	Hardness
1900ZN1	Amoebic	Groove	12mm	4ft X 6ft	120X180 cm	Regular Side Pattern	29	3 Min.	65 (+/-5)
1900ZN2	Amoebic	Groove	12mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	29	3 Min.	65 (+/-5)
1900ZN3	Amoebic	Groove	16-17mm	4ft X 6ft	120X180 cm	Regular Side Pattern	37	3 Min.	65 (+/-5)
1900ZN4	Amoebic	Groove	16-17mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	37	3 Min.	65 (+/-5)
1900ZN5	Amoebic	Groove	22 mm	4ft X 6ft	120X180 cm	Regular Side Pattern	44	3 Min.	65 (+/-5)
1900ZN6	Amoebic	Groove	22 mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	44	3 Min.	65 (+/-5)

# Rubber CowMats

Model No: 2000ZN


## Top Surfaces

Plain



## Bottom Surfaces

Groove



Design No	Top Surfaces	Bottom Surface	Thickness	Sizes	Size In CM	Side Pattern	Weight Per Pcs (kg)	Strength (Mpa)	Hardness
2000ZN1	Plain	Groove	12mm	4ft X 6ft	120X180 cm	Regular Side Pattern	29	3 Min.	65 (+/-5)
2000ZN2	Plain	Groove	12mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	29	3 Min.	65 (+/-5)
2000ZN3	Plain	Groove	16-17mm	4ft X 6ft	120X180 cm	Regular Side Pattern	37	3 Min.	65 (+/-5)
2000ZN4	Plain	Groove	16-17mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	37	3 Min.	65 (+/-5)
2000ZN5	Plain	Groove	22 mm	4ft X 6ft	120X180 cm	Regular Side Pattern	44	3 Min.	65 (+/-5)
2000ZN6	Plain	Groove	22 mm	4ft X 6ft	120X180 cm	2 Side Interlock Pattern	44	3 Min.	65 (+/-5)

Let's  
Grow  
Together



CE & ISO 9001 : 2015 Certified Company

**Mr. Ketan Patel: (Global Sales Head)**

**E-mail: [export@ijaro.in](mailto:export@ijaro.in)**

**WhatsApp : +91 93160 81913**

**[www.ijarogroup.com](http://www.ijarogroup.com)**