

Ubuntu Terminal Session Log

muhammad_bilal_tahir@DESKTOP-QNC0JCH:~

```
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~$ pwd
/home/muhammad_bilal_tahir
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~$ ls
Sylani  devops
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~$ cd devops
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ ls
script.sh.save
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ rm sript
rm: cannot remove 'sript': No such file or directory
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ rm sript.sh
rm: cannot remove 'sript.sh': No such file or directory
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ rm script.sh
rm: cannot remove 'script.sh': No such file or directory
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ rm script.sh.save
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ ls
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ touch script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ ls
script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
script.sh: line 1: Bilal: command not found
Name:
Age: 26
City: karachi
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
Name: Bilal
Age: 26
City: karachi
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
Name:
Age:
City:
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
Age:
City:
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
Enter Your name:Muhammad Bilal Tahir
Welcome, Muhammad Bilal Tahir
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
Hello World
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ ls echo $?
ls: cannot access 'echo': No such file or directory
ls: cannot access '0': No such file or directory
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
```

```
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
Hello World
0
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
0

muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
script.sh: line 18: cd: test: No such file or directory
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ cd ..
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~$ ls
Sylani  devops
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~$ cd devops
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ ls
Dev  script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ cd Dev
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops/Dev$ ls
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops/Dev$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops/Dev$ cd ..
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ ls
Dev  script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
mkdir: cannot create directory 'Dev': File exists
script.sh: line 19: echoFolder already exists: command not found
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
mkdir: cannot create directory 'demo': File exists
Error creating directory
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash
script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
mkdir: cannot create directory 'Laps': File exists
Error creating directory
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
mkdir: cannot create directory 'demo': File exists
Error creating directory
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
Equal
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
script.sh: line 30: syntax error near unexpected token `fi'
script.sh: line 30: `fi'
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
Equal
5 is greater
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
Equal
5 is greater
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
Equal
```

```
5 is greater
Readable
Writable
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
Equal
5 is greater
Readable
Writable
Match
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
Equal
5 is greater
Readable
Writable
Match
Empty
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
Equal
5 is greater
Readable
Writable
Match
Empty
Empty
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
Equal
5 is greater
Readable
Writable
Match
Empty
Empty
Not Empty
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
Equal
5 is greater
Readable
Writable
Match
Empty
Empty
Not Empty
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
Equal
5 is greater
Readable
Writable
Match
Empty
Empty
Not Empty
Enter folder
name: Dash
Folder created
Exit status: 0
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ nano script.sh
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$ bash script.sh
```

```
Equal
5 is greater
Readable
Writable
Match
Empty
Empty
Not Empty
Enter folder name: Secure
Folder created
Exit status: 0
muhammad_bilal_tahir@DESKTOP-QNC0JCH:~/devops$
```