



CNET Lab 11

Network topology diagram



TASK 1 & 2:

Task 1:

$A = 25$ hosts, $B = 112$, $C = 30$, $D = 10$

✗ A: $25 - 2^5 - 32 - 127$

✗ B: $112 - 2^7 = 128 - 125$

Q C: $30 - 2^5 - 32 - 127$

✓ D: $10 - 2^4 - 16 - 128$

Network Host Subnet

$8 + 8 + 8$ $8 - n$

24

$$A: (24), 3$$
$$B: (24)$$
 $C: (24) \quad 3$

D. (24) 4

200.124.67.0/24

200-124-87.0/25

200 · 124 · 67 · ¹²⁷~~127~~ / 25

200-124-67-128/23

200' | 24.67. 255/25

(B) 254

200-124-87-0/28

200-124-67-63/26

200.124.67.64/26

200-124-~~167~~-127/26

200-124,67-0/27

200.124.67.31/27

(A) 248

200.124.67.32/27

200.124.67.63/27

② 248

200.12 4.67.64/27

200-124-67-95/27

② 240

$$200-124.67 = 75.33$$

4 171/29

200-124-67-80/28

200.124.67.99/28

200.124.67.72/29

4-79/19

200124.67.64730

11. 67/30

200, 124, 67, ~~88~~ / 30

1 - 11 - 21 / 30

$$2.00 \cdot 10^4 \cdot 67.72 / 20 \quad 6.786$$

11 275/30 19/2

A - 50 - 26 - 64 - 126

B - 26 - 25 - 32 - 127

C - 68 - 27 - 128 - 125

$D-9-2^4-18-128$

~~200.12887.0/24~~~~200.124.67.0/28~~

627/25

200.10.20.0/24

129

200-10,20,0/25

• 127/28

20010201128/25

10 11 12 255/25

254

200-10-20-0 / 26

17 183128

200.10.20764/20

$\approx 127/26$

A 252

200.10.20.0/27

11. 31/27

200.10.20: 32 / 27

11. 63/27

(B) 248

200.10.20.0/28

11 - 15/28

200, 10, 20, 16, 28

11. 31/28

(D) 240