

DB Lab 14

MongoDB

- List all the employee names, their salaries.

```
>_MONGOSH
> db.Emp.find({}, {ename: 1, sal: 1})
< {
  _id: ObjectId('681457cf16cbdb8815dc833b'),
  ename: 'Moiz',
  sal: 10000
}
{
  _id: ObjectId('681457cf16cbdb8815dc833c'),
  ename: 'Abdullah',
  sal: 0
}
{
  _id: ObjectId('681457cf16cbdb8815dc833d'),
  ename: 'Dani',
  sal: 0
}
{
  _id: ObjectId('681457cf16cbdb8815dc833e'),
  ename: 'Ali Sher',
  sal: 0
}
```

- List all the employee names, jobs, and salaries who have not been given any commission.

```
> db.Emp.find({comm: 0}, {ename: 1, job: 1, sal: 1})
< {
  _id: ObjectId('681457cf16cbdb8815dc833c'),
  ename: 'Abdullah',
  job: 'Jobless',
  sal: 0
}
{
  _id: ObjectId('681457cf16cbdb8815dc833d'),
  ename: 'Dani',
  job: 'jobless',
  sal: 0
}
{
  _id: ObjectId('681457cf16cbdb8815dc833e'),
  ename: 'Ali Sher',
  job: 'jobless',
  sal: 0
}
{
  _id: ObjectId('681457cf16cbdb8815dc833f'),
  ename: 'Ahmed Kamran',
  job: 'jobless',
  sal: 0
}
```

- List all the employee identity numbers, names, jobs, and salaries are greater than 1500

```
db.Emp.find({sal: {$gt: 1500}}, {_id: 1, ename: 1, job: 1, sal: 1})
{
  _id: ObjectId('681457cf16cbdb8815dc833b'),
  ename: 'Moiz',
  job: 'TA',
  sal: 10000
}
```

- List all the employee names and jobs who are not CLERK, ANALYST, and SALESMAN.

```
db.Emp.find({job: {$ne: ["CLERK", "ANALYST", "SALESMAN"]}}, {ename: 1, jon: 1})
{
  _id: ObjectId('681457cf16cbdb8815dc833b'),
  ename: 'Moiz'
}
{
  _id: ObjectId('681457cf16cbdb8815dc833c'),
  ename: 'Abdullah'
}
{
  _id: ObjectId('681457cf16cbdb8815dc833d'),
  ename: 'Dani'
}
{
  _id: ObjectId('681457cf16cbdb8815dc833e'),
  ename: 'Ali Sher'
}
{
  _id: ObjectId('681457cf16cbdb8815dc833f'),
  ename: 'Ahmed Kamran'
}
```