
Threads
1) System
in Process
2) OS
processes differently
3) Different
Copies of
1) There is no system Call involved
2) All User level threads treated as Single task for OS
3) Threads share same copy of Code and data
4) Context switching is faster
5) Blocking a thread will block entire process
6) Interdependent
Stack Registers
Code
Data/files
Stack Registers
Code
Data
fork()
In fork system call, what we do is
we create child process of an existing process


Process
1) System Calls involved i
2) OS treats different proc
3) Different process hav
Data, files
4) Content swit
5) Blocking a
her
6) Independent
Threads
1) There is no system Call involved
2) All User level threads treated as
Single task for OS
3) Threads share same copy of Code and data
4) Content switching is faster
5) Blocking a thread will
block entire process
6) Interdepe
Stack
Registes
Code
Data/files
Stack
Registes
Code
Data
fork()
or dividing a process in
multiple threads, then what'll happen is,


Threads
1) There is no system Call involved
2) All User level threads treated as Single task for OS
3) Threads share same copy of Code and data
4) Context switching is faster
5) Blocking a thread will block entire process
6) Interdependent
T1
T2
Stack Reg
Stack Reg.
Code
Data
Stack Registers
Code
Data/files
Stack Registers
Code
Data
fork()
Process
1) System Call
n Process
2) OS treats
sses differently
3) Different
erent Copies of
another

Process	Threads
1) System Calls involved in Process	1) There is no system Call involved
2) OS treats different processes differently	2) All User level threads treated as single task for OS
3) Different process have different Copies of Data, files, Code	3) Threads share same copy of Code and data
4) Content switching is slower	4) Content switching is faster
5) Blocking a process will not block another	5) Blocking a thread will block entire process
ndependent	6) Interdependent





So here I'm explaining
basic difference between them

Process

1) System Calls involved in Process
2) OS treats different processes differently
3) Different process have different Copies of Data, files, Code
4) Content switching is slower
5) Blocking a process will not block another
6) Independent

Threads (User level)

1) There is no system Call involved
2) All User level threads treated as single task for OS
3) Threads share same copy of Code and data
4) Content switching is faster
5) Blocking a thread will block entire process
6) Interdependent





Process

1) System Calls involved in Process
2) OS treats different processes differently
3) Different process have different Copies of Data, files, Code
4) * Content switching is slower
5) Blocking a process will not block another
6) …endent

Threads (User level)

1) There is no system Call involved
2) All User level threads treated as Single task for OS
3) Threads share same copy of Code and data
4) Content switching is faster
5) Blocking a thread will block entire process
6) Interdependent





Child will keep moving because it's independent,
they both are independent

Process

1) System Calls involved in Process
2) OS treats different processes differently
3) Different process have different Copies of Data, files, Code
4) * Content switching is slower
5) Blocking a process will not block another

Threads (User level)

1) There is no system Call involved
2) All User level threads treated as Single task for OS
3) Threads share same copy of Code and data
4) Content switching is faster
5) Blocking a thread will block entire process
6) Interdependent



So this is independent and
this is interdependent with each other