Design references for brief writing and motion prototypes

Researched 2026-11-12.

Strengths and best use

Prompt Motion pairs examples with creation direction. Eyecandy gives visual techniques names you can communicate. React Bits provides working React component examples. Together they help turn a vague redesign request into a small, observable brief.

Current checks

The reel uses different sites to illustrate its before and after, so it cannot establish turnaround time or effect. Check a component's dependencies and the repository's current license before copying code. Capture references with URL, author and intended technique. Verify interaction and fallback behavior in your own stack.

Sources checked

Prompt Motion (https://prompt-motion.com/) - Prompt Motion skill repository (https://github.com/furkancingoz/prompt-motion-skill) - Eyecandy parallax (https://eyecannndy.com/technique/parallax) - React Bits repository (https://github.com/DavidHDev/react-bits) - React Bits Tech Text (https://reactbits.dev/c/text-animations/tech-text) - Motion reduced-motion hook (https://motion.dev/docs/react-use-reduced-motion)

Project idea

Select a single motion or layout technique. Describe its trigger, duration, what it should communicate, and the mobile and reduced-motion fallback. Build the smallest prototype and compare it against a static baseline with the same content.

Reusable prompt

```
Build a one-screen brief using these references. Extract a specific technique from each, describe what it communicates, and include a no-motion fallback plus two observable tests.
```

Original sources

- https://www.instagram.com/reel/DfcPdV-kzd2/