# Muhammad Tahir

K214503

Static Website Hosting

1. **Bucket Name**: Provide the name and region of the bucket created.

2.

Name: tahir-aws-bucket1

Region: US East (N. Virginia) us-east-1

3. **Bucket Policy**: Submit a screenshot or JSON output of the bucket policy used for public access.

```json
            "Principal": {
                "AWS": "arn:aws:iam::961341536015:root"
            },
            "Action": "s3:GetObject",
            "Resource": [
                "arn:aws:s3:::tahir-aws-bucket1/ten.css",
                "arn:aws:s3:::tahir-aws-bucket1/ten.js"
            ]
        },
        {
            "Sid": "Stmt1729320672177",
            "Effect": "Allow",
            "Principal": {
                "AWS": "arn:aws:iam::961341536015:root"
            },
            "Action": "s3:GetObject",
            "Resource": "arn:aws:s3:::tahir-aws-bucket1/index.html"
        }
    ]
}
```

4. **Object URLs**: Provide the public URLs of at least two different objects (e.g., an HTML page and an image).

Index.html (https://tahir-aws-bucket1.s3.amazonaws.com/index.html)

Ten.css (https://tahir-aws-bucket1.s3.amazonaws.com/ten.css)

5. **Versioning**: Submit evidence (screenshot) that versioning is enabled, and show that an object version has been updated.

6. **Lifecycle Policy**: Submit a screenshot or configuration details of the lifecycle policy for transitioning objects to a different storage class.

7. **Static Website URL**: Submit the public URL of the static website hosted on S3.

URL: http://tahir-aws-bucket1.s3-website-us-east-1.amazonaws.com