LAB 3

Task 1

```
#include <iostream>
Using namespace std;
int main()
{
  int age;
 double pay;
 Char section;
 Cout << "Enter your age:";
 Cin >>age;
 Cout <<" Enter your pay:";
 Cin>> pay;
 Cout <<" Enter your section:";
 Cin >> section;
 Cout <<"\n Age:" << age << endl;
cout << "Pay:" << pay << endl;
cout <<"Section:" << section << endl;
 return 0;
 }
```

7:35 237 B/s 95

Coding C++

Auto saved at 19:33:44

RUN MENU

```cpp
#include <iostream>
using namespace std;

int main()
{
    int age;
    double pay;
    char section;

    cout << "Enter your age: ";
    cin >> age;

    cout << "Enter your pay: ";
    cin >> pay;

    cout << "Enter your section: ";
    cin >> section;

    cout << "\nAge: " << age << endl;
    cout << "Pay: " << pay << endl;
    cout << "Section: " << section << endl;

    return 0;
}
```

Tab {} “” ; = \ & ,

Compile Result

```
Enter your age: 19
Enter your pay: 2000
Enter your section: C

Age: 19
Pay: 2000
Section: C

[Process completed - press Enter]
```

Task 2

```
#include<iostream>
using namespace std;
int main()
{
cout<<"28/4-2="<<28/4-2<<endl;
cout<<"6+12*2-8="<<6+2*2-8<<endl;
 cout<<"4+8*2="<<4+8*2<<endl;
 cout<<"6+17%3-2="<<6+17%3-2<<endl;
cout<<"2+22*(9-7)="<<2+22*(9-7)<<endl;
cout<<"(8+7)*2="<<(8+7)*2<<endl;
cout<<"(16+7)%2-1="<<(16+7)%2-1<<endl;
cout<<"12/(10-6)="<<12/(10-6)<<endl;
cout<<"(19-3)*(2+2)/4="<<(19-3)*(2+2)/4;
 return 0;
 }
```

Coding C++

Auto saved at 19:57:48

RUN MENU

```cpp
#include <iostream>
using namespace std;
int main()
{
    cout << "28 / 4 - 2 = " << 28 / 4 - 2 << endl;
    cout << "6 + 12 * 2 - 8 = "<< 6 + 12 * 2 - 8 << endl;
    cout << "4 + 8 * 2 = "<< 4 + 8 * 2 << endl;
    cout << "6 + 17 % 3 - 2 = "<< 6 + 17 % 3 - 2 << endl;
    cout << "2 + 22 * (9 - 7) = "<< 2 + 22 * (9 - 7) << endl;
    cout << "(8 + 7) * 2 = "<< (8 + 7) * 2 << endl;
    cout << "(16 + 7) % 2 - 1 = "<< (16 + 7) % 2 - 1 << endl;
    cout << "12 / (10 - 6) = "<< 12 / (10 - 6) << endl;
    cout << "(19 - 3) * (2 + 2) / 4 = "<< (19 - 3) * (2 + 2) / 4;
    return 0;
}
16
```

Compile Result

```
28 / 4 - 2 = 5
6 + 12 * 2 - 8 = 22
4 + 8 * 2 = 20
6 + 17 % 3 - 2 = 6
2 + 22 * (9 - 7) = 46
(8 + 7) * 2 = 30
(16 + 7) % 2 - 1 = 0
12 / (10 - 6) = 3
(19 - 3) * (2 + 2) / 4 = 16
[Process completed - press Enter]
```

Task 3.

```
#include<iostream>
using namespace std;
int main()
{
 int units;
 float mass;
 double weight;
 cout<<"Enter units:";
 cin>>units;
 cout<<"Enter mass:";
 cin>>mass;
 weight = mass*units;
 cout<<"Weight="<<weight<<endl;
 return 0
 }
```

Coding C++

Auto saved at 20:21:32

RUN MENU

```cpp

#include <iostream>
using namespace std;

int main()
{
    int units;
    float mass;
    double weight;

    cout << "Enter units: ";
    cin >> units;

    cout << "Enter mass: ";
    cin >> mass;

    weight = mass * units;

    cout << "Weight = " << weight << endl;

    return 0;
}

```

Compile Result

```
Enter units: 15
Enter mass: 29.5
Weight = 442.5

[Process completed - press Enter]
```

Task 4.

```
#include <iostream>
using namespace std;
int main ()
{
  int a, b = 2;
  float c = 4.2;
  a = b * c;
  cout << "value of a = " << a << endl;
  if (a==8)
  cout << "correct answer is b (8)" << endl;
  return 0;
 }
```

Coding C++

Auto saved at 20:41:48

RUN MENU

```cpp

#include <iostream>
using namespace std;

int main()
{
    int a, b = 2;
    float c = 4.2;

    a = b * c;

    cout << "Value of a = " << a << endl;
    if(a==8)
    cout << "correct answer is b (8)" << endl;

    return 0;
}

```

Compile Result

```
Value of a = 8
correct answer is b (8)

[Process completed - press Enter]
```

Task 5:

```
#include <iostream>
using namespace std;
int main()
{
  int qty = 10;
  int salesReps = 3;
  double unitsEach;
  unitsEach = Static-Cast < double > (qty) / salesReps;
  cout << "Units Each = " << unitsEach << endl;
  return 0;
 }
```

8:54 342 B/s 85

Coding C++

Auto saved at 20:49:47

RUN MENU

```cpp

#include <iostream>
using namespace std;

int main()
{
    int qty = 10;
    int salesReps = 3;
    double unitsEach;

    unitsEach = static_cast<double>(qty) / salesReps;

    cout << "Units Each = " << unitsEach << endl;

    return 0;
}

```

Tab {} “” ; = \ & ,

Compile Result

```
Units Each = 3.33333

[Process completed - press Enter]
```

Task 6.

```
#include <iostream>
using namespace std;
int main ()
{
 int num 1, num 2;
char ch;
srand(time(0));
num 1 = rand() % 900 + 100;
num 2 = rand() % 900 + 100;
Cout <<"Math Tutor" <<endl;
cout << "  " << num 1 <<endl;
Cout <<"+  " << num 2 << endl;
Cout<<"------ " << endl;
Cout<<"Press Enter to see the answer----";
Cin.get(ch);
Cout << "\n Correct Answer:" << endL;
cout << "  " << num 1 << endL;
Cout <<"+  " << num 2 <<end;
```

```
cout << "------" << endl;
cout << "   " << num1+num2 << endl;
return 0;
}
```

Coding C++

Auto saved at 21:29:13

RUN MENU

```cpp

#include <iostream>
#include <cstdlib>
#include <ctime>
using namespace std;

int main()
{
    int num1, num2;
    char ch;

    srand(time(0));

    num1 = rand() % 900 + 100;
    num2 = rand() % 900 + 100;

    cout << "Math Tutor" << endl;
    cout << "   " << num1 << endl;
    cout << "+ " << num2 << endl;
    cout << "-------" << endl;

    cout << "Press Enter to see the answer...";
    cin.get(ch);

    cout << "\nCorrect Answer:" << endl;
    cout << "   " << num1 << endl;
    cout << "+ " << num2 << endl;
    cout << "-------" << endl;
    cout << "   " << num1 + num2 << endl;

    return 0;
}

```

Compile Result

```
Math Tutor
  383
+ 240
-------
Press Enter to see the answer...

Correct Answer:
  383
+ 240
-------
  623

[Process completed - press Enter]
```

Home Tasks:

Task 1

Program 1:-

```
using namespace std;
void main ()
{
  double number1, number2, sum;
  cout << "Enter a number: ";
  cin << number1;
  cout << "Enter another number: ";
  cin << number2;
  number1 + number2 = Sum;
  cout "The sum of two number is " << sum
}
```

Coding C++

Auto saved at 21:51:38

RUN MENU

```
1 using namespace std;
2 void main ()
3 {
4 double number1,number2,sum;
5 cout<<"Enter a number:";
6 cin<<number1;
7 cout<<"Enter another number:";
8 cin<<number2;
9 number1+number2=sum;
10 cout"The sum of the number is "<<sum
11 }
```

Program 1 — Errors Corrected

1. Added `#include <iostream>` to use input and output statements.
2. Changed `void main()` to `int main()`.
3. Corrected `number1 + number2 = sum;` to `sum = number1 + number2;`.
4. Added the missing `<<` operator in the last `cout` statement.
5. Added the missing semicolon (`;`) at the end of the last `cout` statement.
6. Added `return 0;` at the end of the program.

Program 2:-

```
#include <iostream>
using namespace std;
void main ()
{
 int number 1, number 2;
float quotient;
cout << "Enter two number and I will divide \n";
cout << " the first by the second for you. \n";
cin >> number 1, number 2;
quotient = float < Static - Cost > (number 1)/number2;
cout << quotient
 }
```

9:58 • 28 B/s 77

Coding C++

Auto saved at 21:57:34

RUN MENU

```
1
2  #include <iostream>
3  using namespace std;
4  void main()
5  {
6      int number1, number2;
7      float quotient;
8      cout << "Enter two numbers and I will divide\n";
9      cout << "the first by the second for you.\n";
10     cin >> number1, number2;
11     quotient = float<static_cast>(number1) / number2;
12     cout << quotient
13 }
14
```

+ − ! $ [] ‘’ ()
| ^ . # % < >

Program 2 — Errors Corrected

1. Changed `void main()` to `int main()`.
2. Corrected the input statement from `cin >> number1, number2;` to `cin >> number1 >> number2;`.
3. Corrected the type-casting syntax from `float<static_cast>(number1)` to `static_cast<float>(number1)`.
4. Added the missing semicolon (`;`) at the end of the last `cout` statement.
5. Added `return 0;` at the end of the program.

Task 2:

```
#include <iostream>
using namespace std;
int main()
{
  int a = 28, b = 32, c = 37, d = 24, e = 33;
  int sum;
  float average;
  sum = a+b+c+d+e;
  average = sum / 5.0;
  cout << "Sum = " << sum << endl;
  cout << "Average = " << average << endl;
  return 0;
  }
```

Coding C++

Auto saved at 22:06:29

RUN MENU

```cpp

#include <iostream>
using namespace std;

int main()
{
    int a = 28, b = 32, c = 37, d = 24, e = 33;
    int sum;
    float average;

    sum = a + b + c + d + e;
    average = sum / 5.0;

    cout << "Sum = " << sum << endl;
    cout << "Average = " << average << endl;

    return 0;
}

```

Compile Result

```
Sum = 154
Average = 30.8

[Process completed - press Enter]
```